

SMI
6908

HARVARD UNIVERSITY



LIBRARY

OF THE

MUSEUM OF COMPARATIVE ZOOLOGY

S-NA-W
Washington

SMITHSONIAN MISCELLANEOUS COLLECTIONS
VOLUME 112 (WHOLE VOLUME)

CATALOG OF
THE TERMITES (ISOPTERA) OF THE
WORLD

BY

THOMAS E. SNYDER

Bureau of Entomology and Plant Quarantine
Agricultural Research Administration
U. S. Department of Agriculture

MUS. COMP. ZOOL.
LIBRARY
NOV - 4 1949
HARVARD
UNIVERSITY



(PUBLICATION 3953)

CITY OF WASHINGTON
PUBLISHED BY THE SMITHSONIAN INSTITUTION
NOVEMBER 1, 1949


S-N-A-W
[Washington]

SMITHSONIAN MISCELLANEOUS COLLECTIONS
VOLUME 112 (WHOLE VOLUME)

CATALOG OF
THE TERMITES (ISOPTERA) OF THE
WORLD

BY
THOMAS E. SNYDER

Bureau of Entomology and Plant Quarantine
Agricultural Research Administration
U. S. Department of Agriculture



(PUBLICATION 3953)

CITY OF WASHINGTON
PUBLISHED BY THE SMITHSONIAN INSTITUTION
NOVEMBER 1, 1949

The Lord Baltimore Press
BALTIMORE, MD., U. S. A.

7a
X 7a
7

MUS. COMP. ZOOL.
LIBRARY

NOV -4 1949

HARVARD

CATALOG OF THE TERMITES (ISOPTERA)
OF THE WORLD

BY THOMAS E. SNYDER

Bureau of Entomology and Plant Quarantine
Agricultural Research Administration
U. S. Department of Agriculture

CONTENTS

	Page
Introduction	2
List of symbols and abbreviations.....	3
Acknowledgments	4
List of the families, subfamilies, genera, and subgenera (vertically arranged from primitive to specialized; with page references for genera).....	5
Living termites	5
Fossil termites	7
Catalog of the termites (Isoptera) of the world (systematically arranged).....	9
Living termites	9
Family Mastotermitidae	9
Family Kalotermitidae	10
Family Hodotermitidae	54
Family Rhinotermitidae	64
Family Termitidae	99
Not identified as to species.....	345
Not classified (listed alphabetically).....	348
Not termites, or of doubtful position.....	352
Fossil termites	352
Family Uralotermidae	352
Family Mastotermitidae	352
Family Kalotermitidae	356
Family Hodotermitidae	360
Family Rhinotermitidae	364
Family Termitidae	367
Of uncertain or doubtful position.....	369
Fossils not termites.....	371
Descriptions of new genera.....	374
Index to species (listed alphabetically; genera arranged systematically).....	379
Bibliography	458
On living termites.....	458
On fossil termites.....	483

INTRODUCTION

A complete catalog of the termites of the world has long been urgently needed, since there is no modern catalog of the group and reclassification has necessitated innumerable shifts in generic and supergeneric placement of species. The catalog here presented is the result of intermittent work over a period of more than 2 years, and it is believed to reflect an improved classification of the order. In a catalog so large doubtless errors and omissions have occurred.

Subgenera, where it seems desirable, have been raised to generic rank; in some instances the status of the genus and subgenus await further study. The family Kalotermitidae, in the author's concept, is more closely related to the Mastotermitidae than the family Hodotermitidae. The vertical arrangement of the subfamilies of the Termitidae has been changed because, in the author's opinion, the Nasutitermitinae are the most specialized of the termites, and the other subfamilies are grouped in their relation to the Nasutitermitinae. All doubtless have radiated from a stock now extinct, and a linear arrangement is arbitrary. The imago-worker mandible indicates basic phylogenetic relationships but needs further study and analysis before a more satisfactory linear order can be made. Also the radical rearrangement of the genera in the subfamily Nasutitermitinae in vertical order from the most primitive to the most highly specialized is based chiefly on the relative size and position of the marginal teeth on the mandibles of the winged adult, worker and nymphs.

The term "generotype" is used to replace "genotype"; in the index to species, generotypes of new genera are in bold-face capitals. Genera and species are in bold-face, except in bibliographical references; synonyms are in italics.

Types listed as being in the collections of the late Dr. S. F. Light or G. F. Hill are now in the collection of the American Museum of Natural History, New York City, in the custody of Dr. A. E. Emerson at the University of Chicago. Practically all of Dr. Emerson's types are deposited in the American Museum of Natural History including those listed as being with the New York Zoological Society.

Publication considerations have necessitated the omission of many references under each category.

Data on the known geographical distribution of species are available in more detail than possible to give herein. The fossil termites are handled separately.

Names of new genera or species followed by either Snyder or Emerson alone should be credited to that author; where followed by both names they should be credited to both authors. Brief descriptions of new genera are appended.

Where authors are referred to in the catalog but the papers are not listed in the bibliography these papers are of minor importance to taxonomy and are on biology or geographical distribution; they have been omitted owing to lack of space. A comprehensive bibliography is available.

LIST OF SYMBOLS AND ABBREVIATIONS

The following symbols and abbreviations have been used in this paper:

= : equals.

> : greater than.

< : less than.

>< : greater and less than.

A.M.N.H. : American Museum of Natural History, New York City.

bibliog. : bibliography.

biol. : biology.

cat. : catalog.

coll. : collection.

C.S.I.R. : Council for Scientific and Industrial Research, Canberra, Australia.

descr. : described, description.

discus. : discussion.

dist. : distribution.

distr. : district.

econ. : economic.

fig. : figure.

im. : imago.

in lit. : in literature.

loc. : location.

local. : locality.

mand. : mandible.

M.C.Z. : Museum of Comparative Zoology, Cambridge, Mass.

ms. : manuscript.

nat. : national.

n. gen. : new genus.

n. sp. : new species.

N. Y. Zool. Soc. : New York Zoological Society, New York City.

nom. nud. : nomen nudum.

nom. praeoc. : nomen praeoccupatum.

p. : page.

pl. : plate.

sens. lat.; or s. l. : broad sense.

sold.¹⁻² : soldier, major and minor.

sold.¹⁻²⁻³ : soldier, major, intermediate, and minor.

ss. : strict sense.

syn. : synonymy.

tab. : table.

U.S.N.M. : U. S. National Museum, Washington, D. C.

vol. : volume.

wing. : winged.

work.¹⁻² : worker, major and minor.

work.¹⁻²⁻³ : worker, major, intermediate, and minor.

ACKNOWLEDGMENTS

A large amount of this work has been done in collaboration with Dr. A. E. Emerson of the University of Chicago. The majority of the species placed in synonymy for the first time in this catalog are the result of taxonomic studies by Dr. Emerson. Dr. Emerson's card catalog has been freely consulted in checking references.

Grateful acknowledgment is made to the following: Dr. F. C. Craighead, in charge of the Division of Forest Insect Investigations, Bureau of Entomology and Plant Quarantine, U. S. Department of Agriculture, for allowing the author to work on this catalog as part of his official duties; C. F. W. Muesebeck, in charge of the Division of Insect Identification of this same bureau, for his encouragement and for having the manuscript typed by his technically trained typists; Dr. Alexander Wetmore, Secretary of the Smithsonian Institution, for publishing the manuscript.

LIST OF THE FAMILIES, SUBFAMILIES, GENERA, AND SUBGENERA
(Vertically arranged from primitive to specialized; with page references for genera)

LIVING TERMITES

Family MASTOTERMITIDAE Silvestri

Genus *Mastotermes* Foggatt, 10

Family KALOTERMITIDAE Enderlein

Subfamily KALOTERMITINAE

Foggatt

Genus *Kalotermites* Hagen, 11

Genus *Neotermites* Holmgren, 21

Genus *Paraneotermites* Light, 33

Genus *Rugitermes* Holmgren, 34

Genus *Procryptotermes* Holmgren, 36

Genus *Cryptotermes* Banks, 38

Genus *Eucryptotermes* Holmgren, 44

Genus *Glyptotermes* Foggatt, 45

Genus *Calcaritermes* Snyder, 52

Family HODOTERMITIDAE Snyder

Subfamily TERMOPSINAE Holmgren

Genus *Archotermopsis* Desneux, 55

Genus *Hodotermopsis* Holmgren, 55

Genus *Zootermopsis* Emerson, 56

Subfamily STOLOTERMITINAE

Holmgren

Genus *Stolotermes* Hagen, 57

Subfamily POROTERMITINAE

Emerson

Genus *Porotermes* Hagen, 58

Subfamily HODOTERMITINAE

Holmgren

Genus *Hodotermes* Hagen, 59

Genus *Microhodotermes* Sjöstedt, 61

Genus *Anacanthotermes* Jacobson, 62

Family RHINOTERMITIDAE Light

Subfamily PSAMMOTERMITINAE

Holmgren

Genus *Psammotermes* Desneux, 64

Subfamily HETEROTERMITINAE

Foggatt

Genus *Heterotermes* Foggatt, 66

Genus *Reticulitermes* Holmgren, 71

Subfamily STYLOTERMITINAE

Holmgren

Genus *Stylotermes* Holmgren, 75

Subfamily COPTOTERMITINAE

Holmgren

Genus *Coptotermes* Wasmann, 75

Subfamily TERMITOGETONINAE

Holmgren

Genus *Termitogeton* Desneux, 84

Subfamily RHINOTERMITINAE

Foggatt

Genus *Prorhinotermes* Silvestri, 85

Genus *Parrhinotermes* Holmgren, 88

Genus *Schedorhinotermes* Silvestri, 89

Genus *Rhinotermes* Hagen, 96

Genus *Dolichorhinotermes* Snyder and Emerson, n. gen., 98, 374

Genus *Acorhinotermes* Emerson, n. gen., 99, 374

Family TERMITIDAE Westwood

Subfamily SERRITERMITINAE

Holmgren

Genus *Serritermes* Wasmann, 100

Subfamily AMITERMITINAE

Kemner

Genus *Protohamitermes* Holmgren, 101

Genus *Prohamitermes* Holmgren, 101

Genus *Eurytermes* Wasmann, 102

Genus *Hoplotermes* Light, 102

Genus *Anoplotermes* Fritz Müller, 103

Genus *Speculitermes* Wasmann, 110

Genus *Cephalotermes* Silvestri, 110

Genus *Labritermes* Holmgren, 111

Genus *Cylindrotermes* Holmgren, 111

Genus *Euhamitermes* Holmgren, 112

Genus *Drepanotermes* Silvestri, 112

Genus *Amphidotermes* Sjöstedt, 113

Genus *Amitermes* Silvestri, 113

Genus *Gnathamitermes* Light, 127

Genus *Synhamitermes* Holmgren, 129

Genus *Globitermes* Holmgren, 129

Genus *Ahamitermes* Mjöberg, 130

Genus *Pseudomicrotermes*

Holmgren, 131

Genus *Eremotermes* Silvestri, 131

Genus *Microcerotermes* Silvestri, 132

Subfamily TERMITINAE Sjöstedt

Genus *Allognathotermes* Silvestri, 149

Genus *Apicotermes* Holmgren, 149

Genus *Jugositermes* Emerson, 150

Genus *Apilitermes* Holmgren, 151

Genus *Hoplognathotermes* Silvestri, 151

- Genus **Firmitermes** Sjöstedt, 152
 Genus **Trichotermes** Sjöstedt, 152
 Genus **Rostrotermes** Grassé, 152
 Genus **Crenetermes** Silvestri, 153
 Genus **Thoracotermes** Wasmann, 153
 Genus **Euchilotermes** Silvestri, 154
 Genus **Ophiotermes** Sjöstedt, 154
 Genus **Megagnathotermes** Silvestri, 155
 Genus **Cubitermes** Wasmann, 155
 Genus **Lepidotermes** Sjöstedt, 166
 Genus **Procubitermes** Silvestri, 167
 Genus **Noditermes** Sjöstedt, 169
 Genus **Unguitermes** Sjöstedt, 170
 Genus **Fastigitermes** Sjöstedt, 171
 Genus **Proboscitermes** Sjöstedt, 171
 Genus **Basidentitermes** Holmgren, 171
 Genus **Orthotermes** Silvestri, 173
 Genus **Ceratotermes** Silvestri, 173
 Genus **Tuberculitermes** Holmgren, 174
 Genus **Angulitermes** Sjöstedt, 174
 Genus **Spinitermes** Wasmann, 175
 Genus **Orthognathotermes**
 Holmgren, 176
 Genus **Dentispicotermes** Emerson,
 n. gen., 177, 374
 Genus **Crepititermes** Emerson, 177
 Genus **Termites** Linnaeus, 178
 Genus **Cavitermes** Emerson, 187
 Genus **Protocapritermes** Holmgren, 187
 Genus **Promirotermes** Silvestri, 188
 Genus **Mirocapritermes** Holmgren, 189
 Genus **Paracapritermes** Hill, 190
 Genus **Procapritermes** Holmgren, 190
 Genus **Homallotermes** John, 191
 Genus **Pseudocapritermes** Kemner, 191
 Genus **Capritermes** Wasmann, 192
 Genus **Pericapritermes** Silvestri, 198
 Genus **Neocapritermes** Holmgren, 200
 Genus **Planicapritermes** Emerson,
 n. gen., 202, 375
 Subfamily MACROTERMITINAE
 Kemner
 Genus **Acanthotermes** Sjöstedt, 203
 Genus **Pseudacanthotermes** Sjöstedt, 203
 Genus **Synacanthotermes**
 Holmgren, 205
 Genus **Protermes** Holmgren, 206
 Genus **Allodontermes** Silvestri, 206
 Genus **Sphaeroptermes** Holmgren, 208
 Genus **Macrotermes** Holmgren, 208
 Genus **Odontotermes** Holmgren, 218
 Subgenus **Odontotermes**
 Holmgren, 218
-
- Subgenus **Euscaiotermes**
 Silvestri, 244
 Subgenus **Hypotermes**
 Holmgren, 244
 Genus **Ancistrotermes** Silvestri, 245
 Genus **Microtermes** Wasmann, 247
 Subgenus **Microdontermes**
 Sarwar ms., 255
 Subfamily NASUTITERMITINAE
 Hare
 Genus **Syntermes** Holmgren, 256
 Genus **Procornitermes** Emerson,
 n. gen., 260, 375
 Genus **Cornitermes** Wasmann, 261
 Genus **Triacitermes** Emerson,
 n. gen., 263, 376
 Genus **Rhynchotermes** Holmgren, 264
 Genus **Hirtitermes** Holmgren, 264
 Genus **Nasutitermes** Dudley, 265
 Genus **Rotunditermes** Holmgren, 300
 Genus **Havilanditermes** Light, 301
 Genus **Tumulitermes** Holmgren, 301
 Genus **Occasitermes** Holmgren, 304
 Genus **Parvitermes** Emerson,
 n. gen., 305, 376
 Genus **Obtusitermes** Snyder, 306
 Genus **Diversitermes** Holmgren, 306
 Genus **Bulbitermes** Emerson,
 n. gen., 307, 377
 Genus **Coactotermes** Holmgren, 310
 Genus **Velocitermes** Holmgren, 311
 Genus **Tenuirostritermes** Holmgren, 312
 Genus **Ceylonitermes** Holmgren, 313
 Genus **Grallatotermes** Holmgren, 314
 Genus **Lacessititermes** Holmgren, 315
 Genus **Longipeditermes** Holmgren, 317
 Genus **Constrictotermes** Holmgren, 318
 Genus **Hospitalitermes** Holmgren, 318
 Genus **Trinervitermes** Holmgren, 322
 Genus **Paracornitermes** Emerson,
 n. gen. 333, 377
 Genus **Labiotermes** Holmgren, 334
 Genus **Armitermes** Wasmann, 334
 Genus **Curvitermes** Holmgren, 337
 Genus **Angularitermes** Emerson, 338
 Genus **Mimeutermes** Silvestri, 338
 Genus **Subulitermes** Holmgren, 338
 Genus **Convexitermes** Holmgren, 342
 Genus **Eutermellus** Silvestri, 344
 ?Subfamily
 Genus **Foraminitermes** Holmgren, 344

FOSSIL TERMITES

?Family URALOTERMITIDAE Zalessky		
?Genus <i>Uralotermes</i> Zalessky, 352.....		Permian
Family MASTOTERMITIDAE Silvestri		
Genus <i>Mastotermes</i> Froggatt, 352.....	Eocene, Oligocene, Miocene, living	
Genus <i>Pliotermes</i> Pongrácz, 354.....	Miocene	
Genus <i>Diatermes</i> Martynov, 354.....	Oligocene	
Genus <i>Miotermes</i> von Rosen, 355.....	Miocene	
Family KALOTERMITIDAE Enderlein		
Subfamily ELECTROTERMITINAE Emerson		
Genus <i>Eotermes</i> Statz, 356.....	Oligocene	
Genus <i>Proelectrotermes</i> von Rosen, 356.....	Eocene	
Genus <i>Prokalotermes</i> Emerson, 357.....	Miocene	
Genus <i>Electrotermes</i> von Rosen, 357.....	Eocene	
Subfamily KALOTERMITINAE Froggatt		
Genus <i>Kalotermes</i> Hagen, 358....	Eocene, Oligocene, Miocene, Pleistocene, living	
Genus <i>Neotermes</i> Holmgren, 359.....	Eocene, Pleistocene, living	
Genus <i>Cryptotermes</i> Banks, 359.....	Pleistocene, living	
Genus <i>Glyptotermes</i> Froggatt, 359.....	Pleistocene, living	
Family HODOTERMITIDAE Snyder		
Subfamily TERMOPSINAE Holmgren		
Genus <i>Termopsis</i> Heer, 360.....	Eocene, Oligocene, Miocene	
Genus <i>Archotermopsis</i> Desneux, 361.....	Eocene, living	
Genus <i>Parotermes</i> Scudder, 362.....	Miocene	
Genus <i>Zootermopsis</i> Emerson, 362.....	Miocene, living	
Subfamily HODOTERMITINAE Holmgren		
Genus <i>Ulmeriella</i> Meunier, 363.....	Oligocene, Miocene	
Family RHINOTERMITIDAE Light		
Subfamily HETEROTERMITINAE Froggatt		
Genus <i>Heterotermes</i> Froggatt, 364.....	Miocene, living	
Genus <i>Reticulitermes</i> Holmgren, 365.....	Eocene, ?Oligocene, Miocene, living	
Subfamily STYLOTERMITINAE Holmgren		
Genus <i>Parastylotermes</i> Snyder and Emerson, n. gen, 366, 378.....	Miocene	
Subfamily COPTOTERMITINAE Holmgren		
Genus <i>Coptotermes</i> Wasmann, 366.....	Pleistocene, living	
Subfamily RHINOTERMITINAE Froggatt		
Genus <i>Schedorhinotermes</i> Silvestri, 366.....	Pleistocene, living	
Family TERMITIDAE Westwood		
Subfamily AMITERMITINAE Kemner		
Genus <i>Microcerotermes</i> Silvestri, 367.....	?Oligocene, Pleistocene, living	
Subfamily TERMITINAE Sjöstedt		
Genus <i>Termes</i> Linnaeus, 367.....	Pleistocene, living	
Subfamily MACROTERMITINAE Kemner		
Genus <i>Macrotermes</i> Holmgren, 368.....	Miocene, Pleistocene, living	
Genus <i>Odontotermes</i> Holmgren, 368.....	Pleistocene, living	
Genus <i>Microtermes</i> Wasmann, 368.....	Pleistocene, living	
Subfamily NASUTITERMITINAE Hare		
Genus <i>Trinervitermes</i> Holmgren, 369.....	Pleistocene, living	

CATALOG OF THE TERMITES (ISOPTERA) OF THE WORLD
(Systematically arranged)

ISOPTERA

Order ISOPTERA Brullé.

- <Family TERMITINA Latreille 1802, p. 293; family TERMITINE 1805, p. 51.
- <Tribe TERMITIDES Leach 1815, p. 139.
- =Natio TERMIDES Billberg 1820, p. 95.
- =Order ISOPTÈRES Brullé 1832, p. 66.
- <Section TERMITINA Stephens 1835, p. 97.
- <Family TERMITINES Pictet 1836, p. 75.
- =Family TERMITINA Burmeister 1839, p. 758.
- =Family TERMITIDAE Westwood 1840, p. 11.
- <Tribe CORRODANTS Rambur 1842, p. 300.
- =Family TERMITIDES Rambur 1842, p. 300.
- <Suborder CORRODENTIA Walker 1853, p. 477.
- <Family TERMITIDES Walker 1853, p. 501.
- <Tribus CORRODENTIA Hagen 1858, p. 4.
- =Family TERMITINA Hagen 1858, p. 4.
- <Order PLATYPTERA Packard 1886, p. 808 (includes bird-lice).
- =Order ISOPTERA Comstock 1895, p. 95.
- =Family TERMITIDAE Froggatt 1896, p. 512.
- =Superfamily TERMITINA Enderlein 1903, p. 424 [order ISOPTERA includes EMBIIDAE].
- =Family TERMITIDAE (NEUROPTERA) Silvestri 1903, p. 13.
- <Order ISOPTERA Börner 1904, p. 526.
- =Suborder SOCIALIA (Autorum) Börner 1904, p. 526, includes family Termitidae only.
- =Order ISOPTERA Desneux 1904b, p. 283.
- =Family TERMITIDAE Desneux 1904b, p. 283.
- =Order ISOPTERA Desneux 1904e, p. 3.
- =Family TERMITIDAE Desneux 1904e, p. 4.
- =Order ISOPTERA Handlirsch 1904, pp. 751, 758; 1925, p. 502, syn. order (fossil bibliography).
- <Superorder AETIOPTERA Enderlein 1909, p. 171.
- =Order ISOPTERA Enderlein 1909, p. 173.
- =Order ISOPTERA Martynov 1937, pp. 131, 144, 150 (fossil bibliography).
- =Order ISOPTERA Crampton 1938, p. 171 (of superorder PANISOPTERA (ISOPTERIA) including PALAEOPTERA (Blattids and Mantids)).

LIVING TERMITES

MASTOTERMITIDAE

Family MASTOTERMITIDAE Silvestri.

Type genus: *Mastotermes* Froggatt.

- <Subfamily CALOTERMITINAE Froggatt 1896, p. 516; Silvestri 1903, pp. 16, 17.
- >Subfamily MASTOTERMITINAE Desneux 1904b, p. 284.

- >Subfamily MASTOTERMITINAE Desneux 1904e, p. 9.
 =Family MASTOTERMITIDAE Silvestri 1909, pp. 280-284.
 =Family MASTOTERMITIDAE Enderlein 1909, p. 172.
 =Subfamily MASTOTERMITINAE Holmgren 1910, p. 285 (no descr.).
 =Suborder HEMICLIDOPTERA Enderlein 1909, p. 172.
 =Subfamily MASTOTERMITINAE Holmgren 1910a, p. 137 (no descr.).
 =Family MASTOTERMITIDAE Holmgren 1911a, pp. 14, 13.
 <Family PROTERMITIDAE Holmgren 1910, p. 285.

MASTOTERMES

Genus **Mastotermes** Froggatt.

Generitype: **Mastotermes darwiniensis** Froggatt.

- >Genus **Mastotermes** Froggatt 1896, pp. 517, 519.
 >Genus **Mastotermes** Desneux 1904b, p. 279.
 >Genus **Mastotermes** Desneux 1904e, p. 10.
 =Genus **Mastotermes** Silvestri 1909, p. 284.
 Genus **Mastotermes** Holmgren 1910, p. 285 (no descr.) (includes *Termes errabundus* Froggatt).
 =Genus **Mastotermes** Holmgren 1911a, p. 15.

Mastotermes darwiniensis Froggatt.

Mastotermes darwiniensis Froggatt 1896, p. 519, im., pl. XXXV, figs. 3-3a, im., Port Darwin, North. Terr., Australia.

Mastotermes darwiniensis Hill 1942, pp. 15-21, im., sold., work., figs. 5-6, pls. 1, 2.

Termes errabundus Froggatt 1897, p. 733, sold., work., pl. XXXIV, fig. 4, sold., Torrens Creek, No. Queensland.

Holoneotype: winged; morphoneotype: sold., C.S.I.R. coll.

Im., sold.

North. Terr., No. Queensland,
NW. Australia.

Australian.

KALOTERMITIDAE

Family KALOTERMITIDAE Enderlein.

Type genus: **Kalotermes** Hagen.

- <Subfamily CALOTERMITINAE Froggatt 1896, p. 516.
 <Subfamily GLYPTOTERMITINAE Froggatt 1896, p. 518.
 <Subfamily CALOTERMITINAE Silvestri 1903, pp. 16, 17.
 <Subfamily CALOTERMITINAE Desneux 1904b, pp. 284, 285.
 <Subfamily CALOTERMITINAE Desneux 1904e, pp. 11, 9.
 Family CALOTERMITIDAE Enderlein 1909, p. 172 (composition unknown).
 <Family PROTERMITIDAE Holmgren 1909, p. 100 (no descr.).
 <Suborder CRYPTOCLIDOPTERA Enderlein 1909, p. 171.
 <Family PROTERMITIDAE Holmgren 1910, p. 285 (no descr.).
 <Family PROTERMITIDAE Holmgren 1910a, p. 137.
 <Family PROTERMITIDAE Holmgren 1911a, pp. 33, 13, 10.
 =Family KALOTERMITIDAE Banks 1919, p. 475.
 =Family KALOTERMITIDAE Light 1921a, p. 29.
 =Family CALOTERMITIDAE Sjöstedt 1926, p. 22.
 =Family KALOTERMITIDAE Emerson 1942, p. 10.

KALOTERMITINAE

Subfamily KALOTERMITINAE.

Type genus: *Kalotermes* Hagen.

>Tribe CALOTERMITINI Desneux 1904b, pp. 285, 286.

>Tribe CALOTERMITINI Desneux 1904e, p. 20.

<Subfamily CALOTERMITINAE Holmgren 1910, p. 285 (no descr.).

Subfamily CALOTERMITINAE Holmgren 1910a, p. 137 (part).

<Subfamily CALOTERMITINAE Holmgren 1911a, pp. 48, 34, 5.

=Subfamily KALOTERMITINAE Emerson 1942, pp. 9, 10.

Genera:

Kalotermes Hagen.

Neotermites Holmgren.

Paraneotermites Light.

Rugitermes Holmgren.

Procryptotermes Holmgren.

Cryptotermes Banks.

Eucryptotermes Holmgren.

Glyptotermes Froggatt.

Calcaritermes Snyder.

KALOTERMES

Beautiful (*kalos*); not hard wood (*kalon*).

Genus *Kalotermes* Hagen.

Generitype: *Kalotermes flavicollis* (Fabricius).

=Genus *Kalotermes* Hagen 1853, pp. 479, 480.

<Genus *Termes* Walker 1853, p. 529.

<Genus *Kalotermes* Hagen 1854, p. 222 (fossil bibliography).

<Gruppe *Kalotermes* Hagen in Berendt 1856, p. 49.

<Genus *Calotermes* Hagen 1858, p. 33.

<Genus *Calotermes* Hagen 1858a, p. 5.

<Genus *Calotermes* Froggatt 1896, pp. 521, 517.

<Genus *Calotermes* Wasmann 1897, p. 150 (includes *Serritermes*), designates *flavicollis* as generitype.

><Genus *Termopsis* Wasmann 1897, p. 149.

<Genus *Calotermes* Haviland 1898, p. 373.

<Genus *Calotermes* Sjöstedt 1900a, p. 35.

<Genus *Calotermes* Silvestri 1901, pp. 1-3.

<Genus *Calotermes* Silvestri 1903, p. 20.

<Genus *Calotermes* Desneux 1904b, p. 283.

<Genus *Calotermes* Desneux 1904e, p. 20 (includes *Porotermes planiceps*).

<Genus *Calotermes* Escherich 1909 (biol.), pp. 166-170.

<Genus *Calotermes* Holmgren 1910, p. 285 (type: *C. flavicollis*).

<Genus *Calotermes* Holmgren 1910a, p. 137 (no descr.).

<Genus *Calotermes* Holmgren 1911a, pp. 49, 52 (type: *C. flavicollis*).

<Genus *Kalotermes* Banks (and Snyder) 1920, pp. 9, 16, 18.

>Subgenus *Calotermes* [*Calotermes*] Holmgren 1911a, p. 53, pl. 2, figs. 6-7, pl. 3, fig. 6.

<Subgenus *Calotermes* Holmgren 1910, p. 285 (no descr.).

Subgenus *Calotermes* Holmgren 1910a, p. 137 (no descr.).

- =Genus *Kalotermes* Banks 1919, pp. 476, 477.
- =Genus *Kalotermes* Light 1921a, p. 29.
- >Genus *Pterotermes* Holmgren 1911a, pp. 43, 42.
- ><Subgenus *Proneotermes* Holmgren 1911a, p. 53.
- >Genus *Epicalotermes* Silvestri 1918a, p. 347.
- =Genus *Kalotermes* Emerson 1942, pp. 7-10.

Kalotermes aethiopicus (Silvestri).

Epicalotermes aethiopicus Silvestri 1918a, p. 349, im. (queen), sold., nymph, fig. 1 (queen, sold.), Erythraea: Mayabal.

Epicalotermes aethiopicus Sjöstedt 1926, pp. 44-45, fig. 13 (sold.).

Queen, sold.

Eritrea, Africa.

Ethiopian.

Kalotermes approximatus Snyder.

Kalotermes approximatus (Banks and) Snyder 1920, p. 22 (sold.), Florida: Ortega; Snyder 1925a, p. 14, winged, Cape Henry, Va.
Type: sold., U.S.N.M. No. 22359; morphotype: winged.

Winged, sold.

No. Florida, Virginia, So.
Louisiana, U. S. A. Bermuda.

Kalotermes arizonensis Snyder.

Kalotermes arizonensis Snyder 1926c, pp. 393-394, sold., figs. 5, 6 (nest, sold.), Copper Butte Canyon, Ray, Ariz.
Holotype: sold., U.S.N.M. No. 28417.

Sold.

Arizona, U. S. A.

Nearctic.

Kalotermes atratus Hill.

Calotermes (Cryptotermes) atratus Hill 1933a, pp. 48-50, pl. 2, figs. 15-19, winged, sold., New So. Wales: near Appin; 1942, pp. 68-70, figs. 27-28, winged, sold.
Holotype: sold.; morphotype: winged, C.S.I.R. coll.

Winged, sold.

Australia: New So. Wales.

Australian.

Kalotermes banksi Snyder.

Kalotermes banksi Snyder 1920, pp. 38-39, dealated adult, Sabino Canyon, Santa Catalina Mts., Ariz.
Type: dealated male, U.S.N.M. No. 22685.

Kalotermes lighti Snyder 1926c, pp. 395-396, sold., fig. 6 (sold.), Copper Butte Canyon, Ray, Ariz.

Kalotermes texanus Banks (and Snyder) 1920, p. 29, fig. 19 (1), sold., Chalk Bluff, Tex.

Dealated adult, sold.

Arizona, U. S. A.

Nearctic.

***Kalotermes banksiae* Hill.**

***Calotermes (?) banksiae* Hill 1942, p. 115, figs. 61-62, fig. 61 (im.), 62 (sold.), Australia:**
Victoria, Mallacoota; Kermadec Isls.: Raoul Isl.;
New Zealand.
Holotype: sold.; morphotype: winged, C.S.I.R. coll.

Winged, sold.

Australia: Victoria; Kermadec
Isls.: Raoul; New Zealand.

Australian.

***Kalotermes barretoi* Grassé.**

***Calotermes barretoi* Grassé 1939, pp. 182-184, fig. 2, sold., Serra d'Agua, Madeira.**

Sold.

Madeira.

Palearctic.

***Kalotermes beesoni* Gardner.**

***Kalotermes beesoni* Gardner 1944, p. 103, sold., Haldwani, United Provinces.**

Sold.

United Provinces, India.

Indo-Malayan.

***Kalotermes bequaerti* Snyder.**

***Kalotermes (Kalotermes) bequaerti* Snyder 1929, pp. 81-83, winged and sold., Cuba: Banos
(Oriente).**

Cotypes: winged, U.S.N.M. No. 41742; morphotypes:
sold., U.S.N.M.; coparatypes: M.C.Z., Cambridge,
Mass.

Winged, sold.

Cuba, Bermuda, St. Croix.

Neotropical.

***Kalotermes brouni* Froggatt.**

***Calotermes Brouni* Froggatt 1896, p. 531, winged, sold., pl. XXXVI, figs. 1-1a, New
Zealand: Drury.**

***Calotermes Brouni* Wasmann 1902b, p. 139, loc. Chatham Isls. (east of New Zealand).**

***Calotermes (?) brouni* Hill 1942, pp. 100-102, winged, sold., figs. 50-51, New Zealand.**

Holotype: sold.; morphotype: winged, C.S.I.R.
coll.

Winged, sold.

New Zealand, Chatham Isls.

Australian.

***Kalotermes castaneiceps* Sjöstedt.**

***Calotermes castaneiceps* Sjöstedt 1914, pp. 4, 5, fig. 1, winged, Madagascar: Fenerive;
1926, p. 36.**

Winged.

Madagascar.

Malagasy.

***Kalotermes condonensis* Hill.**

***Calotermes (Calotermes) condonensis* Hill 1922b, p. 275, figs. 1-4, sold., SW. Australia:
Condon; 1942, pp. 38-42, figs. 21-23, wing., sold., syn., loc.
Holotype: sold.; morphotype: winged, Nat. Museum,
Melbourne.**

Calotermes (*Calotermes*) *oldfieldi* Hill 1925a, pp. 207-208, pl. 23, figs. 1, 2, winged, sold., Victoria: Kiata.

Types: Nat. Museum, Victoria.

Calotermes (*Calotermes*) *oldfieldi* var. *chryseus* Hill 1926b, pp. 201-202, winged, sold., New So. Wales: Brooklana.

Types: Nat. Museum, Victoria.

Winged, sold.

West. and So. Australia; Victoria, New So. Wales; Austral. Capital Terr.; Queensland; New Zealand (introduced).

Australian.

Kalotermes convexus (Walker).

Termes convexus Walker 1853, p. 527, No. 37 (im.), Van Dieman's Land (Tasmania).

?*Termes australis* Walker 1853, p. 526 (sold. and immature nymph only), Van Dieman's Land only.

Calotermes convexus Hagen 1858, p. 45 (im.), Van Dieman's Land only.

Termes obscurus Hagen 1858, p. 45.

Calotermes convexus Froggatt 1896, p. 522, im., sold., Tasmania.

Calotermes convexus Desneux 1904e, p. 23, syn.

Calotermes (*Cryptotermes*?) *convexus* Holmgren 1911a, p. 55, Tasmania only.

Calotermes (*Calotermes*) *obscurus* Hill 1925a, pp. 208-10, pl. XXIII, figs. 3-7, Tasmania only.

Calotermes (?) *convexus* Hill 1942, pp. 102-104, winged, sold., syn. of sold., sold. described, Tasmania.

Holotype: im., Brit. Museum.

Winged, sold.

Tasmania.

Australian.

Kalotermes cubanus Snyder.

Kalotermes cubanus Snyder 1922, pp. 7-8, figs. 1-2, pl. 1, fig. 2 (sold.), Cuba: Las Playuelas, Pinar del Rio.

Type: sold., U.S.N.M. No. 24565.

Sold.

Cuba.

Neotropical.

Kalotermes dispar Grassé.

Calotermes dispar Grassé 1938, pp. 291-295, figs. 1-2 (im.), 3-10 (sold.), Canary Isl.: La Palma.

Im., sold.

Canary Isl.

Palaearctic.

Kalotermes durbanensis Haviland.

Calotermes durbanensis Haviland 1898, p. 377, sold., Natal, Durban; Sjöstedt 1926, p. 25, syn., loc.

Calotermes madagascariensis (ex part) Sjöstedt 1900a, pp. 41-43, 218, 220, 235, Natal: 1904, pl. 1, figs. D1-2, Natal.

Calotermes braunsi Fuller 1921, p. 28, sold., So. Africa: Cape South Coast.

Im., sold.

So. Africa.

Ethiopian.

Kalotermes emersoni Light.

Kalotermes emersoni Light 1933, pp. 86-88, pl. 7, figs. 3, 5, 6, 8, 10 (sold.), W. Mexico: Jala.

Sold.

W. Mexico.

Neotropical.

Kalotermes flavicollis (Fabricius).

Termes flavicollis Fabricius 1793, p. 91, im., Barbaria; Latreille 1804, p. 62, loc.; 1805, p. 70.

Termes flavicollis Lucas, 1849, p. 110.**Calotermes flavicollis** Hagen 1858, p. 54, im., sold., loc.**Eutermes flavicollis** Perris 1876.**Termes lucifugus** Rossi 1792, p. 107 (only the var.).**Hemerobius marginalis** Rossi 1792, p. 16.**Calotermes marginalis** Jacobson 1904, p. 72, p. 57, loc.**Calotermes flavicollis** Sjöstedt 1926, p. 24, pl. 1, figs. F1-2, im., sold., Mus. Paris.

Im., sold.

So. France: Pyr. Orient.,

Provence; Spain; Portugal;

Italy, Sardinia, Sicily; Dal-

matia (Yugoslavia); Bar-

bary Coast—Algeria to

Egypt; Mediterranean area—

Levant; Asia Minor: Syria,

NW. Caucasus.

Palaearctic.

Kalotermes galapagoensis Banks.

Calotermes galapagoensis Banks 1901, p. 544, figs. 55-56, winged, Wenman Isl., Galapagos Isls.

Type: winged, Acad. Sci. Calif. (destroyed).

Winged.

Galapagos Isls.

Neotropical.

Kalotermes gracilidens (Sjöstedt).

Neotermes gracilidens Sjöstedt 1925, p. 53, sold., Madagascar, Mus. Stockholm; 1926, p. 38, pl. L1-2.

Sold.

Madagascar.

Malagasy.

Kalotermes hilli Emerson, new name.

Termes obscurus Walker 1853, p. 527, No. 36, im., Swan River, Australia (preoccupied by *Termes obscurus* Heer fossil).

?Termes australis Walker 1853, p. 526, sold. and nymph only, New Holland only.**Calotermes convexus** Hagen 1858, p. 45, im. only, New Holland only.**Calotermes (Cryptotermes?) convexus** Holmgren, 1911a, p. 55, Australia only.

Calotermes (?) obscurus Hill 1942, pp. 105-107, figs. 53-54, winged, sold., syn., W. Australia.
Holotype: winged, Brit. Mus.; morphotype: sold. and associated winged, Nat. Mus. Melbourne.

Winged, sold.

W. Australia.

Australian.

Kalotermes immigrans Snyder.

Kalotermes immigrans Snyder 1922, pp. 2-4, pl. 4, fig. 15 (winged), winged, sold., Terr. Hawaii; Oahu, Honolulu.

Kalotermes (K.) immigrans Light 1932a, p. 73, dist.

Type: winged, U.S.N.M. No. 24562.

Calotermes marginipennis Bryan 1915; Swezey 1919; Fullaway 1915; (Banks) and Snyder 1920, p. 132.

Kalotermes (Kalotermes) clevelandi Snyder 1926a, pp. 7-8, sold., Panama: C. Z., Ancon.

Calotermes (Calotermes) curvithorax Kelsey 1943, pp. 45-53, figs. 1-3, winged, sold., Phoenix group, Canton Isl.

Cotypes: Auckland Museum.

Winged, sold.

Terr. Hawaii: Oahu, Honolulu;

Kauai, Laysan; Lanai; Maui;

Hawaii, Hilo. Line Isls.,

Fanning; and Jarvis Isls. to

Marquesas and Canton Isl.

Panama: Canal Zone; Sal-

vador; Ecuador, Galapagos;

Peru.

Papuan and Neotropical.

Kalotermes improbus Hagen.

Calotermes improbus Hagen 1858, p. 44 (im.), Van Dieman's Land (Tasmania).

Calotermes (?) improbus Hill 1942, p. 105.

Holotype: winged, Mus. Berlin.

Winged.

Tasmania.

Australian.

Kalotermes inamurae Oshima.

Calotermes (?) inamurae Oshima 1912, p. 61, pl. 1, figs. 5-6, 21-22, pl. 2, figs. 2, 19; 1913, p. 272, female im., sold. 1-2, Formosa.

Im., sold.¹⁻²

Formosa.

Indo-Malayan.

Kalotermes incisus Silvestri.

Calotermes incisus Silvestri 1901, p. 2, im.; 1903, p. 27, im., sold., fig. 4 (wings), pl. 1, figs. 19-20 (sold.), Venezuela: S. Jean.

Im., sold.

Venezuela, W. Indies: Mona Isl.

Neotropical.

Kalotermes indicus Holmgren.

Calotermes (Calotermes) indicus Holmgren 1913b, p. 37, im., Makassar, Mus. Berlin, Siam, Mus. Vienna.

Im.

Macassar, Siam.

Kalotermes jepsoni Kemner.

Kalotermes Jepsoni Kemner 1932a, pp. 146-149, fig. 7 (sold.), alate, sold., Ceylon.

Alate, sold.

Ceylon.

Indo-Malayan.

Kalotermes jouteli Banks.

Kalotermes jouteli Banks (and Snyder) 1920, p. 25, winged, sold., fig. 14 (1), (sold.), Florida: Adam Key.
Type: sold., U.S.N.M. No. 21857; paratype: sold., M.C.Z. No. 10544.

Winged, sold.

So. Florida, U. S. A.; Cuba;
Bahamas; Mexico.

Nearctic and Neotropical.

Kalotermes longus Holmgren.**Calotermes (Glyptotermes?) longus** Holmgren 1910a, p. 142, sold., Aldabra: Takamaka.**Calotermes (Glyptotermes) longus** Holmgren 1911a, p. 55, Madagascar.**Glyptotermes longus** Sjöstedt 1926, p. 43.

Sold.

Aldabra, Madagascar.

Malagasy.

Kalotermes madagascariensis Wasmann.**Calotermes madagascariensis** Wasmann 1897, p. 153, im., sold., Madagascar: Nossi-Bé.**Calotermes (Proneotermes) madagascariensis** Holmgren 1911a, p. 54.**Proneotermes madagascariensis** Sjöstedt 1926, pp. 32-33, fig. 7 (winged).

Winged, sold.

Africa: Madagascar.

Malagasy.

Kalotermes marginipennis (Latreille).**Termes marginipenné** Latreille 1811-1832; vol. 2 (1832), p. 111; vol. 1 (1811), pl. 39, fig. 8 (sold.), Mexico.**Termes mexicanus** Walker 1853, p. 528, im.**Calotermes marginipennis** Hagen 1858, p. 47, im.**Kalotermes (Kalotermes) marginipennis** Light 1933, pp. 92-97, fig. F-1 (sold.).**Kalotermes montanus** Snyder 1922, p. 5, winged, Mexico.**Kalotermes tuberculifrons** Snyder 1922, pp. 6-7, pl. 1, fig. 1 (sold.), Mexico.

Type: Selys Longchamps coll.

Winged, sold.

Mexico, Guatemala.

Neotropical.

Kalotermes marianus Holmgren.**Calotermes marianus** Holmgren 1912c, p. 281, winged, Marianas; Light 1946, p. 9, Guam.

Winged.

Marianas, Guam.

Papuan.

Kalotermes marjoriae Snyder.**Kalotermes marjoriae** Snyder 1924c, pp. 3-4, winged, Hawaii: Hilo.
Type: winged, U.S.N.M. No. 25082.

Winged.

Terr. Hawaii: Hawaii.

Papuan.

Kalotermes maroccoensis Sjöstedt.**Calotermes maroccoensis** Sjöstedt 1904, p. 17, sold., p. 10, key, Morocco: Tanger.

Calotermes (Neoterpes) maroccoensis Heigh 1922, pp. 68, 345, 682.

Calotermes maroccoensis Sjöstedt 1926, p. 26, pl. 1, fig. G.

Type: sold., Mus. Paris.

Sold.

No. Africa: Morocco.

Palaearctic.

Kalotermes mcgregori Light.

Kalotermes mcgregori Light 1921a, p. 30, fig. 1 (sold.) Philippines: Luzon: Culi Culi (Rizal Prov.), Rosario (Batangas Prov.).

Sold.

Philippines.

Indo-Malayan.

Kalotermes milleri Emerson.

Kalotermes milleri Emerson 1943, pp. 18-22, pl. 3, im., sold., Florida: Elliott Key, loc.

Holotype: queen; morphotype: sold.; paratypes: king and sold., dealate and sold. A.M.N.H., U.S.N.M., M.C.Z. and Field Mus. Nat. Hist.; Emerson and Miller 1943, pp. 184-186, key.

Winged, sold.

U. S. A., Florida: Elliott Key,
Key Largo; Jamaica.

Nearctic and Neotropical.

Kalotermes minor Hagen.

Kalotermes marginipennis var. ***minor*** Hagen 1858, pp. 47-49, sold., California; 1860, p. 100, im.

Kalotermes minor Banks (and Snyder) 1920, p. 26, im., sold., fig. 14 (2) (sold.), fig. 15 (im.), fig. 16 (dist.).

Type: sold., M.C.Z. No. 10546, California, San Diego.

Winged, sold.

U. S. A.: California, Washington,
Utah, Arizona; Lower
California.

Nearctic.

Kalotermes minor*, form *varius Snyder.

Kalotermes minor* forma *varius Snyder 1926c, p. 394, sold., Arizona: Copper Butte Canyon,
U.S.N.M.

Sold.

U. S. A.: Arizona.

Nearctic.

Kalotermes mona Banks.

Kalotermes mona Banks 1919, pp. 477-478, pl. 1, fig. 6 (sold.), p. 477, key, British West Indies: Mona Isl.

Type: sold., A.M.N.H. No. F-3510A; paratype: M.C.Z.
No. 10076

Winged, sold.

West Indies: Mona Isl.

Neotropical.

Kalotermes monticola Sjöstedt.

Calotermes monticola Sjöstedt 1925, p. 53, sold., Alger: Massif de l'Edough; 1926, pp. 26-27, pl. 1, figs. II-2 (sold.), p. 24, key.

Sold.

No. Africa: Algeria.

Palaearctic.

Kalotermes monticola, form brachycephala Sjöstedt.

Calotermes monticola forma brachycephala Sjöstedt 1926, pp. 26-27, pl. 1, figs. II-2 (sold.), p. 24, key, Alger.

Sold.

No. Africa: Algeria.

Palaearctic.

Kalotermes nigritus Snyder.

Kalotermes nigritus Snyder 1946, pp. 158-160, winged, sold., Guatemala: San Jose.

Cotypes: winged, U.S.N.M. No. 57718; comorphotypes: sold., U.S.N.M.

Winged, sold.

Guatemala.

Neotropical.

Kalotermes occidentis (Walker).

Termes occidentis Walker 1853, p. 529, sold., W. coast America.

Termopsis ? occidentis Hagen 1858, p. 77, im., pl. 1, fig. 8 (sold.).

Peterotermes occidentis Holmgren 1911a, pp. 43-44, sold.

Kalotermes occidentis Banks (and Snyder) 1920, p. 18, sold., im., fig. 8 (sold.).

Type: sold., Brit. Mus.; paratypes: M.C.Z. No. 195.

Winged, sold.

Lower California (W. coast
Mexico); Arizona, U. S. A.

Nearctic, Neotropical.

Kalotermes pacificus Banks.

Calotermes pacificus Banks 1901, p. 545, fig. 57 (sold.), Albemarle and Narboro Isl., Galapagos Isls.

Sold.

Galapagos Isls. (off Ecuador).

Neotropical.

Kalotermes pallidinotum Hill.

Calotermes (?) pallidinotum Hill 1942, pp. 117-119, figs. 63-64, winged, sold., New So. Wales: Pigeon House Range.

Holotype: winged; morphotype: sold., C.S.I.R. coll.

Winged, sold.

New So. Wales, Australia.

Australian.

Kalotermes pintoi Kemner.

Kalotermes Pintoi Kemner 1932a, pp. 143-146, alate, sold., fig. 6 (sold.), Ceylon: Pullalam.

Winged, sold.

Ceylon.

Indo-Malayan.

***Kalotermes repandus* Hill.**

***Calotermes (Calotermes) repandus* Hill** 1926d, p. 297, winged, sold., Samoa: Upolu Isl.; 1927, pp. 6-9, figs. 5-9, pl. 1, figs. 3-4; 1942, p. 42, syn., loc.

Holotype: winged; morphotype: sold., Brit. Mus.

Winged, sold.

Samoa, Fiji.

Papuan.

***Kalotermes rufinotum* Hill.**

***Calotermes (Glyptotermes) obscurus* Hill** 1921a, p. 439, figs. 20-25 winged, figs. 26-29 sold., Victoria; not Walker, 1853, p. 527.

***Calotermes (?) rufinotum* Hill** 1925a, p. 207, im., sold., Victoria: Seaford; 1942, pp. 107-110, figs. 55-56, im., sold., syn., Victoria, New So. Wales, Austral. Capital Terr., Queensland.

Holotype: winged; morphotype: sold., Nat. Mus., Melbourne.

Winged, sold.

Australia.

Australian.

***Kalotermes schwarzi* Banks.**

***Kalotermes schwarzi* Banks** (and Snyder) 1920, p. 22, im., sold., fig. 10 (2-3) (sold.), fig. 11 (dist.), fig. 12 (im.), fig. 20 (femora sold.).

Paradise Key, Fla.; Banks 1919, p. 477, im., p. 478, loc., Cuba, Jamaica.

Type: winged and sold., U.S.N.M. No. 21856; paratype: winged, M.C.Z. No. 10536.

Winged, sold.

So. Florida, U. S. A.; Cuba,
Jamaica, W. I.

Nearctic, Neotropical.

***Kalotermes seversi* Snyder and Emerson, new name.**

***Kalotermes perparvus* Light** 1933, pp. 98-99, winged, Maria Madre Isl. (W. coast Mexico).
(Preoccupied by *Kalotermes (Glyptotermes) perparvus* Emerson 1925, p. 332).

Winged.

Tres Marias Isls. (W. coast
Mexico).

Neotropical.

***Kalotermes sinaicus* Kemner.**

***Kalotermes sinaicus* Kemner** 1932, pp. 87-91, fig. 1, sold., Sinai: Amir.

Sold.

Palestine: Sinai.

Palaearctic.

***Kalotermes snyderi* Light.**

***Kalotermes snyderi* Light** 1933, p. 97.

***Kalotermes marginipennis* Banks** 1918, p. 659, Texas only; Banks (and Snyder) 1920, pp. 17, 20-22, 77; (Banks and) Snyder, pp. 131-132, SE. Texas; Savannah, Ga.; No. Florida; Snyder 1924c, pp. 4-5, Texas; 1926a, pp. 8-9, U. S. A.

Winged, sold.

SE. U. S. A., West Indies.

Nearctic, Neotropical.

Kalotermes spoliator Hill.

Calotermes (?) spoliator Hill 1932, p. 136, figs. 1-2, sold., Australian Capital Terr.: Uriarra; 1933a, p. 39, pl. 1, figs. 2-5, winged; 1942, pp. 111-113, figs. 57-58 (winged, sold.).
Holotype: sold.; morphotype: winged, C.S.I.R. coll.

Winged, sold.

Australia: Australian Capital Terr.; New So. Wales,
Queensland.

Australian.

Kalotermes tabogae Snyder.

Kalotermes tabogae Snyder 1924c, pp. 4-5, winged, Taboga Isl., Rep. Panama.
Type: winged, U.S.N.M. No. 25691.

Kalotermes (Kalotermes) tabogae Snyder 1926a, pp. 8-9, sold., Taboga Isl.

Calotermes marginipennis Dudley and Beaumont 1889, pp. 86-87, biol.

Winged, sold.

Panama.

Neotropical.

[Protozoa same as *Kalotermes pacificus* (Banks), valid species.]

Kalotermes taylori Light.

Kalotermes taylori Light 1930a, pp. 24-26, pl. 3, fig. 3, pl. 4, fig. 4, pl. 5, figs. 7-13, sold., Santa Cruz, Zamboanga, Mindanao.
Type: sold., Cat. No. 1156, Light coll., now in Emerson coll.

Sold.

Philippines: Mindanao.

Indo-Malayan.

Kalotermes tillyardi Hill.

Calotermes (?) tillyardi Hill 1932, pp. 138-142, figs. 3 to 8, winged, sold., Austral. Capital Terr.; 1942, pp. 113-115, figs. 59-60, winged, sold., Austral. Capital Terr., New So. Wales, So. Australia.
Holotype: winged; morphotype: sold., C.S.I.R. coll.

Winged, sold.

Australia.

Australian.

NEOTERMESGenus **Neotermes** Holmgren.Generitype: **Neotermes castaneus** (Burmeister).=Genus **Neotermes** Silvestri 1912, p. 212.=Subgenus **Neotermes** Holmgren 1911a, pp. 53-54, pl. 2, fig. 9, p. 3, figs. 8 and 9; 1913b, p. 37.=Genus **Neotermes** Banks 1919, p. 476.=Genus **Neotermes** Banks (and Snyder) 1920, p. 32.<Genus **Neotermes** Sjöstedt 1926, p. 33, fig. 8 (forewing).**Neotermes aburiensis** Sjöstedt.

Neotermes aburiensis Sjöstedt, 1926, p. 39, soldiers of 2 types, Gold Coast: Aburi (close to *gestri*); Grassé 1937a, p. 10, wing., sold., Ivory Coast.
Type: sold., Brit. Mus., Mus. Stockholm.

Winged, sold.

Africa: Gold and Ivory Coasts.

Ethiopian.

Neotermes agilis (Sjöstedt).

Calotermes agilis Sjöstedt, 1902b, p. 302, im., Cameroon; 1904, pp. 15-16, im., Kamerun: Johann Albrechtshöhe; Holmgren 1911a, p. 54, syn.

Neotermes agilis Sjöstedt, 1926, p. 36, syn., loc.

Winged.

Africa: Cameroon.

Ethiopian.

Neotermes amplus Sjöstedt.

Neotermes amplus Sjöstedt 1925, p. 53, sold., Madagascar: Sikora; 1926, pp. 38-39, fig. 9, pl. 1, fig. K.
Type: sold., Mus. Stockholm.

Sold.

Africa: Madagascar.

Malagasy.

Neotermes andamanensis (Snyder).

Kalotermes (Neotermes) andamanensis Snyder 1933a, p. 2, dealated female adult and apterous male, No. Andaman Isl.

Holotype: dealated female, Brit. Mus.; morphotype: apterous male, Forest Research Institute, Dehra Dun, India.

Dealated female, apterous male.

India: No. Andaman Isl.

Indo-Malayan.

Neotermes artocarpi (Haviland).

Calotermes artocarpi Haviland 1898, p. 376, winged, sold., Sarawak.

Type: No. 177.

Calotermes (Neotermes) artocarpi Holmgren 1913b, p. 39, im., sold., fig. 1 (sold.), pl. 1, fig. 5 (sold.), Sarawak, Japore, Mus. Vienna; 1913-14, p. 233, im., Central Sumatra.

?**Calotermes artocarporum** Haviland and Sharp 1896, p. 589, Singapore.

Winged, sold.

Sarawak, Sumatra.

Indo-Malayan.

Neotermes assmuthi (Holmgren).

Calotermes (Neotermes) Assmuthi Holmgren 1913a, pp. 102-103, im., sold., Bangalore.

Calotermes Assmuthi Holmgren 1913b, p. 45, im., sold., Bangalore (Mysore), India.

Winged, sold.

India: Mysore.

Indo-Malayan.

Neotermes bosei (Snyder).

Kalotermes (Neotermes) bosei Snyder 1933a, pp. 2-3, sold., nymphs, India: U. P., Mathranwala, Dehra Dun.

Holotype: sold., Brit. Mus.; comorphotypes: nymphs winged, U.S.N.M.; 1934a, pp. 2-4, fig. 1, sold., winged, Bengal, Buxa Div., specimens in Brit. Mus., U.S.N.M. and Forest Research Institute, Dehra Dun.

Winged, sold.

India: U. P., Bengal.

Indo-Malayan.

Neotermes brevinotus (Snyder).

Kalotermites (*Neotermes*) *brevinotus* Snyder 1932, pp. 98-99, dealated adult, sold., Costa Rica: Sandalo.

Holotype: sold., U.S.N.M. No. 44099; morphotypes: dealated adults.

Dealated adult, sold.

Costa Rica.

Neotropical.

Neotermes camerunensis (Sjöstedt).

Calotermites robustus Sjöstedt 1897a, p. 212, im., Cameroon: Mungo; name preoccupied by *Calotermites robustus* Froggatt 1896, p. 529, pl. 35, fig. 8.

Calotermites camerunensis Sjöstedt 1900a, p. 39, im., pl. 1, fig. D₁₋₂.

Calotermites auriceps Sjöstedt 1904, p. 19, sold., pl. 1, fig. F₁₋₂; 1907a, p. 12.

Calotermites (*Neotermes*) *camerunensis* Holmgren 1911a, p. 54.

Neotermes camerunensis Silvestri 1912, p. 212, im., sold., refers *auriceps* to this species; Sjöstedt 1926, p. 37, syn., loc.

Winged, sold.

Africa: Cameroon.

Ethiopian.

Neotermes castaneus (Burmeister).

Termes castaneus Burmeister 1839, p. 764, im., Puerto Rico.

Calotermites castaneus Hagen 1858, p. 38, im., pl. 2, fig. 2, pl. 3, fig. 2, W. Indies, Middle and So. America, Mus. Berlin, Vienna, Brit. Mus., etc.

Calotermites (*Neotermes*) *castaneus* Holmgren 1911a, p. 54.

Neotermes castaneus Banks 1919, p. 476, sold., im., W. Indies; Banks (and Snyder) 1920, p. 32, im., fig. 20 (sold. leg), fig. 21 (dist. W. Indies, So. Florida).

Termes Guatimalae Walker 1853, p. 528, im., Guatemala.

Termes anticus Walker 1853, p. 528, im., Honduras.

Neotermes elevatus Banks 1919, p. 477, sold., Dominica.

Neotermes angustoculus Snyder 1924c, pp. 8-9, im., sold., Florida.

Winged, sold.

So. Florida, U. S. A.; West

Indies, Middle and So.

America.

Nearctic, Neotropical.

Neotermes chilensis (Blanchard).

Termes chilensis Blanchard in Gay 1851, p. 87, pl. 1, figs. 1-3, im., sold., Chile; Hagen 1858, p. 103 (translation of Gay).

Porotermes chilensis Bolívar 1884, p. 3, redescribes *chilensis* in Gay.

Calotermites (*Neotermes*) *chilensis* Holmgren 1911a, p. 54.

Type: Mus. Paris.

Winged, sold.

So. America: Chile.

Neotropical.

Neotermes chilensis, var. *cayytuensis* (Goetsch).

Calotermites chilensis var. *cayytuensis* Goetsch 1933, pp. 227-244, im., sold., subst. queen, 4 figs., Chili: Cayutue. (P. 229, southern race.)

Im., substitute queen, sold.

So. America: Chile.

Neotropical.

Neotermes chilensis, var. *zapallarensis* (Goetsch).

Calotermes chilensis var. *zapallarensis* Goetsch 1933, pp. 227-244, im., sold., 4 figs., Chili: Zapallar. (P. 229, northern race.)

Im., sold.

So. America: Chile.

Neotropical.

Neotermes connexus Snyder.

Neotermes connexus Snyder 1922, pp. 9-11, figs. 2-3, pl. 4, fig. 16, winged, sold., Terr. Hawaii: Kauai.

Type: sold., U.S.N.M. No. 24566.

Kalotermes (Neo.) *connexus* Light 1932a, pp. 76-77, distr.; 1946, p. 9, Guam. [Belongs in series including *N. papua* (Desneux), *rainbowi* (Hill), *sanctae crucis* (Sny.), and *kanehirae* (Oshima).]

Winged, sold.

Terr. Hawaii; Society Isls.:

Moorea; Marquesas, Guam.

Papuan.

Neotermes cryptops (Sjöstedt).

Calotermes cryptops Sjöstedt 1900, p. 278, sold., Ugalla R.: Ituri Fähr (former German E. Africa); Holmgren 1911a, p. 54.

Neotermes cryptops Sjöstedt 1926, p. 41.

Sold.

Africa.

Ethiopian.

Neotermes dalbergiae (Kalshoven).

Kalotermes dalbergiae Kalshoven 1930, pp. 29-32, fig. 5, im., sold., Java: Banjoemas, Kedoe.

Winged, sold.

Java.

Indo-Malayan.

Neotermes desneuxi (Sjöstedt).

Calotermes Desneuxi Sjöstedt 1904, p. 11, im., sold., Madagascar.

Calotermes (Neotermes) *Desneuxi* Holmgren 1911a, pl. 3, fig. 9 (im. wing); pl. 4, fig. 5 (sold.).

Neotermes Desneuxi Sjöstedt 1926, p. 37.

Winged, sold.

Africa: Madagascar.

Malagasy.

Neotermes erythraeus Silvestri.

Neotermes erythraeus Silvestri 1918a, pp. 350-351, im., sold., fig. 2, Erythrae: Netasit; Sjöstedt 1926, p. 41, syn., loc.

Winged, sold.

Africa.

Ethiopian.

Neotermes europae (Wasmann).

Calotermes europae Wasmann 1910a, p. 118, im., fig. 1^{a-3} (im.), 1^b (sold.), Isl. Europa (in Canal of Mozambique).

Neotermes europae Sjöstedt 1926, p. 37, syn., loc.

Winged, sold.

Africa: Isl. Europa.

Malagasy.

Neotermes ferrugineus (Holmgren).

Calotermes (Neotermes) ferrugineus Holmgren 1911b, p. 455, im., Germ. New Guinea: Kela.

Winged.

New Guinea.

Papuan.

Neotermes firmus (Sjöstedt).

Calotermes firmus Sjöstedt 1911b, p. 175, im., Brit. E. Africa: Riv. Luazomela tributary to Guaso Nyiri north of Mt. Kenia.

Neotermes firmus Sjöstedt 1926, p. 36, syn., loc.

Winged.

Africa: Kenya.

Ethiopian.

Neotermes fletcheri (Holmgren, K. and N.).

Calotermes (Neotermes) fletcheri Holmgren, K. and N. 1917, p. 139, im., sold., India: Coimbatore.

Winged, sold.

So. India: Madras.

Indo-Malayan.

Neotermes fulvescens (Silvestri).

Calotermes fulvescens Silvestri 1901, p. 1, im., Brazil: Cuyabà; 1903, p. 21 (im.), fig. 2 (wings), pl. 1, figs. 8-11 (im.), figs. 12-13 (sold.).

Calotermes (Neotermes) fulvescens Holmgren 1911a, p. 54.

Calotermes (Neotermes) flavescens Holmgren 1911a, pl. 3, fig. 10 (wings); name misspelled?

Winged, sold.

Brazil: Matto Grosso.

Neotropical.

Neotermes gardneri (Snyder).

Kalotermes (Neotermes) gardneri Snyder 1933a, pp. 3-4, fig. 1 (wing), India: U. P., Dehra Dun.

Cotypes: wing, Brit. Mus., Forest Research Inst., U.S.N.M. No. 44101.

Winged.

India: United Provinces.

Indo-Malayan.

Neotermes gestri Silvestri.

Neotermes Gestri Silvestri 1912, p. 213, im., sold., variations, biol., fig. 1 (im., sold.), Isl. Principe; De Seabra 1917, p. 24, Isl. of S. Thomé; Sjöstedt 1926, pp. 39-40, also Isl. Fernando Po.

Winged, sold.

W. Africa.

Ethiopian.

Neotermes gracilignathus (Emerson).

Kalotermes (Neotermes) gracilignathus Emerson 1924, pp. 392-394, figs. a-e, winged, sold., Juan Fernandez and Easter Isls., W. coast So. America.

Holotype: winged; morphotype: sold., Naturhist. Riks-museet, Stockholm, Sweden; paratypes: A.M.N.H.

Winged, sold.

W. coast So. America.

Neotropical.

Neotermes grandis Light.

Neotermes grandis Light 1930a, pp. 27-29, pl. 2, fig. 9, pl. 3, fig. 5, pl. 4, fig. 3, pl. 5, figs. 3 and 11, sold., Philippines: Laguna Prov., Luzon, Mt. Maquiling.

Type: sold., Light coll., now in Emerson coll.

Sold.

Philippines: Luzon.

Indo-Malayan.

Neotermes greeni (Desneux).

Calotermes Greeni Desneux 1908, p. 388, im., sold., Ceylon.

Calotermes (Neotermes) Greeni Holmgren 1913b, p. 44, im., sold., fig. 4 (sold.), pl. 1, fig. 7 (sold.); 1913-14, p. 233; John 1925, p. 380; Kemner 1926, pp. 382-383.

Winged, neotenic reproductive,
sold.

Ceylon.

Indo-Malayan.

Neotermes hirtellus (Silvestri).

Calotermes hirtellus Silvestri 1901, p. 1, im., Brazil: Itasisi (Cuyabà); 1903, p. 23, fig. 3 (wings), pl. 1, figs. 14-15 (im., sold.).

Winged, sold.

Brazil: Matto Grosso.

Neotropical.

Neotermes holmgreni Banks.

Neotermes holmgreni Banks 1918, p. 659, im., pl. 51, fig. 9 (im.), Rep. Panama: Taboga Isl.; Snyder 1925, p. 184, sold.

Type: im., M.C.Z.; paratypes and morphotype: sold., U.S.N.M.

Kalotermes (Neotermes) clearei Emerson 1925, pp. 316-318, im., sold., Brit. Guiana: Georgetown.

Winged, sold.

Middle (Panama) and So.
America (Brit. Guiana).

Neotropical.

Neotermes howa (Wasmann).

Calotermes howa Wasmann 1897, p. 157, sold., Madagascar: Fenerive; Sjöstedt 1904, p. 19, Mauritius.

Calotermes (Neotermes) howa Holmgren 1911a, p. 54.

Neotermes howa Sjöstedt 1926, p. 42.

Neotermes howa var. *mauritiana* Sjöstedt 1926, p. 42, sold., Mauritius.

Sold.

Africa: Madagascar, Mauritius.

Malagasy.

Neotermes insularis (Walker).

Termes insularis Walker 1853, p. 521, im., New Zealand.

Calotermes insularis Hagen 1858, p. 42, im.; Hill 1925, p. 86, im., sold., Victoria.

Termes australis French 1893, p. 137, fig. 10 (sold. only), Victoria.

Termes insularis White 1846, p. 1-24, pl. II (pl. XXXV, fig. 4), Victoria.

Calotermes (Neotermes) insularis Holmgren 1911a, p. 54; Hill 1942, pp. 47-48, syn.

Calotermes (Neotermes) deuqueti Hill 1926b, pp. 196-199, fig. 1 (sold.), New So. Wales: Lismore.

Calotermes irregularis Froggatt 1896, p. 525, Queensland, North. Terr. (Darwin).

Calotermes longiceps Froggatt 1896, p. 529, New So. Wales.

Calotermes malandensis Mjöberg 1920, p. 12, im., sold., fig. 4, im., pl. 1, fig. 4, sold., fig. 6, egg, No. Queensland.

Calotermes (Neotermes) oculifer Mjöberg 1920, p. 19, sold., pl. 1, fig. 3, text fig. 8, No. Queensland.

Calotermes (Neotermes) paralleliceps Mjöberg 1920, pp. 16-19, fig. sold. mand., No. Queensland.

Calotermes robustus Froggatt 1896, p. 528, pl. 35, fig. 8, winged, New So. Wales.

Winged, sold.

New Zealand, Australia: Victoria, New So. Wales, Queensland, North. Terr.

Australian.

Neotermes kanehirae (Oshima).

Calotermes (Neotermes) kanehirae Oshima 1917, p. 195, im., fig. 1, Caroline Isls.: Palao; 1942, pp. 381-384, im., sold., fig. 1 (sold. mand.), Nghus, Ngureketabel.

Winged, sold.

Caroline Isls.: Palao, Nghus.

Papuan.

Neotermes kartaboensis (Emerson).

Kalotermes (Neotermes) kartaboensis Emerson 1925, pp. 318-319, im., Brit. Guiana: Kartabo.

Holotype: im., N. Y. Zool. Soc.

Winged.

Brit. Guiana: Kartabo.

Neotropical.

Neotermes ketelensis Kemner.

Neotermes ketelensis Kemner 1932a, pp. 135-136, fig. 3, sold., Djampea Isl. between Celebes and Flores.

Sold.

Oceania: Djampea Isl.

Indo-Malayan.

Neotermes koshunensis (Holmgren).

Calotermes (Neotermes) koshunensis Holmgren 1912a, p. 114, Formosa: Koshun distr.; 1913b, p. 42, im., sold., fig. 3 (sold.), pl. 1, fig. 8 (sold.), Formosa, China; Oshima 1914a, p. 1; Hozawa 1915, pp. 21-32, figs. 3-5 pl. 1, figs. 3-4.

Calotermes koshunensis Shiraki 1909, p. 241 (described in Japanese).

Winged, sold.

Formosa; China.

Indo-Malayan.

Neotermes lagunensis (Oshima).

Calotermes (Neotermes) lagunensis Oshima 1920a, p. 490, sold., pl. 1, fig. 2, pl. 3, figs. 1-2, pl. 4, fig. 1, sold., Philippines: Luzon, Paete (Laguna Prov.).

Sold.

Philippines: Luzon.

Indo-Malayan.

Neotermes larseni (Light).

Kalotermes (*Neotermes*) *larseni* Light 1935, pp. 239-242, figs. 1-4, pl. 9, fig. 3, winged, sold.,
Cocos Isl.; Wafer Bay.
Type: California Acad. Sci. Ent. No. 3912.

Winged, sold.

Cocos Isl. (off Costa Rica).

Neotropical.

Neotermes laticollis (Holmgren).

Calotermes (*Calotermes*) *laticollis* Holmgren 1910a, p. 137, im., sold., Seychelles: Mahé
near Morne Blanc, Long Isl., Silhouette.
Calotermes (*Neotermes*) *laticollis* Holmgren 1911a, p. 54, pl. 2, fig. 9 (im.), pl. 3, fig. 8
(im. wing.), pl. 4, fig. 6 (sold.).

Neotermes laticollis Sjöstedt 1926, p. 40, syn., loc.

Winged, sold.

Seychelles.

Malagasy.

Neotermes longipennis Kemner.

Neotermes longipennis Kemner 1930, pp. 299-300, adult, Sumatra: Fort de Kock.

Winged.

Sumatra.

Indo-Malayan.

Neotermes magnoculus (Snyder).

Kalotermes (*Neotermes*) *magnoculus* Snyder 1926d, p. 5, wing, female, Bolivia: Huachi.
Type: winged, U.S.N.M. No. 27644.

Winged.

Bolivia: Huachi.

Neotropical.

Neotermes major Snyder.

Neotermes connexus var. *major* Snyder 1922, pp. 11-12, dealated adult, Hawaii: Kaiwiki
(near Hilo).

Neotermes major Snyder 1924f, p. 383, sold., Terr. Hawaii.

Type. dealated adult, U.S.N.M. No. 24675; morphotype:
sold., M.C.Z.; comorphotype: sold., U.S.N.M.

Dealated adult, ?sold.

Terr. Hawaii: Hawaii.

Papuan.

Neotermes malatensis (Oshima).

Calotermes (*Neotermes*) *malatensis* Oshima 1917a, p. 221, sold., Philippines: Luzon;
1920a, p. 490 (loc.), Manila, Malate, pl. 1, fig. 1
(sold.); Light 1921, p. 250, loc., Manila.

Sold.

Philippines: Luzon.

Indo-Malayan.

Neotermes manni (Snyder).

Kalotermes (*Neotermes*) *manni* Snyder 1926d, p. 6, sold., Bolivia: Mapiri (near mouth).
Type: sold., U.S.N.M. No. 27645.

Sold.

Bolivia.

Neotropical.

Neotermites medius* Oshima.Calotermes medius* Oshima 1923, pp. 3-4, im., Sumatra: Labuan Badjau, Simalur.

Im.

Sumatra.

Indo-Malayan.

Neotermites meruensis* (Sjöstedt).Calotermes meruensis* Sjöstedt 1907a, p. 11, sold., biol., p. 9, sold., pl. 4, figs. C₁, C₂ (sold.), Germ. E. Africa: Meru region on river Ngare na nyuki.*Calotermes (Neotermites) meruensis* Holmgren 1911a, p. 54.*Neotermites meruensis* Sjöstedt 1926, pp. 40-41, syn., loc.*Calotermes athii* Sjöstedt 1915, p. 6, Brit. E. Africa: Kamiti Riv., Athi Riv. region.*Neotermites athii* Sjöstedt 1926, pp. 34-36, im.Sold., im. (*athii*).

Brit. E. Africa (Kenya).

Ethiopian.

Neotermites microphthalmus* (Light).Calotermes (Neotermites) microphthalmus* Light 1930a, pp. 31-33, pl. 1, figs. 2 and 9, pl. 2, figs. 1 and 7, pl. 5, fig. 6, winged, Philippines: Horns of Negros.

Type: Light coll., now in Emerson coll.

Winged.

Philippines: Horns of Negros.

Indo-Malayan.

Neotermites militaris* (Desneux).Calotermes militaris* Desneux 1904a, p. 146, sold., Ceylon.*Calotermes (Neotermites) militaris* Holmgren 1911a, p. 54, pl. 4, fig. 4 (sold.); 1913b, p. 40, im., sold., fig. 2, pl. 1, fig. 6 (sold.).

Winged, sold.

Ceylon.

Indo-Malayan.

Neotermites militaris*, var. *unidentatus* (Kemner).Calotermes militaris* var. *unidentatus* Kemner 1926, pp. 381-382, fig. 1 (sold.), Ceylon: Bogowantalawa.

Sold., neotenic reproductive.

Ceylon.

Indo-Malayan.

?*Neotermites modestus* (Silvestri).*Calotermes modestus* Silvestri 1901, p. 2, im., Argentina: Corrientes; 1903, p. 25, im., sold., etc., pl. 1, fig. 16 (substitute queen), fig. 17 (sold.).

King, substitute queen, sold.

So. America: Argentina.

Neotropical.

Neotermites nigeriensis* (Sjöstedt).Calotermes nigeriensis* Sjöstedt 1911b, p. 181, im., So. Nigeria, Oban distr.*Neotermites nigeriensis* Sjöstedt 1926, p. 40, pl. 2, fig. 7 (wings). Remarks.—Hegh 1922 confused this species with *C. (Neotermites) Nigeriae* Holm., nom. nudum.

Winged.

Africa: So. Nigeria.

Ethiopian.

Neotermes ovatus Kemner.**Calotermes ovatus** Kemner 1931, pp. 8-11, dealated, sold., fig. 3 (sold.), Amboina.

Dealated, sold.

Moluccas: Amboina.

Papuan.

Neotermes pallidicollis (Sjöstedt).**Calotermes pallidicollis** Sjöstedt 1902b, p. 302, im., Cameroon: Johann Albrechtshöle.**Calotermes (Neotermes) pallidicollis** Holmgren 1911a, p. 54.**Neotermes pallidicollis** Silvestri 1912, p. 213, S. Thomé: Vista Alegre.**Neotermes pallidicollis** Sjöstedt 1926, p. 36, syn., loc.

Im.

Africa: Cameroon, Isl. S. Thomé.

Ethiopian.

Neotermes papua (Desneux).**Calotermes papua** Desneux 1905, p. 367, sold., biol., N. Guinea; Simbang (Huon Gulf).**Calotermes (Neotermes) papua** Holmgren 1911a, p. 54; Hill 1927a, pp. 8-11, pl. 1, figs. 1-4,
pl. 5, fig. 150, im., sold., New Britain: Rabaul; 1942,
pp. 54-55, syn., loc.**Kalotermes (Neotermes) papua** Light 1932a, p. 77.

Oceania: New Guinea, New Britain.

Papuan.

Neotermes paraensis (Lima).**Kalotermes (Neotermes) paraensis** Lima 1942, pp. 2-4, figs. 1-2 (wings and sold.), wing,
sold., Brazil: Rio de Janeiro.
Type: Escola Nac. de Agron.

Winged, sold.

Brazil: Rio de Janeiro.

Neotropical.

Neotermes parviscutatus (Light).**Kalotermes (Neotermes) parviscutatus** Light 1930a, pp. 30-31, pl. 1, fig. 8, pl. 2, fig. 6,
pl. 3, fig. 7, king, queen, sold., Philippines: Negros
Occidental.
Type: Emerson coll.

King, queen, sold.

Philippines: Negros.

Indo-Malayan.

Neotermes perfectus (Hagen).**Calotermes perfectus** Hagen 1858, p. 46, im., habitat unknown.*Termes quadricollis?* Walker 1853, p. 515

Type: Brit. Mus.

Im.

Neotermes praecox (Wollaston ms., in Hagen).**Calotermes praecox** Hagen 1858, pp. 51-53, pl. 3, fig. 3, im., Madeira.**Neotermes praecox** Grassé 1939, pp. 180-182, fig. 1, 184, sold., im.

Im., sold.

Isl. Madeira (off W. Coast No.

Africa).

Palaearctic.

***Neotermes rainbowi* (Hill).**

Calotermes (Neotermes) rainbowi Hill 1926, p. 95, fig. 1 (wing., sold.), Ellice Group:
Nanumea; 1942, pp. 55-56, loc.

Calotermes marginipennis Rainbow 1897, p. 100, Ellice Isl.: Funafuti.

Holotype: winged; morphotype: sold., Nat. Mus., Melbourne; paratypes: Hill coll.

Winged, sold.

Oceania: Ellice Isl.

Papuan.

***Neotermes rouxi* (Holmgren, N. and K.).**

Calotermes (Neotermes) rouxi Holmgren, N. and K. 1915, p. 86, sold., New Caledonia:
Mt. Canala, 700 m.; Hill 1942, p. 57.
Type: Basler Natural Hist. Mus.

Sold.

Oceania: New Caledonia.

Papuan.

***Neotermes saleierensis* Kemner.**

Neotermes saleierensis Kemner 1932a, pp. 134-135, fig. 2 (sold.), im., sold., Saleier Isl.
south of Celebes.

Alate, sold.

Oceania: Saleier Isl.

Indo-Malayan.

***Neotermes samoanus* (Holmgren).**

Calotermes samoanus Holmgren 1912c, p. 282, dealated adult, Samoa: Apia.

Calotermes (Neotermes) samoanus Hill 1926d, p. 296, winged, sold.; 1927, pp. 2-5, figs. 1-4
(im., sold.), pl. 1, fig. 2 (forewing); 1942, p. 58, im., sold., syn., loc.

Calotermes (Cryptotermes) samoanus Holmgren 1911, p. 550, im., not described; 1911a,
p. 55, Australia indefinite, not described.

Holotype: winged, Berlin Ent. Mus.; morphotype: sold.,
Brit. Mus.; topotypes: Hill coll.

Winged, sold.

Oceania: Samoa.

Papuan.

***Neotermes sanctae-crucis* (Snyder).**

Kalotermes (Neotermes) sanctae-crucis Snyder 1925f, pp. 396-398, winged, sold., Santa
Cruz Arch.: Graciosa Bay.

[*Neotermes sanctae-crucis* Hill 1942, p. 58, refers to *Calotermes (Neotermes) samoanus*
Holmgren.]

Type: winged, M.C.Z. No. 15284; morphotype: sold.;
paratypes U.S.N.M. and Hill coll.

Winged, sold.

Oceania: Santa Cruz Arch.

Papuan.

***Neotermes sarasini* (Holmgren, N. and K.).**

Calotermes (Neotermes) sarasini Holmgren, N. and K. 1915, pp. 86-88, im., sold., New
Caledonia: Prong; Loyalty Isl.: Lefou; Hill 1942,
pp. 59-61.

Types: Basler Nat. Hist. Mus.; cotypes: Hill coll.

Winged, sold.

Oceania: New Caledonia.

Papuan.

***Neotermes schultzei* (Holmgren).**

Calotermes (Neotermes) schultzei Holmgren 1911b, pp. 453-455, winged, sold., fig. 1,
German New Guinea: Sepik; Hill 1942, pp. 61-62.
Cotypes: Hill coll.

Winged, sold.

Oceania: New Guinea.

Papuan.

***Neotermes semilunaris* (Holmgren, N. and K.).**

Calotermes (Neotermes) semilunaris Holmgren, N. and K. 1915, p. 88, sold., Loyalty Isls.:
Ounea; Hill 1942, p. 63.
Type: Basler Nat. Hist. Mus.

Sold.

Oceania: Loyalty Isls.

Papuan.

***Neotermes sepulvillus* (Emerson).**

Kalotermes (Neotermes) sepulvillus Emerson 1928, pp. 421-422, fig. 1, winged, Belgian
Congo: Stanleyville.
Holotype: winged, A.M.N.H.

Winged.

Africa: Belgian Congo.

Ethiopian.

***Neotermes sinensis* (Light).**

Kalotermes sinensis Light 1924, pp. 54-57, sold., China: Kwantung Prov., Ting Wu Shan
Monastery West River.

Neotermes sinensis Light 1931, pp. 583, 585-586, syn.

Sold.

China.

Indo-Malayan.

***Neotermes sjöstedti* (Desneux).**

Calotermes sjöstedti Desneux 1908, p. 389, winged, sold., New Hebrides: Espiritu Santo
Isl.; Hill 1942, pp. 63-64.
Types: Mus. Paris.

Winged, sold.

Oceania: New Hebrides.

Papuan.

***Neotermes sonneratiae* Kemner.**

Neotermes sonneratiae Kemner 1932a, pp. 133-134, alate, sold., fig. 1 (sold.), Java:
Batavia; 1934, pp. 32-34, fig. 1 (sold.).

Winged, sold.

Java.

Indo-Malayan.

***Neotermes superans* Silvestri.**

Neotermes superans Silvestri 1928, pp. 91-93, fig. 1 (winged female, sold.), Abyssinia:
Djem Forest 8,000-9,000 ft. (close to *europae* Wasm.).

Winged, sold.

Africa: Abyssinia.

Ethiopian.

Neotermites tectonae (Dammerman).
Calotermes tectonae Dammerman 1915, pp. 98-100, pl. 3, figs. 1-3 (sold., wings), Java:
 Keodoing-Djati (near *assmuthi* Holmg.).

Wings, sold.

Java. Indo-Malayan.

Neotermites voeltzkowi (Wasmann).
Calotermes Voeltzkowi Wasmann 1897, p. 156, sold., pl. 11, figs. 5, 5a, pl. 12, fig. 37,
 Madagascar: Majunga.

Calotermes (Neotermites) Voeltzkowi Holmgren 1911a, p. 54.**Neotermites Voeltzkowi** Sjöstedt 1926, p. 41, syn., loc.

Sold.

Africa: Madagascar. Malagasy.

Neotermites wagneri (Desneux).
Calotermes Wagneri Desneux 1904c, p. 286, sold., Brazil: Montagne dos Orgues, Serra
 dos Orgãos, Rio de Janeiro; 1904e, p. 24, pl. 1, fig. 5
 (sold.).

Kalotermes (Neotermites) ?wagneri Lima 1938, pp. 360-361, figs. 1-2 (sold.), figs. 3-8
 (winged, sold.).

Kalotermes (Neotermites) wagneri Lima 1941, p. 386, fig. 11 (sold.).

Winged, sold.

So. America: Brazil. Neotropical.

Neotermites zuluensis (Holmgren).
Calotermes (Neotermites) zuluensis Holmgren 1913d, p. 322, sold., So. Africa: Lake Sibayi,
 Zululand.

Neotermites zuluensis Fuller 1921, p. 29; Sjöstedt 1926, p. 41, syn., loc.

Sold.

So. Africa: Zululand. Ethiopian.

PARANEOTERMES

Genus **Paraneotermes** Light.

Generitype: **Paraneotermes simplicicornis** (Banks).

=Subgenus **Paraneotermes** Light 1937a, pp. 423-464, pls. 15-17.

<Genus **Kalotermes** Banks (and Snyder) 1920, p. 16.

<Genus **Cryptotermes** Banks (and Snyder) 1920, p. 35.

Paraneotermes simplicicornis (Banks).

Kalotermes simplicicornis Banks (and Snyder) 1920, p. 32, fig. 19^(a) (sold.), Texas:
 Laguna.

Type: sold., U.S.N.M. No. 21858; paratype: sold.,
 M.C.Z. No. 10545.

Paraneotermes simplicicornis Light 1937a, pp. 423-464, pls. 15-17.

Cryptotermes infumatus Banks (and Snyder) 1920, p. 38, im., Texas: Cotulla.

Winged, sold.

U. S. A.: Texas to California;

W. Mexico: Lower California.

Nearctic, Neotropical.

RUGITERMES

Genus **Rugitermes** Holmgren.

Generitype: **Rugitermes nodulosus** (Hagen).

=Subgenus **Rugitermes** Holmgren 1911a, pp. 53-54.

=Subgenus **Metaneoterpes** Light 1932a, p. 78.

Rugitermes arthuri-muelleri (von Rosen).

Calotermes (Neoterpes) arthuri-muelleri von Rosen 1912, p. 221, im., Brazil: Corcovado (Rio de Janeiro).

Winged.

So. America: Brazil.

Neotropical.

Rugitermes athertoni (Light).

Kalotermes (Metaneoterpes) athertoni Light 1932a, pp. 78-80, fig. 23 (sold.), pl. 1, pl. 2 (alate), Marquesas.

Winged, sold.

Oceania: Marquesas.

Papuan.

Rugitermes bicolor (Emerson).

Kalotermes (Rugitermes) bicolor Emerson 1925, pp. 320-323, fig. 26 (queen, sold.), Brit. Guiana: Kartabo.

Holotype: queen; morphotype: sold., N. Y. Zool. Soc.

Queen, sold.

So. America: Brit. Guiana.

Neotropical.

Rugitermes costaricensis (Snyder).

Kalotermes (Rugitermes) costaricensis Snyder 1926, pp. 18-20, winged, sold., Costa Rica: Santa Clara Prov., Hamburg Farm.

Cotypes: winged; comorphotypes: sold., U.S.N.M. No. 28655.

Winged, sold.

Middle America: Costa Rica.

Neotropical.

Rugitermes flavicinctus (Emerson).

Kalotermes (Rugitermes) flavicinctus Emerson 1925, pp. 323-324, fig. 27 (queen, sold.), Brit. Guiana: Kartabo.

Holotype: queen; morphotype: sold., N. Y. Zool. Soc.

Queen, sold.

So. America: Brit. Guiana.

Neotropical.

Rugitermes kirbyi (Snyder).

Kalotermes (Rugitermes) kirbyi Snyder 1926a, pp. 9-11, dealated female, sold., Costa Rica: Cartago.

Holotype: sold., U.S.N.M. No. 28729; morphotype: dealated female; topotypes: sold., U.S.N.M.; paratypes: Kirby coll.

Dealated female, sold.

Middle America: Costa Rica.

Neotropical.

Rugitermes magninotus (Emerson).

Calotermes (Rugitermes) magninotus Emerson 1925, pp. 324-326, fig. 28 (king, sold.),
Brit. Guiana: Kartabo.
Holotype: king; morphotype: sold., N. Y. Zool. Soc.

King, sold.

So. America: Brit. Guiana.

Neotropical.

Rugitermes nodulosus (Hagen).

Calotermes nodulosus Hagen 1858, p. 61, im., pl. 2, fig. 4 (wing), Brazil: St. Jão del Rey.
Calotermes rugosus var. **nodulosus** Silvestri 1901, p. 3, Brazil: Belle Vista.

Calotermes rugosus subsp. **nodulosus** Silvestri 1903, p. 33, im., sold., nymphs, Brazil: Bella Vista (Alto Paraná).

Calotermes (Rugitermes) nodulosus Holmgren 1911a, p. 54, pl. 2, fig. 8 (im.), pl. 3, fig. 11
(wings).

Winged, sold.

So. America: Brazil.

Neotropical.

Rugitermes occidentalis (Silvestri).

Calotermes rugosus var. **occidentalis** Silvestri 1901, p. 3, im., Argentina: S. Ana, Tucumán.
Calotermes rugosus subsp. **occidentalis** Silvestri 1903, p. 32, im., sold., fig. 6 (wings), pl. 1,
fig. 24 (sold.), Argentina: Tafi Viejo, S. Ana.

Calotermes (Rugitermes) occidentalis Holmgren 1911a, p. 54.

Winged, sold.

So. America: Argentina.

Neotropical.

Rugitermes panamae (Snyder).

Kalotermes panamae Snyder 1925, pp. 182-184, fig. 3 (sold.), Panama: Rio Chinilla, Canal Zone.

Type: sold., U.S.N.M. No. 27266.

Kalotermes (Rugitermes) isthmi Snyder 1925c, pp. 197-200, winged, sold., Panama:
Barro Colorado Isl., C. Z.

Winged, sold.

Middle America: Panama.

Neotropical.

Rugitermes rugosus (Hagen).

Calotermes rugosus Hagen 1858, p. 63, pl. 3, fig. 4 (im.), Brazil: Constancia (near Rio de Janeiro); Silvestri 1901, p. 3, Argentina: Tigre, S. Miguel, Villa Catalina (Buenos Aires); 1903, pp. 28-29, im., sold., nymphs, fig. 5 (wings), pl. 1, figs. 21-22 (im.), fig. 23 (sold.), also Uruguay: La Sierra.

Calotermes (Rugitermes) rugosus Holmgren 1911a, p. 54.

Type: Brit. Museum, im., M.C.Z.

Winged, sold.

So. America: Brazil, Argentina, Uruguay.

Neotropical.

PROCRYPTOTERMES

Genus *Procryptotermes* Holmgren.

Generitype: *Procryptotermes fryeri* (Holmgren).

=Subgenus *Procryptotermes* Holmgren 1910, p. 285 (no descr.); 1911a, pp. 53, 55.

=Genus *Procryptotermes* Sjöstedt 1926, pp. 22-23, 31.

=Genus *Allotermes* Wasmann 1910a, p. 121.

><Subgenus *Proneotermes (perezi)* Holmgren 1911a, pp. 53-54.

<Subgenus *Cryptotermes* Hill 1942, pp. 7, 65.

Procryptotermes canalensis (Holmgren, N. and K.).

Calotermes (Procryptotermes?) canalensis Holmgren, N. and K. 1915, p. 88, winged, New Caledonia: Canala.

Calotermes (Cryptotermes) canalensis Hill 1942, pp. 72-74, winged, sold., fig. 30 (sold.).

Holotype: winged, Basler Nat. Hist. Mus.; morphotype: sold., C.S.I.R. coll.

Winged, sold.

Oceania: Loyalty Isl., New Caledonia.

Papuan.

Procryptotermes corniceps (Snyder).

Glyptotermes corniceps Snyder 1923a, pp. 91-93, dealated adults, sold., pl. 8 (sold.), Puerto Rico: Boqueron-Salinas.

Kalotermes (Calcaritermes) corniceps Snyder 1925b, p. 155.

Type: dealated male, U.S.N.M. No. 26199.

Dealated, sold.

W. Indies: Puerto Rico.

Neotropical.

Procryptotermes fryeri (Holmgren).

Calotermes (Procryptotermes) fryeri Holmgren 1910a, p. 139, im., sold., etc., Aldabra Isl.: Takamaka; 1911a, p. 55, pl. 4, figs. 11-12 (sold.).

Procryptotermes fryeri Sjöstedt 1926, pp. 31-32.

Type: Mus. Stockholm.

Winged, sold.

Africa: Indian Ocean, Aldabra Isl.

Malagasy.

Procryptotermes hubbardi (Banks).

Kalotermes hubbardi Banks (and Snyder) 1920, pp. 28-29, fig. 18 (sold.), pl. 2, fig. 4 (forewing), fig. 17 (dist.), im., sold., Arizona: Tucson. Holotype: winged, U.S.N.M. No. 21855; morphotype: sold.; cotypes: im., sold., M.C.Z. No. 10535.

Winged, sold.

U. S. A.: Arizona, California;
W. Mexico: Lower California.

Nearctic and Neotropical.

Procryptotermes jeannelanus (Sjöstedt).

Calotermes jeannelanus Sjöstedt 1915, p. 5, winged, Kilmandjaro: Neu Moschi; 1926, pp. 23, 27, Mus. Paris.

Calotermes mutubae Harris 1948, pp. 73-75, im., sold., fig. 1 (wing, head, pronotum im.; head, pronotum, mandibles sold.). Uganda.

Types: Brit. Mus.

Winged.

Africa: Tanganyika, Kiliman-
jaro, Uganda.

Ethiopian.

Procryptotermes paradoxus (Wasmann).

Allotermes paradoxus Wasmann 1910a, p. 121, fig. 4 (antennae sold.), SW. Madagascar;
Tulear.

Calotermes (Procryptotermes) paradoxus Holmgren 1911a, p. 55, pl. 4, fig. 16 (sold.).

Procryptotermes paradoxus Sjöstedt 1926, p. 32, syn., loc.

Sold.

Africa: Indian Ocean, Mada-
gascar.

Malagasy.

Procryptotermes perezi (Holmgren).

Calotermes (Proneotermes) Perezi Holmgren 1911a, pp. 53-54, pl. 3, fig. 7 (im.), pl. 4, fig. 3
(sold.), Costa Rica.

Kalotermes (Proneotermes) perezi Hare 1937, p. 467.

Kalotermes (Kalotermes) perezi Hare 1937, fig. 12 (work.? and sold. mand.).

Kalotermes marginipennis Kirby 1928.

Kalotermes snyderi Kirby 1930.

Winged, sold.

Middle America: Costa Rica.

Neotropical.

Procryptotermes queenslandis (Hill).

Calotermes (Cryptotermes) queenslandis Hill 1933a, pp. 45-47, pl. 2, fig. 14, winged, sold.,
Queensland: Toowoomba, New So. Wales; 1942, pp.
80-81, figs. 34-35 (im., sold.), syn., loc.

Holotype: sold.; morphotype: winged, C.S.I.R. coll.,
Canberra.

Winged, sold.

Australia: Queensland; New
So. Wales, Victoria.

Australian.

Procryptotermes rapae (Light and Zimmerman).

Kalotermes (?) rapae Light and Zimmerman 1936, pp. 5-9, dealated female, sold., fig. 1,
p. 12, dist., Polynesia: Rapa.
Type: Bernice P. Bishop Mus.

Dealated female, sold.

Oceania: E. Polynesia, Isl.
Rapa.

Papuan.

Procryptotermes speiseri (Holmgren, N. and K.).

Calotermes (Procryptotermes) speiseri Holmgren, N. and K. 1915, pp. 91-92, sold., New
Hebrides: Ambrym.

Calotermes (Cryptotermes) speiseri Hill 1942, p. 82.

Type: Basler Nat. Hist. Mus.

Sold.

Oceania: New Hebrides.

Papuan.

Procryptotermes taurocephalus (Silvestri).

Calotermes taurocephalus Silvestri 1901, p. 3, sold., Brazil: Corumbá; 1903, p. 35, sold., etc., pl. 1, fig. 29 (sold.).

Calotermes (Procryptotermes) taurocephalus Holmgren 1911a, p. 55, pl. 4, fig. 13 (sold.) (*tauricephalus* misspelled.).

Cotype: Silvestri coll., Portici.

Sold.

So. America: Brazil.

Neotropical.

Procryptotermes triceromegas (Silvestri).

Calotermes triceromegas Silvestri 1901, p. 2, sold., Argentina: Cosquin (Córdoba); 1903, p. 34, sold., etc., pl. 1, figs. 27-28 (sold.).

Cotype: Silvestri coll., Portici.

Calotermes (?Procryptotermes) triceromegas Holmgren 1911a, p. 55.

Sold.

Argentina.

Neotropical.

CRYPTOTERMES**Genus Cryptotermes** Banks.

Generotype: **Cryptotermes cavifrons** Banks.

Genus **Cryptotermes** Banks 1906, p. 336.

<Subgenus **Cryptotermes (Calotermes)** Holmgren 1911a, pp. 53, 55.

>Genus **Planocryptotermes** Light 1921a, p. 43, sold.

Cryptotermes albipes (Holmgren, N. and K.).

Calotermes albipes Holmgren, N. and K. 1915, pp. 89-90, im., Loyalty Isls.: Maré; Hill 1942, pp. 66-67.

Type: Basler Nat. Hist. Mus., Hill coll.

Im.

Oceania: Loyalty Isls., Maré.

Papuan.

Cryptotermes arcanus (Hill).

Calotermes (Cryptotermes) arcanus Hill 1925a, pp. 214-215, pl. 23, figs. 13-15, winged, sold., Lord Howe Isl.; 1942, pp. 67-68.

Holotype: sold.; morphotype: winged, Australian Mus., Sydney.

Winged, sold.

Australia: Lord Howe Isl.

Australian.

Cryptotermes bengalensis (Snyder).

Kalotermes (Cryptotermes) bengalensis Snyder 1934a, pp. 4-6, fig. 2 (winged, sold.), India: Bengal: Sundarbans.

Cotypes: winged, Brit. Mus., U.S.N.M. and Forest Research Inst., Dehra Dun; comorphotypes: sold., as above. U.S.N.M. No. 50162.

Winged, sold.

India: Bengal.

Indo-Malayan.

Cryptotermes breviarticulatus (Snyder).

Kalotermes (*Cryptotermes*) *breviarticulatus* Snyder 1926a, pp. 11-12, winged, sold., Rep. Panama: Taboga Isl.
Holotype: sold., U.S.N.M. No. 28765; morphotype: winged.

Winged, sold.

Middle America: Panama.

Neotropical.

Cryptotermes brevis (Walker).*Termes brevis* Walker 1853, p. 524, im., No. 33, Jamaica.

Calotermes brevis Hagen 1858, p. 68, pl. 2, fig. 6, pl. 3, fig. 5 (im.), West Indies: Jamaica, Cuba, St. Thomas; Brazil; Middle America; Mexico (St. Fe de Bogota).

Termes indecisus Walker 1853, p. 524, im., Colombia, No. 32.*Termes flavicollis* Walker 1853, p. 502 (part), No. 1, im.? p. 503? sold.*Termes lucifugus* Walker 1853, p. 505 (part), only im., No. 3.**Calotermes** (*Cryptotermes*) *brevis* Holmgren 1911a, p. 55, America.**Cryptotermes brevis** Banks 1919, p. 476, loc., Dominica.**Cryptotermes brevis** Banks (and Snyder) 1920, p. 36, fig. 23 (3) (sold.).**Cryptotermes brevis** (Banks and) Snyder 1920, p. 144, loc., U. S. A.: So. Florida.

Kalotermes (*Cryptotermes*) *brevis* Emerson 1925, pp. 326-329, winged, sold., Brit. Guiana: Kartabo; Lever 1939, pp. 36-37, loc., Fiji.

Type: Brit. Mus.

Cryptotermes pseudobrevis Fuller 1921, p. 30, winged, sold., So. Africa: Durban; Sjöstedt 1926, p. 31; Light 1936, p. 125, *pseudobrevis*, *piceatus* Snyder and *darwini* Light possibly in synonymy with *brevis*; Emerson 1925, p. 327, and 1936, p. 410, in syn. with *brevis*.

Calotermes (*Cryptotermes*) *grassii* Silvestri ms., So. America: Chile: Iquique; Janicke, 1911, pp. 321-330; 1915, pp. 573-691; Kirby 1941, p. 54, protozoa same as in *brevis*.

Cryptotermes piceatus Snyder 1922, pp. 14-16, winged, sold., figs. 18-19 (wings), Terr. Hawaii: Oahu, Honolulu; Hawaii, Hilo; Light 1931, pp. 583-584, 588-589, loc.

Kalotermes (*Cryptotermes*) *piceatus* Light 1932a, p. 84, Marquesas.

Winged, queens, sold.

U. S. A.: So. Florida, Louisiana; West Indies: Middle and So. America: So. Africa: Durban; Midway Isld. thru Terr. Hawaii and Fanning Isl. to Marquesas; China: Hongkong; Fiji.

Nearctic and Cosmotropical.

Cryptotermes cavifrons Banks.**Cryptotermes cavifrons** Banks 1906, p. 337, winged, sold., U. S. A.: Florida, Kissimmee.

Cryptotermes cavifrons Banks (and Snyder) 1920, pp. 35-38, fig. 23 (1-2) (sold.), fig. 24 (wing), fig. 25 (dist.).

Cryptotermes cavifrons (Banks and) Snyder 1920, pp. 142-143, loc.

Calotermes (Cryptotermes) cavifrons Holmgren 1911a, p. 55, pl. 3, fig. 12 (wings), pl. 4, fig. 8 (sold.).

Type: M.C.Z. No. 10549.

Winged, queen, sold.

U. S. A.: So. Florida; West Indies; Middle America.

Nearctic, Neotropical.

Cryptotermes crassicornis (Holmgren).

Calotermes (Cryptotermes) crassicornis Holmgren 1911a, p. 55, not described but pl. 4, fig. 10 (sold.), habitat unknown.

Sold.

?America.

Cryptotermes cubiciceps (Emerson).

Kalotermes (Cryptotermes) cubiciceps Emerson 1925, pp. 330-331, fig. 31 (d and e) (sold.), Brit. Guiana: Kartabo.
Holotype: sold., N. Y. Zool. Soc.

Sold.

So. America: Brit. Guiana:
Kartabo.

Neotropical.

Cryptotermes cyanocephalus Light.

Cryptotermes cyanocephalus Light 1921a, p. 36, pl. 2 (sold.), winged, sold., Philippines: Manila.

Type: No. 25, No. 67, gen. coll.

Cryptotermes buitenzorgi Kemner 1934, pp. 45-47, fig. 5 (sold.), winged, sold., Java: Buitenzorg.

Winged, sold.

Philippines, Java.

Indo-Malayan.

Cryptotermes darwini (Light).

Kalotermes (Cryptotermes) darwini Light 1935, pp. 242-244, pl. 9, figs. 1-2, 7-8 (winged, sold.), Galapagos Isls.

Type: California Acad. Sci. Ent. No. 3913 [possibly *brevis*].

Winged, sold.

Galapagos Isls. (off Ecuador).

Neotropical.

Cryptotermes dolei (Light).

Kalotermes (Cryptotermes) dolei Light 1932a, pp. 81-83, alate, sold., fig. 24, pl. 3 (wing.), Marquesas [possibly *domesticus*].

Winged, sold.

Polynesia (So. Pacific): Marquesas Isls.

Papuan.

Cryptotermes domesticus (Haviland).

Calotermes domesticus Haviland 1898, p. 374, pl. 23, figs. 3-6, wing. male, female, sold., Singapore, Sarawak.

Type: No. 376.

Calotermes (Cryptotermes) domesticus Holmgren 1911a, p. 55, pl. 4, fig. 9 (sold.); 1913b, p. 46, im., sold., pl. 1, fig. 16 (sold.), Siam: Bangkok, Mus. Vienna.

Cryptotermes domesticus Oshima 1923, p. 5, im., Sumatra: Sinabang, Simalur.

Calotermes (Cryptotermes) buxtoni Hill 1926d, p. 298; 1927, pp. 9, 13, im., sold., figs. 10-14, Samoa: Apia, Upolu Isl.; 1942, pp. 70-72, syn. *buxtoni* and following species = *domesticus*.

Cryptotermes campbelli Light 1924, pp. 57-60, queen, sold., China: Hainan; 1931, pp. 583-584, 586-587, Hainan, Kwangtung.

Calotermes (Cryptotermes) dentatus Oshima 1914, pp. 289-291, im., sold., fig. 1 (sold. mand.); Formosa; 1914a, p. 2, pl. 1, fig. 1, pl. 2, figs. 8-9, Formosa.

Calotermes (Cryptotermes) formosae Holmgren 1912a, pp. 119-120, im., sold., Formosa: Botel-Tobago.

Calotermes (Cryptotermes) Formosae Holmgren 1913b, p. 47, im., sold., fig. 5, pl. 1, fig. 17 (sold.).

Calotermes (Cryptotermes) kotoensis Oshima 1914a, p. 1; and *ogasawarensis* Oshima 1913, p. 274; 1914, p. 291, are in syn. with *domesticus*.

Calotermes (Cryptotermes) kotoensis Hozawa 1915, p. 52, figs. 11-13, pl. 2, figs. 9-10, syn.

Cryptotermes hermsi Kirby 1925, pp. 437-441, wing., sold., Fanning Isl.; Light 1946, p. 9, Guam.

Kalotermes (Cryptotermes) hermsi Light 1932a, p. 83, Marquesas.

Calotermes (Cryptotermes) gulosus Hill 1927a, pp. 11-13, pl. 1, figs. 5-11, pl. 5, fig. 151, pl. 8, fig. 152, im., queen, sold., Papua: (30 mi. SE. Port Moresby).

Calotermes (Cryptotermes) repentinus Hill 1927a, pp. 13-14, pl. 1, fig. 13 (im.), New Britain: Rabaul.

Winged, queen, sold.

India; China; Formosa; Siam.

Malay Arch.; Sumatra; Kra-katau; Sarawak; Marianas; Guam; Papua; New Britain; Solomon Isls.; Fiji; Samoa; Fanning Isl.; Flint; Society Isls.; Australian Isls.; Marquesas; Oeno.

Indo-Malayan, Papuan.

Cryptotermes dudleyi Banks.

Cryptotermes dudleyi Banks 1918, p. 660, im., sold., pl. 51, fig. 3 (sold.), Panama.

Type: M.C.Z.; paratypes: Amer. Mus. Nat. Hist.

Cryptotermes dudleyi Snyder 1926, p. 27, winged, Costa Rica.

Cryptotermes (Planocryptotermes) dudleyi Light 1937, p. 17, syn.

Cryptotermes (Planocryptotermes) javanicus Kemner 1934, pp. 47-49, fig. 6 (sold.), Java: Buitenzorg.

Calotermes (Cryptotermes) Jacobsoni Holmgren 1913b, p. 48, im., Java; 1913-14, p. 235, im., E. Sumatra.

Planocryptotermes nocens Light 1921a, p. 43, im., sold., Philippines: Manila.

Cryptotermes (Planocryptotermes) primus Kemner 1932a, pp. 151-153, alate, sold., fig. 8 (sold.), Ceylon.

Calotermes (Cryptotermes) secundus Hill 1925a, pp. 215-216, pl. 13, fig. 16 (sold.), North. Terr.: Darwin.

Cryptotermes thompsonae Snyder 1922, pp. 16-18, pl. 2, winged, sold., Panama: Ancon, C. Z.; 1925, p. 179, syn.

Calotermes (Cryptotermes) torresi Hill 1927a, p. 12, im., sold., Thursday Isl. Winged, sold.

Middle America: Costa Rica,
Panama; So. America: Co-
lombia; Ceylon; Philippines;
Sumatra; Java; New Guinea;
No. Australia: North. Terr.,
Thursday Isl. (Queensland).

Neotropical, Indo-Malayan, Papuan, Australian.

Cryptotermes fatulus (Light).

Kalotermes (Cryptotermes) fatulus Light 1935, pp. 245-247, pl. 9, figs. 4, 6 (dealed adult, sold.), new name for *K. (Cryptotermes) occidentalis*.

Kalotermes (Cryptotermes) occidentalis Light 1933, pp. 103-104, winged, Tres Marias Isls.: Maria Madre Isl.

Winged.

W. Mexico: Tres Marias Isls.:
Maria Madre Isl.

Neotropical.

Cryptotermes gearyi (Hill).

Calotermes (Cryptotermes) gearyi Hill 1942, pp. 83-84, figs. 36-37 (winged, sold.), Queensland: Dalby.
Holotype: sold.; morphotype: winged, C.S.I.R. coll.

Winged, sold.

Australia: Queensland.

Australian.

Cryptotermes havilandi (Sjöstedt).

Calotermes domesticus Sjöstedt 1897a, p. 212, im., Fernando Po, Camerun (nom. praeoccup.).

Calotermes Havilandi Sjöstedt 1900a, p. 43, pl. 1, figs. C₁₋₃; Wasmann 1910a, p. 120, Comoren Isls.

Cryptotermes Havilandi Silvestri 1914-15, p. 6, fig. I₁₋₅ (sold.).

Calotermes (Cryptotermes) Havilandi Holmgren 1911a, p. 55.

Cryptotermes Havilandi Sjöstedt 1926, pp. 29-30, im., sold., syn., loc.

Calotermes lamanianus Sjöstedt 1911, p. 137, im., sold., fig., Congo: Mukimbungu; Hegh 1922, pp. 346, 683.

Cryptotermes senegalensis Silvestri 1914-15, p. 7, fig. II, 1-7 (sold.), Senegal: Thiès.

Cryptotermes lamanianus subsp. *senegalensis* Grassé 1937a, p. 8, sold., im.

Cryptotermes sp. Adamson 1940, p. 13, biol., loc., Trinidad and Tobago: Speyside (introduced).

Winged, sold.

Africa: Senegal, Ivory and
Gold Coasts, Nigeria, Cam-
eroon, Fernando Po, Belgian
Congo, E. Africa, Comoro
Isl., Madagascar. W. Indies
(introduced)

Ethiopian, Malagasy, Neotropical (introduced).

Cryptotermes longicollis Banks.

Cryptotermes longicollis Banks 1918, p. 661, pl. 51, fig. 8 (sold.), Panama.

Type: Amer. Mus. Nat. Hist., N. Y. C.; paratypes:
M.C.Z., U.S.N.M.

Kalotermites (Lobitermes) longicollis Snyder 1925, p. 179.

Winged, sold.

Middle America: Panama.

Neotropical.

Cryptotermes merwei Fuller.

Cryptotermes merwei Fuller 1921, p. 29, im., sold., So. Africa: Natal.

Cryptotermes Merwei Sjöstedt 1926, pp. 30-31.

Winged, sold.

So. Africa: Natal.

Ethiopian.

Cryptotermes pallidus (Rambur).

Termes pallidus Rambur 1842, p. 303, im., Isle de France (Mauritius).

Calotermites pallidus Hagen 1858, p. 71, im.

Calotermites (Cryptotermes) pallidus Holmgren 1911a, p. 55.

Cryptotermes pallidus Sjöstedt 1926, p. 29.

Calotermites (Cryptotermes) pallidus Moutia 1936, p. 9, im., sold., figs. 1, 2.

Calotermites Havilandi subsp. parasita Wasmann 1910a, p. 120, im., Mauritius only.

Cryptotermes parasita Sjöstedt 1926, p. 30, Mauritius only.

Winged, sold.

Isl. Mauritius (Indian Ocean).

Malagasy.

Cryptotermes parasitus (Wasmann).Calotermites Havilandi subsp. parasita Wasmann 1910a, p. 120, im., Isl. Europa (Canal of
Mosambique) [from Mauritius only = *pallidus*].

Calotermites (Cryptotermes) parasita Holmgren 1911a, p. 55, Africa.

Cryptotermes parasita Sjöstedt 1926, p. 30, winged, Comoro, Madagascar.

Winged.

Indian Ocean Isls.: Europa,

Comoro, Madagascar.

Malagasy.

Cryptotermes perforans Kemner.

Cryptotermes perforans Kemner 1932a, pp. 153-155, alate, sold., Ceylon: Colombo.

Winged, sold.

Ceylon.

Indo-Malayan.

Cryptotermes primus (Hill).Calotermites (Cryptotermes) primus Hill 1921a, p. 446, figs. 35-40 (winged, sold.), No.
Queensland: Townsville; 1942, pp. 78-79, winged,
sold., fig. 33 (sold.), Queensland, New So. Wales.
Holotype: sold.; morphotype: winged, Nat. Museum,
Melbourne.

Winged, sold.

Australia: Queensland, New

So. Wales.

Australian.

Cryptotermes rospigliosi Snyder.

Cryptotermes rospigliosi Snyder 1922, pp. 13-14, fig. 17 (winged), Peru: Lima.
Holotype: male wing., U.S.N.M. No. 24567.

Winged.

So. America: Peru.

Neotropical.

Cryptotermes solidus (Hagen).

Calotermes solidus Hagen 1858, p. 70, im., habitat unknown.
Type: British Museum.

Termes ochraceus Walker 1853, p. 507.

Calotermes (Cryptotermes) solidus Holmgren 1911a, p. 55.

Winged.

Cryptotermes sumatrensis Kemner.

Cryptotermes sumatrensis Kemner 1930, pp. 301-305, figs. 1-8, adult, sold. (fig.), Sumatra:
Fort de Kock.

Winged, sold.

Sumatra.

Indo-Malayan.

Cryptotermes venezolanus (Holmgren).

Calotermes (Cryptotermes) venezolanus Holmgren 1911a, p. 55, not descr., pl. 2, fig. 10
(im.), America; 1911, p. 550, im.

Winged.

America.

Neotropical.

Cryptotermes verruculosus (Emerson).

Kalotermes (Cryptotermes) verruculosus Emerson 1925, pp. 329-330, fig. 30 (im., sold.),
Brit. Guiana: Kartabo.
Holotype: sold.; morphotype: queen, N. Y. Zool. Soc.

Queen, sold.

So. America: British Guiana.

Neotropical.

EUCRYPTOTERMES

Genus **Eucryptotermes** Holmgren.

Generitype: **Eucryptotermes hageni** (Fr. Müller).

=Subgenus **Eucryptotermes (Calotermes)** Holmgren 1911a, pp. 53, 55.

Eucryptotermes wheeleri Snyder and Emerson, new name.

Calotermes Hageni Fr. Müller 1873, p. 341, Santa Catherina: Blumenau. (Preoccupied
by **Termes (Calotermes) Hageni** Goldenberg 1854,
p. 37), an arachnid.

Calotermes (Eucryptotermes) Hageni Holmgren 1911a, pp. 53, 55, im., sold., pl. 3, fig. 15
(wings), pl. 4, fig. 23 (sold.), So. America.

Winged, sold.

So. America.

Neotropical.

GLYPTOTERMES

(En-
graved)Genus **Glyptotermes** Froggatt.Generitype: *Glyptotermes tuberculatus* Froggatt.Genus **Glyptotermes** Froggatt 1896, p. 543.=Subgenus **Glyptotermes** Holmgren 1910, p. 285 (no descr.) ; 1911a, pp. 53, 55; 1913b, p. 37.<Genus **Glyptotermes** Sjöstedt 1926, p. 42, fig. 10 (forewing).(Rag-
ged)>Subgenus **Lobitermes** (*Calotermes*) Holmgren 1911a, pp. 53, 55.**Glyptotermes almorensis** (Gardner).**Kalotermes** (*Glyptotermes*) *almorensis* Gardner 1944, pp. 104-105, fig. 1 (sold.), winged,
sold., Bajivar, Almora distr., U.P., India.

Winged, sold.

India. Indo-Malayan.

Glyptotermes angustus (Snyder).**Kalotermes** (*Glyptotermes*) *angustus* Snyder 1925, pp. 184-185, winged, sold., Rio Chinilla,
C. Z., Panama.

Type: sold.; morphotype: winged, U.S.N.M. No. 27267.

Glyptotermes barbouri Snyder 1925, pp. 185-186, dealated male, sold., Barro Colorado
Isl., C. Z.

Winged, sold.

Panama. Neotropical.

Glyptotermes asperatum (Snyder).**Kalotermes** (*Calcaritermes*) *asperatus* Snyder 1926, pp. 20-22, winged, sold., Hamburg
Farm, Santa Clara Prov., Costa Rica.Cotypes: sold.; comorphotypes: winged, U.S.N.M. No.
28656.

Winged, sold.

Costa Rica. Neotropical.

Glyptotermes bilobatus (Snyder).**Kalotermes** (*Glyptotermes*) *bilobatus* Snyder 1934, pp. 95-96, fig. 1, sold., Hamburg Farm,
Costa Rica.

Type: sold., U.S.N.M. No. 50213.

Sold.

Costa Rica. Neotropical.

Glyptotermes borneensis (Haviland).**Calotermes** *borneensis* Haviland 1898, p. 376, im., sold., worker, Sarawak.

Type: No. 439.

Calotermes (*Glyptotermes*) *borneensis* Holmgren 1911a, p. 56, pl. 2, fig. 11 (im.), pl. 3,
fig. 15 (wings), pl. 4, figs. 19-20 (sold.) ; 1913b,
pp. 54-55, fig. 9 (sold. mand.), pl. 1, fig. 9 (sold.) ;
1913-14, pp. 233-234, im., sold.

Winged, sold.

Sarawak. Indo-Malayan.

Glyptotermes brevicaudatus (Haviland).*Calotermes brevicaudatus* Haviland 1898, p. 375, im., sold., Sarawak.

Type: No. 237.

Calotermes (Glyptotermes) brevicaudatus Holmgren 1911a, p. 56, pl. 4, fig. 21, sold.; 1913b, pp. 52-53, pl. 1, figs. 13a-b (sold.¹⁻²); 1913-14, p. 234, E. Sumatra.

Winged, sold.

Sarawak, Sumatra.

Indo-Malayan.

Glyptotermes brevicornis Froggatt.*Glyptotermes brevicornis* Froggatt 1896, p. 547, pl. 36, figs. 6, 6a, im., sold., Queensland: MacKay.*Calotermes (Glyptotermes) brevicornis* Mjöberg 1920, p. 24, im., sold.; Hill 1942, pp. 86-89, figs. 38-39, syn.*Calotermes (Glyptotermes) affinis* Mjöberg 1920, p. 21, im., sold., pl. 2, fig. 7, fig. 9b (im.), pl. 1, fig. 7, figs. 9a-10 (sold.), So. Queensland.*Calotermes (Glyptotermes) claripennis* Hill 1925a, pp. 212-214, pl. XXIII, winged, Lord Howe Isl.*Calotermes (Glyptotermes) dubius* Mjöberg 1920, p. 26, im., sold., fig. 11a, No. Queensland.*Calotermes (Glyptotermes) nigrolabrum* Hill 1921a, p. 437, figs. 12-19, king, queen, sold., N. Queensland.*Calotermes (Glyptotermes) perangustus* Hill 1926b, pp. 199, 201, dealated, sold., New So. Wales.*Calotermes (Glyptotermes) trilineatus* Mjöberg 1920, p. 24, im., sold., fig. 11b, sold., Queensland.Type: wings *brevicornis*; cotypes, *affinis*, *trilineatus* and *dubius*, in Nat. Hist. Mus. Stockholm and Hill coll.; types: *perangustus* in Nat. Mus., Melbourne; *claripennis* in Australian Mus., Sydney; *nigrolabrum* in Hill coll.

Winged, sold.

Queensland; New So. Wales;

Lord Howe Isl.; Fiji?

Australian.

Glyptotermes buttel-reepeni (Holmgren).*Calotermes (Glyptotermes) buttel-reepeni* Holmgren 1913-14, pp. 233-234, im., sold., pl. 7, fig. 1, Malacca; (1913, pp. 49-50, key im., sold.).

Winged, sold.

Malacca.

Indo-Malayan.

Glyptotermes canellae (Fr. Müller).*Calotermes canellae* Fr. Müller 1873, p. 334 (im.), Argentina: S. Pedro (Misiones).*Calotermes lobicephalus* Silvestri 1901, p. 3, sold.; 1903, p. 36, sold., pl. 1, figs. 20-32, sold.*Calotermes (Lobitermes) canellae* Holmgren 1911a, p. 56, syn., pl. 2, figs. 12-13 (im.), pl. 4, figs. 14-15 (sold.).

Winged, sold.

So. America.

Neotropical.

Glyptotermes caudomunitus Kemner.*Glyptotermes caudomunitus* Kemner 1932a, pp. 137-138, fig. 4, alate, sold., W. Java: Depok.

Winged, sold.

Java.

Indo-Malayan.

Glyptotermes ceylonicus (Holmgren).

Calotermes (*Glyptotermes*) *ceylonicus* Holmgren 1911c (*in Escherich*), p. 189, im., Ceylon: Peradeniya; 1913b, p. 55, im., sold., fig. 10, pl. 1, fig. 12, sold.

Winged, sold.

Ceylon.

Indo-Malayan.

Glyptotermes chapmani (Light).

Kalotermes (*Glyptotermes*) *chapmani* Light 1930a, pp. 33-40, pl. 1, figs. 3, 4, 6, 10, pl. 2, figs. 2, 5, pl. 3, figs. 4, 6, pl. 4, figs. 4, 8, 9, 14, winged, sold., Quiot, Leyte.

Type: alate female; allotype: alate male; morphotype: sold., Light coll. (Emerson coll.) ; paratypes, U.S.N.M.

Winged, sold.

Philippines.

Indo-Malayan.

Glyptotermes contracticornis (Snyder).

Kalotermes contracticornis Snyder 1925b, pp. 153-154, sold., Navarro, Costa Rica.

Kalotermes (*Neotermes*) *contracticornis* Hare 1937, p. 467, pl. VII, fig. 13.

Type: sold., U.S.N.M. No. 27733.

Sold.

Costa Rica.

Neotropical.

Glyptotermes coorgensis (Holmgren, K. and N.).

Calotermes (*Glyptotermes*) *coorgensis* Holmgren, K. and N. 1917, p. 139, sold., Coord, Sidapur, India.

Sold.

India.

Indo-Malayan.

Glyptotermes dentatus (Haviland).

Calotermes dentatus Haviland 1898, p. 375, wing. female, sold., Sarawak.

Type: No. 355.

Calotermes (*Glyptotermes*) *dentatus* Holmgren 1911a, p. 55; 1913b, p. 51, im., sold., fig. 6, sold., pl. 1, fig. 15, sold.

Calotermes dentatus Oshima 1914, p. 289, Japan.

Winged, sold.

Sarawak, Japan.

Indo-Malayan.

Glyptotermes dilatatus (Bugnion and Popoff).

Calotermes dilatatus Bugnion and Popoff 1910a, pp. 137-143, fig. 13, sold., Ambalangoda, Ceylon.

Calotermes (*Glyptotermes*) *dilatatus* Holmgren 1911a, p. 55, pl. 4, fig. 22, sold., India; 1913b, p. 56, im., sold., fig. 11, sold., pl. 1, fig. 10, sold.; 1913-14, pp. 234-235, im., sold.

Winged, sold.

Ceylon.

Indo-Malayan.

Glyptotermes eucalypti Froggatt.

Glyptotermes eucalypti Froggatt 1896, p. 548, pl. 35, figs. 5, 5a, im., sold., New So. Wales,
Sydney, etc.

Calotermes (Glyptotermes) eucalypti Hill 1942, p. 89.

Cotype: winged, So. Austral. Mus., Hill coll.; cotype:
sold., So. Austral. Mus.

Winged, sold.

Australia.

Australian.

Glyptotermes fuscus Oshima.

Glyptotermes fuscus Oshima 1912, p. 67, pl. 1, fig. 15.

Calotermes (Glyptotermes) fuscus Oshima 1913, p. 274, syn.; 1914a, p. 2.

Calotermes (Glyptotermes) fuscus Hozawa 1915, pp. 42-51, pl. II, figs. 7-8, figs. 9-10,
winged, sold., Formosa, Loo-choo, Bonin Isl.

Calotermes (Glyptotermes) Hozawae Holmgren 1912a, p. 118; 1913b, p. 53, fig. 8,
pl. 1, fig. 14, sold.

Winged, sold.

Formosa, Loo Choo, Bonin Isl.

Indo-Malayan.

Glyptotermes guianensis (Emerson).

Kalotermes (Glyptotermes) guianensis Emerson 1925, pp. 335-336, fig. 33, im., sold., Brit.
Guiana: Kartabo, Emerson coll.

Holotype: sold.; morphotype: dealated imago, N. Y.
Zool. Soc.

Winged, sold.

Brit. Guiana.

Neotropical.

Glyptotermes hospitalis (Emerson).

Kalotermes (Glyptotermes) hospitalis Emerson 1925, pp. 336-337, fig. 34, im., sold., Brit.
Guiana: Kartabo, Emerson coll.

Holotype: sold.; morphotype: queen, N. Y. Zool. Soc.

Winged, sold.

Brit. Guiana.

Neotropical.

Glyptotermes insulanus Silvestri.

Glyptotermes parvulus Sjöstedt subsp. *insulanus* Silvestri 1912, p. 216, fig. 11, 1-12, winged,
sold., Isl. Principe.

Glyptotermes insulanus Sjöstedt 1926, p. 43, syn., Isl. Principe.

Winged, sold.

Africa: Isl. Principe.

Ethiopian.

Glyptotermes iridipennis Froggatt.

Glyptotermes iridipennis Froggatt 1896, p. 546, pl. 36, figs. 5, 5a, winged, Victoria: Franks-
ton.

Calotermes (Glyptotermes) iridipennis Hill 1925a, p. 210, pl. 23, figs. 8-9, queen, sold.,
Victoria; 1942, pp. 90-92, figs. 40-41, winged, sold.

Holoneotype: winged (Melbourne); morphotype: sold.,
Nat. Mus., Melbourne.

Winged, sold.

Victoria, New So. Wales, So.

Australia.

Australian.

Glyptotermes latifrons (Silvestri).

Calotermes latifrons Silvestri 1901, p. 2, sold., Venezuela: La Trincheras.

Sold.

So. America: Venezuela.

Neotropical.

Glyptotermes liberatus (Snyder).Kalotermes (Kalotermes) liberatus Snyder 1929, pp. 81, 83, sold. only, Jamaica: Cinchona.
Type: sold., Amer. Mus. Nat. Hist.

Kalotermes posticus Banks 1919, p. 478, sold. only, pl. 1, figs. 8, 12.

Sold.

Jamaica.

Neotropical.

Glyptotermes luteus Kemner.

Glyptotermes luteus Kemner 1931, pp. 11-14, winged, sold., fig. 4, winged, sold., Amboina.

Winged, sold.

Amboina.

Papuan.

Glyptotermes marlatti (Snyder).Kalotermes (Glyptotermes) marlatti Snyder 1926, pp. 25-26, winged, sold., Hamburg Farm, S. Clara Prov., Costa Rica.
Cotype: sold., comorphotype: winged, U.S.N.M. No. 28659.

Winged, sold.

Costa Rica.

Neotropical.

Glyptotermes minutus Kemner.

Glyptotermes minutus Kemner 1932a, pp. 149-150, alate, sold., Ceylon.

Winged, sold.

Ceylon.

Indo-Malayan.

Glyptotermes montanus Kemner.

Glyptotermes montanus Kemner 1934, pp. 39-40, fig. 3, sold., im., sold., Java.

Winged, sold.

Java.

Indo-Malayan.

Glyptotermes neotuberculatus (Hill).Calotermes (Glyptotermes) neotuberculatus Hill 1933a, pp. 42-43, pls. I-II, figs. 8-13,
winged, sold., Austral. Capital Terr.; 1942, pp. 92-94,
figs. 2, 42-43, winged, sold.
Holotype: winged; morphotype: sold., C.S.I.R. coll.

Winged, sold.

Australian Capital Terr., New

So. Wales, Victoria.

Australian.

Glyptotermes nevermanni (Snyder).Kalotermes (Glyptotermes) nevermanni Snyder 1926, p. 26, sold., Volcano Irazu, Costa Rica.
Cotype: sold., U.S.N.M. No. 28660.

Sold.

Costa Rica.

Neotropical.

Glyptotermes niger Kemner.

Glyptotermes niger Kemner 1934, pp. 43-44, im., sold., Tjisolok near Wijnkoopsbaai so. coast W. Java.

Winged, sold.

Java.

Indo-Malayan.

Glyptotermes parvulus (Sjöstedt).

Calotermes parvulus Sjöstedt 1907, p. 234, queen, sold., Congo: Mukimbungu.

Calotermes (Glyptotermes) parvulus Holmgren 1911a, p. 56.

Glyptotermes parvulus Silvestri 1914-15, p. 8, Gold Coast: Aburi; Sjöstedt 1926, p. 43, fig. 11, pl. 1, fig. M₁₋₂; Belg. Congo, Gold Coast; Grassé 1937a, p. 14, sold., Ivory Coast.

Queen, sold.

Congo, Uganda, Gold and Ivory Coasts, Africa.

Ethiopian.

Glyptotermes pellucidus (Emerson).

Kalotermes (Glyptotermes) pellucidus Emerson 1925, pp. 331-332, fig. 31, a, b, c, im., Brit. Guiana: Kartabo.

Holotype: winged, N. Y. Zool. Soc.

Winged.

Brit. Guiana.

Neotropical.

Glyptotermes perparvus (Emerson).

Kalotermes (Glyptotermes) perparvus Emerson 1925, pp. 332-334, fig. 32, im., sold., Brit. Guiana: Kartabo.

Holotype: winged; morphotype: sold., N. Y. Zool. Soc.

Winged, sold.

Brit. Guiana.

Neotropical.

Glyptotermes pinangae (Haviland).

Calotermes pinangae Haviland 1898, p. 374, im., sold., Sarawak.

Type: No. 235.

Calotermes (Lobitermes) pinangae Holmgren 1911a, p. 56, pl. 4, figs. 17-18, sold.; 1913b, p. 59, im., sold., fig. 13, pl. 1, fig. 18, sold.

Winged, sold.

Sarawak.

Indo-Malayan.

Glyptotermes planus (Snyder).

Kalotermes (Glyptotermes) planus Snyder 1925b, pp. 158-159, winged female, sold., Colombia, Costa Rica.

Type: sold.; morphotype: wing. female, U.S.N.M. No. 27736.

Winged, sold.

Costa Rica.

Neotropical.

?Glyptotermes posticus (Hagen).**Calotermes posticus** Hagen 1855, p. 67 (im.), West Indies: St. Thomas; 1858a, p. 10 (im.).**?Calotermes (Cryptotermes) posticus** Holmgren 1911a, p. 55, America.**?Kalotermes posticus?** Banks 1919, p. 477, im. only, Jamaica, Cuba, Haiti, St. Thomas.**?Kalotermes liberatus** Snyder 1929, p. 81, discus., p. 83, im. only, St. Thomas, Cuba, Haiti. Winged.

West Indies.

Neotropical.

Glyptotermes pubescens Snyder.**Glyptotermes pubescens** Snyder 1924c, pp. 10-11, dealated adult, sold., Porto Rico: Aibonito. Type: dealated, U.S.N.M. No. 25415.

Dealated, sold.

Puerto Rico.

Neotropical.

Glyptotermes satsumensis (Matsumura).**Termites** sp. Matsumura 1904, p. 24, fig. 9.**Termes satsumensis** Matsumura 1907, p. 53, fig. 43, winged, Prov. of Satsuma, Formosa.**Calotermes (Glyptotermes) satsumaensis** Holmgren 1912a, p. 116; 1913b, p. 57, im., sold. 1 and 2, fig. 12, pl. 1, fig. 11, sold.; Oshima 1914a, p. 1; Hozawa 1915, pp. 33-42, pl. 1, figs. 5-6, figs. 6-8, winged, sold., syn.**Calotermes koshunensis** Oshima 1911a, p. 360.**Glyptotermes longicephalus** Oshima 1912, p. 64, fig. 4, pl. 1, fig. 2, pl. 2, figs. 6, 26.

Winged, sold.

Formosa.

Indo-Malayan.

Glyptotermes scotti (Holmgren).**Calotermes (Glyptotermes) scotti** Holmgren 1910a, p. 140 (im., sold.); 1911a, p. 56, Seychelles: Silhouette.**Glyptotermes Scotti** Sjöstedt 1926, p. 43, Seychelles.

Winged, sold.

Seychelles.

Malagasy.

Glyptotermes suturis (Snyder).**Kalotermes (Glyptotermes) suturis** Snyder 1925b, pp. 159-60, winged female, sold., La Carpintera, Costa Rica.

Type: sold.; morphotype: winged female, U.S.N.M. No. 27737.

Winged, sold.

Costa Rica.

Neotropical.

Glyptotermes taveuniensis (Hill).**Calotermes (Glyptotermes?) taveuniensis** Hill 1926c, pp. 20-21, sold., Fiji: Taveuni.**Calotermes (Glyptotermes) taveuniensis** Hill 1942, pp. 94-96, figs. 44-45, winged, sold. (wing. from Viti Levu, Fiji).

Holotype: sold., So. Austral. Mus.; morphotype; C.S.I.R. coll.

Sold., winged.

Fiji.

Papuan.

Glyptotermes tuberculatus Froggatt.

Glyptotermes tuberculatus Froggatt 1896, p. 544, pl. 35, figs. 9, 9a, winged, sold., New So. Wales, Uralla.

Calotermes (*Glyptotermes*) *tuberculatus* Hill 1942, pp. 96-98, figs. 46-48, winged, sold., New So. Wales, New Zealand: Auckland (introduced).

Hololectotype: sold.; morpholectotype: winged, C.S.I.R. coll.

Winged, sold.

New So. Wales, Australia, New Zealand.

Australian.

Glyptotermes verrucosus (Hagen).

Calotermes verrucosus Hagen 1858, p. 63 (im.), pl. 2, fig. 7 (wings), Hab.? So. Amer.? Mus. Hallense.

Paratype: Hagen coll., M.C.Z. No. 193.

Calotermes (*Glyptotermes*) *verrucosus* Holmgren 1911a, p. 55.

Winged.

So. America?

Neotropical.

Glyptotermes xantholabrum (Hill).

Calotermes (*Glyptotermes*) *xantholabrum* Hill 1926d, p. 299, sold., Samoa; 1927a, pp. 14-15, pls. 5 and 8, figs. 153-154, winged, New Britain: Rabaul; 1929, p. 96; 1942, pp. 98-100, fig. 49, im., winged, sold., local.

Holotype: sold.; morphotype: winged, British Mus.; type local., Solomon Isl., Upolu Isl., see Hill 1929.

Kalotermes (*Glyptotermes*) *juddi* Light 1932b, pp. 169-170, sold., Marquesas.

Winged, sold.

Solomon Isls.; New Britain;

Marquesas Isls.; Society Isls.;

?New Hebrides.

Papuan.

CALCARITERMES

Genus *Calcaritermes* Snyder.

Generitype: *Calcaritermes imminens* (Snyder).

<Subgenus *Calcaritermes* (*Kalotermes*) Snyder 1925b, p. 155.

<Subgenus *Lobitermes* Emerson 1925, p. 337.

=Subgenus *Calcaritermes* Snyder 1933b, p. 67; Light 1933, p. 82; Hare 1937, pp. 461, 474.

Calcaritermes brevicollis (Banks).

Cryptotermes brevicollis Banks 1918, p. 661, im., sold., pl. 51, fig. 6 (sold.), Panama.

Kalotermes (*Lobitermes*) *brevicollis* Snyder 1925, p. 179.

Kalotermes (*Calcaritermes*) *brevicollis* Snyder 1925b, p. 155.

Type: American Mus. Nat. Hist.; paratype: M.C.Z.

Winged, sold.

Middle America: Panama.

Neotropical.

Calcaritermes emarginicollis (Snyder).

Kalotermes (Glyptotermes) emarginicollis Snyder 1925, pp. 186-187, sold., Panama: Rio Chinilla, C. Z.; 1926a, pp. 12-14, winged, nymph, sold., Costa Rica: Estrella.
Type: sold., U.S.N.M. No. 27268.

Winged, nymph, sold.

Middle America: Panama,
Costa Rica.

Neotropical.

Calcaritermes fairchildi (Snyder).

Kalotermes (Calcaritermes) fairchildi Snyder 1926b, p. 51, new name for *K. (Calcaritermes) thompsonae* Snyder.
Kalotermes (Calcaritermes) thompsonae Snyder 1926, pp. 23-24, winged, sold., Costa Rica:
Hamburg Farm, S. Clara Prov.
Cotypes: sold., U.S.N.M. No. 28658.

Winged, sold.

Middle America: Costa Rica.

Neotropical.

Calcaritermes guatemalae (Snyder).

Kalotermes (Calcaritermes) guatemalae Snyder 1926, pp. 22-23, winged, sold., Guatemala:
Mixco.
Cotype: sold., U.S.N.M. No. 28657.

Winged, sold.

Middle America: Guatemala.

Neotropical.

Calcaritermes imminens (Snyder).

Kalotermes (Calcaritermes) imminens Snyder 1925b, pp. 155-156, dealated female, sold.,
Colombia: Cincinnati.
Type: sold.; morphotype: dealated female, U.S.N.M.
No. 27734.

Dealated, sold.

So. America: Colombia.

Neotropical.

Calcaritermes nearcticus (Snyder).

Kalotermes (Calcaritermes) nearcticus Snyder 1933b, pp. 67-69, fig. 1 (wing), Florida:
Clay County.
Holotype: wing, male, U.S.N.M. No. 44835.

Kalotermes (Calcaritermes) nearcticus Miller 1943, pp. 5-8, fig. 2 (sold., nymph).

Winged, nymph, sold.

U. S. A.: Florida.

Nearctic.

Calcaritermes nigriceps (Emerson).

Kalotermes (Lobitermes) nigriceps Emerson 1925, pp. 337-339, fig. 35 (im., sold.), Brit.
Guiana: Kartabo.
Holotype: winged; morphotype: sold., N. Y. Zool. Soc.

Winged, sold.

So. America: Brit. Guiana.

Neotropical.

Calcaritermes parvinotus (Light).

Kalotermes (*Calcaritermes*) *parvinotus* Light 1933, pp. 101-103, fig. 5 (sold.), W. Mexico: Colima.

Type: Emerson coll.

Sold.

No. America: W. Mexico.

Neotropical.

Calcaritermes recessifrons (Snyder).

Kalotermes (*Calcaritermes*) *recessifrons* Snyder 1925b, pp. 156-157, winged, sold., Colombia: Cincinnati.

Type: sold., U.S.N.M. No. 27735.

Winged, sold.

So. America: Colombia.

Neotropical.

Calcaritermes temnocephalus (Silvestri).

Calotermes temnocephalus Silvestri 1901, p. 2, sold., Venezuela: Las Trincheras; 1903, p. 34, pl. 1, figs. 25-26 (sold., nymph).

Calotermes (*Procryptotermes?*) *temnocephalus* Holmgren 1911a, p. 55.

Sold.

So. America: Venezuela.

Neotropical.

HODOTERMITIDAE

Family HODOTERMITIDAE Snyder.

Type genus: *Hodotermes* Hagen.

> Family HODOTERMITIDAE Snyder 1925,* p. 158; Sjöstedt 1926, p. 9.

< Family CALOTERMITIDAE Tillyard 1926,* pp. 104-105.

>< Tribe HODOTERMITINAE Handlirsch 1930,* p. 856.

>< Tribe CALOTERMITINAE Handlirsch 1930,* p. 857.

= Family HODOTERMITIDAE Brues and Melander 1932, p. 95 (includes *Termopsis*); Emerson 1942, p. 10.

< Family MASTOTERMITIDAE Zeuner 1938,* p. 113 (includes *Ulmeriella*).

< Subfamily CALOTERMITINAE Statz 1939,* p. 35, pl. 4.

>< Tribe TERMOPSINI Statz 1939,* p. 13.

< Family CALOTERMITIDAE Hill 1942, pp. 6-7; Kelsey 1944, p. 236.

Subfamily TERMOPSINAЕ Holmgren.

Genus *Archotermopsis* Desneux.

Genus *Hodotermopsis* Holmgren.

Genus *Zootermopsis* Emerson.

Subfamily STOLOTERMITINAE Holmgren.

Genus *Stolotermes* Hagen.

Subfamily POROTERMITINAE Emerson.

Genus *Porotermes* Hagen.

Subfamily HODOTERMITINAE Holmgren.

Genus *Hodotermes* Hagen.

Genus *Microhodotermes* Sjöstedt.

Genus *Anacanthotermes* Jacobson.

* See fossil bibliography.

TERMOPSINAE

Subfamily TERMOPSINAE Holmgren.

Type genus: *Termopsis* Heer (fossil).

<Family CALOTERMITINAE Froggatt 1896, p. 516.

=Tribus TERMOPSIS Desneux 1904e, p. 12.

<Subfamily HODOTERMITINAE Holmgren 1910, p. 285.

=Subfamily TERMOPSINAE Holmgren 1911a, pp. 34-35.

=Subfamily TERMOPSINAE Emerson 1933, pp. 165, 167.

ARCHOTERMOPSIS

(First)

Genus *Archotermopsis* (Desneux).

Generotype: *Archotermopsis wroughtoni* (Desneux).

=Subgenus *Archotermopsis* Desneux 1904e, p. 13.

<Genus *Termopsis* Desneux 1904e, p. 12.

=Genus *Archotermopsis* Holmgren 1911a, pp. 35-36.

=Genus *Archotermopsis* Emerson 1933, pp. 168, 172-173.

Archotermopsis wroughtoni (Desneux).

Termopsis (Archotermopsis) Wroughtoni Desneux 1904, p. 445, im., sold., Kashmir Valley; 1904e, pp. 13-14, fig. 3, pl. 1, fig. 3, North India: Kashmir.

?*Termopsis Radcliffei* Radcliffe 1904, p. 412.

Archotermopsis Wroughtoni Holmgren 1911a, p. 36, fig. 3 (wing), pl. 1, fig. 6 (sold.), pl. 2, fig. 1 (im.); 1913b, p. 31 (im., sold.), pl. 1, fig. 1 (sold.).

Winged, sold.

No. India.

Indo-Malayan.

HODOTERMOPSIS

Genus *Hodotermopsis* Holmgren.

Generotype: *Hodotermopsis sjöstedti* Holmgren.

=Genus *Hodotermopsis* Holmgren 1911a, pp. 36, 38.

=Genus *Hodotermopsis* Emerson 1933, pp. 168, 179.

Hodotermopsis japonicus Holmgren.

Hodotermopsis japonicus Holmgren 1912a, pp. 112-113, sold., work., Amami-Oshima, Formosa; 1913b, p. 33, pl. 1, fig. 4, sold.; Oshima 1914a, p. 1; Hozawa 1915, pp. 14-20, figs. 1-2, pl. 1, figs. 1-2.

Sold.

Formosa.

Indo-Malayan.

Hodotermopsis sjöstedti Holmgren.

Hodotermopsis Sjöstedti Holmgren 1911a, p. 39, pl. 1, fig. 5, sold., Tonkin; 1913b, p. 34, sold., work., Tonkin: (Montes Mauson).

Sold.

Indo-China: Tonkin.

Indo-Malayan.

ZOOTERMOPSIS

Genus *Zootermopsis* Emerson.

Generotype: *Zootermopsis angusticollis* (Hagen).

Genus *Zootermopsis* Emerson 1933, pp. 182-187, figs. 27-34; 1942, pp. 8, 10, 11.

<Genus *Termopsis* Hagen 1858, p. 74; 1858a, p. 12.

<Genus *Termopsis* Haviland 1898, p. 372.

<Genus *Termopsis* Desneux 1904e, p. 14.

=Subgenus *Termopsis* Desneux 1904e, p. 14.

=Genus *Termopsis* Holmgren 1911a, pp. 37, 35.

=Genus *Termopsis* von Rosen 1913, p. 330 (fossil bibliography).

<Genus *Termopsis* Banks (and Snyder) 1920, pp. 11, 8, 9.

Zootermopsis angusticollis (Hagen).

Termopsis angusticollis Hagen 1858, p. 75 (im.), pl. 2, fig. 1 (wing), pl. 3, figs. 6, 41 (im.),

California, near San Francisco; 1874, p. 571, sold.;

Desneux 1904e, p. 14, fig. 4 (im.), pl. 1, fig. 2 (im.);

Banks (and Snyder) 1920, p. 11, fig. 1 (b), fig. 2

(dist.), im., sold., California, Oregon, Washington,

Vancouver Isl., Brit. Columbia.

Termes castaneus Walker 1853, p. 506 (im.).

Type: St. Petersburg Mus.; paratype: M.C.Z. No. 196.

Winged, sold.

Brit. Columbia to Lower California (Mexico).

Nearctic.

Zootermopsis laticeps (Banks).

Termopsis laticeps Banks 1906, p. 37, winged, sold., Florence or Douglas, Ariz.; Banks (and Snyder) 1920, p. 15, fig. 1a, fig. 3 (2), im., sold., dist., Arizona and New Mexico, fig. 6.

Termopsis angusticollis Townsend 1893, pp. 139-140, Las Cruces, N. Mex.

Type: M.C.Z. No. 10547, im., sold., Arizona.

Winged, sold.

Arizona, New Mexico, U. S. A.

Nearctic.

Zootermopsis nevadensis (Hagen).

Termopsis angusticollis var. *nevadensis* Hagen 1874, p. 571, sold., western border Nevada; Banks (and Snyder) 1920, p. 13, fig. 3 (1), fig. 4, im., sold., fig. 5, dist., W. Nevada to Montana, Oregon to British Columbia south to Pacific Grove, Calif. (Desneux 1904e, p. 14, places *nevadensis* in syn. with *angusticollis*.)

Type: M.C.Z. No. 10107.

Winged, sold.

British Columbia to Lower California.

Nearctic.

STOLOTERMITINAE

Subfamily STOLOTERMITINAE Holmgren.

Type genus: *Stolotermes* Hagen.

<Subfamily CALOTERMITINAE Froggatt 1896, p. 516.

<Tribe HODOTERMITINI Desneux 1904e, p. 14.

=Subfamily STOLOTERMITINAE Holmgren 1910, p. 285 (no description).

=Subfamily STOLOTERMITINAE Holmgren 1919a, pp. 34, 35.

=Subfamily STOLOTERMITINAE Emerson 1942, pp. 6-7, 9-11..

STOLOTERMES

Genus *Stolotermes* (Hagen).

Generotype: *Stolotermes brunneicornis* (Hagen).

Subgenus *Stolotermes* Hagen 1858, p. 105.

Genus *Stolotermes* Froggatt 1896, p. 537.

Stolotermes africanus Emerson.

Stolotermes africanus Emerson 1942, pp. 3-4, sold., nymph, figs. 1, 2G, Cape Province; 1947, pp. 127-129, dealated male.

Holotype and paratype series; Amer. Mus. Nat. Hist.; morphotype: dealated male, Divis. Ent., Pretoria.

Sold., dealated male.

Cape Province.

Ethiopian.

Stolotermes australicus Mjöberg.

Stolotermes australicus Mjöberg 1920, pp. 5, 9, sold., work., pl. 1, fig. 8, figs. 1c, 3, sold., work., Queensland: Cedar Creek; Hill 1942, pp. 22-23, fig. 8, sold., Queensland.

Cotype: sold., Hill coll.

Winged, sold.

Queensland.

Australian.

Stolotermes brunneicornis (Hagen).

Hodotermes (Stolotermes) brunneicornis Hagen 1858, p. 105, pl. 2, fig. 5, winged, Tasmania.

Stolotermes brunneicornis Hill 1942, pp. 23-26, figs. 7, 9, 10, winged, sold. (Tasmania) Vandiemansland.

Type: winged, Berlin Mus.; morphotype: sold., C.S.I.R. coll.; paratype: M.C.Z. No. 198.

?*Termes morio* Erichson.

Winged, sold.

Tasmania.

Australian.

Stolotermes queenslandicus Mjöberg.

Stolotermes queenslandicus Mjöberg 1920, pp. 5-6, pl. 1, figs. 2, 6, figs. 1-2, Queensland: Cedar Creek, Malanda, Herberton; Hill 1942, pp. 26-27, figs. 11-12, winged, sold., No. Queensland.

Cotypes: winged, sold., Hill coll.

Winged, sold.

Queensland.

Australian.

Stolotermes ruficeps Brauer.

Stolotermes ruficeps Brauer 1865, p. 977, winged, sold., New Zealand; [Desneux 1904e, p. 18] Froggatt 1896, p. 538, pl. 36, figs. 2-2a, winged, sold.; Mjöberg 1920, p. 5; Holmgren 1911a, p. 46, pls. 2, 3, fig. 5, im., wings; Hill 1942, pp. 27-29, fig. 13, sold.

Holotype. winged, Nat. Hist. Mus., Vienna.

Winged, sold.

New Zealand.

Australian.

Stolotermes victoriensis Hill.

Stolotermes victoriensis Hill 1921a, p. 433, figs. 1-11, winged, sold., Victoria; 1942, pp. 29-32, figs. 1, 14-18, winged, sold.

Holotype: winged; morphotype: sold., Nat. Mus., Melbourne.

Winged, sold.

Victoria, Austral. Capital Terr.,
New So. Wales, Queensland.

Australian.

POROTERMITINAE

Subfamily POROTERMITINAE Emerson.

Type genus: **Porotermes** Hagen.

Subfamily POROTERMITINAE Emerson 1942, pp. 10, 11.

POROTERMES

(Pas-
sage) -

Genus **Porotermes** (Hagen).

Generitype: **Porotermes quadricollis** (Rambur).

=Subgenus **Porotermes** Hagen 1858, p. 101.

>Genus **Porotermes** Froggatt 1896, pp. 517, 536.

=Genus **Porotermes** Desneux 1904e, p. 19.

=Genus **Porotermes** Holmgren 1911a, p. 49.

(Flat)

>Subgenus **Planitermes** Holmgren 1911a, p. 50.

>Genus **Planitermes** Sjöstedt 1926, pp. 23, 44.

<Genus **Calotermes** Sjöstedt 1926, p. 23.

=Genus **Porotermes** Emerson 1942, pp. 1, 7-11; Hill 1942, pp. 7, 11, 14, 32.

Porotermes adamsoni (Froggatt).

Calotermes adamsoni Froggatt 1896, p. 532, pl. 35, figs. 2, 2a, 2b, winged, sold., New So. Wales, Uralla.

Porotermes (Porotermes) Adamsoni Holmgren 1911a, p. 50, syn.

Porotermes adamsoni Hill 1942, pp. 33-36, figs. 19-20, winged, sold., New So. Wales, Austral. Capital Terr., Victoria, Queensland, Tasmania, So. Australia, *froggatti* and *grandis* placed in synonymy.

Hololectotype: winged, and morpholectotype: sold., C.S.I.R. coll.; paratypes: Nat. Mus., Melbourne and Hill coll.; cotype: *froggatti* and *grandis* in Hill coll.

Calotermes convexus Hagen 1858, p. 46, sold. and work. only, Van Dieman's Land only; Froggatt 1896, p. 522, sold. and work. only.

Porotermes (Porotermes) Froggatti Holmgren 1911a, p. 51, Tasmania, nomen nudum.

Porotermes Froggatti Holmgren 1912c, p. 281, places *Calotermes convexus* (Walker) Froggatt (partim) in synonymy.

Porotermes grandis Holmgren 1912c, p. 281, sold., Victoria.

Winged, sold.

Australia, Tasmania.

Australian.

Porotermes planiceps (Sjöstedt).

Calotermes planiceps Sjöstedt 1904, pp. 10, 17-18, 111, 113, 119, pl. 1, fig. G1-4, sold., So. Africa: "Kapland."

Porotermes (Planitermes) planiceps Holmgren 1911a, p. 51.

Porotermes planiceps Fuller 1921, p. 31, So. Africa, syn.

Planitermes planiceps Sjöstedt 1926, p. 44, fig. 12, sold.

?*Calotermes amabilis* Sjöstedt 1911d, p. 3, Kapland, may be imago of *planiceps* (Fuller 1921).

Sold.

So. Africa.

Ethiopian.

Porotermes quadricollis (Rambur).

Termes quadricollis Rambur 1842, p. 304, im., Chile.

Termes pallidus Walker 1853, p. 504 (only 2d description with locality?).

Hodotermes (Porotermes) quadricollis Hagen 1858, p. 101, im., sold., Chile.

Porotermes quadricollis Silvestri 1903, pp. 18-20, fig. 1 (wings).

Porotermes (Porotermes) quadricollis Holmgren 1911a, p. 50, pl. 2, fig. 3 (im.), pl. 3, fig. 4 (wings), pl. 4, fig. 1 (sold.).

Porotermes quadricollis Desneux 1915, p. 5 (type).

Type: Selys Longchamps coll., Brussels.

Winged, sold.

Chile.

Neotropical.

HODOTERMITINAE

Subfamily HODOTERMITINAE Holmgren.

Type genus: *Hodotermes* Hagen.

<Subfamily CALOTERMITINAE Froggatt 1896, p. 516.

<Tribe HODOTERMITINI Desneux 1904e, p. 14.

=Subfamily HODOTERMITINAE (PROTERMITIDAE) Holmgren 1911a, pp. 34, 41-42.

=Family HODOTERMITIDAE Snyder 1925, p. 158 (fossil bibliography).

=Family HODOTERMITIDAE Sjöstedt 1926, pp. 7, 9.

=Subfamily HODOTERMITINAE Emerson 1942, pp. 8-11.

HODOTERMES

Genus *Hodotermes* Hagen.

Generitype: *Hodotermes mossambicus* Hagen.

<Genus *Hodotermes* Hagen 1853, p. 480; 1858, p. 81; 1858a, p. 13.

<Subgenus *Hodotermes* Holmgren 1911a, pp. 42-43.

=Subgenus *Macrohodotermes* Fuller 1921, pp. 32, 41.

=Subgenus *Hodotermes* Sjöstedt 1926, pp. 9, 11.

=Genus *Hodotermes* Emerson 1942, pp. 7-11.

Hodotermes erithreensis Sjöstedt.

Hodotermes erithreensis Sjöstedt 1912, p. 2, sold., work., Eritrea: Assab.

Hodotermes (Microhodotermes) erithreensis Sjöstedt 1926, p. 19, pl. 1, fig. C (sold.).
Type: Mus. Genova, Stockholm.

Hodotermes erithreensis subsp. *minor* Harris 1946, pp. 67-68, fig. 1 (sold.), sold., work.,
British Somaliland: Alabla Balleh.

Sold., work.

Africa: Eritrea, Brit. Somaliland.

Ethiopian.

Hodotermes mossambicus (Hagen).

Termes Mossambicus Hagen 1853, pp. 480-481, im., Mossambique.

Hodotermes Mossambicus Hagen 1858, p. 94, im., sold., Mossambique ("Kaffernland").

Termes (Hodotermes) Mossambicus Hagen 1862, p. 86, pl. IV, figs. 18-21, wing. female
and work.

?*Termes viator* Walker 1853, p. 508, No. 7, only sold., work., So. Africa.

Hodotermes Havilandi Sharp 1895, p. 384.

Hodotermes Havilandi Haviland 1898, p. 372, sold., work., Natal.

Hodotermes mossambicus Sjöstedt 1900a, p. 24, winged, sold., work., loc.; Silvestri 1908,
p. 71, loc.

Hodotermes havilandi Warren 1909, p. 115.

Hodotermes (Hodotermes) mossambicus Holmgren 1911a, p. 43, pl. 1, fig. 8 (sold.), fig. 9
(work.), loc.; 1913d, p. 322, loc.

Hodotermes mossambicus Fuller 1915, p. 438, loc.; Heigh 1922, p. 139, etc.

Hodotermes Havilandi Fuller 1915, p. 441, loc.; Heigh 1922, p. 228, etc.

Hodotermes mossambicus Desneux 1915, p. 5, loc., loc. type work.

Hodotermes mossambicus Sjöstedt 1926, pp. 11-13, pl. 1, fig. A1, sold., loc.

Macrohodotermes mossambicus Fuller 1921, p. 42.

Macrohodotermes mossambicus s. lat. Fuller 1927, pp. 130-131.

Macrohodotermes mossambicus subsp. *Havilandi* Fuller, 1921, p. 43.

Hodotermes mossambicus subsp. *Havilandi* Sjöstedt 1926, p. 13.

Macrohodotermes mossambicus subsp. *pulcher* Fuller 1921, p. 44, winged, So. Africa.

Hodotermes pulcher Sjöstedt 1926, p. 15.

Macrohodotermes mossambicus subsp. *transvaalensis* Fuller 1921, p. 44, im., sold., So.
Africa (*H. braini* Fuller 1915, p. 446, in syn.).

Hodotermes mossambicus subsp. *transvaalensis* Sjöstedt 1926, pp. 13-14.

Macrohodotermes mossambicus subsp. *transvaalensis* forma *pretoriensis* Fuller 1921, pp. 44-
45, for *H. pretoriensis* Fuller 1915, p. 429.

Hodotermes mossambicus subsp. *transvaalensis* forma *pretoriensis* Sjöstedt 1926, p. 14.

Macrohodotermes mossambicus subsp. *transvaalensis* forma *warreni* Fuller 1921, pp.
44-45, Orange Free State.

Hodotermes mossambicus subsp. *transvaalensis* forma *Warreni* Sjöstedt 1926, p. 14.

Hodotermes bloemfonteinensis Sjöstedt 1926, p. 14, pl. 1, figs. B1-2, sold., Orange Free State.

Hodotermes braini Fuller 1915, p. 446, pl. 34, figs. 7, 8a (sold.), pl. 35, fig. 7, sold., Pretoria.

Macrohodotermes karroensis Fuller 1921, pp. 41, 45, im., sold., So. Africa.

Hodotermes karroensis Sjöstedt 1926, p. 15.

Hodotermes macrothorax Sjöstedt 1914b, p. 73, sold., work., German W. Africa.

Macrohodotermes pallidus Fuller 1921, p. 45, im., So. Africa.

Hodotermes pallidus Sjöstedt 1926, p. 16.

?*Anacanthotermes tunisiensis* Sjöstedt 1935, pp. 106-107, Tunis.

Type: *mossambicus* im., M.C.Z., coll. Peters, det. Hagen; 5 pins with insects destroyed, labeled by Hagen in Berlin Mus.; type worker in Selys Longchamps coll., Brussels.

Winged, sold., work.

Tunis and Abyssinia to So.
Africa, SW. Africa.

Palaearctic and Ethiopian.

MICROHODOTERMES

Genus *Microhodotermes* Sjöstedt.

Generitype: *Microhodotermes viator* (Latireille).

=Subgenus *Microhodotermes* (*Hodotermes*) Sjöstedt 1926, pp. 9-10, 16.

=Subgenus *Hodotermes* Fuller 1921, p. 32 (designates generitype).

=Genus *Microhodotermes* Emerson 1942, pp. 10-11.

Microhodotermes maroccanus (Sjöstedt).

Hodotermes maroccanus Sjöstedt 1926, pp. 20-21, pl. 1, fig. D (sold.¹⁻², work.¹⁻²), Morocco: Dar Kaid; 1927b, p. 279, wing., fig. (wings), Grand Atlas, Mus. Paris, Stockholm.

Winged, sold., work.

No. Africa: Morocco.

Palaearctic.

Microhodotermes viator (Latireille).

Termes viator Latireille 1804, pp. 49, 62; 1805, p. 70, worker only, Cape Good Hope; Burmeister 1839, p. 765.

Hodotermes viator Hagen 1858, p. 91 (im.), pl. 3, fig. 8 (im.).

Type: work., Selys-Longchamps coll., Brussels (Desneux 1915, p. 5, type); Fuller 1915, pp. 356, 448.

Hodotermes (*Microhodotermes*) *viator* Sjöstedt 1926, pp. 17-18, loc.

Hodotermes viator f. *hageni* Fuller 1921, p. 38, sold., work., So. Africa.

Hodotermes Aurivillii Sjöstedt 1900, p. 278, sold., work.¹⁻², W. Capland, So. Africa; 1900a, p. 28, sold., work., pl. 1, figs. A1-3; Fuller 1921, p. 33, syn.

Hodotermes faurei Fuller 1921, p. 40, im., So. Africa: Victoria W.

Hodotermes peringueyi Fuller 1921, p. 39, im., sold., So. Africa.

Hodotermes silvestrii Fuller 1921, p. 40, im., sold., p. 38, syn., So. Africa, Victoria W.

Hodotermes thompsoni Fuller 1921, p. 39, im., sold., So. Africa.

Winged, sold., work.

So. Africa.

Ethiopian.

Microhodotermes wasmanni (Sjöstedt).

Hodotermes Wasmanni Sjöstedt 1900a, p. 33, im., sold., work., key p. 24, No. Africa: Uadi M'bellem.

Hodotermes (*Microhodotermes*) *wasmanni* Sjöstedt 1926, p. 21, No. Africa: Uadi M'bellem; Tunis.

Winged, sold., work.

No. Africa: Tunis.

Palaearctic.

ANACANTHOTERMES

Genus *Anacanthotermes* Jacobson.

Generitype: *Anacanthotermes ochraceus* (Burmeister).

=Subgenus *Anacanthotermes* Jacobson 1904, p. 86; Holmgren 1911a, p. 43.

=Genus *Anacanthotermes* Sjöstedt 1926, pp. 9, 10, 21.

***Anacanthotermes ahngerianus* (Jacobson).**

Hodotermes ahngerianus Jacobson 1904, p. 67, im., Turkestan: Jageyolum on Riv. Atrek.

Hodotermes (Anacanthotermes) ahngerianus Holmgren 1911a, p. 43 (syn.).

Winged.

Turkestan.

Palaearctic.

***Anacanthotermes baeckmannianus* (Vasiljev).**

Hodotermes baeckmannianus Vasiljev 1911, pp. 269-270, winged, sold., work., Middle Asia:

Syr-darja region: Dzhulek, Tshiili (near Dzhulek).

Winged, sold., work.

Middle Asia.

Palaearctic.

***Anacanthotermes macrocephalus* (Desneux).**

Hodotermes macrocephalus Desneux 1906, p. 344, im., sold., work., India: Sind, Karachi.

Hodotermes (Anacanthotermes) macrocephalus Holmgren 1911a, p. 43, pl. 1, fig. 10, sold.; 1913b, p. 35 (im., sold.), pl. 1, fig. 2, sold.

Winged, sold., work.

India.

Indo-Malayan.

***Anacanthotermes murgabicus* (Vasiliev).**

Hodotermes murgabicus Vasiljev 1911, pp. 268-269, sold., work., Middle Asia: Transcaspia River Murgab (near Kazyhly-Beut).

Sold., work.

Middle Asia.

Palaearctic.

***Anacanthotermes ochraceus* (Burmeister).**

Termes ochraceus Burmeister 1839, p. 765, im., Egypt; Rambur 1842, p. 303, im.; Savigny, pl. 2, fig. 11; Joly 1849, pl. 1, fig. 12.

Hodotermes ochraceus Hagen 1858, p. 85, pl. I, fig. 9, pl. II, fig. 3, pl. III, fig. 7 (im., sold., work.), Egypt: Cairo; Desneux 1902, p. 436, Algeria; 1904e, p. 17, syn., pl. 1, fig. 4, im., sold., work.; 1915, p. 5 (type).

Hodotermes (Anacanthotermes) ochraceus Holmgren 1911a, p. 43, syn.

Anacanthotermes ochraceus Sjöstedt 1926, pp. 21-22, loc., Tunis, Algeria; Kemner 1932, p. 87, Sinai.

Hodotermes (Anacantho.) ochraceus Menozzi 1940, p. 248, Tripoli.

Anacanthotermes tunisiensis Sjöstedt 1935, pp. 106-107, im., sold., work. fig. 1 (sold.) Tunis; Bou-Hedma.

Type: sold., Mus. Paris, Stockholm; morphotype: im., same loc. (*tunisiensis*).

Anacanthotermes turkestanicus Kirby 1944, p. 239 (protozoa).

Type: im., Selys Longchamps coll., Brussels (*ochraceus*).

Winged, sold., work.

No. Africa: Egypt, Tripoli,
Tunis, Algeria; Palestine:
Sinai.

Palaearctic.

Anacanthotermes turkestanicus (Jacobson).

Hodotermes turkestanicus Jacobson 1904, p. 61, im., sold., work., biol., figs. 1-5, 14-16,
Turkestan (Hungersteppe: Station Golodnaja Stepj).

Hodotermes (Anacanthotermes) turkestanicus Holmgren 1911a, p. 14, p. 43, fig. 1, pl. 2,
fig. e (mand., wings).

Winged, sold., work.

Turkestan.

Palaearctic.

Anacanthotermes ubachi (Navas).

Hodotermes Ubachi Navas 1911, pp. 120-121, im., fig. 2a, Cercanias del Mar Muerto (Middle
East), Palestine; Griffin 1940, p. 64.

Winged.

Asia Minor: Palestine.

Palaearctic.

Anacanthotermes vagans (Hagen).

Hodotermes vagans Hagen 1858, p. 88, im., work., pl. 2, figs. 18-19 (im.), So. Persia:
Schiraz, Isl. Karak (Persian Sea).
Type: Mus. Vienna.

Hodotermes (Anacanthotermes) vagans Holmgren 1911a, p. 43 (syn.).

Hodotermes vagans Silvestri 1923a, p. 261, Ruz, NE. of Bagdad.

Winged, work.

Persia. Palaearctic.

Anacanthotermes vagans, subsp. *septentrionalis* (Jacobson).

Hodotermes vagans subsp. *septentrionalis* Jacobson 1904, p. 65, im., sold., work., pp. 79,
96-103, biol., No. Persia: Chorassam (between Ker-
rat and Sengum).

Hodotermes (Anacanthotermes) vagans subsp. *septentrionalis* Holmgren 1911a, p. 43
(syn.), Transcaspia.

Winged, sold., work.

No. Persia, Transcaspia.

Palaearctic.

Anacanthotermes viarum (König).

Termes viarum König 1779, p. 24, work., pl. 1, figs. 12-14 (work.), So. India.

Hodotermes viarum Hagen 1858, p. 90, work., syn., p. 10, Tranquebar.

Hodotermes (Anacanthotermes) koenigi Holmgren, K. and N. 1917, p. 138, im., sold.,
work., So. India: Coimbatore.

• Sold., work.

So. India.

Indo-Malayan.

RHINOTERMITIDAE

(Nose)

Family RHINOTERMITIDAE Light.

Type genus: **Rhinotermes** Hagen.

=Family RHINOTERMITIDAE Light 1921a, pp. 25, 48.

>Subfamily RHINOTERMITINAE Froggatt 1896, p. 518.

<Subfamily TERMITINAE Silvestri 1903, p. 37.

<Subfamily TERMITINAE Desneux 1904b, p. 285.

>Tribe RHINOTERMITINI Desneux 1904b, p. 285.

<Subfamily TERMITINAE Desneux 1904e, pp. 9, 25.

<Suborder CRYPTOCLIDOPTERA Enderlein 1909, p. 171.

Family MESOTERMITIDAE Holmgren 1909, p. 100 (no descr.).

>Family MESOTERMITIDAE Holmgren 1910, p. 285.

<Family MESOTERMITIDAE Holmgren 1910a, p. 143, *Serritermes* included.

<Family MESOTERMITIDAE Holmgren 1911a, pp. 61, 13.

<Family TERMITIDAE Banks 1919, pp. 475, 479.

>Subfamily RHINOTERMITINAE (TERMITIDAE) Banks (and Snyder) 1920, p. 39.

<Subfamily TERMITINAE Banks (and Snyder), 1920, p. 54 (part).

Subfamily PSAMMOTERMITINAE Holmgren.

Genus **Psammotermes** Desneux.

Subfamily HETEROTERMITINAE Froggatt.

Genus **Heterotermes** Froggatt.Genus **Reticulitermes** Holmgren.

Subfamily STYLOTERMITINAE Holmgren.

Genus **Stylotermes** Holmgren.

Subfamily COPTOTERMITINAE Holmgren.

Genus **Coptotermes** Wasmann.

Subfamily TERMITOGETONINAE Holmgren.

Genus **Termitogeton** Desneux.

Subfamily RHINOTERMITINAE Froggatt.

Genus **Prorhinotermes** Silvestri.Genus **Parrhinotermes** Holmgren.Genus **Schedorhinotermes** Silvestri.Genus **Rhinotermes** Hagen.Genus **Dolichorhinotermes** Snyder and Emerson, n. gen.Genus **Acorhinotermes** Emerson, n. gen.

PSAMMOTERMITINAE

Subfamily PSAMMOTERMITINAE Holmgren.

Type Genus: **Psammotermes** Desneux.

<Subfamily CALOTERMITINAE (=Appendix) Desneux 1904e, p. 24.

<Subfamily LEUCOTERMITINAE Holmgren 1910, p. 285 (part) (no descr.).

=Subfamily PSAMMOTERMITINAE Holmgren 1911a, pp. 62, 64.

PSAMMOTERMES

(Sand)

Genus **Psammotermes** Desneux.Generitype: **Psammotermes hybostoma** Desneux.=Genus **Psammotermes** Desneux 1902, p. 436.

>Genus **Psammotermes** Desneux 1904e, p. 24 (*fuscofemoralis* not included).

><Genus **Termes** subgen. **Termes** Desneux 1904e, pp. 32, 35.

><Genus **Termes** Sjöstedt 1904, p. 47.

?Genus **Proleucotermes** Holmgren 1909, p. 28 (no description).

=Genus **Psammotermes** Fuller 1921, pp. 20, 23, 46.

=Genus **Psammotermes** Sjöstedt 1926, p. 45.

=Genus **Psammotermes** Emerson 1928, pp. 406, 423.

Psammotermes allocerus Silvestri.

Psammotermes allocerus Silvestri 1908, p. 73, sold.¹⁻², work., pl. 8, figs. 1-17, SW. Africa:
Nomaland Salsola-Dünen; Sjöstedt 1926, pp. 49-50,
fig. 16: 1.

Psammotermes fuscofemoralis Holmgren 1913d, p. 323, syn., loc. Zululand: Lake Sibayi,
Mseleni.

Winged, sold.¹⁻³, work.

Namaland; So. Africa; SW.
Africa, Zululand.

Ethiopian.

Psammotermes assuanensis Sjöstedt.

Psammotermes assuanensis Sjöstedt 1912, p. 3, sold., work., biol., Upper Egypt: Assuan.

Psammotermes hybostoma Wasmann and Werner 1912, p. 174 (nec Desneux), Assuan.

'**Psammotermes assuanensis** Fuller 1921, p. 46, im., sold., Zululand.

Psammotermes assuanensis Sjöstedt 1926, pp. 47-48, fig. 14, pl. 2, fig. F¹, F⁴.
Type: Mus. Genova and Stockholm.

Winged, sold.¹⁻³, work.

Upper Egypt, Eritrea, Zulu-
land.

Ethiopian.

Psammotermes fuscofemoralis (Sjöstedt).

Termes fuscofemoralis Sjöstedt, 1904, p. 62 (im. and work.), Red Sea.

Psammotermes fuscofemoralis Holmgren, 1911a, pp. 65-66, work., pl. 5, fig. 2, sold.;
Silvestri 1914-15, p. 8, sold., Senegal.

Psammotermes fuscofemoralis Fuller 1921, p. 46, im., sold., So. Africa.

Psammotermes fuscofemoralis Sjöstedt 1926, pp. 48-49, pl. 2, fig. E¹-E³, loc.

Winged, sold.¹⁻³, work.

Red Sea, Egypt, Nubia, Sudan,
Senegal.

Ethiopian.

Psammotermes hybostoma Desneux.

Psammotermes hybostoma Desneux 1902, p. 437, sold.¹⁻², fig. 1, sold.¹, Algiers: Biskra;
Sjöstedt 1926, p. 47, fig. 15, sold. ant.

Sold.¹⁻³, work.¹⁻²

Algeria.

Palaearctic.

Psammotermes senegalensis Sjöstedt.

Psammotermes senegalensis Sjöstedt 1924c, p. 495, sold.¹⁻², Senegal: Dakar; 1926, pp. 50-51,
pl. 2, figs. G¹⁻², fig. 16: 2.

Sold.¹⁻²

Senegal.

Ethiopian.

Psammotermes voeltzkowi Wasmann.

Psammotermes Voeltzkowi Wasmann 1910a, p. 122, sold.¹⁻², figs. 5-7, sold.¹⁻², SW. Madagascar: Tulear; Sjöstedt 1926, p. 50.

Sold.¹⁻²

Madagascar.

Malagasy.

HETEROTERMITINAE

Subfamily HETEROTERMITINAE Froggatt.

Type genus: *Heterotermes* Froggatt.

>Subfamily HETEROTERMITINAE Froggatt 1896, p. 550.

=Subfamily HETEROTERMITINAE Kemner 1934, p. 67.

=Subfamily LEUCOTERMITINAE Holmgren 1911a, pp. 68, 62.

><?Subfamily GLYPTOTERMITINAE Froggatt (part).

<Subfamily LEUCOTERMITINAE Holmgren 1910, p. 285 (no descr.).

Subfamily LEUCOTERMITINAE Holmgren 1910a, pp. 142, 143 (no descr.).

HETEROTERMES

Genus *Heterotermes* Froggatt.

Generitype: *Heterotermes platycephalus* Froggatt.

>Genus *Heterotermes* Froggatt 1896, pp. 518, 550.

<Genus *Termes* (*Eutermes*) Hagen 1858, pp. 108, 186.

<Genus *Termes* Froggatt 1897, p. 721.

=Genus *Termes* Haviland 1898, pp. 378, 398 (section with *tenuis* for type).

<Genus *Termes* Sjöstedt 1900a, pp. 19-21, 67.

=Genus *Leucotermes* Silvestri 1901, p. 3, generitype *Leucotermes tenuis* Hagen.

=Genus *Leucotermes* Silvestri 1903, p. 37.

<Genus *Leucotermes* Wasmann 1902b, pp. 117, 160.

<Subgenus *Leucotermes* (*Termes*) Desneux 1904e, pp. 31, 32.

=Genus *Leucotermes* Holmgren 1906, p. 540.

>Genus *Psalidotermes* Silvestri 1909, p. 296 (type *L. ferox*).

=Genus *Leucotermes* Holmgren 1910a, p. 142. (Discussions concerning affinities with *Heterotermes*.)

<Genus *Leucotermes* Holmgren 1911a, p. 69 (*Reticulitermes* included).

=Subgenus *Leucotermes* s. str. Holmgren 1913b, pp. 60, 63; 1913-14, p. 235.

=Genus *Leucotermes* Banks 1919, p. 479.

=Genus *Leucotermes* Banks (and Snyder) 1920, p. 75.

=Genus *Leucotermes* Light 1921a, p. 57.

=Genus *Leucotermes* Snyder 1924c, p. 12; 1926 (fossil bibliography).

=Genus *Leucotermes* Sjöstedt 1926, p. 59.

>Genus *Leucotermes* Hill 1927a, p. 40 (?*Heterotermes platycephalus* doubtfully included).

=Genus *Heterotermes* Light 1930a, p. 18, 19.

=Genus *Heterotermes* Hill 1942, pp. 8, 11, 14, 120.

Heterotermes aureus (Snyder).

Reticulitermes aureus Snyder 1920, p. 40, dealated adult, Sabino Canyon, Santa Catalina Mts., Ariz.

Leucotermes aureus Snyder 1924c, pp. 19-20, winged from type loc.

Type: dealated, U.S.N.M. No. 22693.

Reticulitermes humilis Banks, var. *hoferi* Banks (and Snyder) 1920, p. 53, sold., Sabino Canyon.

Reticulitermes hoferi Snyder 1926c, p. 397.

Heterotermes intermedius Light 1933, pp. 111-113, pl. 8, figs. 7-12, sold., Maria Madre Isl., Tres Marias Isls. (Mexico).

Winged, sold.

California, Arizona, U. S. A.;
Tres Marias Isls., Mexico.

Nearctic, Neotropical.

Heterotermes cardini (Snyder).

Leucotermes cardini Snyder 1924c, pp. 17-19, winged, sold., Andros Isl., Bahamas.

Type: winged, U.S.N.M. No. 25084.

Winged, sold.

West Indies.

Neotropical.

Heterotermes ceylonicus (Holmgren).

Leucotermes ceylonicus Holmgren 1911a, p. 69, pl. 5, fig. 5, sold.; 1911c (*in* Escherich), p. 190, im., sold., Ceylon: Peradeniya.

Leucotermes (Leucotermes) ceylonicus Holmgren 1913b, p. 65, im., sold.¹⁻², work., pl. 2, fig. 6a (sold.²); 1913-14, p. 235.

Winged, sold.

Ceylon.

Indo-Malayan.

Heterotermes convexinotatus (Snyder).

Leucotermes convexinotatus Snyder 1924c, pp. 15-17, winged, sold., Colon, Panama.

Type: dealated adult, U.S.N.M. No. 25083.

Heterotermes orthognathus Light 1933, pp. 109, 113-114, pl. 8, figs. 8-13, sold., Colima, W. Mexico.

Heterotermes pallidus Light 1935, p. 247, fig. 5, winged, sold., Puentarenas, Costa Rica.

Type: Calif. Acad. Sci. Ent. 3937.

Winged, sold.

Panama, Mexico, Costa Rica,

West Indies.

Neotropical.

Heterotermes crinitus (Emerson).

Leucotermes crinitus Emerson 1925, pp. 342-344, fig. 36^{a-d}, im., sold., Kartabo, Brit. Guiana. Holotype: winged; morphotype: sold., N. Y. Zool. Soc.

Winged, sold.

Brit. Guiana.

Neotropical.

Heterotermes ferox (Froggatt).

Termes ferox Froggatt 1897, p. 724, pl. 34, fig. 1^{a-b}, im., sold., work., Thornleigh near Sydney.

Psalidotermes ferox Silvestri 1909, pp. 296, 297, pl. 19, figs. 122-132 (sold., work.) Australia?

Leucotermes ferox Mjöberg 1920, p. 29, loc.; Holmgren 1911, p. 549, syn.

Heterotermes ferox Hill 1942, p. 122, figs. 3, 65-66, im., sold., loc., syn.

Leucotermes occiduus Hill 1927a, pp. 50-53, pl. 2, figs. 46-48, pl. 5, fig. 175, pl. 8, fig. 176, im., sold., work., SW. Australia.

Hololectotype: (*ferox*) winged; morpholectotype: sold., work., C.S.I.R. coll.

Winged, sold., work., neotenic.

New So. Wales, Victoria, Aus-
tral. Capital Terr., Queens-
land, So. and W. Australia.

Australian.

Heterotermes indicola (Wasmann).

Leucotermes indicola Wasmann 1902b, p. 118, sold., work., pl. 4, fig. 2, sold., p. 160, syn., India: Bombay.

Termes (*Leucotermes*) *indicola* Desneux 1904e, p. 33, syn.

Leucotermes (*Leucotermes*) *indicola* Holmgren 1913b, p. 64, im., sold.¹⁻², work., pl. 2,
fig. 4, sold., pl. 2, fig. 6b, sold.²

Leucotermes indicola Holmgren, K. and N. 1917, p. 140, Punjab.

Winged, sold., work.

India.

Indo-Malayan.

Heterotermes insularis (Wasmann).

Leucotermes insularis Wasmann 1902b, p. 140, sold., p. 160, syn., Cocos Isl. (between Galapagos and Costa Rica).

Termes (*Leucotermes*) *insularis* Desneux 1904e, p. 33, syn.

Sold.

Cocos Isl.

Neotropical.

Heterotermes longiceps (Snyder).

Leucotermes longiceps Snyder 1924c, pp. 20-21, sold., Coxipò, Cuyabà, Brazil.

Type: sold., U.S.N.M. No. 25689. (Silvestri believes material from S. Ana; vial in Silvestri coll. from Coxipò not *longiceps*.)

Sold.

Brazil.

Neotropical.

Heterotermes maculatus Light.

Heterotermes maculatus Light 1933, pp. 110-111, pl. 8, figs. 10, 15, wing., Guadalajara (W. Mexico).

Winged.

W. Mexico.

Neotropical.

Heterotermes malabaricus Snyder.

Heterotermes malabaricus Snyder 1933a, pp. 4-6, fig. 2, winged, sold., S. Mangalore, Malabar Coast, Madras, India.

Cotypes: winged; comorphotypes: sold., Brit. Museum; Forest Research Inst., Dehra Dun, India; and U.S.N.M. No. 44102.

Winged, sold.

India.

Indo-Malayan.

Heterotermes pamataensis Kemner.**Heterotermes pamataensis** Kemner 1934, pp. 68-69, sold., Saleier Isl., south of Celebes.

Sold.

Saleier Isl.

Indo-Malayan.

Heterotermes paradoxus (Froggatt).**Termes paradoxus** Froggatt 1897, p. 728, pl. 35, fig. 2, winged, sold., work., Queensland: Mackay.**Termes (Eutermes) paradoxus** Desneux 1904e, p. 44.**Leucotermes (Leucotermes) paradoxus** Holmgren 1913b, p. 60.**Leucotermes paradoxus** Hill 1927a, pp. 41-45, pl. 2, figs. 37-40, pl. 5, fig. 169, pl. 8, fig. 170, im., sold., work.**Heterotermes paradoxus paradoxus** Hill 1942, pp. 126-128, figs. 67-68, im., sold., loc.

Holotype: winged; morpholectotype: sold., work., C.S.I.R. coll.

Winged, sold., work.

Queensland, North Terr., ?Tor-
res Strait: Banks Isl.

Australian.

Heterotermes paradoxus, subsp. *intermedius* Hill.**Heterotermes intermedius** Hill 1932, pp. 144-146, figs. 9-12, wing., sold., work., W. Australia,
near Kalgoorlie.**Heterotermes paradoxus intermedius** Hill 1942, pp. 8, 11, 128, im., sold., work., syn., fig. 69,
sold., loc.Holotype: winged; morphotype: sold and work., C.S.I.R.
coll.

Winged, sold., work.

W. Australia.

Australian.

Heterotermes paradoxus, subsp. *validus* Hill.**Heterotermes validus** Hill 1915, p. 83, wing., sold., work., North. Terr.: Darwin (Kool-
pinyah).**Leucotermes validus** Hill 1927a, p. 49, pl. 2, figs. 41-42, pl. 5, fig. 173, pl. 8, fig. 174.**Heterotermes paradoxus validus** Hill 1942, pp. 129-130, fig. 70, sold.Holotype: wing.; morphotype: sold., work., Nat. Mus.,
Melbourne.

Winged, sold., work.

North. Territory.

Australian.

Heterotermes paradoxus, subsp. *venustus* Hill.**Leucotermes venustus** Hill 1927a, pp. 55-58, pl. 2, figs. 52-56, pl. 5, fig. 177, pl. 8, fig. 178,
winged, sold., work., North. Terr.: Stapleton (70
miles so. Darwin).**Heterotermes paradoxus venustus** Hill 1942, pp. 8, 11, 131-132, fig. 71 (sold.), im., sold.,
work., loc.Holotype: winged; morphotype: sold., work., Nat. Mus.,
Melbourne.

Winged, sold., work.

North. Territory, W. Australia.

Australian.

Heterotermes perfidus (Silvestri).

Leucotermes perfidus Silvestri 1936, pp. 203-205, figs. 1-10, sold., St. Helena Isl.
Sold.

St. Helena.

Ethiopian.

Heterotermes philippinensis (Light).

Leucotermes philippinensis Light 1921a, p. 58 (sold., work.), pl. 4, sold., Philippines:
Manila; Moutia 1936, p. 17, im., sold., fig. 1c, 4c,
Mauritius (introduced).

Winged, sold., work.

Philippines, Mauritius.

Indo-Malayan and Malagasy (introduced).

Heterotermes platycephalus Froggatt.

Heterotermes platycephalus Froggatt 1896, pp. 550-551, pl. 35, fig. 10, pl. 36, fig. 4, winged,
So. Australia: Kangaroo Isl.

?*Termes* (*Leucotermes*) *platycephalus* Desneux 1904e, p. 33, syn.

?*Leucotermes platycephalus* Holmgren 1911a, p. 69, syn.

Leucotermes platycephalus Mjöberg 1920, p. 124.

Leucotermes clarki Hill 1922, p. 395, figs. 27-29, sold. only, SW. Australia; 1927a, p. 45,
pl. 5, fig. 171, pl. 8, fig. 172, wing.

Heterotermes platycephalus Hill 1942, pp. 132-134, figs. 72-74, im., sold., work., loc.
Holoneotype: wing;; morphoneotype: sold.

Winged, queen, sold., work.

So. and W. Australia.

Australian.

Heterotermes tenuior (Haviland).

Termes tenuior Haviland 1898, p. 399, winged, sold., work., Borneo.
Type: No. 418.

Leucotermes (*Leucotermes*) *tenuior* Holmgren 1913b, p. 63, im., sold., work., pl. 2, fig. 5,
sold.

Winged, sold., work.

Borneo.

Indo-Malayan.

Heterotermes tenuis (Hagen).

Termes tenuis Hagen 1858, p. 231, pl. 3, fig. 35 (im.), St. Domingo, near Port au
Prince, Colombia, Brazil, Mus. Vienna; Haviland
1898, p. 399, Brazil, W. Indies.

Leucotermes tenuis Silvestri 1901, p. 3, Paraguay; 1903, p. 38, fig. 7, fig. 35, pl. 1, figs. 33-
38, im., sold.¹⁻², work., loc.

Leucotermes tenuis Holmgren 1906, pp. 540-542, im., sold., work., Bolivia, Peru.

Leucotermes tenuis Banks 1918, p. 663, loc.; 1919, p. 481, loc.

Leucotermes tenuis Banks (and Snyder) 1920, p. 76, loc.

Termes corticola Bates 1854, p. 333 (Snyder 1924c, p. 14), Panama.

Leucotermes flavipes subsp. *paraensis* Wasmann 1902b, p. 119 (Snyder 1924c, p. 14), Brazil.

Leucotermes tenuis Emerson 1925, pp. 340-341, fig. 36e, f, g., im., sold., loc.

Leucotermes tenuis Snyder 1926d, p. 12, loc.

Type: Mus. Berol (winged); paratype; M.C.Z. No. 212.

Winged, sold., work.

W. Indies, Middle and So.

America.

Neotropical.

Heterotermes vagus (Hill).

Leucotermes vagus Hill 1927a, pp. 53-55, pl. 2, figs. 49-51, sold., work., North. Territory: Darwin.

Heterotermes vagus Hill 1942, pp. 134-136, figs. 75-76, winged, sold.

Holotype: sold.; morphotype: work., Nat. Mus., Melbourne; morphotype: winged, C.S.I.R. coll.

Winged, sold., work.

North. Territory.

Australian.

RETICULITERMES

Genus **Reticulitermes** (Holmgren).

Generitype: **Reticulitermes flavipes** (Kollar).

<Genus **Leucotermes** Holmgren 1911a, p. 69.

=Subgenus **Reticulitermes** (**Leucotermes**) Holmgren 1913b, pp. 60-61.

=Subgenus **Reticulotermes** (**Leucotermes**) Holmgren 1913b, p. 15, misspelled.

<Genus **Reticulitermes** Banks (and Snyder) 1920, pp. 42-43.

=Genus **Reticulitermes** Snyder 1923, p. 107.

=Genus **Reticulitermes** Light 1931, pp. 589-590, key.

Reticulitermes aethiopicus (Sjöstedt).

Eutermes aethiopicus Sjöstedt 1911a, p. 171, sold., Abyssinia: Kottouki Dagaga.

Leucotermes aethiopicus Holmgren 1913b, p. 15.

Leucotermes aethiopicus Sjöstedt 1922, p. 246, sold., work., pl. 1 t¹, fig. 4. sold.

Leucotermes aethiopicus Sjöstedt 1926, pp. 59-60, sold.

Reticulitermes aethiopicus Ghidini 1938, p. 226, biol.

Type: Mus. Paris.

Sold., work.

Abyssinia.

Ethiopian.

Reticulitermes arenincola Goellner.

Reticulitermes arenincola Goellner 1931, pp. 227-234, 6 figs., winged, sold., work., Pine, Indiana (south.).

Reticulitermes lucifugus Dobson 1918, p. 99, biol., loc.

Reticulitermes lucifugus Banks (and Snyder) 1920, pp. 43, 53, im., sold.; (Banks) and Snyder 1920, pp. 174-176, biol. (Massachusetts record only).

Reticulitermes lucifugus Emerson 1936, p. 411, loc.

Reticulitermes lucifugus Wheeler 1936, p. 193, p. 219, biol.

Type: Emerson coll.

Winged, sold., work.

Indiana, Michigan, Massachusetts.

Nearctic.

Reticulitermes chinensis Snyder.

Reticulitermes chinensis Snyder 1923, pp. 107-109, winged, sold., Prov. Szechuan, China; Light 1931, pp. 583-584, 590, loc.

Type: winged, U.S.N.M. No. 26043.

Reticulitermes assamensis Gardner 1944, pp. 105-106, sold., Assam (Sadiya), India.

Winged, sold.

Szechuan, Hunan, Yenping,
China; Assam, India.

?Palaearctic and Indo-Malayan.

Reticulitermes flaviceps (Oshima).

Leucotermes flaviceps Oshima 1911a, p. 356, pl. 18, figs. 5, 7; 1912, p. 74, fig. 5, pl. 1, fig. 10, pl. 2, figs. 15-17; 1913, pp. 277-278; 1914a, p. 1. *Leucotermes speratus* Oshima 1911-4, Formosa only; Hozawa 1915, pp. 62-63, 82, Formosa only.

Winged, sold., work.

Formosa: Botel-tobago.

Indo-Malayan

Reticulitermes flavipes (Kollar).

Termes flavipes Kollar 1837, p. 411, winged, greenhouse at Schönbrunn, Vienna, Austria; Burmeister 1839, p. 768; Westwood 1840, p. 14, figs. 58, 12, 14, 15; Hagen 1858, p. 182, im., sold., loc.; Banks 1907, p. 392.

Leucotermes flavipes Holmgren 1911a, p. 48, fig. 5 (mand.), pl. 5, fig. 3 (im.), fig. 4 (sold.), fig. 6 (wings), p. 69; Desneux 1915, p. 6, loc.

Reticulitermes flavipes Banks (and Snyder) 1920, pp. 45-46, fig. 30 (dist.), fig. 35a, gula sold.

Reticulitermes flavipes Feytaud 1925; Snyder 1926 (subspecies or race), France and U. S. (fossil bibliography).

Termes frontale Haldeman 1844, p. 55.

Reticulitermes claripennis Banks (and Snyder) 1920, p. 47, winged, sold., Beaumont, Tex., fig. 32 (dist.).

Paratypes: winged, M.C.Z. No. 10110.

Winged, sold., reproductives, work.

Mediterranean Europe; Ontario, Canada; U. S. (exclusive of far west); No. Mexico; No. Guatemala.

Nearctic, Palaearctic.

Reticulitermes fukiensis Light.

Reticulitermes fukiensis Light 1924, pp. 52-53 (sold. in key), p. 142, Foochow, Fukien, China; 1931, pp. 583, 584, 591, loc.

Winged, king, queen, sold., work.

Fukien: Yenping; Nanking?; China.

Indo-Malayan.

Reticulitermes hageni Banks.

Reticulitermes hageni Banks (and Snyder) 1920, pp. 44-45, im., sold., fig. 29, dist., Falls Church, Va.

Reticulitermes hageni, subspecies or race Snyder 1926, Texas (fossil bibliography). Type: winged and sold., U.S.N.M. No. 21863; paratype: winged, M.C.Z. No. 10538.

Winged, sold., work.

Eastern United States west to Kansas.

Nearctic.

Reticulitermes hesperus Banks.

Reticulitermes hesperus Banks (and Snyder) 1920, pp. 50-51, winged, sold., fig. 34, 2 (sold.), fig. 37, dist. Little Bear Lake, San Bernardino Mts., Calif.

Reticulitermes hesperus Spencer 1945, p. 21, dist. Vancouver, Brit. Columbia.

Termes flavipes Hagen 1877, p. 73, biol., local. California: Geysers, in Sonoma County.

Type: winged, U.S.N.M. No. 21864; paratype: winged, M.C.Z. No. 10541; morphotype: sold., U.S.N.M.

Winged, sold., work.

Vancouver, Brit. Columbia;

Washington; Oregon; California; Nevada.

Nearctic.

Reticulitermes lucifugus (Rossi).

Termes lucifugus Rossi 1792, p. 107, winged, Shores of Mediterranean Sea; Walker 1853, p. 505 (only No. 3), im.; Hagen 1858, p. 174, im., sold., work., loc.; Grassi and Sandias 1893, Sicily; Jacobson 1904, pp. 68, 57 (loc.).

Termes lucifuge Latreille 1802, p. 62, loc.

Termes lucifugum Latreille 1805, p. 69.

Leucotermes lucifugus Holmgren 1911a, p. 69.

Leucotermes (Reticulitermes) lucifugus Holmgren 1913b, p. 60.

Leucotermes lucifugus Desneux 1915, p. 6, loc.

Reticulitermes lucifugus, subspecies or race Feytaud 1925; Snyder 1926, France (fossil bibliography).

Leucotermes lucifugus Sjöstedt 1926, p. 59, fig. 20, sold., loc.

Termes pusillus Walker 1853, p. 528, im.

Hemerobius raphidioidides Villers p. 56, pl. 7, fig. 8.

Termes arda Forskal, p. 96, pl. 25, fig. A?

Termes arda Fabricius 1787, p. 247?; Linné 1788-93, p. 2913, No. 5?

Termes radicum Latreille 1798, p. 84.

?*Termes parvulum* Illiger, p. 16.

Termes Madeirensis Heer, Mus. Vienna (Hagen).

Type: Mus. Berol.

Winged., sold., work., neotenic.

Shores of Mediterranean, No.

Africa; France, Portugal,

Spain, Italy, Sardinia, Sicily,

Dalmatia, Yugoslavia, Greece,

Turkey, Cyprus, Bessarabia,

Odessa, No. Africa: Algeria,

near Suez.

Palaearctic.

?Reticulitermes lucifugus (Rossi), subsp.?

?Reticulitermes lucifugus subsp. Feytaud 1925, p. 161; Snyder 1926 (fossil bibliography), pp. 1-2, loc., France (Dep. Charente-Inférieure), race or subsp.

Winged.

France.

Palaearctic.

Reticulitermes magdalena (Silvestri).

Leucotermes (Reticulitermes) magdalena Silvestri in Bathellier 1927, pp. 132-134, sold., work., Indo-China: Chapa, in mountains of the Tonkino-chinoises frontier, elev. 1,400 meters.

Sold., work.

Indo-China.

Palaearctic?

Reticulitermes speratus (Kolbe).

Termes speratus Kolbe 1885, p. 147, pl. 6, Japan.

Leucotermes (Reticulitermes) speratus Holmgren 1912a, pp. 124-126, im., sold., keys; 1913b, p. 61, im., sold., work., pl. 2, fig. 1 (im.), fig. 3 (sold.), Japan only, Formosa records are *flaviceps* Oshima; Hozawa 1915, pp. 62-83 (im., sold., neotropics), figs. 14-18, pl. 2, figs. 11-15, syn., loc., p. 81, Korea.

Termes flavipes Oshima 1908, p. 515.

Termes (Leucotermes) flavipes Oshima 1909, p. 30; 1910, p. 345.

Leucotermes flavipes Shiraki 1909, p. 231; 1910, p. 4; Oshima 1911, p. 3; Nitobe 1911, p. 20; Nawa 1911, p. 14. (Japan only.)

Winged, sold., reproductives,
work.

Japan, Korea.

Palaearctic?

Reticulitermes tibialis Banks.

Reticulitermes tibialis Banks (and Snyder) 1920, pp. 47-50 (im., sold.), fig. 33 (wing.), fig. 34, 1 (sold.), fig. 35b (gula sold.), fig. 36 (dist.), Beeville, Tex.; Light 1931a, p. 5, 7, loc. Type: winged, U.S.N.M. No. 21861; paratype: M.C.Z. No. 10542; morphotype: sold.

Reticulitermes humilis Banks (and Snyder) 1920, pp. 51-53, im., sold., fig. 38, 1 (sold.), fig. 39 (dist.), Arizona.

Reticulitermes tumiceps Banks (and Snyder) 1920, p. 53, sold., fig. 38, 2 (sold.), Stratton, S. Catalina Mts., Ariz.

Winged, sold., reproductives,
work.

Western United States, No.
Mexico, Lower California.

Nearctic.

Reticulitermes virginicus (Banks).

Termes virginicus Banks 1907, p. 392, winged, sold., Virginia (Falls Church or Chain Bridge).

Leucotermes virginicus Holmgren 1911a, p. 69, No. America.

Reticulitermes virginicus Banks (and Snyder) 1920, p. 46, im., sold., fig. 31 (dist.), loc. Type: M.C.Z. No. 10548.

Winged, sold., reproductives,
work.

SE. United States west to Okla-
homa.

Nearctic.

STYLOTERMITINAE

Subfamily STYLOTERMITINAE Holmgren, K. and N.

Type genus: *Stylotermes* Holmgren.

Subfamily STYLOTERMITINAE Holmgren, K. and N. 1917, p. 141.

STYLOTERMES

Genus *Stylotermes* Holmgren, K. and N.

Generitype: *Stylotermes fletcheri* Holmgren.

Genus *Stylotermes* Holmgren, K. and N. 1917, p. 141.

Stylotermes fletcheri Holmgren, K. and N.

Stylotermes fletcheri Holmgren, K. and N. 1917, p. 142, im., sold., work., So. India: Shevaroy Hills.

Winged, sold., work.

India. Indo-Malayan.

COPTOTERMITINAE

Subfamily COPTOTERMITINAE Holmgren.

Type genus: *Coptotermes* Wasmann.

<Subfamily COPTOTERMITINAE Holmgren 1910, p. 285 (no descr.).

<<Subfamily COPTOTERMITINAE Holmgren 1910a, p. 143 (no descr.).

<<Subfamily COPTOTERMITINAE Holmgren 1911a, pp. 62, 71.

>Subfamily ARRHINOTERMITINAE Sjöstedt 1926, pp. 8, 54.

>Subfamily COPTOTERMITINAE Sjöstedt 1926, pp. 8, 55.

COPTOTERMES

(Cut)

Genus *Coptotermes* Wasmann.

Generitype: *Coptotermes gestroi* Wasmann.

=Subgenus *Coptotermes* (*Termes*) Wasmann 1896, p. 629.

=Subgenus *Coptotermes* Wasmann 1897, p. 151.

=Genus *Coptotermes* Silvestri 1903, p. 46.

=Genus *Coptotermes* Holmgren 1911a, p. 73; 1913b, p. 71.

<Genus *Arrhinotermes* Wasmann 1902b, p. 103 (part with type). Wasmann described the genus *Arrhinotermes* for one species, *A. heimi*, which is now placed as a *Coptotermes*; therefore, *Arrhinotermes* must become synonymous with *Coptotermes* in spite of the fact that "*A.*" *oceanicus* comes also included as a species of *Arrhinotermes oceanicus*. It is therefore left without a generic name, and as it is a *Prorhinotermes* (described later 1909) it must be placed in that genus although not mentioned by Silvestri in his original description.

<Genus *Termes* (*Eutermes*) Hagen 1858, pp. 107, 186.

<Genus *Termes* (*Eutermes*) (misspelled *Entermes*) Hagen 1858a, pp. 26, 16.

><Subgenus *Arrhinotermes* (*Termes*) Desneux 1904e, pp. 31, 33.

>Subgenus *Coptotermes* (*Termes*) Desneux 1904e, pp. 31, 32, 34.

(= Except *C. heimi* included in subgen. *Arrhinotermes*) and *C. acinaciformis* in *Eutermes*.

><Subgenus *Eutermes* (*Termes*) Desneux 1904e, p. 39.

=Genus *Coptotermes* Banks 1919, p. 479.

=Genus *Coptotermes* Sjöstedt, 1926, pp. 55-56.

>Genus *Vastitermes* Sjöstedt, 1926, pp. 22, 27.

Coptotermes acinaciformis (Froggatt).

Termes acinaciformis Froggatt 1897, p. 740, pl. 34, figs. 7, 7a, winged, sold., work., W. Australia.

Termes (Eutermes) acinaciformis Desneux 1904e, p. 40.

Coptotermes acinaciformis Froggatt 1905b, pp. 760, 762; Hill 1942, pp. 141-147, figs. 79-80; pl. 4, fig. 1 wing., sold., loc.

Hololectotype: winged; morpholectotype: sold., Hill coll.; paratypes: from type colony in C.S.I.R. coll.

?*Termes australis* French 1893, p. 137, im. only, figs. 5-6.

Termes lacteus Froggatt 1898, p. 721, im., sold.

Coptotermes lacteus Silvestri 1909, p. 293, im., sold.; Harrow 1943, New Zealand.

Winged, sold., work.

W. Australia, North Territory,
Queensland, New So. Wales,
Victoria, So. Australia, New
Zealand (North Island) intro-
duced.

Australian.

Coptotermes amanii (Sjöstedt).

Eutermes (Coptotermes) amanii Sjöstedt 1911d, p. 17 (sold., work.), Usambara: Amani.

Eutermes (Coptotermes) amanii Sjöstedt 1915, p. 18, sold., Kilimandjaro (New Moschi).

Coptotermes Amanii Sjöstedt 1926, p. 58, fig. 19 (sold.), pl. 2, fig. H², loc.

Type: Mus. Stockholm, Zanzibar specimens Mus. Berlin
and Stockholm.

Sold.

Tanganyika, Zanzibar.

Ethiopian.

Coptotermes amboinensis Kemner.

Coptotermes amboinensis Kemner 1931, pp. 20-23, sold., work., fig. 6, sold., Ambon; pp. 22-
23 winged possibly of this species.

Sold., winged?

Amboina Isl.

Papuan.

Coptotermes boetonensis Kemner.

Coptotermes boetonensis Kemner 1934, p. 66, sold., Boeton Isl., SE. point Celebes.

Sold.

Boeton Isl.

Indo-Malayan.

Coptotermes bornensis Oshima.

Coptotermes bornensis Oshima 1914b, pp. 556-557, sold., work., pl. 9, fig. 2, Balik-Papan,
Dutch Borneo; Davis 1929, pp. 53-61.

Sold., work.

Dutch Borneo.

Indo-Malayan.

Coptotermes ceylonicus Holmgren.

Coptotermes ceylonicus Holmgren 1911c (in Escherich), p. 192, im., sold., Ceylon; 1913b,
p. 75, im., sold., work., pl. 2, fig. 9, sold.

Coptotermes travians Bugnion and Popoff 1910, pp. 107-115, im., sold.

Wing., sold., work.

Ceylon.

Indo-Malayan.

Coptotermes crassus Snyder.**Coptotermes crassus** Snyder 1922, pp. 21, 22, fig. 6, sold., Honduras (Span.).

Type: sold. U.S.N.M. No. 24571; Light 1933, pp. 105-107, pl. 8, figs. 3-5, pl. 10, figs. 1-2, wing., sold.

Wing., sold.

Honduras, W. Mexico.

Neotropical.

Coptotermes curvignathus Holmgren.**Coptotermes curvignathus** Holmgren 1913b, p. 77, sold., work., pl. 2, fig. 11, sold., Malay Peninsula, Singapore; Borneo, Sarawak; Burma; 1913-14, p. 236, Sumatra; Malacca; John 1925, pp. 381-382, loc.**Coptotermes gestroi** Oshima 1913, p. 276, sold.; Richards 1917, p. 338, Malaya.**Coptotermes robustus** Holmgren 1913b, p. 78, im., No. Borneo (Pagel) Mus. Berlin; 1913-14, p. 236, Sumatra.

Wing., sold., work.

Malaya, Burma.

Indo-Malayan.

Coptotermes dobonicus Oshima.**Coptotermes dobonicus** Oshima 1914b, pp. 554-555, pl. 9, fig. 3, sold., work., Dobo, Arue Isl. (Dutch New Guinea).

Sold., work.

Dutch New Guinea: Arue Isl.

Papuan.

Coptotermes dreghorni Hill.**Coptotermes dreghorni** Hill 1942, pp. 170-171, wing., sold., Queensland: Timber Reserve No. 263, Parish of Dirran, about 5 miles east of Ravenshoe.

Holotype: wing.; morphotype: sold., work., C.S.I.R. coll.

Wing., sold.

Queensland.

Australian.

Coptotermes elisae (Desneux).

Termes (Coptotermes) Elisae Desneux 1905, p. 368, wing., New Guinea: Simbang (Huon Gulf).

Coptotermes Elisae Holmgren 1911b, p. 456, im.

Holotype: wing., Desneux coll.

Wing.

New Guinea.

Papuan.

Coptotermes flavicephalus Oshima.**Coptotermes flavicephalus** Oshima 1914b, pp. 558-559, sold., work., pl. 9, fig. 1, Los Banos, Luzon.

Sold.

Philippines.

Indo-Malayan.

Coptotermes formosanus Shiraki.

Coptotermes formosanus Shiraki 1909, pp. 239-240, Formosa; Oshima 1912, p. 75, pl. 1, figs. 8, 28, pl. 2, figs. 3, 21; Holmgren 1913b, p. 76, im., sold., work., pl. 2, fig. 10 (described as a new species from Formosa); Hozawa 1915, pp. 92-105, pl. 3, figs. 18-20, text figs. 22-25, im., sold., work., loc., syn.; Oshima 1920a, p. 491 (also included *travians* Oshima, both are *vastator* Light, Philippines); Light 1921, p. 250, Philippines, Manila excluded, Formosa, China Coast, Japan; 1931, pp. 583, 584, 591-593, China: So. Kwangtung, No. Fukien, Shanghai?

Termes raffrayi Matsumura 1910, p. 1.

Coptotermes gestroi Oshima 1910, p. 376.

Termes gestroi Oshima 1911a, p. 359.

Coptotermes formosae Holmgren 1911c, p. 192, im.; 1912a, pp. 121-122, im., sold., work.; Yano 1911c, p. 62.

Coptotermes hongkongensis Oshima 1914b, pp. 559-560, pl. 9, fig. 5, sold., work., Hongkong.

Coptotermes intrudens Oshima 1920, p. 262, Hawaii; Snyder 1924f, pp. 381-382; Fullaway 1926, p. 69.

Cryptotermes hongkongensis Campbell 1922, p. 82, loc.

Coptotermes remotus Silvestri 1928, p. 93, fig. 2, im., sold., Simonstown, So. Africa.

Coptotermes, n. sp. Fuller 1925, p. 1, So. Africa.

Wing., sold., work.

Formosa, Japan, China Coast,

Hawaii and So. Africa (introduced).

Indo-Malayan, Papuan, Ethiopian.

Coptotermes frenchi Hill.

Coptotermes flavus Hill 1926b (nec Bugnion and Popoff), p. 207, im., sold., work., Victoria, figs. 2-3.

Coptotermes labiosus Hill 1926b, p. 213, im., sold., work., So. Australia: Barton.

Coptotermes flavus Hill 1932, p. 22 (biol.).

Coptotermes frenchi Hill 1932, p. 142; 1942, pp. 149-152, fig. 82, pl. 5, fig. 2, im., sold., work.; Clark 1942, p. 260.

?*Termes australis* French 1893, p. 137, im. only, figs. 5-6, Victoria: Melbourne.

Coptotermes michaelseni Mjöberg 1920, p. 30, sold. part, So. Australia: Adelaide only. Holotype: wing.; morphotype: sold. and work., Nat. Mus., Melbourne.

Wing., sold., work.

So. Australia, Victoria.

Australian.

Coptotermes gestroi (Wasmann).

Termes Gestroi Wasmann 1896, p. 628, sold., Bhamò, Burma; Haviland 1898, p. 390, sold., work., Singapore (Malay Peninsula), Sarawak (Borneo), Burma.

Coptotermes Gestroi Holmgren 1911a, p. 73, pl. 5, fig. 9, sold., Burma, Sumatra, Singapore, Borneo; 1911b, p. 457, sold.; 1913b, p. 267, sold., Burma.

Coptotermes gestroi Holmgren, K. and N. 1917, p. 145, India, Assam, Dibrugarh.

Sold.

Malaya, Burma, India.

Indo-Malayan.

Coptotermes grandiceps Snyder.

Coptotermes grandiceps Snyder 1925f, pp. 401-402, sold., Tulagi Isl., Solomon Isls.; Hill 1942, pp. 153-155, fig. 83, sold., wing. (from type loc.), syn.; Lever 1934, p. 10, pl. 1, figs. a, b (biol.).
Holotype: sold., M.C.Z. No. 15287; paratype: U.S.N.M.; morphotype: winged, C.S.I.R. coll.

Coptotermes froggatti Light and Davis 1929, p. 62, figs. 1-8, sold., Banika Isl.

Coptotermes solomonensis Snyder, 1925f, p. 403, sold., Malayta Isl.

Coptotermes solomonensis Hill 1927a, p. 19, Banika Isl.

Wing., sold.

Solomon Isls: Tulagi, Malaita,

Banika Isls. (Russell group),

Vanikoro Isl. (Santa Cruz

group), Savo Isl.

Papuan.

Coptotermes havilandi Holmgren.

Coptotermes Havilandi Holmgren 1911a, p. 74 (not described), Siam; 1911c, p. 192, wing., Hinterindien; 1912c, p. 280, loc. Anping?; 1913b, p. 75, im., Malacca, Saida Mus. Vienna. Siam Hinlap Mus. Berlin. Vienna (possibly wing of *gestroi*?).

Coptotermes javanicus Kemner 1934, p. 59, im., sold., Buitenzorg, Semarang (middle Java).

Coptotermes sp., near *intermedius* Moutia 1936, p. 14, im., sold., Mauritius (introduced).

Coptotermes sp. Adamson 1938, pp. 221-223, Barbados.

Wing., sold.

Siam; Malacca; Java; Anping?; Mauritius (introduced); W. Indies: Barbados, Jamaica (introduced).

Indo-Malayan (Malagasy, Neotropical introduced).

Coptotermes heimi (Wasmann).

Arrhinotermes Heimi Wasmann 1902b, p. 104 (im.), pl. 4, fig. 1 a-f (im.), p. 160 (syn.), India: Wallon (Ahmed nagar distr.); Holmgren 1911, pp. 551-552 (im.); 1913b, p. 74 (im., sold., work.), pl. 2, fig. 8, sold., Bombay; Holmgren, K. and N. 1917, p. 144, loc.; Silvestri 1923, p. 225.

Coptotermes travians Bugnion 1910, p. 134 (biol.).

Wing., sold.

India.

Indo-Malayan.

Coptotermes hyaloapex Holmgren.

Coptotermes hyaloapex Holmgren 1911b, p. 457 (sold.), fig. 3, New Guinea: Bukaau; Hill 1927a, p. 16, Papua (Mambare River); 1942, pp. 155-156.

Sold.

New Guinea, Papua.

Papuan.

Coptotermes intermedius Silvestri.

Coptotermes intermedius Silvestri 1912, pp. 218-219, sold., work., fig. III, 1-9, sold.,
Portug. Guinea: Rio Cassine; 1914-15, p. 10, fig. 14,
Nos. 4, 5 (mand. and antenna sold.); Sjöstedt 1926,
p. 57, loc.; Grassé 1937a, p. 28, figs. 16-17 (sold.),
Ivory Coast: Diébougou.

Sold., work.

Portug. Guinea, Senegal, Sierra
Leone, Ivory Coast.

Ethiopian.

Coptotermes kalshoveni Kemner.

Coptotermes Kalshoveni Kemner 1934, p. 61, sold., Semarang.

Sold.

Java.

Indo-Malayan.

Coptotermes lacteus (Froggatt).

Termes lacteus Froggatt 1897, p. 721, wing., sold., work., New So. Wales.

Termes (Coptotermes) lacteus Desneux 1904e, p. 34.

Coptotermes lacteus Holmgren 1911a, p. 73, p. 74 (syn.); Mjöberg 1920, p. 29, loc.; Hill
1942, pp. 156-162, figs. 84-85, im., sold., loc., syn.

Coptotermes sedulus Hill 1923, p. 40, figs. 1-7, im., sold., work., Victoria.

Hololectotype: winged; morpholectotype: sold., work.,
C.S.I.R. coll.

Coptotermes michaelsoni Mjöberg 1920, p. 30, sold., part.

Wing., sold., work.

Victoria, New So. Wales,
Queensland, New Zealand
(North Isl.) introduced.

Australian.

Coptotermes menadoensis Oshima.

Coptotermes menadoensis Oshima 1914b, pp. 557-558, im., Menado, Celebes.

Winged.

Celebes.

Indo-Malayan.

Coptotermes michaelsoni Silvestri.

Coptotermes Michaelsoni Silvestri 1909, p. 293, pl. 19, figs. 106-121, wing., sold., work.,
W. Australia.

Coptotermes Michaelsoni Mjöberg 1920, p. 30; Hill 1942, pp. 162-164, fig. 86 (sold.), wing.,
sold., loc.

Cotypes: Nat. Hist. Mus., Stockholm, W. Austral. Mus.,
Hill coll.

Wing., sold., work.

W. Australia, So. Australia,
Victoria, Queensland.

Australian.

Coptotermes minutissimus Kemner.

Coptotermes minutissimus Kemner 1934, pp. 64-65, sold., Bera Massidi, very small Cocos
Isl. between Moena Isl. and SE. point Celebes.

Sold.

Moena Isl.

Indo-Malayan.

Coptotermes niger Snyder.

Coptotermes niger Snyder 1922, pp. 19-21, fig. 5 (sold. gula), wing., sold., Juan Mina, C. Z., Panama; 1925b, p. 162, loc.; 1926, p. 27, loc., sold., work. Bohas Guatemala, Colombiana, Costa Rica.

Coptotermes marabitanus Banks 1918, p. 662, loc.

Termes testaceus Dudley and Beaumont, 1890, pp. 159, 164-165, 168-169, 173, 177-179, biol., Panama.

Type: wing., male, U.S.N.M. No. 24570.

Wing., sold., work.

Panama, Costa Rica, Guatemala,
Colombia.

Neotropical.

Coptotermes obiratus Hill.

Coptotermes obiratus Hill 1927a, pp. 17-19, pl. 1, fig. 16, sold., work., Papua (Mekeo distr.), Waima; New Britain, Rabaul; 1942, pp. 164-165, fig. 87 (sold.), syn., loc.

Holotype: sold.; morphotype: work., Nat. Mus., Melbourne.

Sold., work.

Papua, New Britain.

Papuan.

Coptotermes oshimae Light and Davis.

Coptotermes oshimae Light and Davis 1929, pp. 66-70, figs. 9-15, sold., Maros, Celebes.
Type: Light coll., now in Emerson coll.

Sold.

Celebes. Indo-Malayan.

Coptotermes pacificus Light.

Coptotermes pacificus Light 1932a, pp. 84-86, fig. 25 alate, Marquesas.

Wing.

Marquesas.

Papuan.

Coptotermes pamua Snyder.

Coptotermes pamua Snyder 1925f, pp. 402-403, sold., Pamua, San Cristobal Isl., Solomon Isls.; Light and Davis 1929, p. 66.

Sold.

Solomon Isls.

Papuan.

Coptotermes paradoxus (Sjöstedt).

Calotermes paradoxus (Sjöstedt) 1911d, p. 1, im., Togo: Bismarckburg (not renamed because probably imago of named species, although name preoccupied by *Calotermes (Procryptotermes) paradoxus* Holmg. 1911, p. 550).

Coptotermes paradoxus Emerson 1928, p. 415, syn.

Vastitermes paradoxus Sjöstedt 1926, p. 27, fig. 3, wing.

Winged.

Togo.

Ethiopian.

Coptotermes parvulus Holmgren.

Coptotermes parvulus Holmgren 1913a, p. 104, sold., work., Gujarat: Anand and Vadtal.
Coptotermes parvulus Holmgren 1913b, p. 73, sold., work., Bombay: Gujarat, Anand.; Silvestri 1923, sold., work., Barkuda Isl.

Sold., work.

Bombay, India.

Indo-Malayan.

Coptotermes peregrinator Kemner.

Coptotermes peregrinator Kemner 1934, pp. 65-66, sold., Saleier Isl.

Sold.

Saleier Isl.

Indo-Malayan.

Coptotermes raffrayi Wasmann.

Coptotermes Raffrayi Wasmann 1900a, p. 244, sold., W. Australia (Swan Riv.); Silvestri 1909, p. 293, placed in syn. with *lacteus* Frogg.; Hill 1942, pp. 168-169, fig. 89 (sold.), wing., sold., syn., loc. Holotype: sold., Wasmann coll.; morphotype: wing., work., Nat. Mus., Melbourne.

Wing., sold., work.

W. Australia.

Australian.

Coptotermes reductus Sjöstedt.

Coptotermes truncatus var. *reducta* Sjöstedt 1926c, p. 238, sold., Gold Coast, Kumassi (probably sold. *paradoxus*).

Sold.

Gold Coast.

Ethiopian.

Coptotermes remotus Hill.

Coptotermes remotus Hill 1927a, p. 16, pl. 1, fig. 14, sold., New Ireland; Light and Davis 1929, p. 66; Hill 1942, p. 170, loc. Holotype: sold.; morphotype: work., Nat. Mus., Melbourne.

Sold., work.

New Ireland: Kaewieng.

Papuan.

Coptotermes sinabangensis Oshima.

Coptotermes sinabangensis Oshima 1923, pp. 7-8, sold., Sinabang, Simalur, Sumatra.

Sold.

Sumatra.

Indo-Malayan.

Coptotermes sjöstedti Holmgren.

Eutermes lateralis Sjöstedt 1900a, p. 165 (sold., work.), pl. 5, fig. E, Kamerun: Bonge.

Eutermes lateralis Sjöstedt 1905, p. 15, Congo.

Coptotermes Sjöstedti Holmgren 1911a, p. 73 (no descr.); Silvestri 1912, p. 220 (sold., work.), Isl. Principe; von Rosen 1912, p. 222 (im.), Mosambique; Sjöstedt 1926, pp. 56-57, wing., sold., pl. 2, fig. I (pron. sold.), loc.

Coptotermes sjöstedti Emerson 1928, p. 424, fig. 2, sold.; Grassé 1937a, p. 26, Ivory Coast. Wing., sold., work.

French Guinea, Ivory and Gold Coasts, Nigeria, Kamerun, Belgian Congo, Isl. Principe, D. E. Africa, Mozambique.

Ethiopian.

Coptotermes sjöstedti, var. *subintacta* Silvestri.

Coptotermes intermedius var. *subintacta* Silvestri 1914-15, p. 10, fig. 4, 1-3, sold., Senegal: Thiès.

Coptotermes Sjöstedti var. *subintacta* Sjöstedt 1926, p. 57, loc., Senegal, Belgian Congo; 1927, p. 97, loc., Somaliland.

?*Coptotermes Sjöstedti* var. *modica* Silvestri 1914-15, p. 9, fig. 3, 1-2, sold., Gold Coast: Aburi; Cameroon; Sjöstedt 1926, p. 57, syn., loc.

Sold., work.

Senegal, Somaliland, Belgian Congo, Gold Coast, Cameroon.

Ethiopian.

Coptotermes testaceus (Linnaeus).

Hemerobius testaceus Linnaeus 1758, ed. 10, p. 550, ed. 12, p. 912, ed. 13, p. 2641, im., America.

Termes testaceus Burmeister 1839, p. 767.

Termes (Eutermes) testaceus Hagen 1858, p. 198, pl. 2, fig. 12, pl. 3, fig. 28, im., Surinam: Cayenne; Brit. Guiana; Venezuela, Puerto Cabello; Brazil: Para; Chile: Valpariso.

Termes testaceus Hagen 1860, p. 123, sold., Paramaribo.

Coptotermes testaceus Holmgren 1911a, p. 73; Desneux 1915, p. 7, loc.

Perla fusca de Geer 1778, p. 567, ed. Goetze, p. 366, pl. 27, figs. 4-5; Retzius 1783, p. 60.

Termes morio Fabricius 1793, p. 90, No. 3; Rambur 1842, p. 305 (im.); Erichson 1848, p. 583.

Termes nasutus Walker 1853, p. 506 (im.).

Termes (Eutermes) Marabitanas Hagen 1858, p. 191, im., sold., pl. 1, fig. 4 (sold.), pl. 3, fig. 25 (im.), Brazil: St. Jose de Marabitanas (Rio Negro).

Coptotermes marabitanas Silvestri 1901, p. 4; Desneux 1915, p. 7, loc.; Emerson 1925, p. 344, im., sold., fig. 37.

Type: Mus. Vienna; ? Selys Longchamps coll., Brussels; paratypes: wing. and sold., M.C.Z.

Wing., sold., work.

West Indies: Tobago, Trinidad, and So. America.

Neotropical.

Coptotermes travians (Haviland).

Termes travians Haviland 1898, p. 391, pl. 23, figs. 19-22, im., sold., Malay Peninsula, Singapore (type loc.), Sarawak, Borneo.

Coptotermes travians Holmgren 1911, pp. 551-552 (im.); 1913b, p. 72, im., sold., work., pl. 2, fig. 7, sold., Malay Peninsula, Borneo; 1913-14, p. 236, Sumatra, Java, Singapore; Holmgren, K. and N. 1917, p. 145, Bengal, India; Oshima 1914b, pp. 555-556, sold., Dutch Borneo; Light 1921, p. 250 (syn.), loc. but not Philippine records which are *vastator*; John 1925, p. 381, loc.

Type: No. 573, British Museum.

Wing., sold., work.

Malay Peninsula, Singapore; Sumatra; Java; Sarawak; Borneo; Bengal, India.

Indo-Malayan.

Coptotermes truncatus (Wasmann).

Termes (Coptotermes) truncatus Wasmann 1897, p. 164, figs. 11, 12, 12a, sold., Madagascar: Nossi-Bé; Desneux 1904e, p. 34.

Eutermes truncatus Sjöstedt 1900a, p. 168.

Coptotermes truncatus Holmgren 1909a, p. 2, sold., work., pl. 1, fig. 1, nest, pl. 2, fig. 4 (gen. loc.); 1910a, p. 144 (syn.), Seychelles; Sjöstedt 1926, p. 58, sold., work., loc.

Sold., work.

Madagascar, Seychelles.

Malagasy.

Coptotermes vastator Light.

Coptotermes vastator Light 1929a, pp. 422-440, figs. 1-4, pls. 1-6, im., sold., Philippines: Luzon; Jucci 1936, p. 6.

Coptotermes travians Oshima 1917a, p. 223, sold.; 1920a, p. 491, Philippine loc.

Coptotermes travians Light 1921, p. 250 (Philippines).

Coptotermes formosanus Oshima 1920a, p. 491, Philippine records.

Coptotermes formosanus Light 1921, p. 250.

Wing., sold., work.

Philippines: Luzon, etc.

Indo-Malayan.

TERMITOGETONINAE

Subfamily TERMITOGETONINAE Holmgren.

Type genus: *Termitogeton* Desneux.

=Subfamily TERMITOGETONINAE Holmgren 1910, p. 285 (no. descr.).

Subfamily TERMITOGETONINAE Holmgren 1910a, p. 143 (no descr.).

=Subfamily TERMITOGETONINAE Holmgren 1911a, pp. 75, 62.

TERMITOGETON

Genus *Termitogeton* Desneux.

Generitype: *Termitogeton umbilicatus* (Hagen).

=Subgenus *Termitogeton* (*Termes*) Desneux 1904d, p. 374; 1904e, p. 46.

=Genus *Termitogeton* Holmgren 1911a, p. 75; 1911c (*in Escherich*), p. 193.

<Genus *Termes* Hagen 1860a, p. 110.

=Genus *Termes* (sect. with *planus* for type) Haviland 1898, pp. 378, 397.

Termitogeton planus (Haviland).

Termes planus Haviland 1898, p. 397, im., queen, sold., Borneo, Sarawak.

Termes (Termitogeton) planus Desneux 1904e, pp. 46-47 (placed doubtfully in syn. with *umbilicatus*), fig. 9 (im.), fig. 10 (sold.).

Termitogeton planus Holmgren 1911a, pp. 75-76, pl. 6, fig. 9 (im.), fig. 10 (sold.), fig. 12 (wings), syn.; 1913b, p. 89, im., sold., work., pl. 2, fig. 25 (sold.).

Type: No. 164.

Wing., sold.

Borneo.

Indo-Malayan.

Termitogeton umbilicatus (Hagen).

Termes umbilicatus Hagen 1858b, p. 472, No. 4; 1860a, p. 110, im., sold., work., Ceylon: near Rambodde, alt. 4,000 ft.

Termes (Termitogeton) umbilicatus Desneux 1904e, p. 47 (syn.).

Termitogeton umbilicatus Holmgren 1911a, p. 76, sold., pl. 6, fig. 11 (sold.); 1911c (*in Escherich*), p. 193, sold., Hantana Mt. near Peradeniya; 1913b, p. 90, im., sold., work., pl. 2, fig. 24 (sold.).

Winged, sold.

Ceylon.

Indo-Malayan.

RHINOTERMITINAE

Subfamily RHINOTERMITINAE Froggatt.

Type genus: *Rhinotermes* Hagen.

>Subfamily RHINOTERMITINAE Froggatt 1896, p. 539.

><Subfamily RHINOTERMITINAE Holmgren 1911a, pp. 62, 76.

PRORHINOTERMES

Genus *Prorhinotermes* Silvestri.

Generotype: *Prorhinotermes inopinatus* Silvestri.

=Genus *Prorhinotermes* Silvestri 1909, p. 286.

<Genus *Termes (Rhinotermes)* Hagen 1858, pp. 107, 233.

<Genus *Termes (Rhinotermes)* Hagen 1858a, pp. 16, 33.

<Genus *Arrhinotermes* Wasmann (part) (not type) 1902b, pp. 103, 139, 160, syn.

Genus? *Termes* (part) Sjöstedt 1904, p. 47, *T. canalifrons*.

><Subgenus *Arrhinotermes (Termes)* Desneux 1904e, pp. 31, 32 (includes *Coptotermes heimi*).

<Genus *Termes* Desneux 1904e, pp. 26, 28.

><Subgenus *Termes (Termes)* Desneux 1904e, pp. 32, 35.

=Genus *Procoptotermes* Holmgren 1909, pp. 28, 110, 169; 1911, p. 549; 1911a, p. 73 (no descr.).

=Genus *Arrhinotermes* Holmgren 1911, pp. 548, 549, syn. with *Prorhinotermes*.

=Genus *Arrhinotermes* Holmgren 1911a, pp. 72, 71.

=Genus *Arrhinotermes* Holmgren 1913b, p. 66.

=Genus *Paratermes* Oshima 1912, p. 69 (type *canalifrons*).

=Genus *Prorhinotermes* Banks 1919, p. 479.

=Genus *Prorhinotermes* Banks (and Snyder) 1920, pp. 39, 145.

=Genus *Prorhinotermes* Light, 1921a, p. 48.

<Genus *Termitogetonella* Oshima 1920a, p. 496, not valid.

=Genus *Prorhinotermes* Light 1930a, p. 15.

(Type species: *Termitogetonella tibaoensis* Oshima; imago is *Prorhinotermes*, soldier is *Odontotermes*.)

Prorhinotermes canalifrons (Sjöstedt).

Termes? *canalifrons* Sjöstedt 1904, p. 47, sold., Madagascar: Tamatave.

Termes (Termes) canalifrons Desneux 1904e, p. 36, syn.

Procoptotermes canalifrons Holmgren 1909, p. 169.

Arrhinotermes canalifrons Wasmann 1910a, p. 123, sold., work., Isl. Comoren.

Arrhinotermes canalifrons Holmgren 1910a, p. 143, neutene, Seychelles, Mahé.

Arrhinotermes canalifrons Holmgren 1911a, p. 72, pl. 5, fig. 12, sold.

Paratermes canalifrons Oshima 1912, p. 69 (type *Paratermes* only), Madagascar only.

Arrhinotermes canalifrons Sjöstedt 1926, p. 55, fig. 18, sold., syn., loc.

Prorhinotermes canalifrons Moutia 1936, p. 20, im. sold., dist., fig. 1e-3e (sold., im. wing), photo. No. 2 (sold.).

Wing., neoteinics, sold., work.

Madagascar, Seychelles group.

Malagasy.

Prorhinotermes flavus (Bugnion, E., and Popoff, N.).

Coptotermes flavus Bugnion and Popoff 1910, pp. 117-120, pl. 2, figs. 14-20, sold., work., Ceylon: border of Lake Ambalangoda; Bugnion and Ferriere 1911, p. 97-106, im.

Arrhinotermes flavus Holmgren 1911, p. 551 (changes from *Coptotermes*).

Arrhinotermes flavus Holmgren 1913b, p. 67, im., sold.¹⁻², work., pl. 2, fig. 26, sold.¹, fig. 27, sold.², Ceylon; 1913-14, p. 235, Seenigoda, Ceylon; John 1925, p. 381.

Wing., sold., work.

Ceylon.

Indo-Malayan.

Prorhinotermes gracilis Light.

Prorhinotermes gracilis Light 1921a, p. 54, im., sold.¹⁻², work., fig. 3, antenna sold., Philippines: Riza Prov. near Rizal-Bulacan boundary on Manila North Road.

Wing., sold., work.

Philippines.

Indo-Malayan.

Prorhinotermes inopinatus Silvestri.

Prorhinotermes inopinatus Silvestri 1909, p. 287, pl. 17, figs. 49-66, wing., sold., work., Samoa: Ninafoou.

Arrhinotermes inopinatus Holmgren 1911a, p. 72.

Prorhinotermes inopinatus Hill 1926, p. 95. Ellice group; 1926c, p. 22, Fiji: Taveuni; 1927, pp. 15-16, apterous and brachypterous reproductives; 1942, pp. 138-139, figs. 77-78, im., sold., syn., loc.; Light 1946, p. 9, Guam.

Prorhinotermes manni Snyder 1925f, pp. 398-400, sold., Santa Cruz Archipelago.

?*Prorhinotermes ponopiensis* Light 1946, p. 9, Carolinas.

Prorhinotermes solomonensis Snyder 1925f, p. 400, sold., Solomon Isls.

Type: Berlin Museum.

Wing., neoteinics, sold., work.

Samoa, Fiji, Ellice Isls., Solo-

mon Isls., Santa Cruz Arch.,

Marianas, Guam.

Papuan.

Prorhinotermes japonicus (Holmgren).

Arrhinotermes japonicus Holmgren 1912a, p. 122, sold., Formosa; 1913b, p. 69 (sold.¹⁻², work.), pl. 2, fig. 28 (sold.¹); fig. 29 (sold.²), Formosa: Botel-Tobago; Oshima 1914a, p. 2; Hozawa 1915, pp. 83-92, figs. 19-21, pl. 3, figs. 16-17.

Paratermes canalifrons Oshima 1912, p. 69, pl. 1, figs. 13, 23, pl. 2, figs. 9, 12, 22, 27.

Sold.¹⁻², work., ergatoids.

Formosa.

Indo-Malayan.

Prorhinotermes krakataui (Holmgren).

Arrhinotermes Krakataui Holmgren 1913b, p. 69, im., sold., work., Krakatau.
Dealed, sold., work.

Krakatau.

Indo-Malayan.

Prorhinotermes molinoi Snyder.

Prorhinotermes molinoi Snyder 1924a, pp. 43-45, figs. 1-2, wing., sold., Largo Remo Isl.,
Canal Zone, Panama.

Type: winged male, U.S.N.M. No. 26756; 1926, p. 28,
sold., work., Parisiana Ranch, Costa Rica.

Arrhinotermes Wasmanni Holmgren 1911a, p. 72 (not described), Costa Rica.

Wing., sold., work.

Panama, Costa Rica.

Neotropical.

Prorhinotermes oceanicus (Wasmann).

Arrhinotermes oceanicus Wasmann 1902b, p. 103 (im.), p. 139 (im.), p. 160, discus. affinity
with *Leucotermes insularis* Wasm., Cocos Isl. between Galapagos and Costa Rica; Holmgren 1911a,
p. 72, pl. 5, fig. 11 (im.).

Wing.

Cocos Isl.

Neotropical.

Prorhinotermes ponapiensis (Oshima).

Arrhinotermes ponapiensis Oshima 1917, pp. 196-197, fig. 2, winged.

Wing.

Ponapi Isl. (Caroline Isls.).

Papuan.

Prorhinotermes rugifer Kemner.

Prorhinotermes rugifer Kemner 1931, pp. 15-20 (wing., sold.¹⁻²), fig. 5 (sold.), Amboina Isl.
Wing., sold.

Amboina Isl.

Papuan.

Prorhinotermes simplex (Hagen).

Termes simplex Hagen 1858, p. 238, pl. 3, fig. 23 (im.), Cuba.

(*Rhinotermes*) *simplex* Desneux 1904e, p. 28.

Arrhinotermes simplex Holmgren 1911a, p. 72, pl. 5, fig. 10 (im.).

Prorhinotermes simplex Banks 1919, p. 480, loc., pl. 2, fig. 23, sold., Santiago de las Vegas,
Cuba; Jamaica, Kingston; Florida; Banks (and
Snyder) 1920, pp. 39-42, figs. 26, 27, 28, sold., work.,
im., dist., loc.

Type: wing., Hof Mus., Vienna, Austria.

Wing, neotenic, sold., work.

Florida, Cuba, Jamaica, Puerto

Rico.

Nearctic, Neotropical.

Prorhinotermes tibiaoensis (Oshima).

Termitogetonella tibiaoensis Oshima 1920a, p. 496 (im. only), Philippines, Panay: Tibiao (Antique Prov.).

?*Prorhinotermes luzonensis* Light 1921a, p. 49, im., sold.¹⁻², work., pl. 3, figs. 1-2 (sold., im.), fig. 2 (sold. antenna), Philippines: Rizal-Bulacan boundary on Manila North Road.

Wing., sold.¹⁻², work.

Philippines.

Indo-Malayan.

PARRHINOTERMES**Genus Parrhinotermes Holmgren.**

Generitype: *Parrhinotermes aequalis* (Haviland).

=Genus *Parrhinotermes* Holmgren 1910, p. 285 (no description).

=Genus *Termes*, section with *Termes aequalis* for type, Haviland 1898, pp. 395, 378.

=Genus *Parrhinotermes* Holmgren 1911a, pp. 78, 77; 1913-14, p. 237, pl. 7, figs. 2a, b.

Parrhinotermes aequalis (Haviland).

Termes aequalis Haviland 1898, p. 395, nymphs, sold., work., Borneo, Sarawak.

Parrhinotermes aequalis Holmgren 1911a, p. 78, pl. 5, fig. 13, sold.; 1913b, p. 80, sold., work.; 1913-14, pp. 237-238, pl. 7, figs. 2a, b; John 1925, p. 382, loc.

Type: No. 295.

Dealed adults, neotenic queens,

sold., work.

Borneo, Sarawak.

Indo-Malayan.

Parrhinotermes buttel-reepeni Holmgren.

Parrhinotermes Buttel-Reepeni Holmgren 1913b, p. 79, sold., Malacca; 1913-14, pp. 238-240, apterous third form queen, sold., pl. 7, fig. 2c.

Apterous queen, sold.

Malacca, Central Sumatra.

Indo-Malayan.

Parrhinotermes inaequalis (Haviland).

Termes inaequalis Haviland 1898, p. 396, nymphs, sold., work., Borneo: Sarawak.

Parrhinotermes inaequalis Holmgren 1911a, p. 78, pl. 5, fig. 14, sold.; 1913b, pp. 79-80, sold., work.; Oshima 1914b, pp. 561-562, pl. 10, fig. 1; John 1925, p. 382, loc.

Type: No. 365.

Wing., sold., work.

Borneo: Sarawak, Balik-Papan,

Dutch Borneo.

Indo-Malayan.

Parrhinotermes pygmaeus John.

Parrhinotermes pygmaeus John 1925, pp. 382-384, sold., work., neotene and ergatoid queens, Malay Archipelago, Kula Lumpur; East Sumatra, Siak.

Neotene, ergatoid queens, sold., work.

Malay Arch., E. Sumatra.

Indo-Malayan.

Parrhinotermes queenslandicus Mjöberg 1920, p. 31, sold., work., fig. 12, sold., pp. 109-124,
syn. *australicus*, Queensland: Malanda, Herberton,
Bellenden Ker; Hill 1942, p. 173, described dealated
female, figs. 90-91 (female head and sold.), Raven-
shoe.

Parrhinotermes australicus Mjöberg 1920, p. 109.

Parrhinotermes australicus Hill 1921a, p. 449, change of name to *P. queenslandicus*.

Hololectotype: sold.; morpholectotype: dealated, C.S.I.R.
coll.

Dealated female, sold., work.

N. Queensland.

Australian.

SCHEDORHINOTERMES

Genus *Schedorhinotermes* Silvestri.

Generitype: *Schedorhinotermes intermedius* (Brauer).

<Subgenus *Rhinotermes* (*Termes*) Haviland 1898, p. 392.

=Subgenus *Schedorhinotermes* Silvestri 1909, p. 289.

=Genus *Rhinotermes* Sjöstedt 1900a, pp. 49, 19-21.

=Subgenus *Schedorhinotermes* Holmgren 1911a, pp. 79, 77.

=Subgenus *Schedorhinotermes* Holmgren 1913b, p. 82.

=Subgenus *Schedorhinotermes* Hill 1942, pp. 8, 12, 176.

?Syn. Subgenus *Macrorhinotermes* Holmgren.

Generitype: *Rhinotermes* (*Macrorhinotermes*) *maximus* Holmgren.

Subgenus *Macrorhinotermes* Holmgren 1913b, pp. 80, 81.

Schedorhinotermes bidentatus (Oshima).

Rhinotermes (*Schedorhinotermes*) *bidentatus* Oshima, 1920a, p. 494, sold.¹⁻², work., pl. 2,
fig. 1 (sold.¹), fig. 2 (sold.²), pl. 3, figs. 9-10 (sold.²),
figs. 13-14 (sold.¹), Philippines: Panay, Culasi (Antique Prov.); Light 1921, p. 250 (syn., loc., etc.).

Sold.¹⁻², work.

Philippines.

Indo-Malayan.

Schedorhinotermes brachyceps Kemner.

Schedorhinotermes brachyceps Kemner 1931, pp. 23-25, sold.¹⁻², work., fig. 7, sold., Ambon.

Schedorhinotermes amboinensis Kemner 1934, p. 24.

Sold.¹⁻², work.

Amboina.

Papuan.

Schedorhinotermes brevialatus (Haviland).

Termes brevialatus Haviland 1898, p. 393, im., sold., work., Borneo, Sarawak.

Rhinotermes (L.) [misprint for S.] *brevialatus* Holmgren 1913b, p. 85, im., sold., work.,
Borneo, Sarawak, No. Borneo (Mus. Berlin); 1913-
14, pp. 240-241, im., Borneo.

Rhinotermes brevialatus Desneux 1904e, p. 28 (syn.); Holmgren 1912, p. 19, fig. 3 (sold.
mand.), Borneo, Sarawak.

Rhinotermes (*Schedorhinotermes*) *longirostris* or *translucens* Holmgren 1913-14, pp. 240-241,
im., Java: Buitenzorg.

Type: No. 174.

Wing, sold.¹⁻², work.

Borneo, Sarawak, No. Borneo
only.

Indo-Malayan.

Schedorhinotermes butteli (Holmgren).

Rhinotermes (Schedorhinotermes) butteli Holmgren 1913-14, pp. 241-242, im., Malacca: Maxwells Hill, Taiping, elev. 3,400 ft.

Wing.

Malacca.

Indo-Malayan.

Schedorhinotermes celebensis (Holmgren).

Rhinotermes (Schedorhinotermes) celebensis Holmgren 1911b, p. 458, im., Sumatra: Indrapure-Estati (Mus. Hamburg), Celebes (Mus. Cambridge) [German New Guinea: Eitape (Mus. Berlin), Guinea records = *dimorphus*]; 1913b, p. 85, im.

Wing.

Sumatra, Celebes.

Indo-Malayan.

Schedorhinotermes dimorphus (Desneux).

Rhinotermes dimorphus Desneux 1905, p. 368, sold., work., New Guinea: Friedrich-Wilhelms-hafen.

Rhinotermes (Schedorhinotermes) dimorphus Holmgren 1911b, p. 458 (loc., remarks).

Rhinotermes (Schedorhinotermes) celebensis Holmgren 1911b, p. 458; 1913b, p. 85, New Guinea only; Hill 1942, p. 177, im., New Guinea only.

Rhinotermes (Schedorhinotermes) translucens Holmgren 1913b, p. 83, New Guinea only.

Sold., work.

New Guinea, New Britain

(Emerson Cat. 1936).

Papuan.

Schedorhinotermes dimorphus, subsp. *robustior* Silvestri.

Schedorhinotermes dimorphus subsp. *robustior* Silvestri 1909, p. 292, pl. 18, figs. 94-99, sold., work., Bismarck Arch.

Rhinotermes (Schedorhinotermes) dimorphus robustior Holmgren 1911a, p. 79; Hill 1942, pp. 178-179, loc.

Rhinotermes dimorphus robustior Hill, 1927a, p. 20, New Ireland: Kaewieng.

Sold., work.

Bismarck Archipelago: Ralum

Louson, type locality about 9 miles SE. of Rabaul, New Britain; New Ireland: Kae-wieng; New Guinea: Lae (Huon Gulf distr.).

Papuan.

Schedorhinotermes holmgreni Emerson, n. sp.

Rhinotermes (Schedorhinotermes) brevialatus f. *medioobscurus* Holmgren 1913-14, p. 241, im., sold., work., Sumatra only.

Rhinotermes (Schedorhinotermes) longirostris John 1925, p. 384, Sumatra only.

Rhinotermes (Schedorhinotermes) translucens or *brevialatus* or *longirostris* Holmgren 1913-14, p. 240, im., sold., work., Sumatra only (two species involved).

Rhinotermes (Schedorhinotermes) longirostris Kemner 1930, p. 305, biol.

Sold. work.

Sumatra.

Indo-Malayan.

Schedorhinotermes intermedius intermedius (Brauer).

Rhinotermes intermedius Brauer 1865, p. 977, winged, Sydney, New So. Wales; 1866, p. 49;
Desneux 1904e, p. 28; Mjöberg 1920, p. 30, loc.

Schedorhinotermes intermedius Silvestri 1909, p. 290, wing., sold., work.

Rhinotermes (*Schedorhinotermes*) *intermedius* Holmgren 1911a, p. 79.

Rhinotermes (*Rhinotermes*) *intermedius* Hill 1933, pp. 2-5, pl. 1, figs. 1-2, wing., sold.¹⁻².

Rhinotermes (*Rhinotermes*) *intermedius intermedius* Hill 1942, pp. 179-182, figs. 92-93,
sold.¹⁻², loc.

Holotype: wing., Vienna Mus.; morphotypes: sold.,
work., C.S.I.R. coll.

Wing., sold.¹⁻², work.

New So. Wales: Coastal and
near coastal distr. from Nowra
to Casino; Queensland: Bris-
bane, Mt. Tambourine, etc.

Australian.

Schedorhinotermes intermedius actuosus (Hill).

Rhinotermes reticulatus Hill 1915, p. 109, North. Terr.

Rhinotermes intermedius Foggatt 1896, p. 542, Centr. Australia only; 1905, p. 654, Centr.
Australia only.

Rhinotermes intermedius actuosus Hill 1933, pp. 7-8, pl. 2, fig. 5, pl. 3, fig. 6, wing. and
soldiers, North. Terr.: Darwin, type locality.

Rhinotermes (*Schedorhinotermes*) *intermedius actuosus* Hill 1942, pp. 183-185, fig. 94, sold.,
loc.

Holotype: large sold.; morphotype: wing., small sold.,
and work., Nat. Mus., Melbourne.

Wing., sold.¹⁻², work.

North. Terr., W. Australia,
Queensland.

Australian.

Schedorhinotermes intermedius breinli (Hill).

Rhinotermes intermedius Hill 1915, p. 111, North. Terr.

Rhinotermes breinli Hill 1921a, p. 449, figs. 41-50, wing., sold.¹⁻², work., Queensland.

Rhinotermes intermedius breinli Hill 1933, p. 10, pl. 4, figs. 9-10.

Rhinotermes (*Schedorhinotermes*) *intermedius breinli* Hill 1942, pp. 186-188, figs. 95-96,
sold.¹⁻², loc.

Holotype: large sold.; morphotype: winged, small sold.,
work., coll. Nat. Mus., Melbourne.

Wing., sold.¹⁻², work.

Queensland: Rollingstone (type
local.), North. Terr.

Australian.

Schedorhinotermes intermedius derosus (Hill).

Rhinotermes intermedius derosus Hill 1933, pp. 8-10, wing., sold.¹⁻², pl. 3, figs. 7-8, W.
Australia: Derby.

Rhinotermes (*Schedorhinotermes*) *intermedius derosus* Hill 1942, pp. 188-189, wing., sold.,
loc.

Holotype: sold.¹; morphotype: wing., sold.², Nat. Mus.,
Melbourne.

Wing., sold.¹⁻²

W. Australia: Derby, etc.

Australian.

Schedorhinotermes intermedius seclusus (Hill).

Rhinotermes intermedius seclusus Hill 1933, pp. 5-6, pl. 2, figs. 3-4, wing., soldiers, Queensland.

Rhinotermes (Schedorhinotermes) intermedius seclusus Hill 1942, pp. 189-191, fig. 97 (sold.), wing., soldiers, loc.

Holotype: large sold.; morphotype: wing., small sold., work., Nat. Mus., Melbourne.

Wing., sold.¹⁻², work.

Queensland, New So. Wales.

Australian.

Schedorhinotermes javanicus Kemner.

Schedorhinotermes javanicus Kemner 1934, pp. 51-54, fig. 7/1 (im.), fig. 7/2-3 (sold.), Java.

Rhinotermes (Schedorhinotermes) brevialatus, longirostris, translucens Holmgren 1913-14, p. 240, Java records only.

Rhinotermes (Schedorhinotermes) translucens Hill 1942, pp. 8, 12, 199, Java only.

Wing., sold.

Java.

Indo-Malayan.

Schedorhinotermes lamanianus (Sjöstedt).

Rhinotermes lamanianus Sjöstedt 1911, p. 141, wing., sold.¹⁻², Congo: Mukimbungu (type); 1914a, p. 1, Zambesi: Villa Fontes (Port. E. Africa); 1914c, p. 90, Isl. Annobom; 1915, p. 8.

Schedorhinotermes lamanianus Sjöstedt 1926, pp. 53-54, pl. 2, fig. L, syn., loc., Congo, Usambara, Mombasa, Zanzibar, Zambesi, Zululand, Isl. Annobom.

Rhinotermes (Schedorhinotermes) lamanianus Emerson 1928, pp. 427-428, fig. 4, sold.¹⁻², Belgian Congo: Malela.

Rhinotermes "putorius" Sjöstedt 1905, p. 3; 1907a, p. 13; Wasmann 1911a, p. 171 (exped. Congo), pl. 8, figs. 20-21, queens; Holmgren 1913d, p. 324; Fuller 1920, pp. 77, 86, 99, pl. 10, figs. 155-156, p. 282, fig. 11a-k; 1921, p. 51; Sjöstedt 1926b, p. 142, Belgian Congo: Ituri.

Wing., queens, sold.¹⁻², work.

Uganda, Congo, Kenya (Mombasa), Tanganyika, Zanzibar, Mozambique (Zambesi), So. Africa (Zululand), Isl. Annobon.

Ethiopian.

Schedorhinotermes lamanianus, var. angulatus (Emerson).

Rhinotermes (Schedorhinotermes) lamanianus var. angulatus Emerson 1928, pp. 429-430, fig. 5 (soldiers), pl. 20 (soldiers, work.), Belg. Congo: Niapu.

Holotype: major sold.; morphotype: minor sold., Amer. Mus. Nat. Hist.

Sold.¹⁻², work.

Belg. Congo.

Ethiopian.

Schedorhinotermes lamanianus, var. *australis* (Fuller).*Rhinotermes putorius* Fuller 1915, pp. 360, 453, sold.¹⁻², loc., pl. 34, fig. 10 (sold. mand.).*Schedorhinotermes putorius* subsp. *australis* Fuller 1921, p. 51, im., major sold., work., Portuguese E. Africa, Natal, Congo, etc.*Rhinotermes* (*Schedorhinotermes*) *lamanianus* var. *australis* Emerson 1928, p. 425.Wing., sold.¹Congo, Portuguese E. Africa
(Mozambique), So. Africa.

Ethiopian.

Schedorhinotermes lamanianus, var. *bequaertianus* (Sjöstedt).*Rhinotermes bequaertianus* Sjöstedt 1913a, p. 357, sold.¹⁻², work., SE. Congo, Katanga: Elizabethville.*Schedorhinotermes bequaertianus* Sjöstedt 1926, p. 54.*Rhinotermes* (*Schedorhinotermes*) *lamanianus* var. *bequaertianus* Emerson 1928, p. 425, loc.
Type: Mus. Tervueren and Stockholm.Soldiers¹⁻², work.

SE. Congo.

Ethiopian.

Schedorhinotermes leopoldi Kemner.*Schedorhinotermes longirostris* var. *Leopoldi* Kemner 1933, p. 21, wing., pl. 1, Bireun, Sumatra.*Rhinotermes* (*Schedorhinotermes*) *celebensis* Holmgren 1911b, p. 458 (im.), Sumatra only; Hill 1942, pp. 8, 12, 177, Sumatra only.*Rhinotermes* (*Schedorhinotermes*) *sarawakensis* Holmgren 1913-14, p. 242, Sumatra only.

Winged.

Sumatra.

Indo-Malayan.

Schedorhinotermes longirostris (Brauer).*Termes longirostris* Brauer 1865, p. 47, sold., work., Iles Nicobar.*Rhinotermes* (*Schedorhinotermes*) *longirostris* Holmgren 1913b, p. 86, sold.¹⁻², work., pl. 2, fig. 17, sold.¹, fig. 21, sold.², Nicobar, Java, Malacca; Light 1921, p. 250, syn., loc., etc.; John 1925, p. 384, loc.Sold.¹⁻², work.

Nicobar Isles.

Indo-Malayan.

Schedorhinotermes makassarensis Kemner.*Schedorhinotermes makassarensis* Kemner 1934, pp. 54-56, fig. 8/1 (im.), 8/2-3 (sold.), Makassar, Celebes.*Rhinotermes* (*Schedorhinotermes*) *longirostris* Oshima 1914b, p. 562, sold., Celebes: Maros; Light 1921, p. 250, loc.*Rhinotermes* (*Schedorhinotermes*) *translucens* Holmgren 1913b, p. 83, Macassar only; Hill 1942, p. 199, Macassar only.

Wing., sold.

Celebes, Macassar.

Indo-Malayan.

Schedorhinotermes malaccensis (Holmgren).*Rhinotermes* (*Schedorhinotermes*) *malaccensis* Holmgren 1913b, p. 86, sold.¹⁻², work., pl. 2, fig. 12, sold.¹, fig. 19, sold.², Malacca; 1913-14, p. 242.*Rhinotermes* (*Schedorhinotermes*) *sarawakensis* John 1925, p. 384, Malay Peninsula only.Sold.¹⁻², work.

Malacca.

Indo-Malayan.

Schedorhinotermes marjoriae (Snyder).

Rhinotermes (Schedorhinotermes) marjoriae Snyder 1925f, pp. 404-405, wing., sold.¹⁻², Ugi Isl., Solomon Isls.

Wing., sold.¹⁻²

Solomon Isls., Ugi.

Papuan.

Schedorhinotermes maximus (Holmgren).

Rhinotermes (Macrorhinotermes) maximus Holmgren 1913b, p. 81, im., pl. 2, fig. 15 (im.), SE. Borneo: Tandjong Mus., Hamburg.

Rhinotermes (Schedorhinotermes?) maximus Holmgren 1911a, p. 80 (no descr.).

Winged.

SE. Borneo.

Indo-Malayan.

Schedorhinotermes medioobscurus (Holmgren).

Rhinotermes (Schedorhinotermes) brevialatus f. *medioobscurus* Holmgren 1913-14, p. 241, im., Malacca only.

Rhinotermes (Schedorhinotermes) longirostris Holmgren 1913b, p. 86, Malacca only; John 1925, p. 384, Malacca only.

Rhinotermes (Schedorhinotermes) brevialatus, longirostris, translucens Holmgren 1913-14, p. 240, Malacca only.

Wing., sold.

Malacca.

Indo-Malayan.

Schedorhinotermes provisorius Grassé.

Schedorhinotermes provisorius Grassé 1937a, pp. 20-23, figs. 13-14, sold.¹⁻², Savannah at Béoumi (Ivory Coast).

Sold.¹⁻²

Ivory Coast: Béoumi.

Ethiopian.

Schedorhinotermes putorius (Sjöstedt).

Termes putorius Sjöstedt 1896a, p. 298, im., Camerun: Kitta.

Rhinotermes putorius Sjöstedt 1900a, p. 50, im., sold.¹⁻², work., pl. 1, figs. F₁₋₂, F₄₋₅ (im.), figs. F₆₋₇ (sold.¹), F₈₋₉ (sold.²), fig. F₁₀ (work.), loc.; Wasmann 1911a, p. 171 neotenic queens, pl. 8, figs. 20-1, loc.

Rhinotermes (Schedorhinotermes) putorius Holmgren 1911a, p. 79, pl. 6, fig. 4, wings; 1913d, p. 324, loc.; Emerson 1928, pp. 426-427, fig. 3, sold.¹⁻², loc.

Schedorhinotermes putorius Silvestri 1912, p. 220, substitute queen, loc.; Sjöstedt 1926, pp. 52-53, pl. 2, fig. K, text fig. 17, syn., loc.; 1926a, p. 4, loc.; Grassé 1937a, p. 20, loc.

Wing., queens, sold.¹⁻², work.

Portuguese and French Guinea,
Sierra Leone, Gold Coast,
South Nigeria, Camerun,
Gabun (French Equatorial
Africa), Isls. Fernando Po,
Principe, S. Thomé, Annobon,
Brit. E. Africa, Belgian
Congo, So. Africa.

Ethiopian.

Schedorhinotermes putorius, subsp. *insularis* Sjöstedt.

Schedorhinotermes putorius subsp. *insularis* Sjöstedt 1926, p. 53, sold., Fernando Po. Sold.

Fernando Po.

Ethiopian.

Schedorhinotermes reticulatus (Froggatt).

Rhinotermes reticulatus Froggatt 1896, p. 540, wing., soldiers, work., W. Australia; Desneux 1904e, p. 28; Mjöberg 1920, p. 30, loc., p. 124 referred to as *queenslandicus*; Hill 1933, p. 12, pl. 4, figs. 11-12.

Schedorhinotermes reticulatus Silvestri 1909, p. 291, pl. 18, figs. 88-93, minor sold., work.

Rhinotermes (Schedorhinotermes) reticulatus Holmgren 1911a, p. 79; Hill 1942, pp. 193-196, figs. 98-100, im., sold.¹⁻², loc.

Cotypes (exclusive of large sold.): in Nat. Mus. Melbourne, C.S.I.R., Hill and Emerson colls.

Wing., sold.¹⁻², work.

W. Australia (Kalgoorlie type
local.) Queensland.

Australian.

Schedorhinotermes sanctae-crucis (Snyder).

Rhinotermes (Schedorhinotermes) sanctae-crucis Snyder 1925f, pp. 405-406, fig. 3b, sold.¹⁻², Santa Cruz Arch.: Graciosa Bay.

Type: major sold., M.C.Z. No. 15291; morphotype: minor sold.

Sold.¹⁻²

Santa Cruz.

Papuan.

Schedorhinotermes sarawakensis (Holmgren).

Rhinotermes (Schedorhinotermes) sarawakensis Holmgren 1913b, p. 87, sold.¹⁻², pl. 2, fig. 13, 18, Borneo: Sarawak; 1913-14, p. 242, soldiers, work., Malacca, E. Sumatra; John 1925, p. 384, Singapore, W. Sumatra.

Schedorhinotermes magnificus Silvestri 1914, p. 425, sold., W. side Dawna Hills, Lr. Burma. Sold.¹⁻², work.

Borneo, Sumatra, Malacca, Burma.

Indo-Malayan.

Schedorhinotermes solomonensis (Snyder).

Rhinotermes (Schedorhinotermes) solomonensis Snyder 1925f, pp. 406-407, sold.¹⁻², Pamua, San Cristobal Isl., Solomon Isls.

Type: major sold., M.C.Z. No. 15292; morphotype: minor sold. (from Auki, Malayta Isls.); paratypes: in U.S.N.M.

Sold.¹⁻²

Solomon Isls.

Papuan.

Schedorhinotermes tarakanensis (Oshima).

Rhinotermes (Schedorhinotermes) tarakanensis Oshima 1914b, p. 564, pl. 10, fig. 2, sold.², work., Tarakan, Dutch Borneo.

Rhinoterpes (Schedorhinoterpes) tarakensis Oshima 1920a, p. 492, sold.¹⁻², work., pl. 3, figs. 5, 7, pl. 4, figs. 6, 7 (spelling differs, also in Light 1921).

Rhinoterpes (Schedorhinoterpes) tarakensis Light 1921, p. 251, syn., loc., etc.
Sold.¹⁻², work.

Dutch Borneo, Philippines, Luzon.

Indo-Malayan.

Schedorhinoterpes translucens (Haviland).

Termes translucens Haviland 1898, p. 394, winged, sold., work., Borneo, Sarawak.

Rhinoterpes (Schedorhinoterpes) translucens Holmgren 1911a, p. 79, pl. 6, fig. 1 (im.), figs. 2-3 (sold.¹⁻²), Borneo [New Guinea]; 1911b, p. 458, im., Borneo [Germ. N. Guinea: Sattelberg (near Finschhafen)]; 1913b, p. 83, im., sold.¹⁻², pl. 2, fig. 16 (im.), fig. 14 (sold.¹), fig. 20 (sold.²), Borneo (Sarawak), Java (Mus. Vienna), Macassar (Mus. Berlin) [Germ. New Guinea (Mus. Berlin)] [Guinea records = *Sch. dimorphus*]; 1913-14, pp. 240-241, im., E. and Central Sumatra, Java, Borneo, Malacca; Hill 1942, pp. 199-201, loc. [New Guinea excepted].

Type: No. 299.

Wing., sold.¹⁻², work.

Borneo (Sarawak).

Indo-Malayan.

Schedorhinoterpes umbraticus (Hill).

Rhinoterpes umbraticus Hill 1927a, pp. 20-23, pl. 1, figs. 17-18, dealated adult, minor sold., work., New Britain: Bai (near Rabaul).

Rhinoterpes (Schedorhinoterpes) umbraticus Hill 1942, pp. 201-202, loc.

Holotype: dealated male; morphotype: minor sold., work., Nat. Mus., Melbourne.

Dealated, sold.², work.

New Britain.

Papuan.

RHINOTERMES

Genus **Rhinoterpes** Hagen.

Generotype: **Rhinoterpes nasutus** (Perty).

<Subgenus **Rhinoterpes** (**Termes**) Hagen 1858, p. 233.

><Genus **Termes** (**Rhinoterpes**) Hagen 1858a, pp. 16, 33.

<Genus **Rhinoterpes** Froggatt 1896, pp. 518, 539.

<Subgenus **Rhinoterpes** (**Termes**) Wasmann 1897, pp. 151, 182, designates type, but includes *Schedorhino. intermedius* and *reticulatus*.

<Subgenus **Rhinoterpes** (**Termes**) Haviland 1898, p. 392, *nasutus* type, but species listed are *Schedorhinoterpes*.

><Genus **Termes** subgen. **Termes** Desneux 1904e, pp. 32, 35.

<Genus **Rhinoterpes** Desneux 1904e, pp. 27, 26.

=Genus **Rhinoterpes** Holmgren 1906, p. 531.

<Genus **Rhinoterpes** Holmgren 1911a, pp. 79, 77.

=Subgenus **Rhinoterpes** Holmgren 1911a, pp. 77, 80.

=Genus **Rhinoterpes** Banks 1919, p. 479.

<Genus **Rhinoterpes** Emerson 1925, p. 346; 1928, p. 424.

<Subgenus **Rhinoterpes** Emerson 1925, p. 347; 1928, pp. 424-425.

<Genus **Rhinoterpes** Snyder 1926d, p. 7.

<Genus **Rhinoterpes** Hill 1942, pp. 8, 12, 14, 175.

Rhinotermes hispidus Emerson.

Rhinotermes (Rhinotermes) hispidus Emerson 1925, pp. 350-352, fig. 40, sold.¹⁻², Kartabo, Brit. Guiana.

Holotype: major sold.; morphotype: minor sold., Emerson coll., N. Y. Zool. Soc.

Sold.¹⁻²

Brit. Guiana.

Neotropical.

Rhinotermes manni Snyder.

Rhinotermes manni Snyder 1926d, p. 9, wing. male, sold.¹⁻², pl. 1, fig. 5, sold.¹, fig. 2, sold.², Rurrenabaque, Bolivia.

Type: sold.¹, U.S.N.M. No. 27647; morphotypes: male winged and sold.²

Wing., sold.¹⁻²

Bolivia: Rurrenabaque, Ca-chuela, Esperanza (Beni River).

Neotropical.

Rhinotermes marginalis (Linné).

HemeroBIUS marginalis Linné 1758, ed. 10, p. 550, ed. 12, p. 912, wing., America.

Perla nasuta Degeer 1778, p. 568 (ed. Goetze, p. 367), pl. 27, figs. 6-7; Retzius 1783, p. 60.

Termes nasutum Latreille 1804, p. 61; 1805, p. 69.

Termes nasutus Burmeister 1839, p. 764.

Termes (Rhinotermes) marginalis Hagen 1858, p. 234 (im.), Surinam.

Termes marginalis Hagen 1858a, p. 33 (im.), Surinam.

Rhinotermes marginalis Holmgren 1906, pp. 537-539, im., sold., work., fig. F (im.), Peru, Chiquimayo (Taldes Rio San Gaban); 1909, p. 93 (anatomy), p. 94, figs. 25-26 (im.); 1911a, p. 80, pl. 6, fig. 5 (im.); Banks 1918, p. 666, Brit. Guiana (Tunkeit); 1919, p. 480 sold.¹⁻², pl. 1, fig. 1, 5 sold.¹⁻², Haiti: Grande Riviere, Milot, Sanchez.

Rhinotermes (Rhinotermes) marginalis Emerson 1925, pp. 348-350, fig. 39, im., sold.¹⁻², syn., loc.; Snyder 1926d, p. 12, dealated, sold.¹⁻², Bolivia.

Wing., sold.¹⁻², work.

Haiti, Martinique, W. I.; So.

America: Peru, Surinam,

Brit. Guiana, Bolivia.

Neotropical.

Rhinotermes nasutus (Perty).

Termes nasutum Perty 1830, p. 127, pl. 25, fig. 10, im., North. Brazil.

Termes (Rhinotermes) nasutus Hagen 1858, p. 237 (im.), pl. 2, fig. 14, pl. 3, fig. 1 (im.); 1858a, p. 33 (im.), Brazil.

Rhinotermes taurus Desneux 1904a, p. 146, sold., Surinam; Holmgren 1906, pp. 531, 536, im., sold., work., figs. B (im.), C (sold.¹), D (sold.²), E (work.), Peru: Chiquimayo (Prov. Carabaya); 1909, p. 94 (anatomy), p. 95, fig. 27 (work.), fig. 28 (sold.¹), p. 96, figs. 29-30 (sold.²).

Rhinotermes (Rhinotermes) nasutus Holmgren 1911a, p. 80 (syn.), pl. 6, fig. 6 (sold.¹), fig. 7 (sold.²).

Rhinoterme nasutus Holmgren 1912, p. 19, fig. 2 (sold.¹, mandibles).

Rhinoterme (Rhinoterme) nasutus Emerson 1925, pp. 347-348, fig. 38 (im.), syn., loc.

Rhinoterme nasutus Snyder 1926d, p. 13, sold.¹⁻², loc. Bolivia.

Type: Mus. Monac.

Wing., sold.¹⁻², work.

So. America: Peru, No. Brazil, Bolivia, Surinam, Brit. Guiana.

Neotropical.

DOLICORHINOTERMES

Genus *Dolichorhinotermes* Snyder and Emerson n. gen.

Generotype: *Dolichorhinotermes longilabius* (Emerson).

<Genus *Rhinoterme* Emerson 1925, p. 346.

<Subgenus *Rhinoterme* Emerson 1925, p. 347.

<Genus *Rhinoterme* Snyder 1926d, p. 7.

<Genus *Rhinoterme* Emerson 1928 pp. 412, 424.

<Subgenus *Rhinoterme* Emerson 1928, pp. 406, 424.

Dolichorhinotermes latilabrum (Snyder).

Rhinoterme latilabrum Snyder 1926d, p. 7, sold.¹⁻², pl. 1, fig. 6, fig. 9, Rio Ivon, Bolivia.

Type: major sold., U.S.N.M. No. 27646.

Sold.¹⁻²

Bolivia.

Neotropical.

Dolichorhinotermes longidens (Snyder).

Rhinoterme longidens Snyder 1924b, pp. 83-86, pl. 10, figs. 1-2, sold.¹⁻², Rio Chinilla, C. Z., Panama.

Type: major sold., U.S.N.M. No. 26533.

Sold.¹⁻²

Panama.

Neotropical.

Dolichorhinotermes longilabius (Emerson).

Rhinoterme (Rhinoterme) longilabius Emerson 1925, pp. 352-354, fig. 41, im., sold.¹⁻², Kartabo, Brit. Guiana.

Holotype: major sold.; morphotype: wing., Emerson coll., N. Y. Zool. Soc.

Wing., sold.¹⁻²

Brit. Guiana.

Neotropical.

Dolichorhinotermes tenebrosus (Emerson).

Rhinoterme (Rhinoterme) tenebrosus Emerson 1925, pp. 354-356, fig. 42 im., sold.¹⁻², Kartabo, Brit. Guiana.

Holotype: major sold.; morphotype: winged, Emerson coll., N. Y. Zool. Soc.

Wing., sold.¹⁻²

Brit. Guiana.

Neotropical.

ACORHINOTERMES

Genus *Acorhinotermes* Emerson n. gen.

Generitype: *Acorhinotermes subfusciceps* (Emerson).

<Genus *Rhinotermes* Emerson 1925, p. 346.

<Subgenus *Rhinotermes* Emerson 1925, p. 347.

<Genus *Rhinotermes* Emerson 1928, pp. 412, 424.

<Subgenus *Rhinotermes* Emerson 1928, pp. 406, 424.

Acorhinotermes subfusciceps (Emerson).

Rhinotermes (*Rhinotermes*) *subfusciceps* Emerson 1925, pp. 356-357, fig. 43 imago-queen, sold.², Kartabo, Brit. Guiana (no major sold.).

Holotype: queen; morphotype: minor sold., N. Y. Zool. Soc.

Imago-queen, sold.²

Brit. Guiana.

Neotropical.

TERMITIDAE

Family TERMITIDAE Westwood.

Type genus: *Termes* Linnaeus.

<Family TERMITIDAE Westwood 1840, p. 11.

<Subfamily TERMITINAE Froggatt 1896, p. 518.

<Subfamily TERMITINAE Silvestri 1903, p. 37.

<Subfamily TERMITINAE Desneux 1904b, p. 285.

<Tribe TERMITINI Desneux 1904b, p. 286.

<Subfamily TERMITINAE Desneux 1904e, pp. 9, 25.

<Suborder CRYPTOCLIDOPTERA Enderlein 1909, p. 171.

Family TERMITIDAE Enderlein 1909, p. 172 (composition unknown).

Family METATERMITIDAE Holmgren 1909, p. 99 (no descr.).

>Family METATERMITIDAE Holmgren 1910, p. 285 (no descr.).

=Subfamily TERMITINAE Holmgren 1910, p. 285 (no descr.).

>Family METATERMITIDAE Holmgren 1910a, p. 145.

>Family METATERMITIDAE Holmgren 1911a, p. 13.

>Family METATERMITIDAE Holmgren 1912, p. 3.

<Family TERMITIDAE Banks 1919, pp. 475, 476; Banks (and Snyder) 1920, p. 5.

>Family TERMITIDAE Light 1921a, p. 25; 1930a, pp. 15-16.

>Family TERMITIDAE Oshima 1923, p. 5.

=Family TERMITIDAE Hare 1937, pp. 460-461, 463, 474, 476, 478.

Subfamilies:

SERRITERMITINAE Holmgren.

AMITERMITINAE Kemner.

TERMITINAE Sjöstedt.

MACROTERMITINAE Kemner.

NASUTITERMITINAE Hare.

Foraminitermes Group Holmgren.

SERRITERMITINAE

Subfamily SERRITERMITINAE Holmgren.

Type genus: **Serritermes** Wasmann.

=Subfamily SERRITERMITINAE Holmgren 1910, p. 285 (no descr.).

Subfamily SERRITERMITINAE Holmgren, 1910a, p. 143 (no descr.).

=Subfamily SERRITERMITINAE Holmgren 1911a, pp. 82, 62.

SERRITERMES

(Saw.)

Type genus: **Serritermes** (Wasmann).

Generitype: **Serritermes serrifer** (Bates).

<Genus **Calotermes** Hagen 1858, p. 33 (part).

<Genus **Calotermes** Hagen 1858a, p. 5.

=Subgenus **Serritermes** (**Calotermes**) Wasmann 1897, p. 150.

=Genus **Serritermes** Silvestri 1901, p. 3.

=Genus **Serritermes** Silvestri 1903, p. 40.

=Genus **Serritermes** Desneux 1904e, p. 47.

=Genus **Serritermes** Holmgren 1911a, p. 82.

Serritermes serrifer (Bates).

Termes serrifer Bates, in Hagen, 1858, p. 73, Brazil, Santarem.

Calotermes serrifer Hagen 1858, p. 72 (sold., nymph), pl. 1, fig. 6, sold.; 1858a, p. 11, sold., nymph.

Calotermes (**Serritermes**) **serrifer** Wasmann 1897, p. 150.

Serritermes serrifer Silvestri 1901, p. 3, Brazil: Coxipô, Cuyabà; 1903, p. 41, im., sold., work., p. 10 (biol.), pl. 1, figs. 39-40, 43 (im.), figs. 41-42 (sold.); Holmgren 1909, p. 91 (anat.); 1911a, p. 82, fig. 6 (mand. nymph), pl. 6, fig. 8 (sold.).

Wing., sold., work.

Brazil.

Neotropical.

AMITERMITINAE

Subfamily AMITERMITINAE Kemner.

Type genus: **Amitermes** Silvestri.

(Hook.)

>**Hamitermes**-Reihe Holmgren 1912, pp. 9, 76.

>**Hamitermes**-Reihe Holmgren 1913b, p. 217.

<Subfamily TERMITINAE Sjöstedt 1926, pp. 8, 72.

=Subfamily AMITERMITINAE Kemner 1934, p. 110.

=Subfamily AMITERMITINAE Hare 1937, pp. 463, 475.

>Subfamily MICROCEROTERMITINAE Holmgren 1910a, p. 145 (no description).

>**Microcerotermes**-Reihe Holmgren 1912, pp. 121, 9.

>Subfamily MICROCEROTERMITINAE Kemner 1931, p. 26; 1934, p. 158.

>**Pseudomicrotermes**-Reihe Holmgren 1912, pp. 126, 9.

Genera:

- Protohamitermes** Holmgren.
- Prohamitermes** Holmgren.
- Eurytermes** Wasmann.
- Hoplotermes** Light.
- Anoplotermes** Fritz Müller.
- Speculitermes** Wasmann.
- Cephalotermes** Silvestri.
- Labritermes** Holmgren.
- Cylindrotermes** Holmgren.
- Euhamitermes** Holmgren.
- Drepanotermes** Silvestri.
- Amphidotermes** Sjöstedt.
- Amitermes** Silvestri.
- Gnathamitermes** Light.
- Synhamitermes** Holmgren.
- Globitermes** Holmgren.
- Ahamitermes** Mjöberg.
- Eremotermes** Silvestri.
- Microcerotermes** Silvestri.
- Pseudomicrotomes** Holmgren.

PROTOHAMITERMES

Genus **Protohamitermes** Holmgren.

Generitype: **Protohamitermes globiceps** Holmgren.

Genus **Protohamitermes** Holmgren 1912, pp. 76, 77.

Protohamitermes globiceps Holmgren.

Protohamitermes globiceps Holmgren 1912, p. 77, fig. 48 (im. mand.) pl. 4, fig. 36 (im.),
Borneo, Sarawak; 1913b, p. 217, im., work., pl. 8,
fig. 13 (im.).

Winged.

Borneo.

Indo-Malayan.

PROHAMITERMES

Genus **Prohamitermes** Holmgren.

Generitype: **Prohamitermes mirabilis** (Haviland).

= Genus **Prohamitermes** Holmgren 1912, pp. 76, 78.

< Genus **Termes** (part) Haviland 1898, pp. 406, 378 (sect. with *dentatus* for type).

< Genus **Termes** (part) Desneux.

Prohamitermes hosei (Desneux).

Termes Hosei Desneux 1906, pp. 356-357, im., sold., work., Borneo.

Prohamitermes Hosei Holmgren 1912, p. 79, syn., pl. 4, fig. 18 (sold.); 1913b, p. 220, im.,
sold., work., pl. 8, fig. 14 (sold.).

Winged, sold., work.

Borneo.

Indo-Malayan.

Prohamitermes mirabilis (Haviland).

Termes **mirabilis** Haviland 1898, p. 407, im., sold., work., Malay Peninsula: Singapore; Borneo: Sarawak (Mt. Lumbir).

Type: No. 469.

Termes (**Eutermes**) **mirabilis** Desneux 1904e, p. 43, syn.

Prohamitermes mirabilis Holmgren 1912, p. 79, fig. 44 (im. mand.), fig. 50 (sold.), pl. 4, fig. 19 (sold.); 1913b, p. 219, im., sold., work., pl. 8, fig. 15 (sold.); John 1925, pp. 406-407, pl. 22, figs. 22-23 (nest), loc. E. Sumatra.

Winged, sold., work.

Malay Penins.; Borneo; Sumatra.

Indo-Malayan.

EURYTERMES

(Wide)

Genus **Eurytermes** Wasmann.

Generitype: **Eurytermes assmuthi** Wasmann.

=Genus **Eurytermes** Wasmann 1902b, p. 124.

=Genus **Eurytermes** Holmgren 1912, pp. 82, 76.

<Genus **Termes** Desneux 1904e, pp. 26, 28.

=Genus **Eurytermes** Hare 1937, p. 463.

Eurytermes assmuthi Wasmann.

Eurytermes assmuthi Wasmann 1902b, p. 124, im., sold., work., pl. 4, fig. 6 (sold.), India: Khandala (near Bombay).

Termes (**Eutermes**) **Assmuthi** Desneux 1904e, p. 40, syn.

Eurytermes Assmuthi Holmgren 1912, p. 82, fig. 51 (im. mand.), fig. 52 (sold. mand.); 1913b, p. 221, im., sold., work.

Eurytermes assmuthi Silvestri 1923, p. 228, nymph, sold., work., Barkuda Isl.

Winged, sold., work.

So. India: Barkuda Isl.

Indo-Malayan.

Eurytermes assmuthi, var. **modestior** Silvestri.

Eurytermes assmuthi var. **modestior** Silvestri 1923, pp. 228-229, queen, sold., work., Barkuda Isl.

Queen, sold., work.

Barkuda Isl., India.

Indo-Malayan.

Eurytermes ceylonicus Holmgren.

Eurytermes Assmuthi Holmgren 1911c, p. 205, im., work., Ceylon: Peradeniya.

Eurytermes ceylonicus Holmgren 1913b, p. 222, im., work., Ceylon; John 1910, p. 407, sold., work.

Eutermes ceyloniellus Kemner 1926, p. 389, wing., Ceylon (Badulla), may be *Anoplotermes*. Winged, sold., work.

Ceylon.

Indo-Malayan.

HOPLOTERMES

Genus **Hoplotermes** Light.

Generitype: **Hoplotermes amplius** Light.

Genus **Hoplotermes** Light 1933, pp. 134-135.

Hoplotermes amplus Light.

Hoplotermes amplus Light 1933, pp. 135-139, sold., figs. DD-FF, pl. 9, figs. 3 and 6, pl. 11, figs. 7, 11, and 14 (sold.).

Sold.

W. Mexico: Jala.

Neotropical.

ANOPLOTERMES(Un-
armed)**Genus Anoplotermes** Fr. Müller.Generitype: *Anoplotermes pacificus* Fr. Müller.= Genus *Anoplotermes* Fr. Müller 1873, p. 347.< Genus *Termes* (*Eutermes*) Hagen 1858, pp. 107, 186.< Genus *Termes* (*Eutermes*) (misspelled *Entermes*) Hagen 1858a, pp. 16, 26.< Genus *Anoplotermes* Silvestri 1903, p. 95; 1914, p. 51.< Genus *Termes* Desneux (part) 1904e, pp. 26, 28.< Genus *Termes*, subgen. *Eutermes* Desneux, 1904e, pp. 32, 35.< Genus *Anoplotermes* Holmgren 1906, p. 605; 1912, pp. 73, 46.= Subgenus (*Anoplotermes*) Holmgren 1912, p. 74.= Genus *Anoplotermes* Banks 1919, p. 479.= Genus *Anoplotermes* Banks (and Snyder) 1920, p. 66.= Genus *Anoplotermes* Sjöstedt 1926, p. 287.= Subgenus *Anoplotermes* (*Anoplo.*) Snyder 1926d, pp. 44-46.**Anoplotermes abbreviatus** Silvestri.*Anoplotermes cingulatus* subsp. *abbreviatus* Silvestri 1901, p. 8, im.*Anoplotermes cingulatus* subsp. *abbreviatus* Silvestri 1903, p. 99, im., work., pl. 5, fig. 224 (im.), Argentina: Sunchales (S. Fè).*Termes* (*Eutermes*) *cingulatus* subsp. *abbreviatus* Desneux 1904e, p. 41, syn.

Type: Silvestri coll.

Wing., work.

Argentina.

Neotropical.

Anoplotermes ater (Hagen).*Termes ater* Hagen 1858, p. 195, im., pl. 3, fig. 26 (im.) Brazil: New Freiberg (near Colombia).*Eutermes ater* Wasmann 1897a, p. 278.*Termes morio* Walker 1853, p. 514, im., Colombia.*Anoplotermes morio* subsp. *ater* Silvestri 1901, p. 8, Paraguay; Matto Grosso.*Anoplotermes morio* subsp. *ater* Silvestri 1903, p. 100, im., work., fig. 33 (wings), Brazil: Coxipò, Cuyabà.*Anoplotermes* (A.) *ater* Holmgren 1912, p. 73-74, fig. 47 im., Brazil, Paraguay, Peru.Type: Mus. Hall; paratype: winged female, M.C.Z.
No. 208.

Winged, work.

Colombia, Paraguay, Brazil,

Peru.

Neotropical.

Anoplotermes banksi Emerson.*Anoplotermes* (*Anoplo.*) *banksi* Emerson 1925, pp. 423-424, fig. 77 (im.), Brit. Guiana: Kartabo.

Holotype: winged, N. Y. Zool. Soc.

Winged.

Brit. Guiana.

Neotropical.

Anoplotermes bequaerti Snyder and Emerson, new name.

Anoplotermes pacificus Silvestri 1901, p. 8, im., Argentine, Paraguay (type locality); 1903, p. 96, im., work., fig. 28 (wings), p. 139 (biol.), pl. 4, figs. 208-212 (im.), fig. 213 (work.), Paraguay: Tacurù Pucù, Villa Encarnatiòn, Villa Rica, Argentina: S. Ana (Misiones).

Termes (Eutermes) pacificus Desneux 1904e, p. 44, syn., part, Argentina.

Im., work.

Paraguay, Argentina.

Neotropical.

Anoplotermes boliviensis Snyder.

Anoplotermes (Anoplo.) boliviensis Snyder 1926d, p. 46, wing. female, Bolivia: Tumupasa. Type: wing. female, U.S.N.M. No. 27662.

Winged.

Bolivia.

Neotropical.

Anoplotermes brevipilus Emerson.

Anoplotermes (Anoplo.) brevipilus Emerson 1925, pp. 424-425, fig. 78 (im.), Brit. Guiana: Kartabo. Holotype: winged, N. Y. Zool. Soc.

Winged.

Brit. Guiana.

Neotropical.

Anoplotermes cingulatus (Burmeister).

Termes cingulatus Burmeister 1839, p. 767.

Termes cingulatus Walker 1853, p. 515, im., South Brazil.

Termes (Eutermes) cingulatus Hagen 1858, p. 187, im., pl. 3, fig. 24 (part im. only), Brazil: Porto Allegro, Brit. Guiana.

Anoplotermes cingulatus Silvestri 1901, p. 8, Argentina, Uruguay, Paraguay; 1903, p. 98, im., work., fig. 31 (wings), pl. 5, figs. 220-222 (im.), fig. 223 (work.). Type: Mus. Berlin.

Winged.

Brazil, Paraguay, Uruguay, Argentina, Brit. Guiana.

Neotropical.

Anoplotermes clypeatus Snyder.

Anoplotermes (Anoplo.) clypeatus Snyder 1926d, p. 47, wing. female, San Gregorio, Beni, Bolivia. Type: wing. female, U.S.N.M. No. 27669.

Winged.

Bolivia.

Neotropical.

Anoplotermes concilians Silvestri.

Anoplotermes concilians Silvestri 1914-15, p. 58, fig. 32, 1-9, im., work., French Guinea: Kindia; Sjöstedt 1926, p. 288.

Winged, work.

Africa: Fr. Guinea.

Ethiopian.

Anoplotermes distans Snyder.

Anoplotermes (Anoplo.) distans Snyder 1926d, p. 48, queen-dealated, Rosario, Bolivia.
Type: first form queen, U.S.N.M. No. 27663.

Queen.
Bolivia.

Neotropical.

Anoplotermes distinctus Snyder.

Anoplotermes (Anoplo.) distinctus Snyder 1926d, pp. 46, 49, im., Bolivia: Rurrenabaque.
Type: wing. female, U.S.N.M. No. 27664.

Winged.
Bolivia.

Neotropical.

Anoplotermes fumosus (Hagen).

Termes fumosus Hagen 1860a, p. 123, im., Mexico: Vera Cruz.

Termes (Eutermes) fumosus Desneux 1904e, p. 42, syn.

Anoplotermes fumosus Banks (and Snyder) 1920, pp. 66-69, fig. 52 (im.), 53 (work.), 51
(dist.), Texas: Harlingen.

Anoplotermes fumosus Snyder 1924c, pp. 36, 37, pl. 5, figs. 29-30.
Type: Selys coll.; paratype: im., female, M.C.Z. No. 218.

Winged.
Mexico, Texas.

Neotropical, Nearctic.

Anoplotermes gracilis Snyder.

Anoplotermes gracilis Snyder 1922, pp. 28-29, fig. 22, wing., Ancon, C. Z., Panama.
Type: wing. male, U.S.N.M. No. 24573.

Winged.
Panama (C. Z.).

Neotropical.

Anoplotermes grandifons Snyder.

Anoplotermes (Anoplo.) grandifons Snyder 1926d, p. 50, dealated female, Bolivia: Rosario.
Type: dealated female, U.S.N.M. No. 27665.

Dealated female.
Bolivia.

Neotropical.

Anoplotermes hageni Snyder and Emerson, new name.

Anoplotermes tenebrosus Silvestri 1901, p. 8, im., Brazil: Coxipò; 1903, p. 97, im., work.,
p. 142, biol., fig. 30 (wings), pl. 5, figs. 218-219 (im.),
also Argentina: Colonia, Bebitz (Chaco); Wheeler
1936, pp. 212, 227, 232, biol., Matto Grosso, Brazil.
Type: Silvestri coll.; cotype: A.M.N.H.

Im., work.
Brazil, Argentina.

Neotropical.

Anoplotermes hondurensis Snyder.

Anoplotermes hondurensis Snyder 1924c, p. 37-38, winged, La Ceiba, Honduras.
Type: wing. female, U.S.N.M. No. 25692.

Winged.
Honduras.

Neotropical

Anoplotermes howardi Snyder.

Anoplotermes (Anoplo.) howardi Snyder 1926d, pp. 51-52, dealated male, Bolivia: Rosario.
Type: dealated male, U.S.N.M. No. 27666.

Dealated male.

Bolivia.

Neotropical.

Anoplotermes indistinctus Snyder.

Anoplotermes (Anoplo.) indistinctus Snyder 1926d, p. 52, wing. male, Bolivia: Tumupasa.
Type: wing. male, U.S.N.M. No. 27667.

Winged.

Bolivia.

Neotropical.

Anoplotermes jheringi Holmgren.

Anoplotermes jheringi Holmgren 1906, p. 606, im., work., fig. E₂ (im.), Peru: Chaqueimayo
(Carabaya).

Anoplotermes (A.) jheringi Holmgren 1912, p. 74.

Winged, work.

Peru.

Neotropical.

Anoplotermes kilimandjaricus (Sjöstedt).

Eutermes kilimandjaricus Sjöstedt 1907a, pp. 9, 18, im., Kilimandjaro: Kibonoto.

Mirotermes (Cubitermes) ?Kilimandjaricus Hegh 1922, pp. 372, 698.

Eutermes kilimandjaricus Sjöstedt 1926, p. 325.

Eutermes kilimandjaricus Harris 1936, p. 368, loc.

Type: Mus. Stockholm.

Winged.

Africa: Tanganyika.

Ethiopian.

Anoplotermes lateralis (Walker).

Termes lateralis Walker 1853, p. 523, im., Sierra Leone.

?*Termes fatalis* Walker 1853, p. 509, sold.? Sierra Leone.

Termes lateralis Hagen 1858, p. 215, im., Sierra Leone.

Eutermes lateralis Sjöstedt 1900a, pp. 143, 165, Cameroon: Bongo.

Anoplotermes lateralis Silvestri 1914-15, p. 65, fig. 36 (1-13), French Guinea: Mamou,
Kakoulima.

Anoplotermes lateralis Sjöstedt 1926, p. 289, syn., loc.

Type: Brit. Mus.

Winged, queen, work.

French Guinea, Sierra Leone,

Cameroon.

Ethiopian.

Anoplotermes linearis Snyder.

Anoplotermes (Anoplo.) linearis Snyder 1926d, p. 53, wing. female, Bolivia: Tumupasa.
Type: wing. female, U.S.N.M. No. 27668.

Winged.

Bolivia.

Neotropical.

Anoplotermes manni Snyder.

Anoplotermes manni Snyder 1922, pp. 29-30, work., Span. Honduras: Lombardia.
Type: work., U.S.N.M. No. 24574.

Work.

Span. Honduras.

Neotropical.

Anoplotermes meridianus Emerson.

?*Termes morio* Latreille 1805, p. 69, im., St. Domingo; Burmeister 1839, p. 767, loc. Porto Rico; Hagen 1858, p. 200, pl. 3, fig. 29 (im.), St. Domingo, Porto Rico, Martinique, Port-au-Prince, Venezuela, Brazil: Santarem, Guatemala; 1858a, p. 27, im., also Panama.

Type: Selys coll.

Anoplotermes morio Silvestri 1901, p. 8, im., Argentina, Uruguay, Paraguay; 1903, pp. 99-100, im., work., fig. 32 (wing.), pl. 5, figs. 225-226 (im.), fig. 227 (work.).

Anoplotermes (A.) morio Holmgren 1912, pp. 73-74, fig. 46 (im. mand.), loc.*Anoplotermes (A.) meridianus* Emerson 1925, p. 421, new name for *morio*.

Wing., work.

W. Indies; Middle and So.

America.

Neotropical.

Anoplotermes nanus (Sjöstedt).

Eutermes nanus Sjöstedt 1911, p. 161, im., Congo: Mukimbungu.

Mirotermes nanus Holmgren 1912, p. 109.? *Anoplotermes nanus* Silvestri 1914-15, p. 51.*Anoplotermes nanus* Sjöstedt 1926, p. 290, syn., loc.

Wing.

Congo.

Ethiopian.

Anoplotermes nigripunctatus Emerson.

Anoplotermes (Anoplo.) nigripunctatus Emerson 1925, pp. 426-427, fig. 8 (im. queen), Brit. Guiana: Kartabo.
Holotype: queen, N. Y. Zool. Soc.

Dealedate male, females.

Brit. Guiana.

Neotropical.

Anoplotermes pacatus Silvestri.

Anoplotermes pacatus Silvestri 1914-15, p. 54, im., fig. 29, 1-10, Fr. Guinea: Kindia;
Sjöstedt 1926, p. 288, syn., loc.

Wing., work.

Fr. Guinea.

Ethiopian.

Anoplotermes pacificus Fr. Müller.*Anoplotermes pacificus* Fr. Müller 1873, p. 347, im., work.

Anoplotermes morio subsp. *ater* Holmgren 1906, p. 605, im., work., fig. D₂, Peru:
Chaquimayo (Carabaya).

Anoplotermes (A.) ater Holmgren 1912, pp. 73-74, fig. 47, im., Peru only.

Wing., work.

Peru.

Neotropical.

Anoplotermes pallidipes (Sjöstedt).

Eutermes pallidipes Sjöstedt 1900a, p. 172, Sierra Leone, Cameroon: Kribi.

Anoplotermes pallidipes Sjöstedt 1926, pp. 289-290, syn., loc.

Wing.

Sierra Leone, Cameroon.

Ethiopian.

Anoplotermes parvus Snyder.*Anoplotermes parvus* Snyder 1923b, pp. 130-131, wing. Panama.

Type: winged male, U.S.N.M. No. 26259.

Wing.

Panama.

Neotropical.

Anoplotermes placidus Silvestri.*Anoplotermes placidus* Silvestri 1914-15, p. 63, fig. 35 (im.), im., work, Fr. Guinea: Mamou; Sjöstedt 1926, p. 289, syn., loc.

Wing., work.

Fr. Guinea.

Ethiopian.

Anoplotermes proximus Snyder.*Anoplotermes* (*Anoplo.*) *proximus* Snyder 1926d, p. 54, wing. female, Bolivia: Tumupasa.

Type: wing. female, U.S.N.M. No. 27670.

Wing.

Bolivia.

Neotropical.

Anoplotermes punctatus Snyder.*Anoplotermes* (*Anoplo.*) *punctatus* Snyder 1926d, p. 56, dealated male im., queen, Bolivia: Rosario.

Type: dealated male, U.S.N.M. No. 27671; morphotype: queen.

Dealated.

Bolivia.

Neotropical.

Anoplotermes pyriformis Snyder.*Anoplotermes* (*Anoplo.*) *pyriformis* Snyder 1934, p. 96-97, fig. 2, winged, Hamburg Farm, Costa Rica.

Cotypes: winged, U.S.M.C. No. 50214.

Wing.

Costa Rica.

Neotropical.

Anoplotermes quietus Silvestri.*Anoplotermes quietus* Silvestri 1914-15, p. 61, fig. 34, 1-16, Gold Coast: Aburi; Sjöstedt 1926, p. 289, syn., loc.

Wing., work.

Gold Coast, French Guinea,
Nigeria.

Ethiopian.

Anoplotermes rotundatus Snyder.*Anoplotermes* (*Anoplo.*) *rotundatus* Snyder 1926d, p. 56, wing. male, Bolivia: Rosario.

Type: wing. male, U.S.N.M. No. 27672.

Wing.

Bolivia.

Neotropical.

Anoplotermes sanctus Silvestri.

Anoplotermes sanctus Silvestri 1914-15, p. 57, im., fig. 31, 1-13, Angola: S. Paolo de Loanda; Sjöstedt 1926, p. 288; syn., loc.

Wing., work.

Angola.

Ethiopian.

Anoplotermes schwarzii Banks.

Anoplotermes schwarzii Banks 1919, p. 481, im., pl. 1, fig. 4 (im. pronotum), Cuba: Cayamas.

Holotype: winged, U.S.N.M. No. 21871.

Wing.

Cuba.

Neotropical.

Anoplotermes sedatus Silvestri.

Anoplotermes sedatus Silvestri 1914-15, p. 55, fig. 30, 1-9, im., work., Fr. Congo: Brazzaville; Sjöstedt 1926, p. 288, syn., loc.

Wing., work.

Fr. Equatorial Africa.

Ethiopian.

Anoplotermes subterraneus Emerson.

Anoplotermes (Anoplo.) subterraneus Emerson 1925, pp. 424-425, fig. 79 (im.), Br. Guiana: Kartabo.

Holotype: wing, N. Y. Zool. Soc.

Wing.

Brit. Guiana.

Neotropical.

Anoplotermes tenebrosus (Kollar).

Termes tenebrosus Kollar 1837, im., Brazil: near Ypanema (Prov. St. Paulo); Neu-Freiburg; Hagen 1858, p. 193, im., Brazil.
Type: Mus. Vienna, Hall Mus.

Eutermes tenebrosus Wasmann 1879a, p. 278.

Termes (Eutermes) tenebrosus Desneux 1915, p. 9 (loc. type).

Anoplotermes tenebrosus Snyder 1924c, pp. 36-37, im. (in key).

Type: im., Selys Longchamps coll.; Mus. Vienna (Hagen); paratype: wing, female, M.C.Z. No. 422.

Winged.

Brazil.

Neotropical.

Anoplotermes tranquillus Silvestri.

Anoplotermes tranquillus Silvestri 1914-15, p. 52, pl. 28, 1-12, im., queen, work., Fr. Guinea: Mamou; Sjöstedt 1926, p. 287, syn., loc.

Wing., queen (substitute), worker.

Fr. Guinea.

Ethiopian.

Anoplotermes turricola Silvestri.

Anoplotermes turricola Silvestri, 1901, p. 8, im., Brazil: Cuyabà; 1903, p. 97, im., fig. 29 (wings), pl. 5, figs. 216-217 (im.).

Termes (Eutermes) turricola Desneux, 1904e, p. 46, syn.

Winged.

Brazil.

Neotropical.

SPECULITERMES

Genus Speculitermes Wasmann.

Generitype: *Speculitermes cyclops* Wasmann.

=Genus *Speculitermes* Wasmann 1902b, p. 161.

=Subgenus *Speculitermes* (*Anoplotermes*) Holmgren 1912, p. 74.

=Subgenus *Speculitermes* Hare 1937, p. 474.

Speculitermes arboreus (Emerson).

Anoplotermes (*Speculi.*) *arboreus* Emerson 1925, pp. 427-428, fig. 81 (im.), Brit. Guiana: Kartabo.

Holotype: wing, N. Y. Zool. Soc.

Dealated (queen).

Brit. Guiana.

Neotropical.

Speculitermes cyclops Wasmann.

Speculitermes Cyclops Wasmann 1902b, p. 161, im., work., India: Khandala (near Bombay); Ceylon: Trincomali; Silvestri 1914, p. 431, Burma.

Anoplotermes (*Speculi.*) *cyclops* Holmgren 1911c, p. 202, work., Ceylon: Peradeniya, 1913b, p. 267 im., work., India.

Winged, work.

India, Burma, Ceylon.

Indo-Malayan.

Speculitermes proratus Emerson, n. sp.

Anoplotermes reconditus Holmgren 1906, p. 607, im., work., Bolivia: Mojos.

Anoplotermes reconditus Holmgren 1911c, p. 202, remarks.

Holotype: A.M.N.H.; paratypes: Holmgren coll.

Winged, work.

Bolivia, Peru.

Neotropical.

Speculitermes reconditus (Silvestri).

Anoplotermes reconditus Silvestri 1901, p. 8, im., Argentina; Paraguay; Matto Grosso; 1903, p. 101, im., work., fig. 34 (wings), Brazil: Coxipó; Paraguay: Villa Rica; Argentina: S. Ana, Posadas (Misiones), Salta, Resistencia.

Anoplotermes (*Speculi.*) *reconditus* Holmgren 1912, p. 74, Matto Grosso, Paraguay, Argentina, [Peru, Bolivia].

Winged, work.

Argentina, Paraguay, Brazil.

Neotropical.

Speculitermes silvestrii (Emerson).

Anoplotermes (*Anoplo.*) *silvestrii* Emerson 1925, pp. 421-423, fig. 76 (im.), Brit. Guiana: Kartabo.

Holotype: winged, N. Y. Zool. Soc.

Winged.

Brit. Guiana.

Neotropical.

CEPHALOTERMES

Genus Cephalotermes Silvestri.

Generitype: *Cephalotermes rectangularis* (Sjöstedt).

=Genus *Cephalotermes* Silvestri 1912, p. 232.

<Genus *Termes*, subgen. *Eutermes* Desneux 1904e, pp. 32, 35.
 =Genus *Rectangulotermes* Holmgren in litt. 1912, p. 81.
 =Genus *Cephalotermes* Holmgren 1912, pp. 84, 76.
 =Genus *Cephalotermes* Sjöstedt 1926, p. 191.

Cephalotermes rectangularis (Sjöstedt).

Eutermes rectangularis Sjöstedt 1899, p. 39, sold., work., Cameroon: Mungo.

Termes (Eutermes) rectangularis Desneux 1904e, p. 44, syn.

"*Eutermes*" (*Cylindrotermes?*) *rectangularis* Wasmann 1911a, p. 145, Belg. Congo: Sankuru.

Cephalotermes rectangularis Silvestri 1912, p. 234, fig. 9 (im., sold., work.), Isl. S. Thomé: Aqualze; Holmgren 1912, p. 84, figs. 53-54 (im., sold.), pl. 4, fig. 20 (sold.); Sjöstedt 1926, pp. 191-192, fig. 40 (sold.), syn., loc.

Winged, queen, sold., work.

Cameroon, Congo, Dahomey,

Isl. S. Thomé.

Ethiopian.

LABRITERMES

Genus *Labritermes* Holmgren.

Generotype: *Labritermes buttel-reepeni* Holmgren.

Genus *Labritermes* Holmgren 1913-14, pp. 269-270.

Labritermes buttel-reepeni Holmgren.

Labritermes buttel-reepeni Holmgren 1913-14, pp. 270-272, im., sold., work., Sumatra; John 1925, p. 406, queen, sold., work.

Winged, king, queen, sold., work.

Sumatra.

Indo-Malayan.

CYLINDROTERMES

Genus *Cylindrotermes* Holmgren.

Generotype: *Cylindrotermes nordenskiöldi* Holmgren.

=Genus *Cylindrotermes* Holmgren 1906, p. 542.

=Genus *Cylindrotermes* Holmgren 1912, pp. 86, 77.

Cylindrotermes brevipilosus Snyder.

Cylindrotermes brevipilosus Snyder 1926d, p. 58, pl. 1, fig. 7 (sold.), Bolivia: Ivon. Type: sold., U.S.N.M. No. 27673.

Sold.

Bolivia.

Neotropical.

Cylindrotermes macrognathus Snyder.

Cylindrotermes macrognathus Snyder 1929, p. 86, sold., Barro Colorado Isl., C. Z., Panama. Type: sold., U.S.N.M. No. 41745.

Cylindrotermes nordenskiöldi Snyder 1925, pp. 179, 193, Canal Zone, Panama only; 1926d, pp. 58-59, sold., work.

Sold., work.

Panama.

Neotropical.

Cylindrotermes nordenskiöldi Holmgren.

Cylindrotermes nordenskiöldi Holmgren 1906, p. 543, sold., work., figs. G, H., sold., work., Tuiche (Prov. Caupolicana), Bolivia; 1912, p. 86, fig. 55, pl. 4, fig. 21 (sold.).

Sold., work.

Bolivia.

Neotropical.

Cylindrotermes parvignathus Emerson, n. sp.

Cylindrotermes nordenskiöldi Emerson 1925, pp. 428-430, fig. 82 (im., sold.), Brit. Guiana: Kartabo; Snyder 1926d, pp. 58-59, sold., work., Brit. Guiana: Kartabo only.

Type: A.M.N.H.

Winged, sold., work.

Brit. Guiana.

Neotropical.

EUHAMITERMES

Genus *Euhamitermes* Holmgren.

Generotype: *Euhamitermes hamatus* (Holmgren).

=Subgenus *Euhamitermes* (*Hamitermes*) Holmgren 1912, pp. 89, 88.

Euhamitermes hamatus (Holmgren).

Hamitermes (*Euhamitermes*) *hamatus* Holmgren 1912, p. 89, fig. 57 (sold.), p. 93, fig. 66 (sold. mandible), pl. 4, fig. 22 (sold.), Singapore; 1913b, p. 223, pl. 8, fig. 18 (sold.), Malacca.

Sold.

Malay Peninsula.

Indo-Malayan.

Euhamitermes indicus (Holmgren, K. and N.).

Hamitermes (*Euhami.*) *indicu*s Holmgren, K. and N. 1917, p. 165, sold., work., India: Shevaroy Hills.

Sold., work.

India.

Indo-Malayan.

Euhamitermes lighti (Snyder).

Amitermes (*Euhami.*) *lighti* Snyder 1933, p. 93, sold., India: Dehra Dun.

Holotype: sold., U.S.N.M. No. 44879.

Sold.

India.

Indo-Malayan.

DREPANOTERMES

Genus *Drepanotermes* Silvestri.

Generotype: *Drepanotermes rubriceps* (Froggatt).

=Genus *Drepanotermes* Silvestri 1909, p. 295.

=Subgenus *Drepanotermes* (*Hamitermes*) Holmgren 1912, p. 89; Hill 1942, pp. 9, 13, 310, 367.

Drepanotermes clarki (Hill).

Hamitermes clarki Hill 1935, p. 30, sold., pl. 2, fig. 38, sold., W. Australia: Eradu.

Hamitermes (*Drepano.*) *clarki* Hill 1942, pp. 10, 13, 368, fig. 281 (sold.), syn., loc.

Holotype: sold., C.S.I.R. coll., Canberra.

Sold.

W. Australia.

Australian.

Drepanotermes rubriceps (Froggatt).

Termes rubriceps Froggatt 1897, p. 730, fig. 9, sold., work., Central Australia.

Termes (Eutermes) rubriceps Desneux 1904e, p. 45, syn., Central Australia.

Hamitermes (Drepanotermes) rubriceps Mjöberg 1920, p. 67; Hill 1942, pp. 369-377, figs. 282-289, syn., loc.

Topotypes: [winged male as holotype; sold. and work., morphotype], C.S.I.R. coll.

Drepanotermes daliensis Hill 1922, pp. 373-375, figs. 8-9, sold., No. Terr.

Eutermes magnificus Mjöberg 1920, p. 63, im., figs. 32-34; N. W. Australia: Lower Lelwarynga (Kimberly distr.).

Termes perniger Froggatt 1897, p. 734, pl. 35, fig. 3, sold., work., W. Australia.

Hamitermes (Drepanotermes) perniger Mjöberg 1920, pp. 66-69, im., sold., pl. 1, fig. 1, text figs. 35-36 (im., sold.), loc.; Holmgren 1912, p. 93, fig. 61 (sold., mand.), pl. 4, fig. 27 (sold.).

Drepanotermes septentrionalis Hill 1922, pp. 372-373, figs. 6-7, im., sold., No. Terr.

Drepanotermes silvestrii Hill 1922, pp. 364, 371, figs. 1-5, im., sold., work., Townsville distr., N. Queensland.

Hamitermes (Drepanotermes) tamminensis Hill 1929, pp. 88-90, pl. 14, figs. 3-6, im., sold., work., W. Australia: Tammin.

Wing., sold., work.

No. Terr., Queensland, W. and

S. Australia and New South

Wales.

Australian.

AMPHIDOTERMES**Genus Amphidotermes** Sjöstedt.

Generitype: *Amphidotermes basidens* (Sjöstedt).

<Subgenus *Hamitermes* Holmgren 1912, pp. 88, 90.

=Genus *Amphidotermes* Sjöstedt 1924b, p. 256.

=Genus *Amphidotermes* Sjöstedt 1926, p. 165.

Amphidotermes basidens (Sjöstedt).

Termes basidens Sjöstedt 1899, p. 36, sold.¹⁻², work., Togo: Bismarckburg; 1900a, p. 133, sold.¹⁻², pl. 2, fig. K₁ (sold.¹).

Hamitermes (H.) basidens Holmgren 1912, p. 91.

Amphidotermes basidens Sjöstedt 1926, p. 165, fig. 36 (sold.), syn., loc.

Type: Mus. Berlin and Stockholm.

Sold.¹⁻², work.

Togo.

Ethiopian.

AMITERMES

(Hook.)

Genus Amitermes Silvestri.

Generitype: *Amitermes amifer* Silvestri.

<Genus *Amitermes* Silvestri 1901, p. 4 (includes *brevicorniger*).

=Genus *Dentitermes* Wasmann 1901, p. 744.

<Genus *Amitermes* Wasmann 1902b, p. 122.

<Genus *Amitermes* Silvestri 1903, p. 43.

<Genus *Hamitermes* Silvestri 1903, p. 217.

<Genus *Termes* Desneux 1904e, pp. 26, 28.

><Subgenus *Leucotermes* Desneux 1904e, pp. 31, 32.

><Genus *Termes* subgen. *Termes* Desneux 1904e, pp. 32, 35.

><Genus *Leucotermes* Holmgren 1911a, p. 69 (includes *Amitermes vilis* from Persia).
 ><Subgenus *Hamitermes* (*Hamitermes*) Holmgren 1912, pp. 88, 90.

=Genus *Amitermes* Banks 1919, p. 479.

<Genus *Amitermes* Banks (and Snyder) 1920, p. 55.

<Genus *Hamitermes* Mjöberg 1920, pp. 66, 68.

=Genus *Amitermes* Fuller 1922, p. 122.

=Genus *Amitermes* Sjöstedt 1926, p. 181.

>Genus *Monodontermes* Silvestri 1909, p. 299.

=Subgenus *Monodontermes* (*Hamitermes*) Holmgren 1912, pp. 90, 89.

Amitermes amifer Silvestri.

Amitermes amifer Silvestri 1901, p. 4, im., Argentina, Paraguay, Matto Grosso; 1903, pp. 43-44, im., sold., work., fig. 9 (wings), loc.

Hamitermes hamifer Silvestri 1903, p. 115, biol., p. 217, pl. 2, figs. 59-60 (im.).

Termes (Eutermes) hamifer Desneux 1904e, p. 40, syn., loc.

Hamitermes (H.) hamifer Holmgren 1912, p. 91.

Winged, sold., work.

Argentina, Paraguay, Brazil.

Neotropical.

Amitermes atlanticus Fuller.

Hamitermes atlanticus Fuller 1922, p. 125, wing., Table Mt. and Camps Bay, near Cape-town, So. Africa.

Amitermes atlanticus Sjöstedt 1926, p. 190, syn., loc.

Winged.

So. Africa.

Ethiopian.

Amitermes beaumonti Banks.

Amitermes beaumonti Banks 1918, p. 664, pl. 51, fig. 14 (sold.), Panama; Snyder 1924c, pp. 34-35, wing., Panama: Trinidad Riv.; 1926, p. 28, sold., work., Mexico, Guatemala.

Type: sold., A.M.N.H.; paratype: sold., M.C.Z.

Termes minimus Dudley and Beaumont 1890, pp. 158, 170-171, 175-177, biol., no description; Dudley and Beaumont 1890a, p. 107, remarks.

Wing., sold., work.

Panama, Mexico, Guatemala.

Neotropical.

Amitermes bechuana Fuller.

Hamitermes bechuana Fuller 1922, p. 125, winged, Greefdale, Barkly, West, So. Africa.

Amitermes bechuana Sjöstedt 1926, p. 190, syn., loc.

Wing.

So. Africa.

Ethiopian.

Amitermes belli (Desneux).

Termes Belli Desneux 1906, p. 352, im., sold., work., India: Sind, Karachi.

Hamitermes (H.) Belli Holmgren 1912, p. 93, fig. 65 (sold. mandible), Asia.

Hamitermes (H.) Belli Holmgren 1913b, p. 227, im., sold., work., pl. 8, fig. 20 (sold.), Sind: Karachi (Bell).

Winged, sold., work.

India.

Indo-Malayan.

Amitermes braunsi* Fuller.**Hamitermes braunsi* Fuller 1922, p. 125, im., sold., work., Willowmore, So. Africa.*****Amitermes Braunsi* Sjöstedt 1926, p. 190, syn., loc.**

Winged, sold., work.

So. Africa.

Ethiopian.

Amitermes capicola* Silvestri.**Hamitermes hastatus* var. *capicola* Silvestri 1914-15, p. 78, fig. 45, 1-9, im., neotenic queen, sold., work., Cape Colony, Stellenbosch, Wellington, So. Africa.*****Hamitermes capicola* Fuller 1922, p. 124.*****Amitermes capicola* Sjöstedt 1926, p. 188, syn., loc.**Winged, neotenic reproductives,
sold., work.

So. Africa.

Ethiopian.

Amitermes capito* Hill.**Hamitermes capito* Hill 1935, p. 29, fig. 37, sold., work., W. Australia: Mullewa.*****Hamitermes (H.) capito* Hill 1942, pp. 311-312, figs. 228-229 (sold.).**

Holotype: sold.; morphotype: work., C.S.I.R. coll.

Sold., work.

W. Australia.

Australian.

Amitermes coachellae* Light.**Amiatermes coachellae* Light 1930c, pp. 200-201, pl. 12, fig. 3, pl. 14, figs. 1, 3, 5, 9, pl. 15
(sold., work.), Upper end Coachella Valley; 1931a, p. 6, alates, queen, Nevada: Boulder City, Las Vegas;
1932, pp. 371-375, figs. J, K. winged.**

Winged, queen, sold., work.

California, Nevada, U. S. A.

Nearctic.

Amitermes colonus* Hill.**Hamitermes (Hami.) colonus* Hill 1942, pp. 356-357, fig. 269 (sold.), N. S. Wales: Griffith.
Holotype: sold. and assoc. work., C.S.I.R. coll.**

Sold., work.

N. S. Wales.

Australian.

Amitermes cryptodon* Light.**Amiatermes cryptodon* Light 1930d, pp. 222-223, pl. 16, fig. 3, pl. 17, fig. 7, pl. 18, fig. 3 (sold.,
work.), Mexico: Jala, Madrid near Colima.**

Sold., work.

Mexico.

Neotropical.

Amitermes darwini* Hill.**Hamitermes darwini* Hill 1922a, pp. 155-157, sold., work., figs. 28-33 (sold.), Darwin, No.
Terr.**

Hamitermes (Hamitermes) darwini Hill 1942, pp. 312-314, figs. 230-231 (im., sold.).

Holotype: sold.; morphotype: work., Nat. Mus., Melbourne; morphotype: wing., assoc. sold. and work., C.S.I.R. coll.

Hamitermes willingsi Hill 1935, pp. 20-22, figs. 16-20 (im., sold.), im., sold., work., No. Terr.

Winged, sold., work.

No. Terr.

Australian.

Amitermes dentatus (Haviland).

Termes dentatus Haviland, 1898, p. 408, figs. 45-48 (im., sold.), im., sold., work., Borneo (Sarawak), Marudi.

Type: No. 535.

Termes (Eutermes) dentatus Desneux 1904e, p. 41, syn.

Hamitermes (Hamitermes) dentatus Holmgren 1912, p. 93, fig. 60 (sold. mandible); 1913b, p. 226, im., sold., work., pl. 8, fig. 19 (sold.); 1913-14, p. 272, Sumatra, Malacca; John 1925, p. 408, sold., work., Singapore, E. Sumatra.

Winged, sold., work.

Borneo, Malay Penins., Sumatra.

Indo-Malayan.

Amitermes dentosus Hill.

Hamitermes dentosus Hill 1935, p. 27, pl. 1, figs. 32-36, im., sold., work., W. Australia: Ghooli.

Hamitermes (Hamitermes) dentosus Hill 1942, p. 314, figs. 232-233 (im., sold.), syn., loc. Holotype: sold.; morphotype: wing. and work., C.S.I.R. coll.

Winged, sold., work.

W. Australia, No. Terr.

Australian.

Amitermes desertorum (Desneux).

Eutermes desertorum Desneux 1902, p. 439, im., work., fig. 2 (hind wing); Algeria: Dans le Souf (between Maouiet-Ferzan and Touquurt).

Eutermes desertorum Sjöstedt 1904, p. 81, Algeria: Sahara.

Hamitermes (Hamitermes) desertorum Holmgren 1912, p. 91, Togo (an error?).

Type: Mus. Stockholm, Desneux coll.

Hamitermes desertorum Hegh 1922, pp. 73, 469, 695, ?Togo (an error).

Amitermes desertorum Sjöstedt 1926, p. 187, syn., loc. [may be the imago of *A. santschii*]. Winged, work.

Algeria.

Palaearctic.

Amitermes elongatus Silvestri.

Hamitermes elongatus Silvestri 1914-15, p. 77, sold., work., fig. 44 (sold.), Angola: S. Paolo de Loanda and Quitangonda.

Amitermes elongatus Sjöstedt 1926, pp. 183-184, syn., loc.

Amitermes (Amitermes) elongatus Emerson 1928, p. 498, fig. 47 (sold.), Belg. Congo.

Neotenic queen, sold., work.

Angola, Belg. Congo.

Ethiopian.

***Amitermes emersoni* Light.**

Amitermes emersoni Light 1930c, pp. 187-190, pl. 11, fig. 2, pl. 12, figs. 2, 7, pl. 13, figs. 2, 8, pl. 14, fig. 7, text figs. Q-U (sold., work., dist.); 1932, pp. 375-377, figs. L, M, imago, Coachella, Salton, etc.

Winged, sold., work.

California, U. S. A.

Nearctic.

***Amitermes ensifer* Light.**

Amitermes ensifer Light 1930d, pp. 223-224, pl. 16, fig. 2, pl. 18, fig. 1 (sold., work.), W. Mexico: Jala.

Sold., work.

Mexico.

Neotropical.

***Amitermes eucalypti* Hill.**

Hamitermes eucalypti Hill, 1922, pp. 391-395, figs. 23-26, im., sold., work., No. Queensland: Magnetic Isl.

Hamitermes (Hamitermes) eucalypti Hill, 1942, pp. 316-317, fig. 234 (sold.), im., sold., work.

Holotype: sold.; morphotype: wing. and work., Hill coll.

Winged, sold., work.

Queensland.

Australian.

***Amitermes evuncifer* Silvestri.**

Hamitermes evuncifer Silvestri 1912, p. 231, fig. 8 (sold., work.), Port. Guinea: Bolma, Rio Cassine.

Hamitermes (Hamitermes) evuncifer Holmgren 1912, p. 91.

Hamitermes evuncifer Silvestri 1914-15, p. 73, fig. 41 (neotenic queen), loc.

Amitermes unidentatus subsp. *evuncifer* Sjöstedt 1926c, p. 243, im., sold., work.

Winged, neotenic queen, sold.,

work.

Senegal, Port. Guinea, Liberia,

Gold Coast, Togo, Belg.

Congo.

Ethiopian.

***Amitermes evuncifer*, var. *heterocera* Silvestri.**

Termites unidentatus Wasmann 1897, p. 164, Gold Coast.

Hamitermes evuncifer var. *heterocera* Silvestri 1914-15, p. 75, sold., work., fig. 42 (sold.), Gold Coast: Aburi, Dahomey: Cotonou.

Amitermes unidentatus subsp. *evuncifer* var. *heterocera* Sjöstedt 1926, p. 186, syn., loc.

Sold., work.

Gold Coast, Dahomey.

Ethiopian.

***Amitermes excellens* Silvestri.**

Hamitermes excellens Silvestri 1923b, pp. 309-312, pl. 12, wing., work., Brit. Guiana: Kartabo.

Amitermes (Amitermes) excellens Emerson 1925, pp. 431-432, fig. 83, im., sold.

Winged, sold.

Brit. Guiana.

Neotropical.

Amitermes exilis* Hill.Hamitermes exilis* Hill 1935, pp. 30-31, sold., work., W. Australia: Mullewa.*Hamitermes (Hamitermes) exilis* Hill 1942, pp. 318-319, fig. 235 (sold.).

Holotype: sold.; morphotype: work., C.S.I.R. coll.

Sold., work.

W. Australia.

Australian.

Amitermes foreli* Wasmann.Amitermes Foreli* Wasmann 1902b, p. 106, sold., work., Colombia.*Dentitermes Foreli* Wasmann 1901, p. 744.*Termes (Eutermes) Foreli* Desneux 1904e, p. 42, syn.*Hamitermes (Hamitermes) Foreli* Holmgren 1912, p. 91.*Termes columnaris* Dudley and Beaumont 1890, pp. 158, 176, biol., no description but nest diagnostic.*Termes columnar* Dudley and Beaumont 1890a, p. 109.*Amitermes medioides* Banks 1918, p. 663, sold., im., pl. 41, fig. 5 (sold.), Panama.

Winged, sold., work.

Colombia, Panama.

Neotropical.

Amitermes germanus* (Hill).Termes germana* Hill 1915, p. 88, sold., work., No. Terr.: Darwin.*Hamitermes germanus* Hill 1922a, p. 157, wing.*Hamitermes (Hamitermes) germanus* Hill 1942, p. 319-322, figs. 236-237 (sold.), im., sold., syn., loc.

Holotype: sold.; morphotype: wing., work., Hill coll.

Hamitermes kimberleyensis Mjöberg 1920, p. 75, figs. 38-40, im., sold., work., W. Australia.

Winged, sold., work.

No. Terr., W. Australia.

Australia.

Amitermes gunni* Fuller.Hamitermes gunni* Fuller 1922, p. 124, im., sold., So. Africa: Trappes Valley, Clumber, Bathurst.*Amitermes Gunni* Sjöstedt 1926, p. 189.

Winged, sold.

So. Africa.

Ethiopian.

Amitermes hartmeyeri* (Silvestri).Monodontermes Hartmeyeri* Silvestri 1909, p. 299, sold., work., pl. 20, figs. 147-153, W. Australia: Darwin.*Hamitermes (Monodontermes) hartmeyeri* Holmgren 1912, p. 90.*Hamitermes hartmeyeri* Mjöberg 1920, p. 125.*Hamitermes (Hamitermes) hartmeyeri* Hill 1942, pp. 322-323, fig. 238 (sold.).

Sold., work.

W. Australia.

Australian.

Amitermes hastatus* (Haviland).Termes hastatus* Haviland 1898, p. 410, im., sold., work., So. Africa: Cape: Port Elizabeth.

Type: No. 21.

Hamitermes (Hamitermes) hastatus Holmgren 1912, pp. 178-179.

Hamitermes hastatus Fuller 1922, p. 123, im., So. Africa.

Amitermes hastatus Sjöstedt 1926, p. 188, syn., loc.

Type: Mus. Cambridge and Stockholm.

Winged, sold.

So. Africa, Tanganyika.

Ethiopian.

Amitermes herbertensis Mjöberg.

Hamitermes herbertensis Mjöberg 1920, p. 78, figs. 37b, 39a (im.), 36c, 41c (sold.), im., sold., work., N. Queensland: Herberton, Cedar Creek, Atherton.

Hamitermes (Hamitermes) herbertensis Hill 1942, pp. 323-325, figs. 239-240 (im., sold.), syn., loc.

Hololectotype: sold.; morpholectotype: im., work., Hill coll.

Winged, sold., work.

Queensland.

Australian.

Amitermes heterognathus Silvestri.

Hamitermes (?) heterognathus Silvestri 1909, p. 301, pl. 20, fig. 157 (sold.), W. Australia: Day Dawn.

Hamitermes (Monodontermes) heterognathus Mjöberg 1920, pp. 89, 125, sold.

Hamitermes (Hamitermes) heterognathus Hill 1942, pp. 325-326, fig. 241 (sold.), syn., loc. Sold.

W. Australia.

Australian.

Amitermes kellyi Fuller.

Hamitermes Kellyi Fuller 1922, p. 124, wing., sold., So. Africa: Grahamtown.

Amitermes Kellyi Sjöstedt 1926, p. 189, syn., loc.

Wing., sold.

So. Africa.

Ethiopian.

Amitermes kenhardtii Fuller.

Hamitermes Kenhardtii Fuller 1922, p. 125, im., work., So. Africa: Cape Prov., Kenhardt distr.

Amitermes Kenhardtii Sjöstedt 1926, p. 190, syn., loc.

Winged, work.

So. Africa.

Ethiopian.

Amitermes lacertosus Ghidini.

Amitermes lacertosus Ghidini 1941, pp. 32-33, sold., work., Ethiopia: Murle.

Sold., work.

Ethiopia.

Ethiopian.

Amitermes latidens Mjöberg.

Hamitermes latidens Mjöberg 1920, p. 88, figs. 43a, 44 (sold.), sold., work., Queensland: Alice River (Cape York Peninsula).

Hamitermes (Hamitermes) latidens Hill 1942, pp. 327-328, fig. 242 (sold.), syn., loc., nymph im. described.

Hololectotype: sold.; morpholectotype: work., Hill coll.

Sold., work.

Queensland.

Australian.

***Amitermes lativentris* Mjöberg.**

Hamitermes lativentris Mjöberg 1920, p. 86, im., sold., work., fig. 39d (sold.), So. Queensland: Christmas Creek.

Hamitermes (Hamitermes) lativentris Hill 1942, pp. 328-329, figs. 243-244 (im., sold.), syn., loc.

Wing., sold., work.

Queensland.

Australian.

***Amitermes laurensis* Mjöberg.**

Hamitermes laurensis Mjöberg 1920, pp. 74, 120, sold., work., fig. 38b (sold.), Queensland: Cape York Peninsula, Laura, Coleman River.

Hamitermes (Hamitermes) laurensis Hill 1942, pp. 330-333, wing., sold., figs. 245-246 (im., sold.), syn., loc.

Cotypes: Natural Hist. Mus., Stockholm.

Hamitermes perplexus Hill 1922, p. 381, figs. 16-18, sold., work., Queensland.

Hamitermes wilsoni Hill 1922a, p. 159 (new name for *perplexus*).

Hamitermes meridionalis Mjöberg 1920, pp. 68, 73, fig. 37a (sold.), part only, Queensland: Cape York Penins., Laura only.

Winged, sold., work.

Queensland.

Australian.

***Amitermes libertatis* Fuller.**

Hamitermes libertatis Fuller 1922, p. 124, im., sold., syn., So. Africa: Orange Free State, Bloemfontein.

Amitermes libertatis Sjöstedt 1926, p. 190, syn., loc.

Winged, sold.

So. Africa.

Ethiopian.

***Amitermes limpopoensis* Fuller.**

Hamitermes limpopoensis Fuller 1922, p. 124, im., sold., So. Africa: No. Transvaal, Zand and Limpopo Rivers.

Amitermes limpopoensis Sjöstedt 1926, p. 190.

Winged, sold.

So. Africa.

Ethiopian.

***Amitermes londonensis* Fuller.**

Hamitermes londonensis Fuller 1922, p. 124, im., sold., work., Cape: East London.

Amitermes londonensis Sjöstedt 1926, p. 189, syn., loc.

Winged, sold., work.

So. Africa.

Ethiopian.

***Amitermes lönnbergianus* (Sjöstedt).**

Eutermes lönnbergianus Sjöstedt 1911c, p. 2, sold., work., Brit. E. Africa: somewhat north of Guaso Nyero.

Amitermes lönnbergianus Sjöstedt 1926, p. 183, pl. 8, fig. B (sold.), syn., loc.

Sold., work.

Brit. E. Africa.

Ethiopian.

Amitermes macrocephalus Ghidini.***Amitermes macrocephalus*** Ghidini 1941, p. 31, sold., Ethiopia: El Dire.

Sold.

Ethiopia.

Ethiopian.

Amitermes meridionalis (Froggatt).***Termes meridionalis*** Froggatt 1897, p. 726, sold., work., biol., No. Terr.: Palmerston, Port Darwin.***Termes (Eutermes) meridionalis*** Desneux 1904e, p. 45, syn.***Hamitermes meridionalis*** Silvestri 1909, p. 303, pl. 20, figs. 172-174.***Hamitermes meridionalis*** Mjöberg 1920, pp. 68, 73, fig. 37a (sold.), part only—not Cape York Penins. loc.***Hamitermes (Hamitermes) meridionalis*** Hill 1942, pp. 333-336, im., sold., biol., figs. 247-248 (im., sold.), pl. 17 (nests), syn., loc.

Holoneotype: sold.; morphoneotype: wing. and work. from nest at type local., C.S.I.R. coll.

Winged, sold., work.

No. Terr.

Australian.

Amitermes meruensis (Sjöstedt).***Eutermes meruensis*** Sjöstedt 1911b, p. 177, im., sold., work., Tanganyika: Meru, region of Nyjki, Kilimandjaro, Kibonoto.***Hamitermes (Hamitermes) meruensis*** Holmgren 1912, p. 93, fig. 59 (sold. mand.).***Amitermes meruensis*** Sjöstedt 1926, p. 186, pl. 8, fig. A, text fig. 38 (sold.), syn., loc.

Winged, sold., work.

Tanganyika.

Ethiopian.

Amitermes messinae Fuller.***Hamitermes messinae*** Fuller 1922, p. 125, im., sold., work., So. Africa: No. Transvaal, Messina.***Amitermes Messinae*** Sjöstedt 1926, p. 191, syn., loc.

Winged, sold., work.

So. Africa.

Ethiopian.

Amitermes minimus Light.***Amitermes minimus*** Light 1932, pp. 377-378, pl. 9, figs. 3, 4, 7, figs. N and Q.***Amitermes wheeleri*** Banks (and Snyder) 1920, p. 59, ex parte sold., Brownsville and San Antonio, Tex.***Amitermes wheeleri*** Snyder 1924c, p. 33, pl. 1, fig. 9 (winged).***Amitermes wheeleri*** Light 1930b, p. 455 (in key).***Amitermes wheeleri*** Light 1930c, p. 195-199, figs. AA-DD (sold., work.), fig. EE, dist.***Amitermes wheeleri*** Light 1930d, p. 218 (in key).

Winged, sold., work.

Tex., Ariz., Nev., Calif., U. S. A.

Nearctic.

Amitermes minor Holmgren.***Hamitermes (Hamitermes) minor*** Holmgren 1913-14, p. 273, im., sold., work., E. Sumatra: Soengei Bamban.

Winged, sold., work.

Sumatra.

Indo-Malayan.

Amitermes modicus Hill.

Hamitermes (Hamitermes) modicus Hill 1942, pp. 357-358, fig. 270 (sold.), New So. Wales: Griffith, So. Australia: 22 miles north of Hawker. Holotype: sold. and associated workers, C.S.I.R. coll.

Sold., work.

N. S. Wales, So. Australia.

Australian.

Amitermes murraysburgi Fuller.

Hamitermes murraysburgi Fuller 1922, p. 125, im., work., So. Africa: Cape Prov., Murraysburg.

Amitermes Murraysburgi Sjöstedt 1926, p. 190, syn., loc.

Winged, work.

So. Africa.

Ethiopian.

Amitermes neogermanus Hill.

Hamitermes neogermanus Hill 1922, p. 390, sold., work., fig. 22 (sold.), So. Australia: Mt. Lofty Ranges; 1935, p. 14, figs. 1-6 (imago).

Hamitermes (Hamitermes) neogermanus Hill 1942, pp. 336-338, figs. 249-250 (im., sold.), syn., loc.

Termes meridionalis Froggatt 1897, p. 726, sold., work., biol., N. S. Wales: Moree only; 1905a, pp. 11, 27, 29, sold., biol., N. So. Wales only.

Hamitermes meridionalis Mjöberg 1920, pp. 68, 73, sold., So. Australia, N. So. Wales only.

Hamitermes perplexus var. *victoriensis* Hill 1922, p. 388, dealated male (king), sold., Victoria: Preston.

Hamitermes wilsoni var. *victoriensis* Hill 1925, p. 91, im., sold.

Holotype: sold.; morphotype: work., South Australian Mus.; morphotype: wing., C.S.I.R. coll.

Winged, sold., work.

So. Australia, West Australia,

Victoria, Austral. Capital Territory, Canberra, N. So.

Wales, Queensland.

Australian.

Amitermes obeuntis Silvestri.

Hamitermes obeuntis Silvestri 1909, pp. 301-331, pl. 20, figs. 158-171, queen, sold., work., W. Australia: Mundaring, Serpentine, Albany.

Hamitermes obeuntis Mjöberg 1920, pp. 68, 120.

Hamitermes (Hamitermes) obeuntis Hill 1942, pp. 339-341, figs. 251-252, syn., loc.

Leucotermes clarki Hill 1922 (partim), p. 395, fig. 27, winged.

Morphotype: wing., Hill coll.

Winged, queen, neotenic, reprod.,

sold., work.

W. Australia.

Australian.

Amitermes obtusidens Mjöberg.

Hamitermes obtusidens Mjöberg 1920, pp. 67-68, 83, im., sold., work., figs. 40b, 42a (im., sold.), S. Queensland: Colosseum.

Hamitermes (Hamitermes) obtusidens Hill 1942, pp. 341-343, figs. 253-254 (im., sold.),
syn., loc.
Hololectotype: sold.; morpholectotype: wing., work.,
Hill, coll.

Winged, sold., work.
Queensland, W. Australia.

Australian.

Amitermes pallidus Light.

Amitermes pallidus Light 1932, pp. 385-387, figs. R and S.

Amiatermes californicus Banks (and Snyder) 1920, p. 62, winged, Arizona: Sabino Canyon.
Winged.

Arizona, U. S. A.

Nearctic.

Amiatermes parvulus Light.

Amiatermes parvulus Light 1932, pp. 379-380, figs. Z, AA, and WW.

Amiatermes arizonensis Banks (and Snyder) 1920, p. 56, winged (in part).

Winged, sold.

Texas, Arizona, U. S. A.

Nearctic.

Amiatermes parvus Hill.

Hamitermes parvus Hill 1922, pp. 378-381, figs. 13-15, wing., sold., work., No. Queensland:
Townsville.

Hamitermes (Hamitermes) parvus Hill 1942, pp. 343-344, figs. 255-256 (im., sold.), syn.,
loc.

Holotype: winged; morphotype: sold., work., Hill coll.

Winged, sold., work.

Queensland.

Australian.

Amiatermes paucinervius (Silvestri).

Eutermes paucinervius Silvestri 1908, p. 81, pl. 10, figs. 61-65, im., So. Africa: Kalahari,
Khakhea.

Eutermes (Subulitermes?) paucinervius Holmgren 1912, p. 64.

Hamitermes paucinervius Fuller 1922, pp. 123, 127.

Amiatermes paucinervius Sjöstedt 1926, p. 189, syn., loc.

Winged.

So. Africa.

Ethiopian.

Amiatermes pavidus Hill.

Hamitermes (Hami.) pavidus Hill 1942, pp. 358-360, figs. 271-272 (im., sold.), Townsville
Town Common.

Holotype: wing.; morphotype: sold., C.S.I.R. coll.

Winged, sold.

Queensland.

Australian.

Amiatermes perarmatus (Silvestri).

Monodontermes perarmatus Silvestri 1909, p. 300, pl. 19, figs. 143-146 (sold.), W. Australia:
Yalgoo.

Hamitermes (Monodont.) perarmatus Holmgren 1912, p. 90; Mjöberg 1920, p. 67 (sold.).

Hamitermes (Hami.) perarmatus Hill 1942, pp. 344-345, fig. 257 (sold.), syn., loc.

Sold.

W. Australia.

Australian.

***Amitermes perelegans* Hill.**

Hamitermes perelegans Hill 1935, pp. 25-27, figs. 27-31, im., sold., work., No. Terr.: Marrakai.

Hamitermes (Hami.) perelegans Hill 1942, pp. 345-347, figs. 258-260 (im., sold.), No. Terr. Holotype: wing.; morphotype: sold., work., C.S.I.R. coll.

Winged, sold., work.

No. Terr.

Australian.

***Amitermes ravus* Hill.**

Hamitermes (Hami.) ravus Hill 1942, pp. 360-361, fig. 273 (sold.), Queensland: Rolling stone, etc.

Holotype: sold., and associated work.

Sold., work.

Queensland.

Australian.

***Amitermes runconifer* Silvestri.**

Hamitermes runconifer Silvestri 1908, p. 77, pl. 9, figs. 28-40, im., queen., sold., work., Kalahari, Mooa-Sekgoma, So. Africa.

Hamitermes (Hami.) runconifer Holmgren 1912, p. 93, fig. 62 (sold. mandible).

Hamitermes runconifer Fuller 1922, p. 123, sold.

Amitermes runconifer Sjöstedt 1926, pp. 186-187, syn., loc.

Winged, queen, sold., work.

So. Africa: Kalahari, ? Zulu-

land, S. W. Africa: Oka-
handja, Neudanm.

Ethiopian.

***Amitermes santschi* Silvestri.**

Hamitermes Santschi Silvestri 1911, p. 105, sold., work., fig. 1 (sold., work.), Tunis: Kairouan, Cheri-Chera.

Amiatermes Santschi Sjöstedt 1926, p. 187, syn., loc.; Menozzi 1940, p. 248, Tripoli.

Sold., work.

Tunis, Tripoli, Africa.

Palaearctic.

***Amitermes schoombiensis* Fuller.**

Hamitermes schoombiensis Fuller 1922, p. 124, wing., sold., So. Africa: Schoombia (Middleburg distr.).

Amiatermes schoombiensis Sjöstedt 1926, p. 190, syn., loc.

Winged, sold.

So. Africa.

Ethiopian.

***Amitermes sciangallorum* Ghidini.**

Amiatermes sciangallorum Ghidini 1941, pp. 31-32, sold., work., Ethiopia: Murlè.

Sold., work.

Ethiopia.

Ethiopian.

***Amitermes scopulus* Mjöberg.**

***Hamitermes scopulus* Mjöberg** 1920, pp. 68, 81, sold., work., fig. 42b (sold.), N. Queensland: Laura (Cape York Peninsula).

***Hamitermes (Hami.) scopulus* Hill** 1942, pp. 347-348, fig. 261 (sold.), syn., loc.

Cotypes: sold., work., Natural Hist. Mus., Stockholm, and Hill coll.

Sold., work.

N. Queensland.

Australian.

***Amitermes seminotus* (Silvestri).**

***Eutermes* (sens. lat.) *seminotus* Silvestri** 1908, p. 80, pl. 10, figs. 54-60 (im.), So. Africa: Kalahari, Kooa.

***Hamitermes seminotus* Fuller** 1922, pp. 123, 127, winged.

***Amitermes seminotus* Sjöstedt** 1926, p. 189, syn., loc.

Winged.

So. Africa.

Ethiopian.

***Amitermes silvestrianus* Light.**

***Amitermes silvestrianus* Light** 1930c, pp. 190-191, pl. 14, figs. 2, 4, 6, 8 (sold., work.), California: upper Coachella Valley; 1932, pp. 380-383, pl. 9, figs. 1, 2, 8, 12, 13, figs. O, P, winged.

Winged, sold., work.

California, U. S. A.

Nearctic.

***Amitermes snyderi* Light.**

***Amitermes snyderi* Light** 1930c, pp. 192-195, pl. 11, fig. 14, pl. 12, figs. 4, 9, pl. 13, figs. 4, 10, figs. V-Y (sold., work.), fig. Z (dist.), California: Mojave and Colorado deserts, 1,000-2,000 ft. elev.

Sold., work.

California, U. S. A.

Nearctic.

***Amitermes somaliensis* Sjöstedt.**

***Amitermes somaliensis* Sjöstedt** 1927, p. 102, sold., work., fig. 4 (sold.), Somaliland: Villagio Duca Abruzzi.

Type: Mus. Stockholm.

***Amitermes somaliensis* Ghidini** 1938, p. 231, remarks.

Sold., work.

Somaliland (Brit. N. E. Africa).

Ethiopian.

***Amitermes spinifer* Silvestri.**

***Hamitermes spinifer* Silvestri** 1914-15, p. 75, sold., work., fig. 43 (sold., work.), Senegal: Dakar, Thiès.

***Amitermes spinifer* Sjöstedt** 1926, p. 187, syn., loc.

Sold., work.

Senegal.

Ethiopian.

Amitermes unidentatus (Wasmann).

Termes unidentatus Wasmann 1897, p. 163, pl. 11, fig. 9 (sold.), Bawi, Zanzibar.
Type: Mus. Stockholm, Wasmann coll.

Amitermes unidentatus Sjöstedt 1926, pp. 184-185, syn., loc.; 1926a, p. 5, Gold Coast;
1926b, pp. 152-153, wing.

Winged, sold., work.

Zanzibar, Isl. Fundu (near W.
Pemba), Rhodesia, S. E.
Africa (Bangui), Belgian
Congo, Gold Coast.

Ethiopian.

Amitermes vilis (Hagen).

Termes vilis Hagen 1858, p. 185, im., Persia: near Schiraz; Jacobson 1904, p. 71, fig. 11, im.
Termes (Leucotermes) vilis Desneux 1904e, p. 33, syn.

Leucotermes vilis Holmgren 1911a, p. 69, Persia and Transcaspia.

Hamitermes (Hami.) vilis Holmgren 1912, p. 91, syn.

Type: Mus. Vienna.

Hamitermes vilis Silvestri 1923a, p. 261, Jebel Haurin, N. E. of Bagdad.

Winged.

Persia, Transcaspia.

Palaearctic.

Amitermes vitiosus Hill.

Hamitermes vitiosus Hill 1935, p. 23, figs. 21-26, wing., sold., work., No. Terr. and
Queensland.

Hamitermes (Hami.) vitiosus Hill 1942, pp. 348-352, figs. 262-263 (im., sold.), syn., loc.
Holotype: sold.; morphotype: wing. and work., C.S.I.R.
coll.

Termes meridionalis Froggatt 1897, p. 726, sold., work., Queensland only; 1905a, pp. 11,
27, 29, sold., Queensland only; 1907, p. 26, Queensland
only.

Hamitermes meridionalis Mjöberg 1920, pp. 68, 73, sold. (part only ?), Queensland:
(Cape York Penins., Laura).

Winged, sold., work.

No. Terr., Queensland.

Australian.

Amitermes westraliensis Hill.

Hamitermes westraliensis Hill 1929, pp. 85-87, pl. 14, figs. 1, 2 (wing., sold., work.), West.
Australia: Darlot.

Hamitermes (Hami.) westraliensis Hill 1942, pp. 353-354, figs. 264-265 (im., sold.), syn.,
loc.

Holotype: sold.; morphotype: wing., and work., Hill
coll.

Winged, sold., work.

W. Australia.

Australian.

Amitermes wheeleri (Desneux).

Termes wheeleri Desneux 1906, p. 340, sold., work., Belton, Texas.

Type: Mus. Paris ?; paratype: (sold., work.), Texas,
A.M.N.H., New York.

Amitermes wheeleri Banks (and Snyder) 1920, p. 59, sold., fig. 45 (1) (sold.), fig. 46 (map dist.); (Banks) and Snyder 1920, p. 184 (biol.), pl. 7 (damage), pl. 8, fig. 5 (worker leg) [Brownsville and San Antonio records are *Amitermes minimus*] ex type A.M.N.H.

Amitermes (A.) wheeleri Light 1932, pp. 359, 366-369, 390, figs. E, F, and I, im., sold., Tex., Calif., Mex.; 1934, p. 160, loc., Ariz.

Amitermes arizonensis Banks (and Snyder) 1920, p. 56, im. only, p. 182, biol., im. only, Arizona.

Amitermes californicus Banks (and Snyder) 1920, p. 62, sold. only, fig. 47 (map dist.), fig. 45 (2) (sold.), (Banks) and Snyder 1920, p. 185 biol., sold. only, pl. 8, fig. 4 (worker), Calif. [imago is *Amitermes pallidus*]; Light 1930c, p. 184, sold., work., p. 179, sold., p. 187, biol., fig. LO (sold., work.), fig. P (map dist.), pl. 11, fig. 1 (sold.), pl. 12, figs. 1, 6 (sold. and work. mand.), p. 186, dist., Calif.; 1930d, p. 224, biol., pl. 17, figs. 3, 4 (sold.), Mexico.

Amitermes (A.) californicus Light 1931a, pp. 5, 9, remarks, syn., Nevada.

Amitermes (A.) parvipunctus Light 1932, p. 359, syst., p. 388, p. 390, im., figs. T and U (im.), Uvalde, Tex.

Amitermes (A.) parvulus Light 1932, pp. 359, 379-380, 390, im., from Arizona only.

Amitermes (A.) spadix Light 1932, p. 359, syst., pp. 388-389, p. 390, im., figs. V and W, Uvalde, Tex.

Amitermes tubiformans Banks (and Snyder) 1920, p. 55, im. only, Uvalde, Tex., fig. 4I; (Banks) and Snyder 1920, p. 179, im. only.

Winged, sold., work.

Tex., N. Mex., Ariz., Nev.,
Calif., U. S. A.; Mexico.

Nearctic and Neotropical.

Amitermes xylophagus Hill.

Hamitermes xylophagus Hill 1935, pp. 18-20, figs. 11-15, im., sold., work., Australian Capital Terr.: Canberra and vicinity.

Hamitermes (Hami.) xylophagus Hill 1942, pp. 354-356, figs. 266-268 (im., sold.), syn., loc. Holotype: sold.; morphotype: winged and work., C.S.I.R. coll.

Winged, sold., work.

Australian Capital Terr., New
So. Wales, Victoria, ?So.
Australia.

Australian.

Amitermes zuurbergi Fuller.

Hamitermes zuurbergi Fuller 1922, p. 124, im., sold., So. Africa: Zuurberg (Somerset East).

Amitermes Zuurb ergi Sjöstedt 1926, p. 189, syn., loc.

Winged, sold.

So. Africa.

Ethiopian.

GNATHAMITERMES

Genus *Gnathamitermes* Light.

Generitype: *Gnathamitermes perplexus* (Banks).

=Subgenus *Gnathamitermes* Light 1932, pp. 390-394.

[?=?Amitermes].

Gnathamitermes grandis (Light).

Amitermes grandis Light 1930d, p. 220-221, pl. 16, figs. 1 and 4, pl. 17, fig. 1, pl. 18, fig. 4
 (sold., work.), W. Mexico: 10 kilos no. of Tepic
 and La Venta (20 kilos west of Guadalajara).

Sold., work.

W. Mexico.

Neotropical.

Gnathamitermes nigriceps (Light).

Amitermes nigriceps Light 1930d, pp. 219-220, pl. 16, fig. 15, pl. 18, fig. 2 (sold., work.),
 W. Mexico: Jala, 21 kilos w. of Colima.

Sold., work.

W. Mexico.

Neotropical.

Gnathamitermes perplexus (Banks).

Amitermes (?) perplexus Banks (and Snyder) 1920, p. 63, im. (in part), Texas.
 Type: wing., U.S.N.M. No. 21868; paratype: wing.,
 M.C.Z. No. 10533.

Amitermes perplexus Light 1932, pp. 394-397, figs. BB-FF, OO, and PP, syn.

Amitermes (G.) acrognathus Light 1932, pp. 359, 391, 393, 398, im., sold., Texas, figs. GG,
 HH, and QQ.

Amitermes (G.) acutus Light 1932, pp. 359, 391, 398, fig. SS (sold.), Cal., Ariz., Nev.

Amitermes arizonensis Banks (and Snyder) 1920, p. 59, sold., in part at least [winged
 are *A. parvulus* in part], Ariz.; Light 1930c, pp. 181-
 184, pls. 10-12, sold., Ariz., Calif.; 1930d, pp. 217-218,
 Mexico.

Amitermes (?) confusus Banks (and Snyder) 1920, p. 65, im., Oracle, Ariz.

Amitermes (G.) fuscus Light 1932, p. 356, loc., pp. 359, 393, 400-401, figs. KK and
 LL, im., Calif.: Beaumont.

Amitermes (G.) infumatus Light 1932, pp. 359, 391, 402-405, fig. RR, sold., Calif.;
 1933, pp. 140-141.

Amitermes (G.) magnoculus Light 1932, pp. 356, 359, 393, 406-408, figs. MM and NN,
 pl. 1, figs. 5, 6, 10, 11, im., Calif.: Calexico.

Winged, sold., work.

Tex., Ariz., Nev., Calif., U. S. A.;

Mexico.

Nearctic and Neotropical.

Gnathamitermes tubiformans (Buckley).

Termes tubiformans Buckley 1863, p. 213, sold., work., Texas: Lampasas.

Type: lost.

Amitermes tubiformans Wasmann 1902b, p. 123.

Termes (Eutermes) tubiformans Desneux 1904e, p. 46, syn.; 1906, p. 338, im., sold., work.

Hamitermes (Hami.) tubiformans Holmgren 1912, p. 91.

Amitermes tubiformans Banks (and Snyder) 1920, p. 55, sold., work.

Amitermes tubiformans Light 1930c, p. 195, figs. A and B, fig. sold., p. 175; 1932, pp. 408-
 409, fig. TT (sold.), syn.

?*Amitermes (?) perplexus* Banks (and Snyder), 1920, p. 63, im. in part, Texas (not
Termes tubiformans Desneux 1905).

Winged, sold., work.

Texas, New Mexico; Northern

Mexico.

Nearctic.

SYNHAMITERMES

Genus *Synhamitermes* Holmgren.

Generitype: *Synhamitermes quadriceps* (Wasmann).

=Subgenus *Synhamitermes* Holmgren 1912, pp. 91, 89.

***Synhamitermes brevicorniger* (Silvestri).**

Amitermes brevicorniger Silvestri 1901, p. 4, sold., Argentina: Cosquin (Córdoba); 1903, p. 45, sold., Matto Grosso, Corumbá; Argentina: Cernadas (Cordoba), S. Luis, Puerto Piramide (Chubut, Patagonia).

Hamitermes brevicorniger Silvestri 1903, p. 115 (biol.), pl. 2, figs. 64-69 (nymph, sold., work.).

Termes (Eutermes) brevicorniger Desneux 1904e, p. 41, syn., Brazil, Argentina.

Hamitermes (Synhamitermes) brevicorniger Holmgren 1912, p. 91, fig. 58 (sold.), p. 93, fig. 67 (sold. mand.), pl. 4, fig. 23 (sold.), Chile.

Sold.

Argentina, Brazil, Chile.

Neotropical.

***Synhamitermes ceylonicus* (Holmgren).**

Hamitermes quadriceps Holmgren 1911c, p. 205, pl. 2, fig. T, sold. and work., Ceylon: Peradeniya.

Hamitermes (Synhamitermes) ceylonicus Holmgren 1913b, p. 225, sold., work., pl. 8, fig. 21 (sold.); John 1925, p. 407, wing., queen.

Winged, queen, sold., work.

Ceylon.

Indo-Malayan.

***Synhamitermes quadriceps* (Wasmann).**

Amitermes quadriceps Wasmann 1902b, p. 123, sold., work., nymph, pl. 4, fig. 5 (sold.), India: Khandala (near Bombay).

Termes (Eutermes) quadriceps Desneux 1904e, p. 44, syn.

Hamitermes (Synhamitermes) quadriceps Holmgren 1912, p. 91, pl. 25 (sold.); 1913b, p. 224, sold., work.

Sold., work.

India.

Indo-Malayan.

GLOBITERMES

(Globe)
Genus *Globitermes* Holmgren.

Generitype: *Globitermes globosus* (Haviland).

=Subgenus *Globitermes (Hamitermes)* Holmgren 1912, pp. 92, 88.

=Genus *Globitermes* Silvestri 1914, p. 432.

***Globitermes audax* Silvestri.**

Globitermes audax Silvestri 1914, p. 432, sold., work., fig. 7, 8₂ (sold.), 8₃ (work.), Burma: Moulmein.

Amitermes (Globitermes) birmanicus Snyder 1934a, pp. 17-18, fig. 9 (sold.), Burma: Zibyaung, W. Salween.

Sold., work.

Burma.

Indo-Malayan.

Globitermes globosus (Haviland).

Termes globosus Haviland 1898, p. 409, wing., sold., work., Borneo: Mt. Lambir.

Termes (Eutermes) globosus Desneux 1904e, p. 42, syn., Sarawak.

Hamitermes (Globitermes) globosus Holmgren 1912, p. 93, fig. 64 (sold. mandible).

Globitermes globiceps (misspelled) Holmgren 1912, pl. 4, fig. 26 (sold.).

Hamitermes (Globi.) globiceps Holmgren 1913b, p. 229, im., sold., work., pl. 8, fig. 17 (sold.),
Borneo: Mt. Lambir, Sarawak.

Winged, sold., work.

Borneo.

Indo-Malayan.

Globitermes globosus, form *depilis* (Holmgren).

Hamitermes (Globi.) globosus, forma *depilis* Holmgren 1913b, im., sold., work., Borneo:
Mt. Lambir.

Winged, sold., work.

Borneo.

Indo-Malayan.

Globitermes sulphureus (Haviland).

Termes sulphureus Haviland 1898, p. 405, winged, sold., work., pl. 24, figs. 42-44, Malay
Penins.: Perak, Selangor, Malacca.

Termes (Eutermes) sulphureus Desneux 1904e, p. 45, syn.

Hamitermes (Globitermes) sulphureus Holmgren 1912, p. 87, fig. 56 (im. mandibles), p. 93,
fig. 63 (sold. mandibles); 1913b, p. 231, im., sold.,
work.; 1913-14, pp. 273-274, Malacca, Penang; John
1925, pp. 408-409, pls. 22, 25, wing., neotene, sold.,
work., loc.

Termes annamensis Desneux 1904a, p. 148, sold., work., Annam.

Hamitermes (Globi.) annamensis Holmgren 1913b, p. 232, sold., work., pl. 8, fig. 16
(sold.), Annam: Mus. Vienna, Stockholm.

Winged, neotene, sold., work.

Malay Penins., Annam.

Indo-Malayan.

Globitermes vadaensis Kemner.

Globitermes vadaensis Kemner 1934, pp. 111-114, figs. 23-24 (sold.), E. Java: (Vada near
Tjandjoer).

Sold.

Java.

Indo-Malayan.

AHAMITERMESGenus *Ahamitermes* Mjöberg.

Generitype: *Ahamitermes nidicola* Mjöberg.

=Genus *Ahamitermes* Mjöberg 1920, p. 89.

=Genus *Ahamitermes* Nicholls 1929, p. 20.

<Subgenus *Ahamitermes* Hill 1942, pp. 10, 14, 310, 361.

Ahamitermes hillii Nicholls.

Ahamitermes hillii Nicholls 1929, pp. 19-22, pl. 3 (im., sold., work.), W. Australia: Kal-
goorlie and Karramindie.

Hamitermes (Ahami.) hillii Hill 1942, pp. 362-363, figs. 274-275 (im., sold.), syn., loc.

Hololectotype: wing.; morpholectotype: sold., work.,
C.S.I.R. coll.

Winged, sold., work.

W. Australia.

Australian.

Ahamitermes nidicola Mjöberg.

Ahamitermes nidicola Mjöberg 1920, p. 80, sold., figs. 41a, 43b (sold.), Cape York Penins.: Alice Riv., Queensland.

Hamitermes (Ahami.) nidicola Hill 1942, pp. 363-364, figs. 276-278 (im., sold.), syn., loc. Holotype: sold., Natural Hist. Mus., Stockholm; morphotype: wing., C.S.I.R. coll.

Winged., sold.
Queensland.

Australian.

Ahamitermes pumilus (Hill).

Hamitermes (Ahami.) pumilus Hill 1942, pp. 366-367, figs. 279-280 (im., sold.), New South Wales: Mt. Lindsay (near Queensland border).
Holotype: sold., C.S.I.R. coll.

Winged, sold.
N. S. Wales.

Australian.

PSEUDOMICROTERMESGenus **Pseudomicrotermes** Holmgren.

Generitype: **Pseudomicrotermes alboniger** (Wasmann).

=Genus **Pseudomicrotermes** Holmgren 1912, p. 126.

=Genus **Pseudomicrotermes** Sjöstedt 1926, p. 208.

=Genus **Pseudomicrotermes** Emerson 1928, pp. 409, 418.

Pseudomicrotermes alboniger (Wasmann).

Microtermes alboniger Wasmann 1911a, p. 103, im., sold., work., Belg. Congo: Sankuru.

Pseudomicrotermes alboniger Holmgren 1912, p. 126, fig. 88 (sold.), pl. 4, fig. 32 (im.), fig. 33 (sold.); Sjöstedt 1926, pp. 208-209, pl. 7, fig. N (sold.).

Winged, sold., work.
Congo.

Ethiopian.

EREMOTERMES

(Desert)

Genus **Eremotermes** Silvestri.

Generitype: **Eremotermes indicatus** Silvestri.

=Genus **Eremotermes** Silvestri 1911, p. 108.

=Genus **Eremotermes** Holmgren 1912, pp. 95, 77.

=Genus **Pseudomirotermes** Holmgren 1912, in litt., p. 81.

=Genus **Eremotermes** Holmgren, K. and N. 1917, p. 166.

=Genus **Eremotermes** Sjöstedt 1926, p. 209.

Eremotermes fletcheri Holmgren, K. and N.

Eremotermes fletcheri Holmgren K. and N. 1917, p. 167, im., sold., work., India: Coimbatore.

Winged, sold., work.
India.

Indo-Malayan.

Eremotermes indicatus Silvestri.

Eremotermes indicatus Silvestri 1911, p. 108, fig. 3, nymph, sold., work., Tunis: Kairouan; Sjöstedt 1926, p. 209, fig. 42 (sold.); Menozzi 1940, pp. 248-251, wing., figs. 1-2, Tripoli.

Winged, sold., work.
Tunis, Tripoli.

Palearctic.

Eremotermes paradoxalis Holmgren.

Eremotermes paradoxalis Holmgren 1912, p. 95, pl. 4, fig. 28 (sold.), So. India: Bangalore.
Eremotermes paradoxalis Holmgren 1913a, pp. 115-116, sold., work.¹⁻², Bangalore; 1913b,
 p. 232, sold., work., pl. 8, fig. 22 (sold.), So. India: Bangalore; Holmgren, K. and N. 1917, p. 166, Coim-
 batore, Central Provinces: Hoshangabad; Bihar, Pusa.

Winged, sold., work.¹⁻²

India.

Indo-Malayan.

MICROCEROTERMES**Genus Microcerotermes Silvestri.**

Generitype: **Microcerotermes strunckii** (Sörensen).

=Genus **Microcerotermes Silvestri** 1901, p. 3; 1903, p. 41.

=Genus **Microcerotermes Wasmann** 1902b, p. 119.

=Genus **Microcerotermes Holmgren** 1910a, pp. 145-146 (no description, list of species).

=Genus **Microcerotermes Holmgren** 1912, p. 121 (misspelled *Microtermes*).

=Genus **Microcerotermes Fuller** 1924, pp. 277-280 (replaces *Eutermes*).

=Genus **Microcerotermes Sjöstedt** 1926, p. 193.

<Genus **Termes** (*Eutermes*) Hagen 1858, pp. 107, 186, 205.

<Genus **Termes** (missp. *Eutermes*) Hagen 1858a, pp. 16, 25.

<Genus **Termes** (*Eutermes*) Hagen 1861, pp. 3-4.

<Genus **Termes** Desneux 1904e, pp. 26, 28.

<Subgenus **Eutermes** Desneux 1904e, pp. 32, 35.

=Genus **Eutermes** Banks 1919, p. 479.

=Genus **Eutermes** Banks (and Snyder) 1920, p. 8 (replaces *Microcerotermes*).

=Genus **Microcerotermes Emerson** 1925, p. 453; Snyder 1926d, p. 71.

Microcerotermes acerbus (Sjöstedt).

Eutermes acerbus Sjöstedt 1911b, p. 180, sold., Sierra Leone.

Microcerotermes acerbus Holmgren 1912, p. 122.

Microcerotermes acerbus Sjöstedt 1926, p. 198, syn., loc.

Sold.

Sierra Leone.

Ethiopian.

Microcerotermes algoasinensis Fuller.

Microcerotermes algoasinensis Fuller 1925a, pp. 240-241, wing., sold., Port Elizabeth.

Winged, sold.

So. Africa.

Ethiopian.

Microcerotermes amboinensis Kemner.

Microcerotermes amboinensis Kemner 1931, pp. 26-33, wing., sold., work., fig. 8 (wing.),
 fig. 9 (sold.), Amboina.

Microcerotermes distans Oshima, 1914b, p. 584, pl. 10, fig. 5 (sold.), Moluccas: Ambon.

Wing., sold., work.

Amboina.

Papuan.

Microcerotermes annandalei Silvestri.

Microcerotermes annandalei Silvestri 1923, pp. 225-228, winged female, work.¹⁻², Barkuda Isl.

Winged, work.¹⁻²

India.

Indo-Malayan.

Microcerotermes apricitatis Fuller.

Microcerotermes apricitatis Fuller 1925a, p. 224, wing., sold., Pretoria.

Wing., sold.

So. Africa.

Ethiopian.

Microcerotermes arboreus Emerson.

Microcerotermes arboreus Emerson 1925, p. 311, sold., pp. 453-455, fig. 94, im., queen, sold., work., Brit. Guiana, Kartabo.

Holotype: winged; morphotype: sold., N. Y. Zool. Soc.

Eutermes arboreus Snyder 1925, p. 193, loc., Canal Zone: Barro Colorado Isl.; 1925b, p. 162, loc.

Microcerotermes arboreus Snyder 1926d, p. 72, Bolivia.

Termes morio Burmeister 1839, p. 767, Brazil.

Termes (Eutermes) debilis Hagen 1858, p. 205, im., sold., pl. 3, fig. 30, im., Porto Rico, Brazil: Congonhas; 1858a, p. 28, im., Porto Rico, Brazil.

Termes (Eutermes) debilis Desneux 1904e, p. 41, syn., Brazil.

Eutermes debilis Banks 1918, p. 663, im., sold., pl. 11, fig. 7 (sold.), fig. very poor (probably *Heterotermes tenuis*), Panama; 1919, p. 482, Porto Rico, Panama.

Eutermes debilis Dietz and Snyder 1924, p. 291, biol., Panama.

Eutermes debilis Snyder and Zetek 1924, p. 3, loc., Canal Zone: Ancon, Rep. Panama, Taboga Isl.

Nasutitermes (Nasutitermes) aurantiacus Snyder 1926d, p. 27 (queen only).

?**Termes albidus** Dudley and Beaumont 1890, p. 161, biol., Panama.

Wing., queen, sold., work.

Brit. Guiana, Brazil, Bolivia,

Panama, Honduras, Puerto

Rico, Trinidad.

Neotropical.

Microcerotermes barbertoni Fuller.

Microcerotermes barbertoni Fuller 1925a, p. 225, sold., Transvaal.

Sold.

So. Africa.

Ethiopian.

Microcerotermes beesoni Snyder.

Microcerotermes beesoni Snyder 1933a, pp. 12-14, fig. 7, winged, India: Haldwani, U. P. Cotypes: wing., Brit. Mus. and U.S.N.M. No. 44106; 1934a, pp. 20-21, sold., with macropterous queens from type loc. specimens in U.S.N.M. and For. Res. Instit., Dehra Dun.

Winged, queen, sold., work.

India.

Indo-Malayan.

Microcerotermes bequaertianus (Sjöstedt).

Eutermes (Microcerotermes) bequaertianus Sjöstd. 1913a, p. 378, sold., work., S.E. Congo: Elizabethville (Katanga).

Microcerotermes bequaertianus Sjöstd. 1926, pp. 198-199, fig. 41, pl. 8, fig. D (sold.), syn., loc.

Type: Mus. Tervueren and Stockholm.

Sold., work.

Congo.

Ethiopian.

Microcerotermes biroi (Desneux).

Termes Biroi Desneux 1905, pp. 369-370, fig. 1 (sold.), wing., sold., work., New Guinea: Stephansort.

Microcerotermes Biroi Silvestri 1909, p. 304, remarks, pl. 21, fig. 195.

Microcerotermes Biroi Holmgren 1911b, pp. 459-460, neoteinic queen, former Germ. New Guinea: Stephansort, Gaget Isl., Friederich-Wilhelms-Hafen, Sepik, Dutch New Guinea: Mavaflusa Paurvi?

Microcerotermes biroi Hill 1942, p. 423, imago, sold., work., syn., loc.

Termes biroi subsp. *brevior* Desneux 1905, p. 370, soldier, New Guinea: Stephansort.

Microcerotermes froggatti Hill 1927a, pp. 38-40, im., queen, sold., work., pl. 5, fig. 165, pl. 8, fig. 166, Solomon Isls.: Pepisala and Banaka.

Microcerotermes peraffinis Silvestri 1909, p. 304, im., sold., work., pl. 20, figs. 182-187, pl. 21, figs. 188-194, Samoan Isls.

Microcerotermes piliceps Snyder 1925g, pp. 443-444, sold., Solomon Isls.: Ugi.

Nasutitermes sp. (s. lat.) Snyder 1925g, p. 438, macropterous and neoteinic queens, Solomon Isls.: Guadalcanal.

Microcerotermes umbritarsus Hill 1927a, pp. 33-37, im., sold., work., pl. 1, figs. 30-33, pl. 5, fig. 163, pl. 8, fig. 164, New Britain: Beining distr.

Type: *biroi* ?, Hungarian Nat. Mus.

Winged, macropterous and neoteinic queens, sold., work.

New Guinea, New Britain, New Ireland, Solomon Islands, Samoan Isls., ? New Zealand.

Papuan.

Microcerotermes boreus Hill.

Microcerotermes boreus Hill 1927a, pp. 83-86, im., queen, sold., work., pl. 3, figs. 87-88, pl. 6, fig. 192, pl. 9, fig. 193, pl. 7, fig. 219, No. Terr.: Melville Isl., Darwin.

Microcerotermes boreus Hill 1942, pp. 426-427, fig. 331 (sold.), syn., loc.

Holotype: sold.; morphotype: wing., Nat. Mus., Melbourne.

Winged, queen, sold., work.

No. Terr.

Australian.

Microcerotermes bouvieri (Desneux).

Termes Bouvieri Desneux 1904c, p. 287, im., sold., work., South America: Mariquita.

Type: Mus. Paris.

Termes (Eutermes) *Bouvieri* Desneux 1904e, p. 41, syn.

Hamitermes (H.) *Bouvieri* Holmgren 1912, p. 91, So. America.

Microcerotermes Bouvieri Holmgren 1912, p. 122, So. America.

? *Microcerotermes bouvieri* Light 1935, p. 252, fig. 10 (sold.), Mexico: Acapulco.

Winged, sold., work.

So. America, ? Mexico.

Neotropical.

Microcerotermes brachygynathus Silvestri.

Microcerotermes brachygynathus Silvestri 1914-15, p. 70, sold., work.¹⁻², fig. 38 (sold.), Fr. Guinea: Kindia; Sjöstedt 1926, p. 204, syn., loc. Cotype: Mus. Stockholm.

Sold., work.¹⁻³

Fr. Guinea.

Ethiopian.

Microcerotermes bugnioni Holmgren.

Microcerotermes Bugnioni Holmgren 1911c, p. 203, pl. 2, fig. S, sold., work., Seenigoda Est. (Ambalangoda), Ceylon; Holmgren 1913b, p. 258, im., sold., work., pl. 8, fig. 3 (im.), fig. 6 (sold.); 1913-14, p. 285, sold.; Kemner 1926, pp. 390-391, wing., sold., work., Ceylon: (Akkaraipaltu).

Winged, sold., work.

Ceylon. Indo-Malayan.

Microcerotermes burmanicus Ahmad.

Microcerotermes burmanicus Ahmad 1947, p. 6, fig. 6 (sold.), Burma: Pagan Road, Rangoon.

Type: A.M.N.H.; paratypes: U.S.N.M.

Sold., work.

Burma. Indo-Malayan.

Microcerotermes cameroni Snyder.

Microcerotermes cameroni Snyder 1934a, pp. 21-22, wing., sold., Madras: No. Vellore distr.

Cotypes: winged, Brit. Mus., For. Res. Inst., Dehra Dun, U.S.N.M. No. 50175; comorphotypes: sold. as above.

Winged, sold.

India. Indo-Malayan.

Microcerotermes cavus Hill.

Microcerotermes cavus Hill 1942, pp. 451-452, im., sold., fig. 351 (sold.), Victoria: near Swan Hill.

Holotype: sold., C.S.I.R., coll.

Microcerotermes boreus Hill 1927a, p. 83, Victoria only.

Microcerotermes leai Hill 1927a, p. 70, Victoria and New So. Wales only.

Winged, sold.

Victoria, N. S. Wales. Australian.

Microcerotermes celebensis Kemner.

Microcerotermes celebensis Kemner 1934, pp. 163-166, fig. 48 (3-6) (im.), fig. 48 (1-2) (sold.), 2, var. sold. (*unica, latus*), Macassar, S. W. Celebes, S. E. Celebes.

Termes distans Haviland 1898, p. 401, part Celebes.

Winged, queen, sold.

Celebes. Indo-Malayan.

Microcerotermes championi Snyder.

Microcerotermes championi Snyder 1933a, pp. 14-15, winged, sold., fig. 8 (im.), Haldwani,
U. P., India.

Cotypes: winged, Brit. Mus. and U.S.N.M. No. 44107;
comorphotypes: sold. as above.

Winged, sold.

India.

Indo-Malayan.

Microcerotermes choanensis Fuller.

Microcerotermes choanensis Fuller 1925a, pp. 231-233, winged, sold., Pretoria.

Microcerotermes zuluensis Silvestri 1914-15, p. 69, sold. work., Transvaal: Pretoria,
Senegal: Thiès, French Guinea: Mamou, Gold
Coast: Aburi.

Winged, sold.

So. Africa, Senegal, Fr. Guinea,
Gold Coast.

Ethiopian.

Microcerotermes collinsi Fuller.

Microcerotermes collinsi Fuller 1925a, p. 221-222, winged, sold., Zululand.

Winged, sold.

So. Africa.

Ethiopian.

Microcerotermes crassus Snyder.

Microcerotermes crassus Snyder 1934a, pp. 22-23, sold., Burma: Meitkyina.

Cotypes: sold., Brit. Mus., For. Res. Inst., Dehra Dun,
and U.S.N.M. No. 50176.

Sold.

Burma.

Indo-Malayan.

Microcerotermes cylindriceps Wasmann.

Microcerotermes cylindriceps Wasmann 1902b, p. 121, sold., work., pl. 4, fig. 4 (sold.),
Ceylon: Pankulam.

Termes (Eutermes) cylindriceps Desneux 1904e, p. 41, syn.

Microcerotermes cylindriceps Holmgren 1911c, p. 204, work.; 1913b, p. 260, sold., work.;
1913-14, p. 286, No. Ceylon: Maha Iluppalama.

Sold., work.

Ceylon.

Indo-Malayan.

Microcerotermes debilicornis Holmgren.

Microcerotermes debilicornis Holmgren 1913d, p. 365, sold., work.¹⁻², Zululand: Mtewa,
etc.; Fuller 1925, p. 233; Sjöstedt 1926, p. 199, syn.,
loc.

Type: Mus. Göteborg.

Sold., work.¹⁻²

So. Africa.

Ethiopian.

***Microcerotermes depokensis* Kemner.**

***Microcerotermes depokensis* Kemner** 1932a, pp. 140-143, fig. 5 (im., sold.), Java: Depok; 1934, pp. 159-162, fig. 46 (im.), fig. 47/1-2 (sold.).

***Microcerotermes distans* John** 1925, pp. 418-419, pls. 23-4, loc. only.

Wing., sold.

Java, E. Sumatra.

Indo-Malayan.

***Microcerotermes distans* (Haviland).**

***Termes distans* Haviland** 1898, p. 401, im., sold., work., Sulu Isls.

Type: No. 578.

***Termes (Eutermes) distans* Desneux** 1904e, p. 41, syn.

***Microcerotermes distans* Holmgren** 1912, p. 21, fig. 87 (sold. mandibles), pl. 4, fig. 29 (im.), fig. 30 (sold.); 1913b, p. 263, im., sold., work., pl. 8, fig. 1, (im.), fig. 11 (sold.).

***Termes dubius* Haviland** 1898, p. 402, im., sold., work., Borneo.

***Microcerotermes dubius* Holmgren** 1913b, p. 265, im., sold., work., Borneo; 1913-14, p. 286, loc., Malacca: Penang.

***Termes (Eutermes) duplex* Desneux** 1904e, p. 42, syn., Borneo.

Winged, sold., work.

Borneo, Sulu Isls., Malacca.

Indo-Malayan.

***Microcerotermes distinctus* Silvestri.**

***Microcerotermes distinctus* Silvestri** 1909, p. 303, pl. 20, figs. 175-181 (sold., work.), W. Australia: Coolgardie.

***Microcerotermes distinctus* Mjöberg** 1920, pp. 101-102, sold., N. W. Australia: Derby, W. and S. W. Australia.

***Microcerotermes distinctus* Hill** 1927a, pp. 64-67, pl. 2, figs. 64-66, pl. 5, fig. 181, pl. 8, fig. 162, im., sold.; 1942, pp. 428-429, imago, sold., syn., loc.

Holotype: sold., Nat. Hist. Mus., Stockholm; morphotype: wing., So. Australian Mus.

Winged, sold.

Australia: West. and So. Australia, Victoria, N. S. Wales, Queensland.

Australian.

***Microcerotermes diversus* Silvestri.**

***Microcerotermes diversus* Silvestri** 1920, p. 477, im., sold., work., pl. 20 (im., sold.), Mesopotamia: Amara on Tigris River; 1923a, p. 261, loc., Amara.

Winged, sold., work.

Iraq.

Palearctic.

***Microcerotermes dolichognathus* Silvestri.**

***Microcerotermes dolichognathus* Silvestri** 1912, p. 237, sold., work., fig. 12 (sold., work.), Portug. Guinea: Rio Cassine; de Seabra 1922a, p. 72, figs. 51, 53-56; Sjöstedt 1926, p. 197, syn., loc.

Sold., work.

Port. Guinea, Sierra Leone, Cameroon, Congo, Isl. San Thomé.

Ethiopian.

Microcerotermes dumisae Fuller.

Microcerotermes dumisae Fuller 1925a, pp. 238-240, wing., sold., Natal.
Wing., sold.

So. Africa.

Ethiopian.

Microcerotermes durbanensis Fuller.

Microcerotermes durbanensis Fuller 1925a, p. 231, wing., sold., Durban, Natal.
Wing., sold.

So. Africa.

Ethiopian.

Microcerotermes edentatus Wasmann.

Microcerotermes edentatus Wasmann 1911a, p. 115, sold., work., Congo (Sankuru) : Kondue.
Eutermes intactus Sjöstedt ms. 1911, p. 157.

Microcerotermes edentatus Sjöstedt 1926, p. 208, pl. 8, fig. G (sold.), syn., loc.; Emerson
1928, p. 544, loc.

Microcerotermes edentatus Grassé 1936, p. 17 (loc.).

Microcerotermes edentatus var. *transiens* Emerson 1928, p. 545, sold., Cameroon: Bipindi.

Microcerotermes libericus var. *transiens* von Rosen 1912, p. 227, sold.¹⁻², Liberia.

Microcerotermes fuscotibialis subsp. *libericus* Sjöstedt 1926, p. 197, var. *transiens* from
same nest as typical form has no teeth on mandible.

Sold., work.

Uganda, Congo, Cameroon, Li-
beria, Ivory Coast.

Ethiopian.

Microcerotermes elegans Sjöstedt.

Microcerotermes elegans Sjöstedt 1925, p. 55, sold., Belg. Congo: Luluabourg; 1926, pp.
203-204, im., sold., syn., loc.
Types: Mus. Tervueren and Stockholm.

Wing., sold.

Congo.

Ethiopian.

Microcerotermes eugnathus Silvestri.

Microcerotermes eugnathus Silvestri 1911, p. 106, im., sold., work., fig. 2, 1-12 (im., sold.),
Tunis: Cherri-Cherra (Kairouan); Sjöstedt 1926,
p. 198, syn., loc.

Wing., sold., work.

Tunis.

Palaearctic.

Microcerotermes exiguum (Hagen).

Termes (*Eutermes*) *exiguum* Hagen 1858, p. 208, im., Brazil: Santarem.

?*Termes corticola* Bates in Hagen 1858, pp. 203, 227, im., sold., Brazil: Santarem.

Termes (*Eutermes*) *exiguum* Hagen 1858a, p. 29, im., Brazil: Santarem.

Termes (*Eutermes*) *exiguum* Desneux 1904e, p. 42, syn., Brazil: Amazone.

Microcerotermes exiguum Holmgren 1912, p. 122, Brazil.

Microcerotermes exiguum Snyder 1925b, p. 162, loc.; 1926, p. 28, queen, sold., work., Santa
Ana, Colombia.

Paratype: winged, Santarem, Brazil, M.C.Z. No. 210.

Winged, queen, sold., work.

Brazil, Colombia, Panama, Gua-
temala.

Neotropical.

Microcerotermes fletcheri Holmgren, K. and N.

Microcerotermes fletcheri Holmgren, K. and N. 1917, p. 170, sold., work., Mysore: Bababudin Hills.

Sold., work.

So. India.

Indo-Malayan.

Microcerotermes fuscotibialis (Sjöstedt).

Eutermes fuscotibialis Sjöstedt 1896a, p. 298, im., Cameroon: Bonge, 1900a, p. 177, im., queen, sold., work., pl. 5, figs. A1-A8 (im., sold., work.), Gaboon.

Type: Mus. Stockholm.

Microcerotermes fuscotibialis Silvestri 1914-15, p. 66, Nigeria: Olokomeji; Sjöstedt 1926, p. 196, syn., loc.; 1926a, p. 4, Gold Coast: Kumasi and Aburi; Emerson 1928, p. 547, fig. 77 (wing., sold.), Congo, Cameroon.

Winged, queen, sold., work.

Cameroon, Sierra Leone, Gold Coast, Nigeria, Gaboon, Congo.

Ethiopian.

Microcerotermes fuscotibialis, subsp. *libericus* v. Rosen.

Microcerotermes libericus v. Rosen 1912, p. 227, sold.¹⁻², work., fig. 5 (sold.), Liberia.

Type: Zoolog. Staatssammlung, Munich; Sjöstedt 1913a, p. 380, cotype not distinguishable from *fuscotibialis*.

Microcerotermes fuscotibialis subsp. *libericus* Silvestri 1914-15, p. 67, sold., Fr. Guinea: Camayenne (Conakry); Sjöstedt 1926, p. 197, syn., loc.

Sold.¹⁻², work.

Liberia: Fr. Guinea.

Ethiopian.

Microcerotermes fuscotibialis, subsp. *validior* Silvestri.

Microcerotermes fuscotibialis subsp. *validior* Silvestri 1914-15, p. 68, sold., work.¹⁻², fig. 37 (sold.), Fr. Guinea: Mamou; Sjöstedt 1926, p. 196, syn., loc.

Sold., work.¹⁻²

Fr. Guinea.

Ethiopian.

Microcerotermes gracilis Light.

Microcerotermes gracilis Light 1933, p. 142-144, pl. 9, figs. 2 and 5, sold; W. Mexico: Jala, Madrid.

Sold.

W. Mexico.

Neotropical.

Microcerotermes greeni (Holmgren).

Eutermes (**Eutermes**) **Greeni** Holmgren 1912, p. 63, Ceylon.

Microcerotermes Greeni Holmgren 1913, p. 284, sold., work., Ceylon: Ambalangoda (no description).

Microcerotermes Greeni Holmgren 1913b, p. 261, sold., work., pl. 8, fig. 7 (sold.), Ceylon.

Microcerotermes greeni Holmgren 1913-14, p. 285; Kemner 1926, p. 382.

Sold., work.

Ceylon.

Indo-Malayan.

Microcerotermes hamatus (Holmgren).

Eutermes zuluensis form **hamatus** Holmgren 1913d, p. 365, sold., work.¹⁻², Zululand: Somkele.

Type: Zool. Mus., Göteborg.

Microcerotermes hamatus Sjöstedt 1926, p. 205, pl. 8, fig. F (sold.), syn., loc.

Sold., work.¹⁻²

So. Africa, Congo.

Ethiopian.

Microcerotermes havilandi Holmgren.

Microcerotermes Havilandi Holmgren 1913b, p. 265, sold., work., pl. 8, fig. 10 (sold.), Sarawak; 1913-14, p. 286, Sumatra.

Microcerotermes havilandi John 1925, p. 419, queen, sold., work., loc.

Queen, sold., work.

Borneo, Sumatra.

Indo-Malayan.

Microcerotermes heimi Wasmann.

Microcerotermes heimi Wasmann 1902b, p. 120, im., sold., work., pl. 4, fig. 3 (sold.), Vorderindien.

Microcerotermes Heimi Holmgren 1913b, p. 260, im., sold., work., pl. 8, fig. 5 (im.), fig. 8 (sold.), Bombay; 1913-14, p. 285, im., sold., work., Ceylon: Seenigoda.

Microcerotermes heimi Holmgren, K. and N. 1917, p. 171, Mysore: Bababudin Hills; John 1925, p. 418, Ceylon: Kelanyia.

Wing., sold., work.

So. India, Ceylon.

Indo-Malayan.

Microcerotermes heimi, f. minor Holmgren.

Microcerotermes heimi f. minor Holmgren 1913-14, p. 285, sold., work., Ceylon: Seenigoda.

Sold., work.

Ceylon.

Indo-Malayan.

Microcerotermes hypaenicus Fuller.

Microcerotermes hypaenicus Fuller 1925a, p. 235, wing., sold., Lake Sibayi.

Winged, sold.

So. Africa.

Ethiopian.

Microcerotermes ilazonatus Fuller.

Microcerotermes ilazonatus Fuller 1925a, p. 236, wing., sold., Lake Sibayi, swamp on old route to Gingales at head Uyange.

Winged, sold.

So. Africa.

Ethiopian.

Microcerotermes implacidus Hill.

Microcerotermes implacidus Hill 1942, pp. 452-454, figs. 352-353, wing., sold., N. S. Wales: 20 miles S. E. of Griffith.

Holotype: sold.; morphotype: wing., C.S.I.R. coll.

Winged, sold.

N. S. Wales.

Australian.

Microcerotermes kwazulu Fuller.

Microcerotermes kwazulu Fuller 1925a, p. 229, wing., sold., Lake St. Lucia.

Winged, sold.

So. Africa.

Ethiopian.

Microcerotermes laticeps Holmgren.

Microcerotermes zuluensis forma **laticeps** Holmgren 1913d, p. 364, sold., work.¹⁻², Natal: Estcourt; Fuller 1925a, p. 230; Sjöstedt 1926, p. 203, syn., loc.

Type: Zool. Mus., Göteborg.

Sold., work.¹⁻²

So. Africa.

Ethiopian.

Microcerotermes leai Hill.

Microcerotermes leai Hill 1927a, pp. 70-73, pl. 3, figs. 72-76, pl. 6, fig. 186, pl. 9, fig. 187, im., sold., work., So. Australia: Ooldea, Victoria, N. S. W.; 1942, p. 430, syn., loc.

Holotype: sold.; morphotype: wing., work., So. Austral. Mus.

Winged, sold., work.

So. Australia, Victoria, N. S. Wales.

Australian.

Microcerotermes limpopoensis Fuller.

Microcerotermes limpopoensis Fuller 1925a, pp. 220-221, wing., sold., Transvaal.

Winged, sold.

So. Africa.

Ethiopian.

Microcerotermes longimalatus Sjöstedt.

Microcerotermes longimalatus Sjöstedt 1925, p. 55, sold., Belg. Congo: Luluabourg; 1926, p. 202-203, pl. 8, fig. E (sold.), syn., loc.

Type: Mus. Tervueren and Stockholm.

Winged, sold.

Congo.

Ethiopian.

Microcerotermes los-banensis Oshima.

Microcerotermes los-banensis Oshima 1914b, p. 583, sold.¹⁻², work.¹⁻², pl. 10, fig. 6, Philippines: Los Banos, Luzon; 1920a, p. 508, im., ergatoid, sold., work., loc.

Winged, neotenic reproductive,
sold.¹⁻², work.¹⁻²

Philippines: Luzon, Panay,
Romblon.

Indo-Malayan.

Microcerotermes macacoensis Sjöstedt.

Microcerotermes macacoensis Sjöstedt 1925, p. 55, sold., Belg. Congo: Macaco; 1926, p. 205, syn., loc.

Types: Mus. Tervueren and Stockholm.

Sold.

Congo.

Ethiopian.

Microcerotermes madurae Kemner.

Microcerotermes madurae Kemner 1934, pp. 162-163, fig. 47 (3-4) (sold.), Isl. Madura near East Java.

Sold.

Isl. Madura near East Java.

Indo-Malayan.

Microcerotermes malmesburyi Fuller.

Microcerotermes malmesburyi Fuller 1925a, pp. 241-242, im., sold., Cape Province.

Winged, sold.

So. Africa.

Ethiopian.

Microcerotermes mzilikazi Fuller.

Microcerotermes mzilikazi Fuller 1925a, pp. 223-224, wing., sold., Pretoria, Transvaal.

Wing., sold.

So. Africa.

Ethiopian.

Microcerotermes nanulus Sjöstedt.

Microcerotermes nanulus Sjöstedt 1925, p. 53-54, sold., Dahomey-Agouagon; 1926, p. 206, queen, sold., work.
Types: Mus. Paris and Stockholm.

Queen, sold., work.

Dahomey.

Ethiopian.

Microcerotermes nanus (Hill).

Termes nanus Hill 1915, p. 86, sold., work., No. Terr.: Darwin; 1942, p. 431, fig. 335 (sold.) (? small form of *serratus*).

Sold., work.

No. Terr.

Australian.

Microcerotermes nervosus Hill.

Microcerotermes nervosus Hill 1927a, pp. 73-78, pl. 3, figs. 77-81, pl. 6, fig. 188, pl. 9, fig. 189, pl. 7, fig. 218, im., queen, sold., work., No. Terr.: Darwin; 1942, pp. 432-434, figs. 336-337 (im., sold.).

Holotype: winged; morphotype: sold. and work., Nat. Mus., Melbourne.

Wing., queen (neotenic), sold., work.

No. Terr.

Australian.

Microcerotermes newmani Hill.

Microcerotermes newmani Hill 1927a, pp. 78-81, pl. 3, figs. 82-84, pl. 6, fig. 190, pl. 9, fig. 191, im., sold., work., S. W. Australia: Mundaring; 1942, pp. 434-435, figs. 338-339 (im., sold.), syn., loc.

Holotype: wing.; morphotype: sold. and work., Nat. Mus., Melbourne.

Wing., sold., work.

Western and So. Australia.

Australian.

Microcerotermes novae-caledoniae Holmgren, N. and K.

Microcerotermes novae-caledoniae Holmgren N. and K. 1915, pp. 90-91, sold., work.¹⁻²,
New Caledonia: Coné; Hill 1942, pp. 435-437, figs.
340-341 (wing., sold.).
Types: Basler Naturhist. Mus.; morphotype: wing.,
C.S.I.R. coll.

Winged, sold., work.

New Caledonia.

Papuan.

Microcerotermes palaearcticus (Sjöstedt).

Eutermes palaearcticus Sjöstedt 1904, p. 79, sold., work., pl. I, figs. H 1-2 (sold.),
Algeria: Laghouat.
Types: Mus. Paris and Stockholm.

Microcerotermes palaearcticus Holmgren 1912, p. 122.

Microcerotermes palaearcticus Sjöstedt 1926, p. 208, syn., loc.

Sold., work.

No. Africa.

Palaearctic.

Microcerotermes papuanus Holmgren.

Microcerotermes papuanus Holmgren 1911b, p. 460, im., sold., work.¹⁻², fig. 4 (sold.), former
Germ. New Guinea: Tami; Hill 1942, pp. 437-440,
fig. 342 (sold.), syn., loc.

Winged, sold., work.

New Guinea.

Papuan.

Microcerotermes parvulus (Sjöstedt).

Eutermes parvulus Sjöstedt 1911, p. 159, im., sold., work., Congo: Mukimbungu.

Microcerotermes parvulus Silvestri 1914-15, p. 69, sold., Fr. Guinea: Kakoulima, Camayenne;
Sjöstedt 1926, pp. 205-206, syn., loc.; 1926c,
p. 243, Gold Coast: Achinota.

Winged, sold., work.

Congo, Fr. Guinea, Senegal, Fr.

Equatorial Africa, Gold Coast.

Ethiopian.

Microcerotermes parvus (Haviland).

Termes parvus Haviland 1898, p. 404, im., sold., work., Natal, type No. 29.

Types: Mus. Cambridge and Stockholm.

Eutermes parvus Sjöstedt 1900a, p. 183, im., sold., work., Gold Coast: Aburi; Natal:
Himboldt, Estcourt.

Microcerotermes parvus Wasmann 1902b, p. 120-121, im., sold.; Fuller 1925a, pp. 225-226,
im., sold., work., Natal; Sjöstedt 1926, pp. 199-201,
pl. 8, fig. C 1-2 (sold.¹⁻²), syn., loc.; 1926c, p. 153,
Congo; Emerson 1928, p. 550, fig. 79 (sold.), Congo:
Garamba.

Winged, queen, sold.¹⁻², work.

So. Africa: Natal, Cape Colony,

Orange Free State; Rhodesia;

Tanganyika; Congo; Uganda;

Cameroon; Gold Coast; Eri-

treya; Sudan.

Ethiopian.

Microcerotermes philippinensis Ahmad.

Microcerotermes philippinensis Ahmad 1947, pp. 6-7, fig. 7 (sold.), Philippines: Leyte, Tarragona.

Type: A.M.N.H.; paratypes: U.S.N.M.

Sold., work.

Philippines.

Indo-Malayan.

Microcerotermes pondweniensis Fuller.

Microcerotermes pondweniensis Fuller 1925a, p. 230, wing., sold., Pondweni north of Lake St. Lucia.

Winged, sold.

So. Africa.

Ethiopian.

Microcerotermes progrediens Silvestri.

Microcerotermes brachygynathus var. *progrediens* Silvestri 1914-15, p. 71, sold., work.¹⁻², fig. 39 (sold.), S. Nigeria: Olokemeji; Sjöstedt 1926, p. 205.

Microcerotermes progrediens Emerson 1928, p. 549, fig. 78 (sold.), Cameroon: Senegambia; Congo: Poke.

Sold., work.¹⁻²

So. Nigeria, Cameroon, Congo.

Ethiopian.

Microcerotermes propinquus Wasmann.

Microcerotermes propinquus Wasmann 1910a, p. 125, im., work., Isl. Europa (near Madagascar).

Winged, work.

Isl. Europa.

Malagasy.

Microcerotermes psammophilus Fuller.

Microcerotermes psammophilus Fuller 1925a, pp. 233-235, wing., sold., Lake Sibayi.

Wing., sold.

So. Africa.

Ethiopian.

Microcerotermes repugnans Hill.

Microcerotermes repugnans Hill 1927a, pp. 37-38, pl. 1, figs. 34-36, sold., work., Papua: 30 mi. SE. Port Moresby; 1942, pp. 440-441, fig. 343 (sold.), syn., loc.

Holotype: sold.; morphotype: work., Nat. Mus., Melbourne.

Sold., work.

Papua.

Papuan.

Microcerotermes sanctaeluciae Fuller.

Microcerotermes sanctaeluciae Fuller 1925a, pp. 237-238, wing., sold., Lake St. Lucia.

Winged, sold.

So. Africa.

Ethiopian.

Microcerotermes secernens Schmitz.

Microcerotermes secernens Schmitz 1917, p. 225, sold., work., fig. 1 (sold., work.), Congo: region of Stanleyville; Sjöstedt 1926, p. 206, syn., loc.

Sold., work.

Congo.

Ethiopian.

Microcerotermes septentrionalis Light.

Microcerotermes septentrionalis Light 1933, pp. 144-146, pl. 9, figs. 1 and 4 (sold.), W. Mexico: Colima, Jala, Madrid.

Sold.

W. Mexico.

Neotropical.

Microcerotermes serratus (Froggatt).

Termes serratus Froggatt 1897, p. 731, sold., work., pl. 34, fig. 5 (sold.), Queensland: Torrens Creek.

Microcerotermes serratus Mjöberg 1920, pp. 102, 105, sold., loc.; Hill 1927a, pp. 60-64, pl. 2, figs. 57-63, pl. 5, fig. 179, pl. 8, fig. 180, im., queen, sold., work.; 1942, pp. 411-418, figs. 344-347 (im., sold.), syn., loc.

Hololectotype: sold.; morpholectotype: work., Hill coll.; morpholectotype: wing., Nat. Mus., Melbourne.

Microcerotermes fugax Hill 1927a, pp. 86-88, pl. 3, figs. 89-94, pl. 6, fig. 194, pl. 9, fig. 195, pl. 7, fig. 220, im., sold., work., No. Terr.: Stapleton.

Microcerotermes gladius Hill 1927a, pp. 81-83, pl. 3, figs. 85-87, sold., work., No. Queensland: Meringa (near Cairns).

Microcerotermes mendicus Hill 1927a, pp. 90-92, pl. 3, figs. 98-102, pl. 6, fig. 198, pl. 9, fig. 199, im., sold., work., No. Queensland: El Arish.

?**Termes nana** Hill 1915, p. 86, sold., work., No. Terr.: Darwin.

?**Microcerotermes nanus** Hill 1921, p. 23, biol.; 1927a, p. 67, pl. 2, figs. 67-71, pl. 6, fig. 183, pl. 9, fig. 184, imago.

Microcerotermes parviceps Mjöberg 1920, pp. 101, 103, figs. 53b, 54, 55, im., sold., work., So. Queensland: Colosseum; Hill 1927a, p. 70, remarks, No. Queensland.

Microcerotermes taylori Hill 1927a, p. 89, pl. 3, figs. 95-97, pl. 6, fig. 196, pl. 9, fig. 197, im., sold., work., No. Queensland: Meringa.

Microcerotermes turneri Hill 1915, p. 91, biol., No. Terr.: Stapleton, nec Froggatt.

Wing., neotenic reproducives,
sold., work.

Queensland, N. S. Wales, No.

Terr., W. Australia.

Australian.

Microcerotermes serrula (Desneux).

Termes serratus Haviland 1898, p. 404, wing., sold., work., Borneo (name preoccupied).
Type: No. 364.

Termes (Eutermes) serrula Desneux 1904e, p. 45, syn., Borneo.

Microcerotermes serrula Holmgren 1913b, p. 262, im., sold., work., pl. 8, fig. 4 (im.), fig. 9 (sold.).

?**Microcerotermes serrula** John 1925, p. 418, not this species.

Winged, sold., work.

Borneo.

Indo-Malayan.

***Microcerotermes sikorae* (Wasmann).**

Eutermes Sikorae Wasmann 1893, p. 244, im., sold., work., Madagascar: Andrangoloake.

Microcerotermes Sikorae Holmgren 1909a, p. 9, im., sold., work., fig. 2, pl. 1, fig. 2.

Microcerotermes Sikorae Sjöstedt 1926, pp. 206-207, syn., loc.

Winged, neotenic queen, sold.,

work.

Madagascar.

Malagasy.

***Microcerotermes silvestrianus* Emerson.**

Microcerotermes silvestrianus Emerson 1928, p. 545, fig. 76 (sold.), Congo: between Luko-lela and Basoko.

Holotype: sold., A.M.N.H.

Sold.

Congo.

Ethiopian.

***Microcerotermes solidus* Silvestri.**

Microcerotermes parvus var. *solidus* Silvestri 1912, p. 235, fig. 10 (sold.), Port. Guinea: Bolama.

Microcerotermes zuluensis var. *solidus* Silvestri 1914-15, p. 70, pl. 1, figs. 10-11, nest, biol., loc., Fr. Guinea: Kakoulima, Camayenne.

Microcerotermes solidus Sjöstedt 1926, pp. 201-202, pl. 8, fig. O 1-2, syn., loc.; 1926a, p. 4, Gold Coast: Keta and Aburi.

Port. and Fr. Guinea, Gold
Coast, Cameroon, Congo.

Ethiopian.

***Microcerotermes strunckii* (Sörensen).**

Termes Strunckii Sörensen 1884, p. 18, im., sold., work., Brazil.

Type: im., Hagen coll., M.C.Z.; paratype: sold., M.C.Z.
No. 10097.

Microcerotermes Strunckii Silvestri 1901, p. 4, Argentina: Resistencia (Chaco); Brazil:
Cuyabá; 1903, p. 41, im., sold., work., fig. 8 (wings),
pl. 1, figs. 50-52 (im.), fig. 53 (sold.), pl. 2, figs. 54-58
(work.), loc.

Microcerotermes strunki Wasmann 1902b, p. 119, Brazil: Para.

Microcerotermes Strunckii Holmgren 1909, pp. 87-88, fig. 21 (im.), fig. 22 (work.), fig. 23
(sold.).

Microcerotermes strunki John 1920, p. 234, Matto Grosso, Brazil.

Microcerotermes strunckii Snyder 1926d, pp. 71-72, syn.

Winged, sold., work.

Brazil, Argentina.

Neotropical.

***Microcerotermes subtilis* (Wasmann).**

Termes subtilis Wasmann 1897, p. 160, sold., work., pl. 11, fig. 2 (wing), fig. 7 (sold.),
Aldabra.

Type: Mus. Stockholm.

Microcerotermes subtilis Holmgren 1910a, p. 145, im., Seychelles: Mahé, Long Island;
Sjöstedt 1926, p. 199, syn., loc.

Wing., sold., work.

Aldabra, Madagascar, Seychelles.

Malagasy.

?Microcerotermes taylori Hill.

Microcerotermes taylori Hill 1927a, p. 89, im., sold., work., No. Queensland: Meringa; 1942, pp. 447-448, probably a small form of *serratus*.

Winged, sold., work.

Queensland.

Australian.

Microcerotermes tenuignathus Holmgren.

Microcerotermes tenuignathus Holmgren 1913a, pp. 116-117, sold., work.¹⁻², Gujarat: Vadtal; 1913b, p. 257, sold., work.¹⁻², Bombay, Gujarat: Wartal.

Sold., work.¹⁻²

India: Bombay.

Indo-Malayan.

Microcerotermes theobromae (Desneux).

Termes theobromae Desneux 1906, p. 355, sold., work., Isl. São Thomé.

Microcerotermes parvus subsp. **theobromae** Silvestri 1912, p. 235, im., sold., work.¹⁻², fig. 11, S. Thomé: Ribeira Palma, Isl. Annonom; Banks 1919, p. 482, places in synonymy with *debilis* confusing San Thomé with St. Thomas, W. Indies.

Microcerotermes theobromae Holmgren 1912, p. 122, refers to as an American species from S. Thomas; Sjöstedt 1926, p. 201, syn., loc.

Winged, sold., work.

Isl. S. Thomé.

Ethiopian.

Microcerotermes thermarum Fuller.

Microcerotermes thermarum Fuller 1925a, p. 237, sold., Transvaal: Warmbaths.

Sold.

So. Africa.

Ethiopian.

Microcerotermes turneri (Froggatt).

Termes Turneri Froggatt 1897, p. 736, wing., sold., work., pl. 34, figs. 8, 8a (sold., wing.), Queensland: Mackay.

Microcerotermes turneri Mjöberg 1920, p. 107, im., sold., loc.; Hill 1942, pp. 448-451, figs. 348-350 (im., sold.), syn., loc.

Hololectotype: wing.; morpholectotype: sold., work., C.S.I.R. coll.; paratypes: Hill coll.

Microcerotermes excisus Mjöberg 1920, p. 105, im., sold., work., figs. 53a, 56 (im.), fig. 57 (sold.), pl. 6, fig. 1.

Microcerotermes neglectus v. Rosen 1912, p. 228, im. (queen), sold., work.¹⁻², fig. 6 (sold.), Queensland: Rockhampton.

Wing., brachypterous neotenic reproductive, sold., work.

Queensland, N. S. Wales (coastal districts).

Australian.

Microcerotermes zuluensis Holmgren.

Microcerotermes zuluensis Holmgren 1913d, p. 362, im., sold., work.¹⁻², Zululand: Entendweni, Mkosi, Somkele, Mtewa; Fuller 1925a, pp. 226-228, im., sold., Conjeni on White Mfolozi Riv.; Sjöstedt 1926, p. 203, syn., loc.; 1927, p. 104, loc.

Type: Mus. Göteborg.

Microcerotermes zuluensis forma *grandis* Holmgren 1913d, p. 364, sold., work.¹⁻², Zululand: Somkele.

Wing., sold., work.¹⁻²

Zululand, Orange Free State,
Zanzibar, Tanganyika, Soma-
liland, Fr. Congo (or Equa-
torial Africa); Senegal.

Ethiopian.

Microcerotermes zuluensis, form *rubriceps* Holmgren.

Microcerotermes zuluensis forma *rubriceps* Holmgren 1913d, p. 365, sold., work.¹⁻², Zulu-
land: Mkosi; Sjöstedt 1926, p. 203, syn., loc.

Type: Mus. Göteborg.

Sold., work.¹⁻²

So. Africa: Zululand.

Ethiopian.

Microcerotermes zuluoides Fuller.

Microcerotermes zuluoides Fuller 1925a, p. 244, im., sold., South Africa.

Winged, sold.

So. Africa.

Ethiopian.

TERMITINAE

Subfamily TERMITINAE Sjöstedt.

Type genus: *Termites* Linnaeus.

=*Miro-Capritermes* Reihe Holmgren 1912, pp. 8-10, 97.

<Subfamily TERMITINAE Sjöstedt 1926, pp. 8, 72.

=Subfamily MIRO-CAPRITERMITINAE Kemner 1934, p. 166.

=Subfamily TERMITINAE Hare 1937, pp. 460, 462, 474.

Genera:

Allognathotermes Silvestri.

Apicotermes Holmgren.

Jugositermes Emerson.

Apilitermes Holmgren.

Hoplognathotermes Silvestri.

Firmitermes Sjöstedt.

Trichotermes Sjöstedt.

Rostrotermes Grassé.

Crenetermes Silvestri.

Thoracotermes Wasmann.

Euchilotermes Silvestri.

Ophiotermes Sjöstedt.

Megagnathotermes Silvestri.

Cubitermes Wasmann.

Procubitermes Silvestri.

Fastigitermes Sjöstedt.

Proboscitermes Sjöstedt.

Basidentitermes Holmgren.

Orthotermes Silvestri.

Ceratotermes Silvestri.

Tuberculitermes Holmgren.
Angulitermes Sjöstedt.
Spinitermes Wasmann.
Orthognathotermes Holmgren.
Dentispicotermes Emerson, n. gen.
Crepititermes Emerson.
Termites Linnaeus.
Cavitermes Emerson.
Protocapritermes Holmgren.
Promirotermes Silvestri.
Mirocapritermes Holmgren.
Paracapritermes Hill.
Procapritermes Holmgren.
Homallotermes John.
Pseudocapritermes Kemner.
Capritermes Wasmann.
Pericapritermes Silvestri.
Neocapritermes Holmgren.
Planicapritermes Emerson, n. gen.

ALLOGNATHOTERMES

(Other)

Genus *Allognathotermes* Silvestri.

Generotype: *Allognathotermes hypogeus* Silvestri.

=Genus *Allognathotermes* Silvestri 1914-1915, p. 31.

=Genus *Allognathotermes* Sjöstedt 1926, p. 157.

Allognathotermes hypogeus Silvestri.

Allognathotermes hypogeus Silvestri 1914-15, p. 32, pl. 18 (1-8) (sold., work.), text fig. 18
(sold., work.), text fig. 19 (sold., work.), French
Guinea: Kakoulima; Sjöstedt 1926, p. 157, fig. 33
(sold.), syn., loc.

Sold., work.¹⁻²

Fr. Guinea.

Ethiopian.

APICOTERMES

Genus *Apicotermes* Holmgren.

Generotype: *Apicotermes trädgårdhi* Holmgren.

=Genus *Apicotermes* Holmgren 1912, pp. 104, 98.

=Genus *Apicotermes* Fuller 1922, p. 107.

=Genus *Apicotermes* Sjöstedt 1926, p. 153.

Apicotermes aburiensis Sjöstedt.

Apicotermes aburiensis Sjöstedt 1926a, pp. 3-4, sold., Gold Coast: Aburi.

Type: sold., Imp. Bur. Ent., Mus. Stockholm.

Sold.

Gold Coast.

Ethiopian.

Apicotermes angustatus Sjöstedt.

Desneux 1918, p. 307, type III, figs. 6-8, nest from Sankuru (Luja) (biol.).

Apicotermes occultus (nec Silvestri) Hegh 1922, p. 389, figs. 262 A-C (nest), fig. 460 left (nest); p. 696.

Apicotermes occultus Reichensperger 1923, fig. 1, double pl. figs. 2-5, Luxemburg (biol.).
Apicotermes angustatus Sjöstedt 1924b, p. 254 (sold.), Belg. Congo: Kasai, Kondué, Sankuru, Kambambai; 1926, pp. 155-156, pl. 6, fig. B 1-2 (sold.), syn., loc.

Sold., work.

Congo.

Ethiopian.

Apicotermes kisantuensis Sjöstedt.

Apicotermes kisantuensis Sjöstedt 1924c, p. 496, sold., Belg. Congo: Kisantu; Mus. Ter- vueren and Stockholm; 1926, p. 154, pl. 5, fig. L 1-3 (sold.).

Sold.

Congo.

Ethiopian.

Apicotermes lamani (Sjöstedt).

Termes (Odonto.) Lamani Sjöstedt 1924, pp. 1-8, figs. 1a-c (sold.¹⁻²), pls. 1-3 (nest), Congo: Madzia-Dist.; 1926, p. 155, syn., loc.

Sold.¹⁻²

Congo.

Ethiopian.

Apicotermes occultus Silvestri.

Apicotermes occultus Silvestri 1914-15, p. 29, fig. 15, 1-4, fig. 16, 1-6, fig. 17, sold., work.¹⁻², Fr. Guinea: Kakoulima; Sjöstedt 1926, pp. 154-155, pl. 6, fig. A 1-2, text fig. 32 (sold.), pl. 13, 1-2 (nest), syn., loc., Fr. Guinea: Kakoulima and Konakry (Mus. Paris); [highly specialized air-conditioned nest].

Sold., work.¹⁻²

Fr. Guinea.

Ethiopian.

Apicotermes trágårdhi Holmgren.

Apicotermes Trágårdhi Holmgren 1912, p. 104, pl. 4, fig. 2 (sold.), text fig. 72 (sold. mand.); 1913d, p. 351, wing, sold., and work., So. Africa: Zululand, Lake Mkosi, Amatongaland.

Apicotermes trágårdhi Fuller 1922, p. 107.

Apicotermes Trágårdhi Sjöstedt 1926, p. 153, syn., loc.

Wing only, sold., work.

So. Africa.

Ethiopian.

JUGOSITERMES*Genus Jugositermes* Emerson.

Generitype: *Jugositermes tuberculatus* Emerson.

Genus Jugositermes Emerson 1928, p. 501.

Jugositermes tuberculatus Emerson.

Jugositermes tuberculatus Emerson 1928, p. 501, fig. 49 (sold.), Cameroon: Bipindi.
Holotype: sold., Mus. Zool., Ann Arbor, Mich.

Sold.

Cameroon.

Ethiopian.

(With-
out
hair)

APILITERMES

Genus **Apilitermes** Holmgren.

Generitype: *Apilitermes longiceps* (Sjöstedt).

=Genus **Apilitermes** Holmgren 1912, pp. 103, 98.

<Genus **Termes**, subgenus **Eutermes** Desneux 1904e, pp. 32, 35.

=Genus **Apilitermes** Sjöstedt 1926, p. 213.

Apilitermes longiceps (Sjöstedt).

Eutermes longiceps Sjöstedt 1899, p. 38, sold., work., Cameroon: Victoria.

Termes (Eutermes) longiceps Desneux 1904e, p. 43, syn.

Apilitermes longiceps Holmgren 1912, p. 103, fig. 71, sold. mandible, pl. 4, fig. 3 (sold.);
Sjöstedt 1926, p. 213, fig. 46 (sold.), syn., loc.

Nymph, sold., work.

Cameroon.

Ethiopian.

(Tool } tooth)

HOPLOGNATHOTERMES

Genus **Hoplognathotermes** Silvestri.

Generitype: *Hoplognathotermes subterraneus* Silvestri.

=Genus **Hoplognathotermes** Silvestri 1914-15, p. 25.

=Genus **Hoplognathotermes** Sjöstedt 1926, pp. 157-158.

Hoplognathotermes furcatidens Sjöstedt.

Hoplognathotermes furcatidens Sjöstedt 1924c, p. 496, sold., Fr. Congo; 1926, pp. 158-160,
pl. 6, figs. C 1-4 (sold.), winged, sold., work., Middle
Congo: Bania, Mus. Stockholm.

Winged, sold., work.

Fr. Equatorial Africa.

Ethiopian.

Hoplognathotermes submissus Silvestri.

Hoplognathotermes submissus Silvestri 1914-15, p. 28, work.¹⁻², fig. 14 (work.), Cameroon:
Victoria; Sjöstedt 1926, p. 158, work.

Work.

Cameroon.

Ethiopian.

Hoplognathotermes subterraneus Silvestri.

Hoplognathotermes subterraneus Silvestri 1914-15, p. 26, sold., work.¹⁻², fig. 12 (sold.),
fig. 13, 1-9 (sold.), Fr. Guinea: Conakry, Camayenne,
Kakoulima; Sjöstedt 1926, p. 158, fig. 34 (sold.), syn.,
loc.

Nymph, sold., work.¹⁻²

Fr. Guinea.

Ethiopian.

Hoplognathotermes subterraneus, var. *superior* Silvestri.

Hoplognathotermes subterraneus var. *superior* Silvestri 1914-15, p. 28, work., Fr. Guinea: Mamou; Sjöstedt 1926, p. 158, syn., loc.

Work.

Fr. Guinea.

Ethiopian.

FIRMITERMES

Genus *Firmitermes* Sjöstedt.

Generitype: *Firmitermes abyssinicus* (Sjöstedt).

Genus *Firmitermes* Sjöstedt 1926, p. 191.

Firmitermes abyssinicus (Sjöstedt).

Eutermes abyssinicus Sjöstedt 1911a, p. 172, sold., Hiéka, Abyssinia; 1926, p. 191, fig. 39 (sold.), syn., loc.

Type: Mus. Paris.

Sold.

Abyssinia.

Ethiopian.

TRICHOTERMES

(Hair)

Genus *Trichotermes* Sjöstedt.

Generitype: *Trichotermes villifrons* (Sjöstedt).

=Genus *Trichotermes* Sjöstedt 1924b, p. 257; 1926, pp. 209-210.

Trichotermes ducis (Sjöstedt).

Eutermes ducis Sjöstedt 1914c, p. 91, sold., Belg. Congo: Kimuenza.

Trichotermes ducis Sjöstedt 1926, p. 210, syn., loc.

Sold.

Congo.

Ethiopian.

Trichotermes villifrons (Sjöstedt).

Eutermes villifrons Sjöstedt 1911, p. 149, sold., text fig. (sold.), Belg. Congo: Mukimbungu.

Mirotermes (Cubi.) villifrons Holmgren 1912, p. 108.

Trichotermes villifrons Sjöstedt 1926, p. 210, fig. 43 (sold.), pl. 8, figs. H 1-5 (sold.), syn., loc.

Sold.

Congo.

Ethiopian.

ROSTROTERMES

Genus *Rostrotermes* Grassé.

Generitype: *Rostrotermes cornutus* Grassé.

Genus *Rostrotermes* Grassé 1943, pp. 71-82.

Rostrotermes cornutus Grassé.

Rostrotermes cornutus Grassé 1943, pp. 71-82, figs. 1-5, king (dealate), sold., work., Danane, Ivory Coast.

King (dealate), sold., work.

Ivory Coast.

Ethiopian.

CRENETERMES

(Notched)

Genus *Crenetermes* Silvestri.Generitype: *Crenetermes albotarsalis* (Sjöstedt).=Genus *Crenetermes* Silvestri 1912, p. 245.=Genus *Sulcitermes* Wasmann *in litt.* Holmgren 1912, p. 112.<Genus *Eutermes* Sjöstedt 1900a, pp. 19-21 key, p. 139.Genus *Termes* Desneux (part).=Genus *Crenetermes* Holmgren 1912, pp. 101, 97.=Genus *Crenetermes* Sjöstedt 1926, p. 212.*Crenetermes albotarsalis* (Sjöstedt).*Eutermes albotarsalis* Sjöstedt 1897, p. 125, winged, Cameroon: Kribi, Yaunde.

Crenetermes albotarsalis Silvestri 1912, p. 247, fig. 16, 1-12 (im., sold.), Fr. Equatorial Africa, Brazzaville; Holmgren 1912, pp. 101-102, fig. 69 (nymph mand.), fig. 70 (sold. mand.), pl. 4, fig. 8 (imago); Sjöstedt 1926, pp. 212-213, fig. 45 (sold.), syn., loc.

Winged, queen, sold., work.

Cameroon, Fr. Equatorial Africa, Belg. Congo.

Ethiopian.

THORACOTERMES

Genus *Thoracotermes* Wasmann.Generitype: *Thoracotermes macrothorax* Wasmann.=Genus *Thoracotermes* Wasmann 1911a, p. 146.=Genus *Thoracotermes* Holmgren 1912, pp. 98, 97.<Genus *Eutermes* Sjöstedt (part).<Genus *Termes*, subgenus *Eutermes* Desneux 1904e, pp. 32, 35.=Genus *Thoracotermes* Sjöstedt 1926, p. 210.*Thoracotermes brevinotus* Silvestri.*Thoracotermes brevinotus* Silvestri 1914-15, p. 82, fig. 48, 1-10, queen, sold., work., Fr. Guinea: Mamou; Sjöstedt 1926, p. 212, syn., loc.

Queen, sold., work.

Fr. Guinea.

Ethiopian.

Thoracotermes macrothorax (Sjöstedt).*Eutermes macrothorax* Sjöstedt 1899, p. 38, sold., work., Cameroon: Lolodorf.*Thoracotermes ("Eutermes") macrothorax* Wasmann 1911a, pp. 146-149, im., queen, sold., work., pl. 7, fig. 14 (wings), Cameroon: Mundame, Congo: Sankuru.*Thoracotermes macrothorax* Holmgren 1912, p. 99, fig. 68 (sold. mand.), pl. 4, fig. 1 (sold.); Sjöstedt 1926, pp. 211-212, fig. 44 (sold.), syn., loc.; Emerson 1928, p. 500, fig. 48 (sold.), loc.

Winged, queen, sold., work.

Cameroon, Liberia, Gold Coast,

So. Nigeria, Fr. Equatorial

Africa, Belg. Congo.

Ethiopian.

EUCHILOTERMES

(Good
lip)Genus *Euchilotermes* Silvestri.Generitype: *Euchilotermes tensus* Silvestri.=Genus *Euchilotermes* Silvestri 1914-15, p. 85.=Genus *Euchilotermes* Sjöstedt 1926, p. 217.*Euchilotermes acutidens* Silvestri.*Euchilotermes tensus* var. *acutidens* Silvestri 1914-15, p. 89, fig. 52 (sold.), Gold Coast:
Aburi; Sjöstedt 1926, p. 217, syn., loc.

Sold.

Gold Coast.

Ethiopian.

Euchilotermes quadriceps (Emerson).*Mirotermes* (*Euchilotermes*) *quadriceps* Emerson 1928, p. 503, fig. 50 (sold.), Belg. Congo:
New Yakuluku.
Holotype: sold., A.M.N.H.

Sold.

Congo.

Ethiopian.

Euchilotermes tensus Silvestri.*Euchilotermes tensus* Silvestri 1914-15, p. 86, im., sold., work., fig. 50, 1-9 (im., sold.),
Mamou, Fr. Guinea; Sjöstedt 1926, p. 217, fig. 49 (sold.), syn., loc.

Queen, sold., work.

Fr. Guinea.

Ethiopian.

Euchilotermes tensus, var. *arcuata* Silvestri.*Euchilotermes tensus* var. *arcuata* Silvestri 1914-15, p. 88, fig. 51, 1-12 (im., sold., work.),
Fr. Guinea: Conakry, Camayenne, Kakoulima;
Sjöstedt 1926, p. 217, syn., loc.

Queen, sold., work.

Fr. Guinea.

Ethiopian.

OPHIOTERMES

(Snake)

Genus *Ophiotermes* Sjöstedt.Generitype: *Ophiotermes mandibularis* (Sjöstedt).=Genus *Ophiotermes* Sjöstedt 1924b, p. 257; 1926, p. 265.=Subgenus *Ophiotermes* (*Mirotermes*) Emerson 1928, p. 504.<Subgenus *Cubitermes* (*Mirotermes*) Holmgren 1912, pp. 107-108.*Ophiotermes grandilabius* (Emerson).*Mirotermes* (*Ophiotermes*) *grandilabius* Emerson 1928, p. 505, fig. 52 (sold.), Cameroon:
Bipindi.

Holotype: sold., Mus. Zoology, Ann Arbor, Mich.

Sold.

Cameroon.

Ethiopian.

Ophiotermes mandibularis (Sjöstedt).

Eutermes mandibularis Sjöstedt 1905, p. 17, sold., Belg. Congo: Mukimbungu.

Mirotermes (Cubitermes) mandibularis Holmgren 1912, p. 108.

Ophiotermes mandibularis Sjöstedt 1926, p. 266, fig. 55, pl. 10, figs. G 1-2 (sold.), syn., loc. Sold.

Belg. Congo, Fr. Equatorial Africa.

Ethiopian.

Ophiotermes mirandus (Sjöstedt).

Eutermes mirandus Sjöstedt 1905, pp. 15, 18, sold., Belg. Congo: Mukimbungu.

Mirotermes (Cubitermes) mirandus Holmgren 1912, p. 108.

Ophiotermes mirandus Sjöstedt 1926, pp. 266-267, pl. 10, figs. K 1-2 (sold.), syn., loc. Winged, sold., work.

Congo. Ethiopian.

Ophiotermes ugandaensis Sjöstedt.

Ophiotermes ugandaensis Sjöstedt 1925, p. 54, sold., Uganda: Kamozi, Mus. Stockholm; 1926, pp. 266-267, pl. 10, figs. H 1-2 (sold.).

Mirotermes (Ophiotermes) ugandaensis Emerson 1928, p. 504, fig. 51 (sold.), Belg. Congo: Garamba.

Sold.

Uganda, Belg. Congo.

Ethiopian.

MEGAGNATHOTERMESGenus **Megagnathotermes** Silvestri.Generotype: **Megagnathotermes notandus** Silvestri.= Genus **Megagnathotermes** Silvestri 1914-15, p. 80.= Genus **Megagnathotermes** Sjöstedt 1926, p. 215.= Subgenus **Megagnathotermes** Emerson 1928, p. 408.**Megagnathotermes katangensis** Sjöstedt.**Megagnathotermes katangensis** Sjöstedt 1927a, p. 169, 1 fig. (sold.), Belg. Congo: Elizabethville, Katanga, Mus. Stockholm.

Sold.

Congo. Ethiopian.

Megagnathotermes notandus Silvestri.**Megagnathotermes notandus** Silvestri 1914-15, p. 81, figs. 16, 1-7, 17 (sold., work.), Fr. Guinea: Mamou; Sjöstedt 1926, p. 215, fig. 47 (sold.), syn., loc.

Sold., work.

Fr. Guinea.

Ethiopian.

CUBITERMESGenus **Cubitermes** Wasmann.Generotype: **Cubitermes bilobatus** (Haviland).= Genus **Cubitermes** Wasmann 1906, p. 573.Subgenus **Cubitermes** Holmgren 1910, p. 286 (no descr.).< Genus **Cubitermes** Wasmann 1911a, p. 150.< Subgenus **Cubitermes** (Mirotermes) Holmgren 1912, pp. 107, 108.> Genus **Cubitermes** Sjöstedt 1926, p. 218 (pp. 225-226 groups of species outlined).> Genus **Isognathotermes** Sjöstedt 1926, p. 216 (for *Cubitermes minitabundus* Sjöstedt).

Cubitermes aemulus Silvestri.

Cubitermes aemulus Silvestri 1914-15, pp. 98-100, fig. 43, 1-8 (im., sold., work.), Fr. Guinea: Camayenne (Conakry); Sjöstedt 1926, pp. 231-232, syn., loc.

Queen (neotenic), king, sold.,
work.

Fr. Guinea.

Ethiopian.

Cubitermes anatruncatus (Fuller).

Mirotermes (*Cubitermes*) *anatruncatus* Fuller 1925a, pp. 199-201, winged, sold., Zululand.

Winged, sold.

So. Africa.

Ethiopian.

Cubitermes antennalis Sjöstedt.

Cubitermes antennalis Sjöstedt 1924c, p. 493, sold., Belg. Congo: Haut Uélé, Moto, Mus. Tervueren and Stockholm; 1926, pp. 252-253, syn., loc.

Mirotermes (*Cubitermes*) *antennalis* Emerson 1928, p. 513, fig. 57 (winged, sold.), pl. 33, fig. 1 (nest), Congo: Garamba.

Winged, sold., work.

Congo.

Ethiopian.

Cubitermes atrox (Smeathman).

Termes *atrox* Smeathman 1781, pp. 141, 159-160, im., biol., pl. 9 (nest mushroom-type), Sierra Leone.

Type: Brit. Mus.

Termes (*Eutermes*) *atrox* Hagen 1858, p. 213, im., sold. (im. uncertain), Sierra Leone; 1858a, p. 30, im., Sierra Leone; 1860a, p. 108, Port Natal.

Eutermes *atrox* Sjöstedt 1900a, p. 152, im., sold., work., Sierra Leone; 1904, p. 28, im.

Termes (*Eutermes*) *atrox* Desneux 1904e, p. 40, syn.

Mirotermes ? *atrox* Holmgren 1912, p. 109.

Termes *atrox* Sjöstedt 1926, p. 218, type lost, probably *Cubitermes*, not identifiable.

Termes arda Fabricius 1781, p. 397, im., sold., work.; 1787, p. 248; 1793, p. 90, Africa; Gmelin 1800, p. 694, im., sold., work., biol., Sierra Leone.

Winged, sold., work.

Sierra Leone.

Ethiopian.

Cubitermes banksi (Emerson).

Mirotermes (*Cubitermes*) *banksi* Emerson 1928, p. 522, fig. 63, winged, sold., work., Cameroon: Bipindi.

Holotype: sold.; morphotype: winged, Mus. Zoology, Ann. Arbor, Mich.

Winged, sold., work.

Cameroon.

Ethiopian.

Cubitermes bilobatus Silvestri.

Cubitermes bilobatus Silvestri 1912, p. 247, im., sold.¹⁻², work., fig. 17, 1-12 (queen, king, sold., work.), Port. Guinea: Bissau, Bolama; Sjöstedt 1926, p. 239, syn., loc.

Queen, king, sold.¹⁻², work.

Port. Guinea.

Ethiopian.

Cubitermes bilobatus (Haviland).

Termes bilobatus Haviland 1898, p. 411, im., queen, sold., work., pl. 24, figs. 49-50 (sold.), 51-52 (im.), Natal: Estcourt.

Cubitermes bilobatus Silvestri 1909a, p. 318.

Mirotermes (Cubitermes) bilobatus Holmgren 1912, p. 108; Fuller 1925a, pp. 194-196.

Cubitermes bilobatus Sjöstedt 1926, pp. 226-228, syn., loc.

Winged, queen, sold.¹⁻², work.¹⁻²

Natal, Transvaal, Tanganyika,

Belg. Congo, Fr. Sudan.

Ethiopian.

Cubitermes bilobatus, form curta Sjöstedt.

Cubitermes bilobatus forma curta Sjöstedt 1926, pp. 221, 228, sold., Natal.

Sold.

So. Africa.

Ethiopian.

Cubitermes bisulcatus (Sjöstedt).

Eutermes (Cubitermes) bisulcatus Sjöstedt 1914a, p. 4, im., sold., work., So. Nyassa: Mlanje.

Mirotermes (Cubitermes) bisulcatus Heigh 1922, pp. 491, 699.

Cubitermes bisulcatus Sjöstedt 1926, p. 247, syn., loc.

Queen, sold., work.

So. Nyassa.

Ethiopian.

Cubitermes breviceps (Sjöstedt).

Eutermes (Cubitermes) breviceps Sjöstedt 1913a, p. 372, sold., Rhodesia: Salisbury.
Type: Mus. Stockholm.

Mirotermes (Cubitermes) breviceps Heigh 1922, pp. 478, 697.

Cubitermes breviceps Sjöstedt 1926, p. 233, pl. 9, figs. A 1-3, syn., loc.

Sold.

Rhodesia.

Ethiopian.

Cubitermes bulbifrons Sjöstedt.

Eutermes Zenkeri Sjöstedt 1907, p. 241 (nec. Desneux), Belg. Congo: Mukimbungu.

Cubitermes bulbifrons Sjöstedt 1924b, p. 256, sold.; 1926, pp. 247-248, winged, queen, sold., work.

Type: Mus. Paris, Stockholm.

Winged, queen, sold., work.

Congo, Fr. Equatorial Africa,

Cameroon.

Ethiopian.

Cubitermes caesareus (Sjöstedt).

Eutermes caesareus Sjöstedt 1911d, p. 7, im., Congo: Mukimbungu.

Mirotermes caesareus Holmgren 1912, p. 109.*Cubitermes caesareus* Sjöstedt 1926, pp. 254-255, syn., loc., in doubt as to group relationship.

Winged.

Congo.

Ethiopian.

Cubitermes comstocki (Emerson).*Mirotermes* (*Cubitermes*) *comstocki* Emerson 1928, p. 523, fig. 64 (winged, sold.), Cameroun: Bipindi.

Holotype: sold.; morphotype: queen, Mus. Zoology, Ann Arbor, Mich.

Winged, queen, sold.

Cameroon.

Ethiopian.

Cubitermes congoensis (Emerson).*Mirotermes* (*Cubitermes*) *congoensis* Emerson 1928, p. 519, fig. 61 (sold.), sold., work., Belg. Congo: Bana.

Holotype: sold., A.M.N.H.

Sold.

Congo.

Ethiopian.

Cubitermes conjenii (Fuller).*Mirotermes* (*Cubitermes*) *conjenii* Fuller 1925a, pp. 210-211, winged, Conjeni, Zululand.

Winged.

So. Africa.

Ethiopian.

Cubitermes cubicephalus (Sjöstedt).*Eutermes* (*Cubitermes*) *cubicephalus* Sjöstedt 1913a, pp. 373, 377, sold., work., Belg. Congo: Luluabourg.

Type: Mus. Tervueren and Stockholm.

Cubitermes cubicephalus Sjöstedt 1926, pp. 230-231, fig. 50, pl. 8, figs. K 1-3 (sold.), syn., loc. King, queen, sold.¹⁻², work.

Congo, Fr. Equatorial Africa.

Ethiopian.

Cubitermes curtatus Silvestri.*Cubitermes curtatus* Silvestri 1914-15, p. 100, im., sold., work., fig. 59, 1-9 (im., sold., work.), pl. 1, figs. 1-2 (nest), Fr. Guinea: Kindia, Mamou.*Mirotermes* (*Cubitermes*) *curtatus* Hegh 1922, p. 177, etc.*Cubitermes curtatus* Sjöstedt 1926, pp. 228-229, syn., loc.

Queen, king, sold., work.

Fr. Guinea.

Ethiopian.

Cubitermes domifaber (Sjöstedt).*Eutermes* (*Cubitermes*) *domifaber* Sjöstedt 1913a, pp. 370, 377, sold., work., Belg. Congo: Elizabethville.*Mirotermes* (*Cubitermes*) *domifaber* Hegh 1922, p. 486, etc.*Cubitermes domifaber* Sjöstedt 1926, p. 236, pl. 9, figs. E 1-3 (sold.), Belg. Congo: Elizabethville, Fr. Equatorial Africa, syn., loc.

Sold., work.

Congo, Fr. Equatorial Africa.

Ethiopian.

Cubitermes duplex (Holmgren).

Mirotermes (Cubitermes) duplex Holmgren 1913d, p. 357, im. (dealated male), sold., work., Zululand: junction of Unflogis, Mfolosi and Mkosi; Fuller 1925a, pp. 203-205, im., sold., No. Transvaal.

Cubitermes duplex Sjöstedt 1926, p. 239, syn., loc.

Winged, sold., work.

Zululand, Transvaal.

Ethiopian.

Cubitermes duplex, form nduma (Fuller).

Mirotermes (Cubitermes) duplex form nduma Fuller 1925a, p. 205, im., No. Zululand.

Winged.

Zululand.

Ethiopian.

Cubitermes finitimus Schmitz.

Cubitermes finitimus Schmitz 1915, p. 120, im., king, queen, sold., work., fig. 1 (pronotum of im.), fig. 2 (sold.), Belg. Congo: Stanleyville; Sjöstedt 1926, p. 237, syn., loc.
Type: P. Kohl coll.

King (dealate), queen, sold.,
work.

Congo.

Ethiopian.

Cubitermes fungifaber (Sjöstedt).

Eutermes fungifaber Sjöstedt 1896a, p. 297, im., Bonge, Cameroon.

Mirotermes (Cubitermes) fungifaber Holmgren 1912, p. 108, fig. 73 (mand. im.), 77 (mand. sold.), loc.

Cubitermes fungifaber Sjöstedt 1926, pp. 240-242, syn., loc.

Mirotermes (Cubitermes) fungifaber Emerson 1928, p. 517, fig. 60 (im., sold.).

?*Termites destructor* Hagen 1858, p. 130, sold., Fernando Po.

?*Termites subhyalinus* Walker 1853, p. 519, sold., Sierra Leone.

Winged, queen, sold., work.

Cameroon, Sudan, Sierra Leone,

Ivory Coast, Fernando Po, Fr.

Equatorial Africa, Congo.

Ethiopian.

Cubitermes fungifaber, var. elongata Sjöstedt.

Cubitermes fungifaber var. *elongata* Sjöstedt 1924b, p. 256, sold., Congo; 1926, p. 242, syn., loc.

Sold.

Congo, Fr. Equatorial Africa,

Cameroon.

Ethiopian.

Cubitermes gaigei (Emerson).

Mirotermes (Cubitermes) gaigei Emerson 1928, p. 516, fig. 59 (sold.), Cameroon: Bipindi.
Holotype: sold., No. 45, Mus. Zool., Ann Arbor, Mich.

Sold.

Cameroon.

Ethiopian.

Cubitermes gibbifrons Sjöstedt.

Cubitermes gibbifrons Sjöstedt 1924b, p. 255, sold., Congo: Mukimbungu; 1926, pp. 249-250, im., sold., work., syn., loc.

Winged, sold., work.

Congo: Mukimbungu, Kasai,
Kondué.

Ethiopian.

Cubitermes glebae (Sjöstedt).

Eutermes (**Cubitermes**) **glebae** Sjöstedt 1913a, pp. 369, 377, sold., Kilimanjaro: Kibonoto.
Mirotermes (**Cubitermes**) **glebae** Heigh 1922, pp. 478, 697.

Type: Mus. Stockholm.

Cubitermes glebae Sjöstedt 1926, pp. 237-238, pl. 9, figs. F 1-4 (sold.), queen, sold., work.,
syn., loc.

Eutermes bilobatus Sjöstedt 1907a, p. 22, Kilimanjaro only.

Queen, sold., work.

Tanganyika.

Ethiopian.

Cubitermes hamatus Sjöstedt.

Cubitermes hamatus Sjöstedt 1926, pp. 235-236, pl. 8, fig. P (sold.), Fr. Congo: Brazza-
ville. Mus. Stockholm.

Sold., work.

Fr. Equatorial Africa.

Ethiopian.

Cubitermes heghi Sjöstedt.

Cubitermes Heghi Sjöstedt 1924b, p. 255, sold., Congo; 1926, p. 249, sold., work., Belg.
Congo.

Mirotermes (**Cubitermes**) **heghi** Emerson 1928, p. 511, fig. 56 (im., sold.), Cameroon:
Bipindi.

Eutermes (**Cubitermes**) **minitabundus** Sjöstedt 1914c, p. 91 (loc.), So. Cameroon:
Molundu.

King, sold.

Congo, Cameroon.

Ethiopian.

Cubitermes inclitus Silvestri.

Cubitermes bilobatus subspecies **inclitus** Silvestri 1912a, p. 5, fig. 4, 1-5. queen, sold., work.,
Banguela, Duches. d'Aosta.

Cubitermes inclitus Sjöstedt 1926, p. 236, syn., loc.

Queen, sold., work.

Duches. d'Aosta, So. Africa.

Ethiopian.

Cubitermes intercalatus Silvestri.

Cubitermes intercalatus Silvestri 1914-15, pp. 89-91, fig. 53, 1-11 (wing., sold., work.), Fr.
Congo: Brazzaville; Sjöstedt 1926, p. 237, pl. 8, fig. N
(sold.), syn., loc.

Mirotermes (**Cubitermes**) **intercalatus** Heigh 1922, p. 484, etc.

Winged (female), sold., work.

Fr. Equatorial Africa, Belg.
Congo.

Ethiopian.

Cubitermes kemneri (Emerson).

Mirotermes (Cubitermes) kemneri Emerson 1928, p. 509, fig. 54 (sold.), Cameroon: Bipindi.
Holotype: sold., Mus. Zoology, Ann Arbor, Mich.

Sold.
Cameroon. Ethiopian.

Cubitermes loubetsiensis Sjöstedt.

Cubitermes loubetsiensis Sjöstedt 1924c, p. 493, sold., Fr. Congo: Loubetsi, Indo, Mus. Stockholm; 1926, pp. 246-247, winged, queen, sold., work., syn., loc.

Mirotermes (Cubitermes) loubetsiensis Emerson 1928, p. 515, fig. 58 (sold.), pl. 30 (nest). Belg. Congo: Medje.

Winged, queen, sold., work.

Fr. Equatorial Africa, Belg.
Congo.

Ethiopian.

Cubitermes microduplex (Fuller).

Mirotermes (Cubitermes) microduplex Fuller 1925a, pp. 205-206, winged, sold., Zululand.
Winged, sold.

So. Africa. Ethiopian.

Cubitermes minitabundus (Sjöstedt).

Eutermes (Cubitermes) minitabundus Sjöstedt 1913a, pp. 368, 378, sold., Belg. Congo:
Katanga, Welgelegen.

Cubitermes minitabundus Schmitz 1915, p. 119 places in syn. with *fungifaber*.

Isognathotermes minitabundus Sjöstedt 1926, pp. 216-217, pl. 10, figs. C 1-4 (sold.), im.,
queen, sold., work., syn., loc.

Winged, queen, sold., work.

Congo. Ethiopian.

Cubitermes modestior Silvestri.

Cubitermes severus var. **modestior** Silvestri 1914-15, p. 93, fig. 55, 1-8 (im., sold., work.),
Fr. Guinea: Kindia.
Cotypes: Mus. Stockholm.

Cubitermes modestior Sjöstedt 1926, pp. 238-239, syn., loc.

Queen, king, sold., work.

Fr. Guinea. Ethiopian.

Cubitermes muneric (Sjöstedt).

Eutermes (Cubitermes) muneric Sjöstedt 1913a, p. 370, sold., Congo: Welgelegen.
Cubitermes muneric Sjöstedt 1926, p. 231, pl. 8, figs. L 1-2, syn., loc., Katanga, Welgelegen.

Sold.
Congo. Ethiopian.

Cubitermes oculatus Silvestri.

Cubitermes oculatus Silvestri 1914-15, p. 103, fig. 60, 1-6 (im., sold., work.), Fr. Guinea:
Camayenne.

Mirotermes (Cubitermes) oculatus Heigh 1922, p. 223, etc.

Cubitermes oculatus Sjöstedt 1926, p. 228, syn., loc.

Queen, king, sold., work.
Fr. Guinea. Ethiopian.

Cubitermes orthognathus (Emerson).

Mirotermes (Cubitermes) orthognathus Emerson 1928, p. 525, fig. 65 (sold.), pl. 31, fig. 2 (nest), sold., work., Belg. Congo: Faradje.
Holotype: sold., A.M.N.H.

Sold.

Congo.

Ethiopian.

Cubitermes pallidiceps (Sjöstedt).

Eutermes (Cubitermes) pallidiceps Sjöstedt 1913a, pp. 372, 377, sold., pl. 10, fig. 2 (sold.), Congo: Katanga, Elizabethville.

Cubitermes pallidiceps Sjöstedt 1926, p. 235, pl. 9, fig. C (sold.), text fig. 50₃ (sold.), syn., loc.; 1926a, p. 4, Gold Coast: Kumasi.
Type: Mus. Tervueren and Stockholm.

Sold.

Congo, Gold Coast.

Ethiopian.

Cubitermes planifrons Sjöstedt.

Cubitermes planifrons Sjöstedt 1924b, pp. 255-256, sold., Congo: Mukimbungu; 1926, pp. 243-244, im., sold., work., syn., loc.

Eutermes Zenkeri Sjöstedt (nec Desneux) 1911, p. 149, loc., nest. Congo: Mukimbungu.

Winged, sold., work.

Congo.

Ethiopian.

Cubitermes pretorianus Silvestri.

Cubitermes pretorianus Silvestri 1914-15, p. 105, fig. 61, 1-3 (sold., work.), Transvaal: Pretoria.

Mirotermes (Cubitermes) pretorianus Heigh 1922, p. 484, etc.; Fuller 1925a, pp. 206-207, imago.

Cubitermes pretorianus Sjöstedt 1926, p. 229, syn., loc.

Winged, sold., work.

So. Africa.

Ethiopian.

Cubitermes pretorianus, var. *heidelbergi* (Fuller).

Mirotermes (Cubitermes) pretorianus var. *heidelbergi* Fuller 1925a, p. 208, queen, sold., Transvaal.

Queen, sold.

So. Africa.

Ethiopian.

Cubitermes proximatus Silvestri.

Cubitermes proximatus Silvestri 1914-15, pp. 96-98, fig. 57, 1-10 (queen, sold., work.) (synon. excl.), French Guinea: Mamou; 1920, p. 269; Sjöstedt 1926, p. 238, syn., loc.
Cotypes: sold., Mus. Stockholm.

Queen, king, sold., work.

Fr. Guinea.

Ethiopian.

Cubitermes pseudoduplex (Fuller).

Mirotermes (Cubitermes) pseudoduplex Fuller 1925a, pp. 196-197, winged, sold., Zululand.

Eutermes bilobatus (in part) Fuller 1915, p. 400

Winged, sold.

So. Africa.

Ethiopian.

Cubitermes sanctaeluciae (Fuller).

Mirotermes (*Cubitermes*) *sanctaeluciae* Fuller 1925a, pp. 208-209, winged, sold., Zululand.
Winged, sold.
So. Africa. Ethiopian.

Cubitermes sankurensis Wasmann.

Cubitermes sankurensis Wasmann 1911a, pp. 152, 155-156, im., queen, sold., work., Belg. Congo: Sankuru.

Mirotermes (*Cubitermes*) *sankurensis* Holmgren 1912, p. 108, pl. 4, fig. 4 (sold.); Hegh 1922, p. 330, etc.; Emerson 1928, p. 526, fig. 66 (im., sold.), pls. 31-33, fig. 1 (nests), loc.

Eutermes bilobatus Sjöstedt 1905, p. 9, nest, Congo: Mukimbungu; 1911, p. 149 (loc.), Congo: Mukimbungu.

Eutermes sibitiensis Sjöstedt 1925, p. 54, Ft. Congo: Indo, Sibiti.

Cubitermes sibitiensis Sjöstedt 1926, pp. 218, 222, 232-233, pl. 8, fig. M, 1-2 (sold.), im., sold., work., syn., loc.

Winged, queen, sold., work.
Congo, Fr. Equatorial Africa.

Ethiopian.

Cubitermes sankurensis, form elongata Sjöstedt.

Cubitermes sankurensis forma elongata Sjöstedt 1926, p. 230, sold., Belg. Congo.

Soldier.

Congo.

Ethiopian.

Cubitermes schererri (von Rosen).

Mirotermes (*Cubitermes*) *schereri* von Rosen 1912, p. 231, part (sold. only), fig. 9 (sold.), Cape Mesurado, Liberia.
Type: sold., Zool. Staatssammlung, Munich.

Cubitermes Schererri Sjöstedt 1926, p. 239, syn., loc., winged, sold., work., Liberia and Congo: Elizabethville.

Mirotermes (*Cubitermes*) *schereri* Emerson 1928, p. 416 (syn.).

Winged, sold., work.
Liberia, Congo.

Ethiopian.

Cubitermes schmidti (Emerson).

Mirotermes (*Cubitermes*) *schmidti* Emerson 1928, p. 520, winged, sold., work., fig. 62 (im., sold.), Cameroon: Bipindi.
Holotype: sold., morphotype: queen, Mus. Zool., Ann Arbor, Mich.

Winged, sold., work.
Cameroon.

Ethiopian.

Cubitermes severus Silvestri.

Cubitermes severus Silvestri 1914-15, p. 92, fig. 54, 1-16 (im., sold., work.), Fr. Guinea: Camayenne (Conakry); Sjöstedt 1926, pp. 250-251, syn., loc. [Kakoulima specimens, see *silvestrii*, n. sp.].

Winged, sold., work.
Fr. Guinea.

Ethiopian.

Cubitermes sierraleonicus (Sjöstedt).

Eutermes sierraleonicus Sjöstedt 1911b, p. 179, sold., Sierra Leone.

Mirotermes (Cubitermes) sierraleonicus Holmgren 1912, p. 108.

Cubitermes sierraleonicus Sjöstedt 1926, p. 254, fig. 50, 2 (sold.), pl. 4, figs. H 1-2 (sold.), syn., loc.

Sold.

Sierra Leone.

Ethiopian.

Cubitermes silvestrii Sjöstedt.

Cubitermes severus Silvestri 1914, p. 91 (ex part; var. from Kakoulima).

Cubitermes Silvestrii Sjöstedt 1925, p. 54, sold., Fr. Guinea: Kakoulima; 1926, p. 251, pl. 10, figs. A 1-3 (sold.), syn., loc.

Sold.

Fr. Guinea.

Ethiopian.

Cubitermes speciosus Sjöstedt.

Cubitermes speciosus Sjöstedt 1924b, p. 256, sold., Congo: Haut Uélé, Moto; 1926, pp. 242-243, pl. 10, fig. M (sold.), im., queen, sold., work., syn., loc.

Winged, queen, sold., work.

Congo.

Ethiopian.

Cubitermes subarquatus Sjöstedt.

Cubitermes subarquatus Sjöstedt 1926, pp. 244-245, pl. 9, figs. G 1-2 (sold.), winged, sold., work., Congo: Stanleyville.

Mirotermes (Cubitermes) subarquatus Emerson 1928, p. 510, fig. 55 (im., sold.), pl. 29 (nest), Congo: Lubila River.

Winged, sold., work.

Congo.

Ethiopian.

Cubitermes subcrenulatus Silvestri.

Cubitermes subcrenulatus Silvestri 1914-15, p. 94, im., sold., work., fig. 56, 1-4 (im., sold.), pl. 1, figs. 3-5 (nests), Fr. Guinea: Kakoulima and Mamou; Sjöstedt 1926, pp. 239-240, queen, king, sold., work.

Queen, king, sold., work.

Fr. Guinea.

Ethiopian.

Cubitermes sulcifrons Wasmann.

Cubitermes sulcifrons Wasmann 1911a, pp. 153, 156-158, winged, queen, sold., work., pl. 7, fig. 16 (wings), Cameroon: Lolodorf.

Mirotermes (Cubitermes) sulcifrons Holmgren 1912, p. 108, Congo.

Cubitermes sulcifrons Sjöstedt 1926, p. 247, syn., loc.

Mirotermes (Cubitermes) sulcifrons Emerson 1928, p. 508, fig. 53 (sold.), Cameroon: Senegambia.

Winged, queen, sold., work.

Cameroon, Congo.

Ethiopian.

Cubitermes tenuiceps (Sjöstedt).

Eutermes (Cubitermes) tenuiceps Sjöstedt 1913a, pp. 374, 377, sold., work., Congo: Elizabethville.

Mirotermes (Cubitermes) tenuiceps Heigh 1922, p. 486, etc.

Cubitermes tenuiceps Sjöstedt 1926, p. 234, pl. 9, figs. D 1-3 (sold.), syn., loc., Mus. Tervueren and Stockholm.

Sold., work.

Congo.

Ethiopian.

Cubitermes transvaalensis (Fuller).

Mirotermes (Cubitermes) transvaalensis Fuller 1925a, pp. 192-194, winged, sold., Transvaal. Winged, sold.

So. Africa.

Ethiopian.

Cubitermes truncatoides (Fuller).

Mirotermes (Cubitermes) truncatoides Fuller 1925a, pp. 201-202, winged, sold., Zululand. Winged, sold.

So. Africa.

Ethiopian.

Cubitermes truncatoides, var. *sordwana* (Fuller).

Mirotermes (Cubitermes) truncatoides var. *sordwana* Fuller 1925a, p. 203, winged, sold., Zululand.

Winged, sold.

So. Africa.

Ethiopian.

Cubitermes truncatus (Holmgren).

Mirotermes (Cubitermes) truncatus Holmgren 1913d, p. 358, im., sold., work., Zululand: Krambonambi, Mhlazinga, Kfolosi; Fuller 1925a, p. 199, im. (possibly two species confused).

Cubitermes truncatus Sjöstedt 1926, p. 254, queen and male, sold., work., syn., loc.

Queen, male, sold., work.

So. Africa.

Ethiopian.

Cubitermes ugandensis Fuller.

Cubitermes ugandensis Fuller 1923, p. 191, text fig., im., sold., Uganda: Nkulukuku and Kamozi, Brit. Mus. and Mus. Stockholm; Sjöstedt 1926, pp. 251-252, im., queen, sold., work., syn., loc.; 1926b, p. 153, Congo: Haut Uélé, Mauda.

Winged, queen, sold., work.

Uganda, Congo.

Ethiopian.

Cubitermes undulatus (Fuller).

Mirotermes (Cubitermes) undulatus Fuller 1925a, pp. 197-198, im. (queen), sold., Pretoria. Queen, sold.

So. Africa.

Ethiopian.

Cubitermes weissi Silvestri.

Cubitermes Weissi Silvestri 1912, p. 249, fig. 18 (im., sold., work.), Fr. Congo: Brazzaville.

Mirotermes (Cubitermes) Weissi Heigh 1922, pp. 478, 697.

Cubitermes Weissi Sjöstedt 1926, pp. 234-235, syn., loc.

Winged, sold., work.

Fr. Equatorial Africa.

Ethiopian.

Cubitermes zavataria Ghidini.

Cubitermes Zavataria Ghidini 1937, pp. 141-143, sold., work., Ethiopia: Galla-Borana (Neghelli).

Sold., work.

Ethiopia.

Ethiopian.

Cubitermes zenkeri Desneux.

Cubitermes Zenkeri Desneux 1904a, p. 148, im., sold., work., Cameroon: Yaunda.

Cubitermes (Termes) Zenkeri Wasmann 1911a, p. 158, loc.

Mirotermes (Cubitermes) Zenkeri Holmgren 1912, p. 108.

Cubitermes Zenkeri Sjöstedt 1926, p. 236, syn., loc.

Winged, sold., work.

Cameroon, Congo.

Ethiopian.

Cubitermes zulucola Sjöstedt.

Cubitermes zulucola Sjöstedt 1924b, p. 256, sold., Zululand: Mkosi; 1926, p. 234, pl. 9, fig. B, 1-3 (sold.), syn., loc.

Sold.

So. Africa.

Ethiopian.

Cubitermes zuluensis (Holmgren).

Mirotermes (Cubitermes) zuluensis Holmgren 1913d, p. 354, im. (queen), E. Zululand.

Cubitermes zuluensis Sjöstedt 1926, p. 254 (described from queen, unidentifiable?).

Queen.

So. Africa.

Ethiopian.

(Scale)

Genus *Lepidotermes* Sjöstedt.

LEPIDOTERMES

Generitype: *Lepidotermes pretoriensis* (Sjöstedt).

= Genus *Lepidotermes* Sjöstedt 1924c, p. 497; 1926, p. 255.

< Subgenus *Procubitermes* Emerson 1925, p. 432; 1928, p. 529.

Lepidotermes pretoriensis (Sjöstedt).

Eutermes (Cubitermes) pretoriensis Sjöstedt 1914b, p. 84, pl. 2, fig. 8 and 13 (sold.), sold., work., Transvaal: Pretoria.

Lepidotermes pretoriensis Sjöstedt 1924c, p. 497; 1926, p. 256, fig. 51 (sold.), syn., loc.

Types: Mus. Stockholm and Pretoria.

Sold., work.

So. Africa.

Ethiopian.

Lepidotermes simplex (Holmgren).

Mirotermes (Cubitermes) simplex Holmgren 1913d, p. 361, sold., work., Natal: Amanzimtoti.

Procubitermes simplex Fuller 1925a, p. 211.

Lepidotermes simplex Sjöstedt 1926, p. 256, syn., loc.

Sold., work.

South Africa.

Ethiopian.

PROCUBITERMES

Genus Procubitermes Silvestri.

Generitype: *Procubitermes arboricola* (Sjöstedt).

=*Genus Procubitermes Silvestri* 1914-15, p. 106.

<*Genus Eutermes* Sjöstedt 1900a, pp. 20, 139.

<*Genus Cubitermes* Wasmann 1911a, p. 151.

<*Subgenus Cubitermes (Mirotermes)* Holmgren 1912, pp. 107, 108.

=*Genus Procubitermes* Sjöstedt 1926, p. 256.

<*Subgenus Procubitermes* Emerson 1925, p. 432; 1928, pp. 404, 419, 529 (syn.).

=*Genus Procubitermes* Hare 1937, p. 478.

Procubitermes arboricola (Sjöstedt).

Eutermes arboricola Sjöstedt 1897, p. 126, winged, Cameroon: Bonge.

Mirotermes (Cubitermes) arboricola Holmgren 1912, p. 108, pl. 4, fig. 5 (sold.).

Procubitermes arboricola Sjöstedt 1926, pp. 257-258, fig. 52 (sold., antenna im.), pl. 10, fig. F (sold. labrum), syn., loc.

Winged, queen, sold., work.

Cameroon, Congo.

Ethiopian.

Procubitermes choanensis (Fuller).

Mirotermes (Procubitermes) choanensis Fuller 1925a, pp. 184-186, winged, sold., Pretoria.

Winged, sold.

So. Africa.

Ethiopian.

Procubitermes havilandicus (Fuller).

Mirotermes (Procubitermes) havilandicus Fuller 1925a, pp. 186-187, winged, sold., Natal.

Winged, sold.

So. Africa.

Ethiopian.

Procubitermes heterochilus Silvestri.

Procubitermes heterochilus Silvestri 1914-15, p. 113, sold., work., fig. 66, 1-4 (sold.), Dahomey: Segboroué; Sjöstedt 1926, p. 260, syn., loc.

Sold., work.

Dahomey.

Ethiopian.

Procubitermes lounsburyi Silvestri.

Procubitermes lounsburyi Silvestri 1914-15, p. 112, fig. 65, 1-3 (sold.), sold., work., Transvaal: Pretoria.

Mirotermes (Procubitermes) lounsburyi Fuller 1925a, pp. 183-184, im., sold.

Procubitermes lounsburyi Sjöstedt 1926, p. 260, syn., loc.

Winged, sold., work.

So. Africa.

Ethiopian.

Procubitermes mbazwanicus (Fuller).

Mirotermes (?Procubitermes) mbazwanicus Fuller 1925a, pp. 189-190, winged, Zululand.

Winged.

So. Africa.

Ethiopian.

Procubitermes mfolozii (Fuller).

Mirotermes (?*Procubitermes*) *mfolozii* Fuller 1925a, pp. 190-191, winged, so. bank Wh. Mfolozi Riv., Conjeni. Tsetse fly station.

Winged.

So. Africa.

Ethiopian.

Procubitermes mfolozii, form warreni (Fuller).

Mirotermes (?*Procubitermes*) *mfolozii* form. *warreni* Fuller 1925a, p. 191, im., Drakensberge (5,000 ft.), Mont Aux Sources.

Winged.

So. Africa.

Ethiopian.

Procubitermes moretelae (Fuller).

Mirotermes (?*Procubitermes*) *moretelae* Fuller 1925a, pp. 191-192, winged, Transvaal: Pienaar Riv. (the Moretele).

Winged.

So. Africa.

Ethiopian.

Procubitermes mtwalumi (Fuller).

Mirotermes (*Procubitermes*) *mtwalumi* Fuller 1925a, pp. 187-189, winged, sold., Natal: Mtwalumi Riv.

Winged, sold.

So. Africa.

Ethiopian.

Procubitermes natalensis (Holmgren).

Mirotermes (*Cubitermes*) *natalensis* Holmgren 1913d, pp. 355-357, im., work., forma *obscurus*, im., work., forma *brevior*, im., work. Natal: Amanzimtoti.

Procubitermes natalensis Fuller 1925a, p. 211, syn., forms distinct.

Cubitermes natalensis Sjöstedt 1926, p. 254, syn., loc., in doubt as to group relationship.

Winged, work.

So. Africa.

Ethiopian.

Procubitermes natalensis, form *brevior* (Holmgren).

Mirotermes (*Cubitermes*) *natalensis* forma *brevior* Holmgren 1913d, p. 357, im., Zululand: Mkosi.

Cubitermes natalensis forma *brevior* Sjöstedt 1926, p. 254.

Winged.

So. Africa.

Ethiopian.

Procubitermes natalensis, form *obscurus* (Holmgren).

Mirotermes (*Cubitermes*) *natalensis* forma *obscurus* Holmgren 1913d, p. 356, im., Natal: Charlestown.

Cubitermes natalensis forma *obscura* Sjöstedt 1926, p. 254.

Winged.

So. Africa.

Ethiopian.

Procubitermes niapuensis (Emerson).

Mirotermes (Cubitermes) niapuensis Emerson 1928, p. 529, fig. 67 (winged, sold.), pl. 32, fig. 2 (nest), winged, sold., work., Belg. Congo: Niapu.

Holotype: sold.; morphotype: queen, A.M.N.H. (remarkable chevron-shaped rain-shedding galleries).

Winged, sold., work.

Congo. Ethiopian.

Procubitermes sjöstedti (von Rosen).

Mirotermes (Cubitermes) Sjöstedti von Rosen 1912, p. 230, fig. 8 (sold.), Liberia.

Procubitermes Sjöstedti Silvestri 1914-15, p. 107, queen, sold., work., pl. 62, 1-7 (queen, sold.), Fr. Guinea: Kakoulima, Kindia; Senegambia: Hann (Dakar); Sjöstedt 1926, pp. 259-260, syn., loc. Type: Zoolog. Staatssammlung, Munich.

Queen, sold., work.

Liberia, Fr. Guinea, Senegal. Ethiopian.

Procubitermes ueleensis Sjöstedt.

Procubitermes ueleensis Sjöstedt 1924c, p. 493, sold., Belg. Congo, Uélé: Moto; 1926, pp. 258-259, pl. 10, fig. E (sold.), im., sold., work., Congo: Haut Uélé, Moto.

Types: Mus. Tervueren and Stockholm.

Winged, sold., work.

Congo. Ethiopian.

Procubitermes undulans Schmitz.

Procubitermes undulans Schmitz 1917, p. 230, fig. 3 (sold.), Congo: Stanleyville; Sjöstedt 1926, p. 259, queen, sold., work., syn., loc.

Mirotermes (Procubitermes) undulans Emerson 1928, p. 531, fig. 68 (winged, sold.), Congo: Ngayu (near Stanleyville).

Winged, queen, sold., work.

Congo. Ethiopian.

Procubitermes wasmanni (Emerson).

Mirotermes (Procubitermes) wasmanni Emerson 1928, p. 533, fig. 69 (winged, sold.), Cameroon: Bipindi.

Winged, sold.

Cameroon. Ethiopian.

NODITERMESGenus **Noditermes** Sjöstedt.

Generitype: **Noditermes lamanianus** (Sjöstedt).

=Genus **Noditermes** Sjöstedt 1924b, p. 257; 1926, p. 260.

<Subgenus **Procubitermes** Emerson 1928, p. 529.

Noditermes aburiensis (Sjöstedt).

Procubitermes aburiensis Sjöstedt 1926a, p. 2, sold., Gold Coast: Aburi; 1926c, p. 243, sold., Aburi.

Procubitermes curvatus var. *sinuosa* Silvestri 1914-15, p. 111, fig. 64 (im., sold., work.), from Aburi only.

Noditermes sinuosus Sjöstedt 1926, p. 263, var. from Gold Coast: Aburi only.

Queen, sold., work.

Gold Coast.

Ethiopian.

Noditermes cristifrons (Wasmann).

Cubitermes cristifrons Wasmann 1911a, pp. 151, 153-154, sold., work., queen, king, Congo: Sankuru.

Mirotermes (Cubitermes) cristifrons Holmgren 1912, p. 108.

Noditermes cristifrons Sjöstedt 1926, p. 262, wing., queen, king, sold., work., syn., loc.

Winged, queen, king, sold., work.

Congo.

Ethiopian.

Noditermes curvatus (Silvestri).

Procubitermes curvatus Silvestri 1914-15, p. 109, fig. 63, 1-11 (im., sold., work.), Fr. Guinea: Camayenne.

Noditermes curvatus Sjöstedt 1926, p. 263, queen, king, sold., work., syn., loc.

Queen, king, sold., work.

French Guinea.

Ethiopian.

Noditermes indoensis Sjöstedt.

Noditermes indoensis Sjöstedt 1926, pp. 262-263, pl. 10, fig. N (sold.), French Congo: Indo. Sold.

French Equatorial Africa.

Ethiopian.

Noditermes lamanianus (Sjöstedt).

Eutermes lamanianus Sjöstedt 1905, p. 15, sold., work., Belg. Congo: Mukimbungu; 1911, p. 151, im., queen.

Mirotermes (Cubitermes) lamanianus Holmgren 1912, p. 108.

Noditermes lamanianus Sjöstedt 1926, p. 261, pl. 10, figs. D 1-2 (sold.), syn., loc.

Winged, queen, sold., work.

Congo.

Ethiopian.

Noditermes sinuosus (Silvestri).

Procubitermes curvatus var. *sinuosa* Silvestri 1914-15, pp. 111-112, pl. 64, 1-8 (im., sold.), im., sold., work., Fr. Guinea: Kakoulima, Mamou.

Noditermes sinuosus Sjöstedt 1926, p. 263, queen, sold., work., syn., loc.

Queen, sold., work.

French Guinea.

Ethiopian.

(Nail)

UNGUITERMES

Genus *Unguitermes* Sjöstedt.

Generotype: *Unguitermes bidentatus* (Silvestri).

=Genus *Unguitermes* Sjöstedt 1924b, p. 257; 1926, p. 264.

<Subgenus *Procubitermes* Emerson 1928, p. 529.

Unguitermes acutifrons (Silvestri).

Procubitermes acutifrons Silvestri 1914-15, pp. 115-116, fig. 68, 1-6 (sold., work.), French Guinea: Camayenne (Conakry).

Unguitermes acutifrons Sjöstedt 1926, p. 264-265, fig. 54 (sold.), pl. 10, fig. L (sold. left mandible), syn., loc.

Sold., work.

French Guinea.

Ethiopian.

Unguitermes bidentatus (Silvestri).

Procubitermes bidentatus Silvestri 1914-15, p. 114, fig. 67, 1-8 (sold., work.), Cameroon: Victoria.

Unguitermes bidentatus Sjöstedt 1926, p. 264, syn., loc.

Sold., work.

Cameroon.

Ethiopian.

FASTIGITERMESGenus **Fastigitermes** Sjöstedt.

Generotype: *Fastigitermes jucundus* (Sjöstedt).

<Subgenus *Cubitermes* Holmgren 1912, pp. 107-108.

=Genus *Fastigitermes* Sjöstedt 1924b, p. 257; 1926, p. 269.

=Subgenus *Fastigitermes* (*Mirotermes*) Emerson 1928, pp. 408, 419, 529.

Fastigitermes jucundus (Sjöstedt).

Eutermes jucundus Sjöstedt 1907, p. 242, sold., work., Congo: Mukimbungu.

Mirotermes (*Cubitermes*) *jucundus* Holmgren 1912, p. 108.

Fastigitermes jucundus Sjöstedt 1926, p. 269, fig. 56, pl. 11, figs. A, 1-6 (sold.), syn., loc.

Winged, sold., work.

Congo.

Ethiopian.

PROBOSCITERMESGenus **Proboscitermes** Sjöstedt.

Generotype: *Proboscitermes tubuliferus* (Sjöstedt).

<Subgenus *Basidentitermes* Holmgren 1912, pp. 107-108; Silvestri 1914, p. 117.

=Genus *Proboscitermes* Sjöstedt 1924b, p. 257; 1926, p. 270.

=Subgenus *Proboscitermes* Emerson 1928, pp. 408, 419.

Proboscitermes tubuliferus (Sjöstedt).

Eutermes tubuliferus Sjöstedt 1907, p. 241, sold., work., Congo: Mukimbungu.

Mirotermes (*Basidentitermes*) *tubuliferus* Holmgren 1912, p. 108, fig. 78 (sold. mandibles), pl. 4, fig. 10 (sold.).

Basidentitermes tubuliferus Silvestri 1914-15, p. 123, loc., Cameroon: Victoria.

Proboscitermes tubuliferus Sjöstedt 1926, p. 270, fig. 57, sold., pl. 11, figs. B 1-3 (sold.), syn., loc.

Sold., work.

Congo, Cameroon.

Ethiopian.

BASIDENTITERMES

(Base
tooth)

Genus **Basidentitermes** Holmgren.

Generotype: *Basidentitermes aurivillii* (Sjöstedt).

<Subgenus *Basidentitermes* (*Mirotermes*) Holmgren 1912, pp. 107, 108.

<Genus *Basidentitermes* Silvestri 1914-15, p. 117.

=Genus *Basidentitermes* Sjöstedt 1926, p. 271.

Basidentitermes amicus Harris.

Basidentitermes amicus Harris 1936, pp. 367-368, fig. 3 (sold.), Tanganyika: Songea.
Type: Brit. Mus.

Sold.

Tanganyika.

Ethiopian.

Basidentitermes aurivillii (Sjöstedt).

Eutermes Aurivillii Sjöstedt 1897, p. 125, winged, Mungo River, Cameroon.

Mirotermes (Basidentitermes) aurivillii Holmgren 1912, p. 108, pl. 4, fig. 11 (sold.).

Basidentitermes aurivillii Sjöstedt 1926, pp. 271-272, fig. 58 (sold.), winged, sold., work.,
syn., loc.

Type: Mus. Greifswald and Stockholm.

Winged, sold., work.

Cameroon, Uganda, Congo, S.

Nigeria, Gold Coast, Anglo-
Egyptian Sudan.

Ethiopian.

Basidentitermes diversifrons Silvestri.

Basidentitermes diversifrons Silvestri 1914-15, p. 122, fig. 72 (sold.¹), sold.¹⁻², work.,
Cameroon: Victoria.

Mirotermes (Basidentitermes) diversifrons Heigh 1922, pp. 499, 700.

Basidentitermes diversifrons Sjöstedt 1926, p. 273, syn., loc.

Sold.¹⁻², work.

Cameroon.

Ethiopian.

Basidentitermes mactus (Sjöstedt).

Eutermes mactus Sjöstedt 1911d, p. 11, sold.¹, Guinea: Cameroon.
Type: Mus. Stockholm.

Mirotermes ? (Eutermes) mactris Heigh 1922, p. 699, loc. Gabon?

Basidentitermes bivalens Silvestri 1914-15, p. 119, fig. 70, 1-7 (sold.¹⁻²), sold.¹⁻², work.

Basidentitermes mactus Sjöstedt 1926, p. 272, syn., loc.

Sold.¹⁻², work.

Guinea, Cameroon: Victoria,

Gabon ?

Ethiopian.

Basidentitermes mactus, var. *supera* Silvestri.

Basidentitermes bivalens var. *supera* Silvestri 1914-15, p. 121, fig. 71, 1-3 (sold.¹⁻²), So.
Nigeria: Olokemeji.

Basidentitermes mactus var. *supera* Sjöstedt 1926, p. 272, syn., loc.

Sold.¹⁻²

Nigeria.

Ethiopian.

Basidentitermes malelaensis (Emerson).

Mirotermes (Basidentitermes) malelaensis Emerson 1928, p. 535, fig. 70 (sold.), sold., work.,
Belg. Congo: Malela.

Holotype: sold., A.M.N.H.

Sold., work.

Congo.

Ethiopian.

Basidentitermes potens Silvestri.

Basidentitermes potens Silvestri 1914-15, p. 117, fig. 69, 1-10 (im., sold.¹⁻²), im., sold.¹⁻², work., Fr. Guinea: Mamou, Conakry, Camayenne.

Mirotermes (Basidentitermes) potens Heigh 1922, p. 499, etc.; Sjöstedt 1926, pp. 272-273, syn., loc.

Queen, king, sold.¹⁻², work.

Fr. Guinea.

Ethiopian.

(Straight)

Genus Orthotermes Silvestri.

Generitype: **Orthotermes depressifrons** Silvestri.

<Subgenus **Basidentitermes** Holmgren 1912, pp. 107-108.

=Genus **Orthotermes** Silvestri 1914-15, p. 123; 1914a, p. 595.

=Genus **Orthotermes** Sjöstedt 1926, p. 273.

=Subgenus **Orthotermes** Emerson 1928, pp. 408, 419.

ORTHOTERMES

Orthotermes depressifrons Silvestri.

Orthotermes depressifrons Silvestri 1914-15, p. 124, fig. 73, 1-10 (sold., work.), Gold Coast: Aburi; Sjöstedt 1926, p. 273, fig. 59 (sold.), syn., loc.

Sold., work.

Gold Coast.

Ethiopian.

Orthotermes mansuetus (Sjöstedt).

Eutermes mansuetus Sjöstedt 1911, pp. 154-157, fig. (head sold.), im., sold., work., Congo: Mukimbungu.

Mirotermes (Basidentitermes) mansuetus Holmgren 1912, p. 108.

Orthotermes mansuetus Sjöstedt 1926, pp. 273-274, pl. II, figs. C 1-2 (sold.), syn., loc.

Winged, sold., work.

Congo.

Ethiopian.

(Horn)

Genus Ceratotermes Silvestri.

Generitype: **Ceratotermes valens** Silvestri.

<Subgenus **Labiotermes (Cornitermes)** Holmgren 1912, p. 50.

=Genus **Ceratotermes** Silvestri 1914-15, p. 125; 1914a, p. 597.

>Subgenus **Ceratotermes** Emerson 1925, p. 432.

<Subgenus **Labiotermes** Sjöstedt 1926, p. 150.

=Subgenus **Ceratotermes (Mirotermes)** Emerson 1928, p. 502.

CERATOTERMES

Ceratotermes corniferus (Sjöstedt).

Eutermes corniferus Sjöstedt 1905, p. 12, sold., work., Congo: Mukimbungu.

Cornitermes (Labiotermes) corniferus Holmgren 1912, p. 50.

Labiotermes corniferus Sjöstedt 1926, pp. 150-151, fig. 30 (sold.), pl. 6, figs. H 1-2, K 3, syn., loc.

Sold., work.

Congo.

Ethiopian.

Ceratotermes rhinoceros (Sjöstedt).

Eutermes rhinoceros Sjöstedt 1905, p. 11, sold., Congo: Mukimbungu.

Cornitermes (Labiotermes) rhinoceros Holmgren 1912, p. 50.

Labiotermes rhinoceros Sjöstedt 1926, p. 150, pl. 6, figs. K 1-2 (sold.), syn., loc.

Sold.

Congo, Uganda.

Ethiopian.

Ceratotermes valens Silvestri.

Ceratotermes valens Silvestri 1914-15, p. 126, sold., work., pl. 74, 1-8 (sold., work.), Fr. Guinea: Mamou.

Labiotermes valens Sjöstedt 1926, p. 151, syn., loc.

Sold., work.

Fr. Guinea.

Ethiopian.

TUBERCULITERMES

Genus *Tuberculitermes* Holmgren.

Generitype: *Tuberculitermes bycanistes* (Sjöstedt).

=Subgenus *Tuberculitermes* (*Mirotermes*) Holmgren 1912, pp. 107-109.

==Genus *Tuberculitermes* Sjöstedt 1926, p. 274.

Tuberculitermes bycanistes (Sjöstedt).

Eutermes bycanistes Sjöstedt 1905, p. 14, sold., Cameroon: Mungo Riv.

Mirotermes (*Tuberculitermes*) *bucanistes* Holmgren 1912, p. 109.

Tuberculitermes bycanistes Sjöstedt 1926, pp. 274-275, fig. 60 (sold.), pl. 11, figs. D 1-2 (sold.), syn., loc.

Winged, sold., work.

Cameroon, Congo, Senegal.

Ethiopian.

Tuberculitermes bycanistes, var. *guineensis* Silvestri.

Tuberculitermes bycanistes var. *guineensis* Silvestri 1914-15, p. 129, fig. 77, 1-II, queen, king, sold., work., Fr. Guinea: Kindia, Mamou; Sjöstedt 1926, pp. 274-275, syn., loc.

Queen, king, sold., work.

Fr. Guinea.

Ethiopian.

ANGULITERMES

Genus *Angulitermes* Sjöstedt.

Generitype: *Angulitermes frontalis* (Silvestri).

<Subgenus *Mirotermes* Holmgren 1912, pp. 107-108.

==Genus *Angulitermes* Sjöstedt 1924b, p. 257; 1926, p. 280.

==Subgenus *Angulitermes* Emerson 1928, p. 408.

Angulitermes braunsi (Wasmann).

Mirotermes braunsi Wasmann 1908a, p. 443, sold., work., nymphs. Cape Colony: Port Elizabeth and Willowmore.

Mirotermes (*Mirotermes*) *braunsi* Holmgren 1912, p. 109.

Mirotermes *Braunsi* Sjöstedt 1926, pp. 276-277, sold., nymph, work., syn., loc.

Mirotermes (*Mirotermes*) *braunsi* Fuller 1925a, p. 180, loc.

Mirotermes (*Angulitermes*) *braunsi* Emerson 1928, p. 537.

Sold., nymph, work.

So. Africa.

Ethiopian.

Angulitermes elsenburgi (Fuller).

Mirotermes (*Mirotermes*) *elsenburgi* Fuller 1925a, pp. 181-182, sold., Cape Province: Elsenburg.

Mirotermes (*Angulitermes*) *elsenburgi* Emerson 1928, p. 537.

Sold.

So. Africa.

Ethiopian.

Angulitermes frontalis (Silvestri).

Mirotermes frontalis Silvestri 1908, p. 78, pl. 9, figs. 43-45 (sold.), S. W. Africa: Kalahari, Kooa pan in desert.

Mirotermes (Mirotermes) frontalis Holmgren 1912, p. 108.

Mirotermes (Mirotermes) frontalis Fuller 1925a, p. 181, loc., Wolftoon, Bushmanland.

Angulitermes frontalis Sjöstedt 1926, p. 281, fig. 63 (sold.), pl. 11, figs. E 1-2 (sold.), syn., loc.

Mirotermes (Angulitermes) frontalis Emerson 1928, p. 537.

Sold.

So. Africa.

Ethiopian.

Angulitermes truncatus Sjöstedt.

Angulitermes truncatus Sjöstedt 1926c, pp. 244-246, fig. 2 (sold.), sold., queen, work., Gold Coast: Accra.

Types: Imper. Bur. Ent., London, Mus. Stockholm.

Queen, sold., work.

Gold Coast.

Ethiopian.

SPINITERMES

Genus **Spinitermes** Wasmann.

Generitype: **Spinitermes trispinosus** (Bates).

=Genus **Spinitermes** Silvestri 1901, p. 6; 1903, p. 71.

=Genus **Spinitermes** Holmgren 1906, p. 564.

<Subgenus **Termes (Eutermes)** Hagen 1858, p. 186.

=Subgenus **Spinitermes (Termes)** Wasmann 1897, p. 152, designates type.

Subgenus **Spinitermes** Holmgren 1910, p. 286 (no description).

=Subgenus **Spinitermes (Mirotermes)** Holmgren 1912, pp. 107-109.

=Subgenus **Spinitermes (Mirotermes)** Emerson 1925, p. 444.

Spinitermes brevicornutus (Desneux).

Termes (Eutermes) brevicornutus Desneux 1904e, p. 41, syn.

Spinitermes brevicornis Silvestri 1901, p. 6, im., Brazil: Coxipò (Cuyabà); 1903, p. 72, pl. 3, fig. 127 (im.), 128 (sold.), 129 (substitute queen).

Type: Silvestri coll.

Spinitermes brevicornis Holmgren 1909, p. 84 (anatomy).

Mirotermes (Spinitermes) brevicornutus Holmgren 1912, p. 106, fig. 76 (im. mand.), p. 111, fig. 79 (sold. mand.), loc.; Snyder 1926d, pp. 61-62, fig. 2b (sold.), Bolivia.

Spinitermes trispinosus Silvestri 1901, p. 6, Brazil: Cuyabà; 1903, p. 71, sold., work., p. 129 biol., pl. 3, fig. 126 (sold.), Brazil: Cuyabà only.

Winged, substitute queen, sold., work.

Brazil, Paraguay, Bolivia.

Neotropical.

Spinitermes nigrostomus Holmgren.

Spinitermes nigrostomus Holmgren 1906, p. 564, sold., work., fig. V (sold.), Bolivia: Mojos (Prov. Caupolicán).

Mirotermes (Spinitermes) nigrostomus Holmgren 1912, p. 109, pl. 4, fig. 7 (sold.).

Spinitermes gracilis Holmgren 1906, p. 565, sold., worker, neotenic queen, fig. W (sold.), Peru: Chiquimayo (Prov. Carabaya).

Mirotermes (Spinitermes) gracilis Holmgren 1912, p. 109.

Mirotermes (Spinitermes) trispinosus Emerson 1925, pp. 444-445, fig. 89 (sold.),
Brazil: Santarem; Snyder 1926d, pp. 61-62, fig. 2c
(sold.), Bolivia: Cachuela Esperanza.

Neoteinic queen, sold., work.

Bolivia, Peru, Brazil.

Neotropical.

Spinitermes robustus (Snyder).

Mirotermes (Spinitermes) robustus Snyder 1926d, p. 62, fig. 2a (sold.), Bolivia: Ixiamas.
Type: sold., U.S.N.M. No. 27678.

Sold.

Bolivia.

Neotropical.

Spinitermes trispinosus (Bates).

Termes trispinosus Bates in Hagen 1858, p. 211, Brazil: Santarem (on Amazon).

Paratype: sold., Hagen coll., M.C.Z. No. 424.

Termes trispinosus Hagen 1858, p. 210, sold., pl. 1, fig. 11 (sold.), sold., work.

Termes (Spinitermes) trispinosus Wasmann 1897, p. 152.

Termes (Eutermes) trispinosus Desneux 1904e, p. 46, syn.

Mirotermes (Spinitermes) trispinosus Holmgren 1912, p. 109, loc.

Sold., work.

Brazil: Santarem on Amazon.

Neotropical.

ORTHOGNATHOTERMES

Genus *Orthognathotermes* Holmgren.

Generotype: *Orthognathotermes macrocephalus* (Holmgren).

=Genus *Orthognathotermes* Holmgren 1910, p. 286 (no description).

=Genus *Orthognathotermes* Holmgren 1912, pp. 118, 97.

<Genus *Termes*, subgenus *Eutermes* Desneux 1904e, pp. 32, 35.

Orthognathotermes aduncus Emerson, n. sp.

Orthognathotermes macrocephalus Emerson 1925, pp. 451-453, fig. 93 (im., sold.), Bolivia:
Mojos; Snyder 1926d, p. 71, sold., Bolivia: Rosario.
Type: A.M.N.H.

Winged, sold.

Bolivia.

Neotropical.

Orthognathotermes brevipilosus Snyder.

Orthognathotermes brevipilosus Snyder 1926d, p. 70, sold., Bolivia: Rosario.
Type: sold., U.S.N.M. No. 27674.

Sold.

Bolivia.

Neotropical.

Orthognathotermes macrocephalus (Holmgren).

Mirotermes macrocephalus Holmgren 1906, p. 562, sold., work., fig. T (sold.), fig. U
(work.), Bolivia: Mojos (Prov. Caupolicana).

Orthognathotermes macrocephalus Holmgren 1912, pp. 119, 118, fig. 84 (nymph mand.),
fig. 85 (sold.).

Nymph, sold., work.

Bolivia.

Neotropical.

Orthognathotermes orthognathus (Silvestri).

Capritermes orthognathus Silvestri 1903, p. 65, nymph, sold., work., pl. 3, fig. 114 (sold.),
p. 128, biol., Paraguay: Tacurú Pucú; Brazil: Coxipó
(Cuyabá), São Leopoldo (Rio Grande do Sul).

Capritermes paradoxus Silvestri 1901, p. 5.

Termes (Eutermes) orthognathus Desneux 1904e, p. 44, syn.

Orthognathotermes orthognathus Holmgren 1912, p. 119, syn.

Sold., work., nymph.

Paraguay, Brazil.

Neotropical.

Orthognathotermes wheeleri Snyder.

Orthognathotermes wheeleri Snyder 1923b, pp. 129-130, pl. 1, fig. 1 (sold.), sold., Panama:
C. Z., Barro Colorado Isl.
Type: sold., U.S.N.M. No. 26258.

Sold.

Panama.

Neotropical.

DENTISPICOTERMESGenus **Dentispicotermes** Emerson, n. gen.

Generitype: **Dentispicotermes globicephalus** (Silvestri).

<Genus **Capritermes** Silvestri 1901, p. 4.

<Genus **Mirotermes** Silvestri 1903, p. 66.

<Subgenus **Termes (Eutermes)** Desneux 1904e, pp. 32, 39.

Dentispicotermes globicephalus (Silvestri).

Capritermes globicephalus Silvestri 1901, p. 6, sold., Brazil.

Mirotermes globicephalus Silvestri 1903, p. 70, sold., work., p. 129, biol., pl. 3, fig. 125
(sold.), Brazil: Coxipó (Cuyabá).

Termes (Eutermes) globicephalus Desneux 1904e, p. 42, syn.

?**Mirotermes globicephalus** Holmgren 1912, p. 109, remarks.

?**Orthognathotermes globicephalus** Holmgren 1912, p. 119, Matto Grosso.

Sold., work.

Brazil.

Neotropical.

CREPITITERMESGenus **Crepititermes** Emerson.

Generitype: **Crepititermes verruculosus** (Emerson).

=Subgenus **Crepititermes (Mirotermes)** Emerson 1925, p. 433.

Crepititermes verruculosus (Emerson).

Mirotermes (Crepititermes) verruculosus Emerson 1925, pp. 433-435, fig. 84 (im., sold.),
Brit. Guiana: Kartabo.

Holotype: queen; morphotype: sold., N. Y. Zool. Soc.
coll.

Queen, sold.

Brit. Guiana.

Neotropical.

TERMES

Genus *Termes* Linné.

Generitype: *Termes fatalis* Linné.

<Genus *Termes* Linné 1758, p. 609.

<Genus *Termes* (Eutermes) Hagen 1858, pp. 107, 186.

<Genus *Termes* (Eutermes) (misspelled *Entermes*) Hagen 1858a, pp. 16, 26.

>Subgenus *Mirotermes* Wasmann 1897, p. 152.

Genus *Eutermes* (part) Sjöstedt 1900, p. 278.

<Genus *Mirotermes* Silvestri 1903, p. 66 (does not include *Spinitermes*).

<Genus *Termes* Desneux 1904e, pp. 26, 28, 29.

=Genus *Mirotermes* Holmgren 1910, p. 286 (no description).

=Genus *Mirotermes* Wasmann 1911a, p. 150.

<Genus *Mirotermes* Holmgren 1912, pp. 97, 105.

<Subgenus *Mirotermes* Holmgren 1912, pp. 107-108.

=Genus *Mirotermes* Banks 1919, p. 479.

=Subgenus *Mirotermes* Emerson 1925, p. 435.

=Genus *Mirotermes* Sjöstedt 1926, pp. 275, 268.

=Genus *Termes* Kemner 1934a, pp. 15-53, syn. *Termes* replaces *Mirotermes*.

=Subgenus *Mirotermes* Hill 1942, pp. 9, 13, 379.

Termes amaralii (De Seabra).

Mirotermes amaralii De Seabra 1922a, pp. 50-53, figs. 33-40 (sold., work.), queen, sold., work., S. Thómé.

Queen, sold., work.

S. Thómé Isl.

Ethiopian.

Termes baculi (Sjöstedt).

Eutermes baculi Sjöstedt 1900, p. 278, sold., work., Cameroon: Ekundu; 1900a, p. 196, sold., work., pl. 5, figs. H 1-2 (sold.).

Termes (Eutermes) *baculi* Desneux 1904e, p. 40, syn., Cameroon, Sudan.

Mirotermes (*Mirotermes*) *baculi* Holmgren 1912, p. 109.

Mirotermes baculi Sjöstedt 1926, p. 276, syn., loc.

Sold., work.

Cameroon, Sudan, Congo.

Ethiopian.

Termes baculiformis (Holmgren).

Mirotermes baculiformis Holmgren 1909a, p. 12, im., sold., work., biol., fig. 3 (nest), pl. 1, fig. 2 (general locality), Madagascar: Ste. Marie de Marovoay, Majunga.

Mirotermes (*Mirotermes*) *baculiformis* Hégh 1922, p. 96, etc.

Mirotermes baculiformis Sjöstedt 1926, p. 277, syn., loc.

Winged, sold., work.

Madagascar.

Malagasy.

Termes boliviensis (Snyder).

Mirotermes (*Mirotermes*) *boliviensis* Snyder 1926d, p. 60, sold., Bolivia: Ivon. Type: sold., U.S.N.M. No. 27677.

Sold.

Bolivia.

Neotropical.

Termes brevicornis Haviland.

Termes brevicornis Haviland 1898, p. 418, im., sold., work., Borneo: Sarawak.
Type: No. 458.

Mirotermes (Mirotermes) brevicornis Holmgren 1913b, p. 238, im., sold., work., pl. 6,
figs. 10, 16 (sold.).

Winged, sold., work.

Borneo. Indo-Malayan.

Termes broomensis (Mjöberg).

Mirotermes broomensis Mjöberg 1920, p. 99, sold., work., pl. 2, fig. 3, text fig. 50 (sold.),
N. W. Australia: Broome.

Mirotermes (Mirotermes) broomensis Hill 1942, p. 379, fig. 290 (sold.).

Cotypes: ?Nat. Hist. Mus., Stockholm, and Hill coll.

Sold., work.

W. Australia. Australian.

Termes cheeli (Mjöberg).

Mirotermes Cheeli Mjöberg 1920, pp. 91, 95, sold., pl. 2, fig. 4, text figs. 46-47 (sold.), No.
Queensland: (Cape York Penins.), Laura, Hann Creek.

Mirotermes (Mirotermes) cheeli Hill 1942, pp. 381-382, figs. 291-292 (im., sold.), pl. 20,
fig. 2 (nest), winged, sold., syn., loc.

Cotypes: ?Nat. Hist. Mus., Stockholm, Hill coll.

Mirotermes Alleni Mjöberg 1920, pp. 91, 98, figs. 48-49 (sold.), sold., work., N.
Queensland: Cooktown.

Mirotermes banksiensis Hill 1927a, pp. 109-110, pl. 4, figs. 139-143, pl. 6, fig. 212,
pl. 9, fig. 213, im., sold., work., Islands of Torres Strait.

Winged, sold., work.

Queensland, Isls. Torres Strait. Australian.

Termes comis Haviland.

Termes comis Haviland 1898, p. 417, im., sold., work., pl. 25, figs. 61-64 (winged, sold.),
Borneo: Sarawak; Malay Penins.: Singapore.
Type: No. 305.

Termes (Eutermes) comis Desneux 1904e, p. 41, syn.

Mirotermes (Mirotermes) comis Holmgren 1912, p. 111, fig. 80 (sold. mand.), pl. 4, figs. 9,
12 (sold.), "Hinterindien"; 1913b, p. 235, pl. 6, figs. 12, 14 (sold.).

Mirotermes comis John 1925, p. 409, loc.

Winged, sold., work.

Borneo, Malay Peninsula. Indo-Malayan.

Termes dehraensis (Gardner).

Mirotermes dehraensis Gardner 1944, pp. 108-110, winged, sold., figs. 5-6, Dehra Dun, U. P.,
India.

Winged, sold.

India. Indo-Malayan.

Termes fatalis Linné.

Termes fatale Linné 1758, p. 609, sold., Surinam: Paramaribo, type lost; 1758a, fig. sold.; 1760, fig. sold.; Fabricius 1775, p. 390.

Termes destructor De Geer 1778, p. 50, pl. 37, figs. 1 (?work.), 2, 7, 8 (sold.), Surinam.

Termes fatale Fabricius 1781, p. 395; 1793, p. 87; Gmelin 1788, p. 2911; Linné (Turton) 1802, p. 692; Banks (and Snyder) 1920, p. 8 (discussion); Fuller 1924a, p. 356 (discussion).

Termes fatalis Emerson 1925, p. 298 (discussion).

Termes fatale Kemner 1934, p. 84, syn.; 1934a, pp. 19-53, discussion, syn., sold., figs. 1-2 (sold.) after Linné and De Geer, Surinam: Paramaribo.

Mirotermes (Mirotermes) acutinasus Emerson 1925, p. 310, sold., pp. 439-440, fig. 86 (im., sold.), Brit. Guiana: Kartabo.

Sold.

Dutch and Brit. Guiana.

Neotropical.

Termes fletcheri (Holmgren, K. and N.).

Mirotermes fletcheri Holmgren, K. and N. 1917, p. 168, sold., work., Bellary Dist., Hospet Taluq; Hampi Ruins; Hadagalli; India.

Sold., work.

India. Indo-Malayan.

Termes froggatti (Hill).

Capritermes froggatti Hill 1915, p. 98, queen, sold., work., No. Terr.

Mirotermes froggatti Hill 1927a, p. 99, pl. 4, fig. 121 (sold.), No. Terr., Darwin.

Mirotermes (Mirotermes) froggatti Hill 1942, pp. 383-384, fig. 293 (sold.), syn., loc.

Holotype: queen; morphotype: sold., work., Nat. Mus., Melbourne.

Queen, sold., work.

No. Terr.

Australian.

Termes fur (Silvestri).

Capritermes fur Silvestri 1901, p. 5, im., Brazil: Coxipò (Cuyabà).

Mirotermes fur Silvestri 1903, pp. 68-69, im., sold., work., fig. 17 (wings), pl. 3, figs. 119-120 (im.), figs. 121-123 (sold.).

Termes (Eutermes) fur Desneux 1904, p. 42, syn.

Mirotermes fur John 1920, p. 234, Brazil: Matto Grosso.

Winged, sold., work.

Brazil.

Neotropical.

Termes harrisi (Mjöberg).

Mirotermes Harrisi Mjöberg 1920, pp. 91-92, im., sold., work., pl. 2, fig. 9, text fig. 45 (im.), pl. 2, fig. 2, text fig. 45c (sold.), No. Queensland: Cedar Creek.

Mirotermes (Mirotermes) harrisi Hill 1942, pp. 384-386, figs. 294-296 (im., sold.), syn., loc. Cotypes: ?Nat. Hist. Mus., Stockholm; cotype: sold., Hill coll.

Mirotermes alicensis Mjöberg 1920, p. 91, sold., No. Queensland: Alice Riv.

Hamitermes alicensis (misspelling) Mjöberg 1920, p. 100, figs. 51-52 (sold.), Cape York Penins.: Coleman Riv.

Winged, sold., work.

No. Queensland.

Australian.

Termes heteraspis (Silvestri).

Eutermes (s. lat.) *heteraspis* Silvestri 1906, p. 343, figs. 1-4, female im., Eritrea: Adi Ugri.
Mirotermes heteraspis Heigh 1922, pp. 501, 700; Sjöstedt 1926, p. 278.

Winged, work.

Eritrea.

Ethiopian.

Termes hispaniolae (Banks).

Mirotermes hispaniolae Banks 1918, p. 662, im., Panama; 1919, pp. 481-482, pl. 1, figs. 2-3
 (sold.), Haiti: Diquini, M.C.Z.; Cuba: 9 km. s. of Pinar del Rio.

Termes hispaniolae Barreto 1923, p. 109, sold., Isle of Pines, loc.

Mirotermes (Mirotermes) hispaniolae Emerson 1925, pp. 437-439, fig. 85d (sold.), syn., loc.
 Panama; Brit. Guiana: Kartabo, Georgetown; Trinidad: Port of Spain.

Type: sold., M.C.Z. No. 10,077; paratype: A.M.N.H.

? *Mirotermes (Mirotermes) panamaensis* Light 1933, p. 141, sold., biol., Mexico.*Termes praelongus* Dudley and Beaumont 1890, pp. 160, 168-169, 171-172, 177, biol., Panama.*Termes hispaniolae* Adamson 1938, p. 8, Trinidad; 1940, pp. 14-15, biol., Trinidad.

Winged, sold., work.

Panama, Haiti, Cuba, Isle of
 Pines, Trinidad, Brit. Guiana.

Neotropical.

Termes hospes (Sjöstedt).*Eutermes hospes* Sjöstedt 1900, p. 278, sold., work., Cameroon: Bonge.*Mirotermes (Mirotermes) hospes* Holmgren 1912, p. 109.

Mirotermes obtectus Silvestri 1914-15, p. 127, fig. 75, 1-7 (sold., work.), Fr. Guinea, Gold
 Coast; Heigh 1922, p. 499, etc.

Mirotermes hospes Sjöstedt 1926, pp. 277-278, fig. 61 (sold.), im., sold., work., syn., loc.

Winged, sold., work.

Cameroon, Congo, Gold Coast,
 Fr. Guinea.

Ethiopian.

Termes infrequens (Hill).

Mirotermes infrequens Hill 1927a, pp. 103-105, im., queen, sold., work., pl. 4, figs. 128-131,
 pl. 6, fig. 208, pl. 9, fig. 209, S. W. Australia: Wongong.

Holotype: winged; morphotype: sold., work., Nat. Mus., Melbourne.

Mirotermes (Mirotermes) infrequens Hill 1942, pp. 387-388, fig. 297 (sold.), syn., loc.

Winged, queen, sold., work.

Western Australia.

Australian.

Termes inquilinus (Emerson).

Mirotermes (Mirotermes) inquilinus Emerson 1925, pp. 440-442, fig. 87 (im., sold.), Brit.
 Guiana: Kartabo.

Holotype: winged; morphotype: sold., N. Y. Zool. Soc.

Winged, sold.

Brit. Guiana.

Neotropical.

Termes insignitus (Hill).

Mirotermes (Mirotermes) insignitus Hill 1942, pp. 409-410, figs. 316-317 (im.), No. Terr.:
Wauchope Well.
Holotype: winged, C.S.I.R. coll.

Winged.

No. Terr.

Australian.

Termes insitivus (Hill).

Mirotermes insitivus Hill 1929, pp. 94-96, figs. 9-11, winged, No. Queensland: Townsville.
Mirotermes (Mirotermes) insitivus Hill 1942, pp. 388-390, fig. 298 (winged), syn., loc.
Type: winged, Nat. Mus., Melbourne.

Winged.

No. Queensland.

Australian.

Termes jarmuranus (Hill).

Mirotermes jarmuranus Hill 1929, pp. 93-94, dealated female, W. Australia: 130 mi. s.e. of
Broome.

Mirotermes (Mirotermes) jarmuranus Hill 1942, pp. 390-391, fig. 299, im., syn., loc.
Holotype: dealated female, Nat. Mus., Melbourne.

Dealated.

W. Australia.

Australian.

Termes kalgoorliensis (Hill).

Eutermes tumuli Froggatt (part) 1897, p. 747, pl. 35, fig. 9 (im.), W. Australia: Kalgoorlie.
Mirotermes (Mirotermes) kalgoorliensis Hill 1942, pp. 410-411, figs. 318-319 (im.), syn., loc.
Holotype: winged, C.S.I.R. coll.

Winged.

W. Australia.

Australian.

Termes kraepelinii (Silvestri).

Mirotermes Kraepelinii Silvestri 1909, p. 298, pl. 19, figs. 133-142 (sold., work.), S. W.
Australia: Mundaring.

Mirotermes (Mirotermes) kraepelini Hill 1942, pp. 391-393, figs. 300-302 (im., sold.), syn.,
loc.

Cotype: sold. and work., ?Nat. Hist. Mus., Stockholm;
morphotypes: winged, associated sold. and work., Nat.
Mus., Melbourne.

Mirotermes argutus Hill 1929, pp. 92-93, sold., work., fig. 1c, Victoria: Kewell.

Winged, neotenic queens, sold.,
work.

W. Australia, S. Australia, N. S.
Wales, Victoria.

Australian.

Termes langi (Emerson).

Mirotermes (Mirotermes) langi Emerson 1928, p. 537, fig. 71 (im., sold.), im., sold., work.,
Belg. Congo: region of Stanleyville.
Holotype: sold.; morphotype: im., A.M.N.H.

Winged, sold., work.

Congo.

Ethiopian.

Termes laticornis Haviland.

Termes laticornis Haviland 1898, p. 418, sold., work., Borneo (Sarawak).

Type: No. 231.

Mirotermes (Mirotermes) laticornis Holmgren 1913b, p. 237, neotenic male, female, sold., work., pl. 6, figs. 11, 15 (sold.).

Mirotermes laticornis John 1925, p. 411, im., sold., work., Sumatra.

Winged, neotenic reproductives,
sold., work.

Borneo, Sumatra.

Indo-Malayan.

Termes lighti Snyder and Emerson, new name.

Mirotermes (Mirotermes) ceylonicus Holmgren 1913-14, p. 276, sold., work., Ceylon: Mahaliluppalam (preoccupied by *Termes ceylonicus* Wasmann 1902b, p. 112, now *Odontotermes* (O.)).

Sold., work.

Ceylon.

Indo-Malayan.

Termes maideni (Mjöberg).

Mirotermes Maideni Mjöberg 1920, pp. 91, 94, sold., work., pl. 2, fig. 1 (sold.), No. Queensland: Cooktown.

Mirotermes (Mirotermes) maideni Hill 1942, pp. 393-394, fig. 303 (sold.), syn., loc.
Types: Nat. Hist. Mus., Stockholm.

Sold., work.

Queensland.

Australian.

Termes marjoriae (Snyder).

Mirotermes (Mirotermes) marjoriae Snyder 1934a, pp. 18-20, fig. 10 (sold.), winged, sold., Burma: Selen.

Cotypes: winged, Brit. Mus., For. Res. Inst., Dehra Dun, U.S.N.M. No. 50174; comorphotypes: sold., as above.

Winged, sold.

Burma.

Indo-Malayan.

Termes medioculatus Emerson n. sp.

Mirotermes (Mirotermes) nigritus Emerson 1925, p. 310, sold., pp. 435-437, fig. 85a-c (im., sold.), Brit. Guiana: Kartabo.

Type: A.M.N.H.

Winged, sold.

Brit. Guiana:

Neotropical.

Termes melvillensis (Hill).

Copritermes melvillensis Hill 1915, p. 94, sold., work., No. Terr.: Melville Isl.

Mirotermes melvillensis Hill 1927a, pp. 97-99, im., sold., pl. 3, figs. 114-119, pl. 6, fig. 204, pl. 9, fig. 205, pl. 7, figs. 221-222.

Mirotermes (Mirotermes) melvillensis Hill 1942, pp. 395-396, figs. 304-306 (im., sold.), syn., loc.

Holotype: winged; morphotype: sold., work., Nat. Mus., Melbourne.

Winged, queen, sold., work.

No. Terr., W. Australia.

Australian.

Termes microcerus (Silvestri).

Capritermes fur subspecies *microcerus* Silvestri 1901, p. 5, im., Brazil: Coxipò (Cuyabà).
Mirotermes fur subspecies *microcerus* Silvestri 1903, p. 70, im., sold., work., p. 129, biol., pl. 3, fig. 124 (im.).

Termes (Eutermes) fur subspecies *microcerus* Desneux 1904e, p. 42, syn.

Mirotermes (Mirotermes) microcerus Holmgren 1912, p. 109, Matto Grosso.

Winged, queen, sold., work.

Brazil.

Neotropical.

Termes nigritus (Silvestri).

Capritermes saltans subspecies *nigritus* Silvestri 1901, p. 5, female im., Brazil: Coxipò (Cuyabà).

Mirotermes saltans subspecies *nigritus* Silvestri 1903, p. 68, im., fig. 16 (wings), loc., p. 128, biol.

Termes (Eutermes) saltans subspecies *nigritus* Desneux 1904e, p. 45, syn.

Mirotermes (Mirotermes) nigritus Holmgren 1912, p. 106, fig. 75 (im. mand.); Emerson 1925, pp. 435-437, syn. only, winged, queen, king, sold., work.

Winged, queen, king, sold., work.

Brazil, Paraguay.

Neotropical.

Termes obtusus (Holmgren, K. and N.).

Mirotermes (Mirotermes) obtusus Holmgren, K. and N. 1917, p. 168, sold., work., India: Hospet, Bellary Dist.

Sold., work.

India.

Indo-Malayan.

Termes ocellaris (Mjöberg).

Eutermes ocellaris Mjöberg 1920, p. 61, im., figs. 20 A, 30-31, N. W. Australia: Oscar Range, Kimberley.

Cotypes: winged, Nat. Hist. Mus., Stockholm.

Mirotermes (Mirotermes) ocellaris Hill 1942, pp. 396-398, fig. 307 (im.), syn., loc.

Winged.

W. Australia, No. Terr.: New-
castle Waters.

Australian.

Termes odontomachus (Desneux).

Termes (Eutermes) odontomachus Desneux 1905, p. 371, winged, sold., work., figs. 2-3 (sold.), New Guinea: Sattelberg (former German N. Guinea).

Mirotermes odontomachus Holmgren 1911b, p. 462, im., loc.

Mirotermes (Mirotermes) odontomachus Hill 1942, pp. 398-400, fig. 308 (sold.), syn., loc.
Types: ?Hungarian Nat. Mus.

Winged, sold., work.

New Guinea: former German
and Dutch.

Papuan.

***Termes orbus* (Hill).**

Mirotermes orbus Hill 1927a, pp. 110-112, im., sold., work., pl. 4, figs. 144-146, pl. 6, fig. 214,
No. Terr.: Stapleton.

Mirotermes (Mirotermes) orbus Hill 1942, pp. 400-402, fig. 309 (im.), syn., loc.
Holotype: winged, Nat. Mus., Melbourne; morphotype: sold., work., Hill coll.

Winged, sold., work.

No. Terr.

Australian.

***Termes panamaensis* (Snyder).**

Mirotermes panamaensis Snyder 1923b, p. 129, sold., Panama: Canal Zone, Barro Colorado Isl.

Type: sold., U.S.N.M. No. 26257.

Mirotermes (Mirotermes) panamaensis Snyder 1925, pp. 192-193, fig. 9, dealated male, also females, Canal Zone, Largo Remo Isl.

Dealated male (king) and
queens, sold., work.

Panama, W. Mexico.

Neotropical.

***Termes pelatus* (Hill).**

Mirotermes (Mirotermes) pelatus Hill 1942, pp. 411-412, figs. 4 and 320 (im.), Queensland:
Cunnamulla.

Holotype: winged, C.S.I.R. coll.

Winged.

Queensland.

Australian.

***Termes percomis* (Hill).**

Mirotermes (Mirotermes) percomis Hill 1942, pp. 412-413, fig. 321 (im.), Queensland:
Cunnamulla.

Holotype: winged, C.S.I.R. coll.

Winged.

Queensland.

Australian.

***Termes propinquus* (Holmgren).**

Mirotermes (Mirotermes) propinquus Holmgren 1913-14, pp. 274-275, sold., work., Sumatra.

Mirotermes (Mirotermes) propinquus John 1925, pp. 410-411, winged, sold., work., Malay Penins.: Kajang; Sumatra.

Winged, queen, sold., work.

Sumatra, Malay Penins.

Indo-Malayan.

***Termes quadratus* (Hill).**

Mirotermes quadratus Hill 1927a, p. 106, pl. 4, fig. 132 (sold.), No. Terr.: Stapleton.

Mirotermes (Mirotermes) quadratus Hill 1942, pp. 402-404, figs. 310-311 (im., sold.), syn., loc.

Holotype: sold., Nat. Mus., Melbourne; morphotypes: winged, work., C.S.I.R. coll.

Winged, sold., work.

Northern Territory.

Australian.

Termes rostratus Haviland.

Termes rostratus Haviland 1898, p. 416, winged, sold., work., Borneo (Sarawak); Malay Penins.: Singapore.

Type: No. 477.

Mirotermes (Mirotermes) rostratus Holmgren 1913b, p. 236, im., sold., work., pl. 6, fig. 13 (sold.).

Mirotermes (Mirotermes) rostratus John 1925, pp. 409-410, winged, queen, sold., work., loc. Winged, queen, sold., work.

Borneo (Sarawak), Mount

Lambir; Malay Peninsula:

Singapore.

Indo-Malayan.

Termes saltans (Wasmann).

Mirotermes saltans Wasmann 1897, p. 152, sold., south Brazil, São Leopoldo, Rio Grande do Sul.

Termes uruguayensis Berg 1880, p. 16 (not described), Uruguay.

Termes riograndensis Ihering, v. 1887, p. 3 (not described).

Capritermes saltans Silvestri 1901, p. 5, Uruguay, Argentina, Paraguay.

Mirotermes saltans Silvestri 1903, pp. 66-67, im., sold., work., subst. queen, fig. 15 (wings), pl. 3, figs. 115-116 (im.), 117 (sold.), 118 (subst. queen), loc.

Termes (Eutermes) saltans Desneux 1904e, p. 45, syn., Brazil, Argentina, Paraguay.

Mirotermes (Mirotermes) saltans Holmgren 1912, p. 106, fig. 74 (im. mand.).

Type: *T. riograndensis*, im., Hagen coll., M.C.Z., Brazil.

Winged, neotenic queen, sold., work.

Uruguay, Argentina, Paraguay,
Brazil.

Neotropical.

Termes septentrionalis (Hill).

Mirotermes septentrionalis Hill 1927a, p. 102, pl. 4, figs. 125-127, sold., No. Terr.: Darwin.

Mirotermes (Mirotermes) septentrionalis Hill 1942, pp. 404-405, fig. 312 (sold.), syn., loc. Holotype: sold.; morphotype: work., Nat. Mus., Melbourne.

Sold., work.

Northern Territory.

Australian.

Termes splendens (Sjöstedt).

Mirotermes splendens Sjöstedt 1926a, p. 1, sold., Gold Coast: Kedje Keta.

Type: sold., Imper. Bur. Ent., Mus. Stockholm.

Sold.

Gold Coast.

Ethiopian.

Termes sunteri (Hill).

Mirotermes sunteri Hill 1927a, pp. 106-109, im., sold., work., pl. 4, figs. 133-138, pl. 6, fig. 210, pl. 9, fig. 211, pl. 7, figs. 223-224, No. Terr.; Darwin.

Mirotermes (Mirotermes) sunteri Hill 1942, pp. 405-407, figs. 313-314 (im., sold.), syn., loc.
Holotype: winged; morphotype: sold., work., Nat. Mus., Melbourne.

Winged, queen, sold., work.
Northern Territory.

Australian.

Termes taylori (Hill).

Capritermes taylori Hill 1915, p. 95, dealated, sold., work., No. Terr.: Koolpinyah.

Mirotermes taylori Hill 1927a, p. 99, pl. 4, fig. 120 (sold.).

Mirotermes (Mirotermes) taylori Hill 1942, pp. 407-409, fig. 315 (sold.).

Holotype: sold.; morphotype: work., Nat. Mus., Melbourne.

Dealated male, sold., work.
Northern Territory.

Australian.

Termes winifredae Snyder and Emerson, new name.

Mirotermes capensis Silvestri 1914-15, p. 128, fig. 76, 1-7 (sold., work.), So. Africa:
Stellenbosch (preoccupied by *Termes*, now *Odontotermes (O.) capensis* De Geer 1778, p. 47, Kapland).

Mirotermes (Mirotermes) capensis Fuller 1925a, pp. 182-183, sold., Cape Province: Stellenbosch.

Mirotermes capensis Sjöstedt 1926, p. 277, syn., loc.

Sold., work.

So. Africa.

Ethiopian.

(Hol-
low)**CAVITERMES**

Genus *Cavitermes* Emerson.

Generitype: *Cavitermes tuberosus* (Emerson).

=Subgenus *Cavitermes (Mirotermes)* Emerson 1925, p. 442.

=Genus *Cavitermes* Hare 1937, pp. 463, 478.

Cavitermes tuberosus (Emerson).

Mirotermes (Cavitermes) tuberosus Emerson 1925, pp. 442-444, fig. 88 (im., sold.), Brit. Guiana: Barakara.

Holotype: sold.; morphotype: queen, N. Y. Zool. Soc.

Im. (queen), sold.

Brit. Guiana, Trinidad.

Neotropical.

Cavitermes simplicinervis (Hagen).

Termes simplicinervis Hagen 1858, p. 204, im., Brazil: Santarem, on Amazon.

Termes simplicinervis Silvestri 1903, p. 109 (not identifiable).

Termes (Eutermes) simplicinervis Desneux 1904e, p. 45, syn.

Type: im., Hagen coll., M.C.Z., Brazil.

Winged.

Brazil.

Neotropical.

PROTOCAPRITERMES

Genus *Protocapritermes* Holmgren.

Generitype: *Protocapritermes krisiformis* (Froggatt).

=Subgenus *Protocapritermes (Mirotermes)* Holmgren 1912, pp. 107-108.

Protocapritermes krisiformis (Froggatt).

Termes krisiformis Froggatt 1897, p. 732, sold., work., pl. 34, figs. 6, 6a, New South Wales: Sutherland near Sydney.

Termes (Eutermes) krisiformis Desneux 1904e, p. 43, syn.

Mirotermes (Protocapritermes) krisiformis Holmgren 1912, p. 109, pl. 4, fig. 6 (sold.).

Mirotermes krisiformis Mjöberg 1920, p. 91, sold.

Mirotermes (Mirotermes) krisiformis Hill 1942, pp. 414-416, figs. 322-324 (im., sold.), syn., loc.

Lectotype: sold.; morphotype: winged, work., C.S.I.R. coll.

Winged, sold., work.

New South Wales, Queensland.

Australian.

PROMIROTERMES

Genus *Promirotermes* Silvestri.

Generitype: *Promirotermes holmgreni* (Silvestri).

Genus *Promirotermes* Silvestri 1914-15, p. 132; Sjöstedt 1926, p. 278.

=Subgenus *Promirotermes* Emerson 1928, pp. 408, 420, 541.

Promirotermes bellicosus (Wasmann).

Mirotermes bellicosus Wasmann 1912, p. 85, sold., work., E. Africa: Kilimandjaro, Moschi.

Promirotermes bellicosus Schmitz 1917, p. 229; Sjöstedt 1926, p. 280, syn., loc.

Sold., work.

Tanganyika.

Ethiopian.

Promirotermes dumisae (Fuller).

Mirotermes (Mirotermes) dumisae Fuller 1925a, pp. 178-179, winged, sold., Dumisa, Natal; Transvaal.

Promirotermes dumisae Emerson 1928, p. 537.

Winged, sold.

So. Africa.

Ethiopian.

Promirotermes gracilipes Schmitz.

Promirotermes gracilipes Schmitz 1917, pp. 227-228, fig. 11, 1-9, im., sold., work., Congo: Stanleyville; Sjöstedt 1926, p. 280, syn., loc.

Winged, sold., work.

Congo.

Ethiopian.

Promirotermes holmgreni (Silvestri).

Mirotermes Holmgreni Silvestri 1912, p. 252, im., sold., work., pl. 19, 1-12 (im., sold.), Port. Guinea: Bolama.

Promirotermes Holmgreni Silvestri 1914-15, p. 132, fig. 78, 1-8 (im., sold., work.), Olo-kemeji; Sjöstedt 1926, pp. 278, 279, im., sold. [fig. 62 (sold.), see *P. redundans*], syn., loc.

Promirotermes gracilipes var. *minor* Sjöstedt 1926c, p. 244, sold., Gold Coast: Accra, Imp. Bur. Ent., Mus. Stockholm.

Winged, sold., work.

Port. Guinea, So. Nigeria, Gold

Coast.

Ethiopian.

Promirotermes holmgreni, var. *infera* Silvestri.

Promirotermes Holmgreni var. *infera* Silvestri 1914-15, p. 133, sold., work., Senegal: Thiès; Sjöstedt 1926, p. 279, syn., loc.

Sold., work.

Senegal.

Ethiopian.

Promirotermes massaicus (Sjöstedt).

Eutermes massaicus Sjöstedt 1907a, pp. 22-25, im., sold.¹⁻², work., pl. 4, figs. B 1-3 (sold.¹), B 4-6 (sold.²), Kilimandjaro: Kibonoto, Mischwald.

Mirotermes (Cubitermes) massaicus Holmgren 1912, p. 108.

Ophiotermes massaicus Sjöstedt 1926, p. 267, syn., loc.; Harris 1936, p. 367, loc.
Type: Mus. Stockholm.

Winged, sold.¹⁻², work.

Tanganyika: Kilimanjaro.

Ethiopian.

Promirotermes orthoceph (Emerson).

Mirotermes (Promirotermes) orthoceph Emerson 1928, p. 541, fig. 73 (sold.), Belg. Congo: Banana, Malela.

Holotype: sold., A.M.N.H.

Sold.

Congo.

Ethiopian.

Promirotermes redundans Silvestri.

Promirotermes Holmgreni var. *redundans* Silvestri 1914-15, p. 133, sold., work., pl. 79, 1-3 (sold.), Fr. Guinea: Mamou.

Promirotermes redundans Sjöstedt 1926, p. 279, syn., loc. [fig. 62 (sold.)].

Sold., work.

Fr. Guinea.

Ethiopian.

Promirotermes rotundifrons (Silvestri).

Mirotermes rotundifrons Silvestri 1908, p. 78, im., sold., work., pl. 9, figs. 46-47, pl. 10, figs. 48-50 (im.), figs. 51-52 (sold.), fig. 53 (work.), SW. Africa: Kalahari, Kooa.

Mirotermes (Mirotermes) rotundifrons Fuller 1925a, pp. 179-180, Kalahari, Wolftoon, Bushmanland, Bechuanaland.

Promirotermes rotundifrons Sjöstedt 1926, p. 280, syn., loc.

Mirotermes (Promirotermes) rotundifrons Emerson 1928, p. 537, syn.

Mirotermes rotundatus Silvestri 1912a, p. 254.

Winged, sold., work.

So. Africa.

Ethiopian.

MIROCAPRITERMES

Genus *Mirocapritermes* Holmgren.

Generitype: *Mirocapritermes connectens* Holmgren.

=Genus *Miro-Capritermes* Holmgren 1913-14, p. 277.

=Genus *Mirocapritermes* Emerson 1928, p. 408.

Mirocapritermes connectens Holmgren.

Miro-Capritermes connectens Holmgren 1913-14, pp. 277-278, sold., work., Sumatra.

Sold., work.

Sumatra.

Indo-Malayan.

PARACAPRITERMES

Genus *Paracapritermes* Hill.

Generitype: *Paracapritermes primus* (Hill).

=Subgenus *Paracapritermes* (*Mirotermes*) Hill 1942, pp. 10, 13, 379, 416.

Paracapritermes primus (Hill).

Mirotermes (*Paracapritermes*) *primus* Hill 1942, pp. 417-418, figs. 325-327 (dealedated adult, sold.), No. Queensland: Mount Molloy.

Holotype: sold.; morphotype: dealated, C.S.I.R. coll.

Dealedated adult, sold.

No. Queensland.

Australian.

PROCAPRITERMES

Genus *Procapritermes* Holmgren.

Generitype: *Procapritermes setiger* (Haviland).

<Genus *Termes*, subgenus *Eutermes* Desneux 1904e, pp. 32, 35.

=Genus *Procapritermes* Holmgren 1912, pp. 113, 97.

Procapritermes atypus Holmgren.

Procapritermes atypus Holmgren 1912, p. 241, sold., work., pl. 6, fig. 19 (sold.), Borneo.

Procapritermes atypus Holmgren 1913b, p. 241, sold., work., pl. G, fig. 19 (sold.), Borneo (Sarawak); John 1925, p. 412, sold., West Sumatra, Borneo.

Sold., work.

Borneo, W. Sumatra.

Indo-Malayan.

Procapritermes minutus (Haviland).

Termes minutus Haviland 1898, p. 415, sold., work., Borneo: Sarawak.

Type: No. 570

Termes (*Eutermes*) *minutus* Desneux 1904e, p. 43, syn.

Procapritermes minutus Holmgren 1913b, p. 241, sold., work., pl. 6, fig. 18 (sold.); John 1925, p. 412, sold., work., Malay Archipelago, Borneo.

Sold., work.

Borneo, Malay Archipelago.

Indo-Malayan.

Procapritermes mushae Oshima and Maki.

Procapritermes mushae Oshima and Maki 1919, pp. 435-439, fig. (sold.), Musha, Nanto, Central Formosa; Light 1931, p. 597 (remarks).

Sold.

Formosa.

Indo-Malayan.

Procapritermes setiger (Haviland).

Termes setiger Haviland 1898, p. 415, im., sold., work., pl. 25, figs. 57-58 (sold.), 59-60 (im.), Borneo: Sarawak, Marudi.

Type: No. 343.

Termes (*Eutermes*) *setiger* Desneux 1904e, p. 45, syn.

Procapritermes setiger Holmgren 1912, p. 113, fig. 81 (sold. mandibles); 1913b, p. 239, im., sold., work., pl. 6, fig. 17 (sold.); 1913-14, p. 278, Malacca; John 1925, p. 412, winged, sold., work., loc.

Winged, sold., work.

Borneo, Malacca, East Sumatra.

Indo-Malayan.

Procapritermes sowerbyi (Light).

Capritermes sowerbyi Light 1924, pp. 52, loc., 53-54, sold., 354, im. (young queen), sold., biol., Hainan, Hong Kong and Baekliang near Foo-chow, Fukien, Kuliang.

Procapritermes sowerbyi Light 1931, pp. 583, 585, 595-598, sold., China: Yenping, Kuliang, No. Fukien.

Capritermes (Capritermes) sowerbyi Snyder [1929] 1931, p. 549.

Procapritermes sowerbyi Wu 1935, p. 221, Foochow, Hainan, Hong Kong, Yenping, Kuling, No. Fukien.

Dealed female, sold.¹⁻³

China. Indo-Malayan.

HOMALLOTERMES

(Even)

Genus **Homallotermes** John.

Generitype: **Homallotermes foraminifer** (Haviland).

=Genus **Termes** (section with *foraminifer* for type) Haviland 1898, pp. 419, 378.

<Genus **Termes** Desneux 1904e, pp. 26, 28.

<Genus **Capritermes** Holmgren 1912, pp. 114, 97.

Genus **Homallotermes** John 1925, pp. 412-413.

Homallotermes foraminifer (Haviland).

Termes foraminifer Haviland 1898, p. 420, im., sold., work., pl. 25, figs. 65-68 (im., sold.), Borneo: Sarawak.

Termes (Eutermes) foraminifer Desneux 1904e, p. 42, syn. (not Perak).

Capritermes foraminifer Holmgren 1913b, p. 254, im., sold., work., pl. 6, fig. 33 (sold.) (not Perak).

Capritermes (Capritermes) foraminifer Holmgren 1913-14, p. 284, Malacca.

Homallotermes foraminifer John 1925, p. 413, loc.

Type: No. 114.

Winged, sold., work.

Borneo (Sarawak), Malay

Peninsula: Kuala Lumpur,

East Sumatra: Siak.

Indo-Malayan.

Homallotermes penangi (Holmgren).

Capritermes (Capritermes) penangi Holmgren 1913-14, pp. 283-284, im., sold., work., Malacca, Penang.

Type: Emerson coll.

Termes foraminifer Haviland 1898, p. 420, im., sold., work., pl. 25, figs. 65-68, Malay Peninsula: Perak only.

Termes (Eutermes) foraminifer Desneux 1904e, p. 42, Perak only.

Capritermes foraminifer Holmgren 1913b, p. 254, Perak only.

Homallotermes foraminifer John 1925, p. 413, syn.

Winged, sold., work.

Malay Peninsula.

Indo-Malayan.

PSEUDOCAPRITERMES

Genus **Pseudocapritermes** Kemner.

Generitype: **Pseudocapritermes silvaticus** Kemner.

Genus **Pseudocapritermes** Kemner 1934, pp. 167-168.

Pseudocapritermes angustignathus (Holmgren).

Capritermes (*Capritermes*) *angustignathus* Holmgren 1913-14, pp. 281-283, im., sold., work., pl. 7, fig. 24 (sold.), Malacca, Straits Settlements, Penang.

Type: Emerson coll.

Winged, sold., work.

Malay Peninsula.

Indo-Malayan.

Pseudocapritermes silvaticus Kemner.

Pseudocapritermes silvaticus Kemner 1934, pp. 168-171, fig. 49, 4-5 (im.), 1-3 (sold.), W. Java: Depok.

Winged, sold.

Java.

Indo-Malayan.

CAPRITERMES

Genus *Capritermes* Wasmann.

Generitype: *Capritermes capricornis* (Wasmann).

=Subgenus *Capritermes* (*Termes*) Wasmann 1897, p. 151, designates type.

<Genus *Capritermes Silvestri* 1901, pp. 4-5.

=Genus *Capritermes* Wasmann 1902b, p. 125.

<Genus *Capritermes Silvestri* 1903, p. 62.

<Genus *Capritermes Holmgren* 1906, p. 557.

=Genus *Capritermes* Wasmann 1911a, p. 150.

<Genus *Capritermes Holmgren* 1912, pp. 114, 97.

=Genus *Capritermes* Sjöstedt 1926, pp. 281-282.

=Genus *Capritermes* Kemner 1934, p. 171.

<Subgenus *Capritermes Holmgren* 1912, p. 116.

<Genus *Termes* (*Eutermes*) Hagen 1858, pp. 107, 186.

<Genus *Termes* (*Entermes*) (misspelling) Hagen 1858a, pp. 16, 26.

<Genus *Termes* Desneux 1904e, pp. 26, 28.

Capritermes brachygnathus John.

Capritermes brachygnathus John 1925, pp. 416-417, sold., Malay Arch.: Johore, Segamat; E. Sumatra: Siak.

Sold.

Malay Peninsula, E. Sumatra.

Indo-Malayan.

Capritermes buitenzorgi Holmgren.

Capritermes (*Capritermes*) *buitenzorgi* Holmgren 1913-14, p. 280, sold., work., fig. 26 (sold.), Java: Tjibodas; Malacca, Tandjong, Slamat.

Capritermes (*Capritermes*) *approximatus* Holmgren 1913-14, p. 283, im., Java: Buitenzorg.

Winged, sold., work.

Java, Malay Peninsula.

Indo-Malayan.

Capritermes capricornis (Wasmann).

Eutermes capricornis Wasmann 1893, p. 242, im., sold., work., Madagascar: Andrangaloaka.

Termes capricornis Wasmann 1897, p. 151, pl. 11, fig. 11 (head sold.).

Termes (*Eutermes*) *capricornis* Desneux 1904e, p. 41, syn.

Capritermes (*Capritermes*) *capricornis* Holmgren 1912, p. 115, fig. 82 (im. mand.).

Capritermes capricornis Sjöstedt 1926, p. 282, fig. 64 (sold.), syn., loc.

Winged, queen, neotenic queen,
sold., work.

Madagascar.

Malagasy.

Capritermes ceylonicus (Holmgren).

Capritermes ceylonicus Holmgren 1911c, p. 204, pl. 2, fig. Q (sold.), queen, sold., work.,
Ceylon: Peradeniya; 1913b, p. 244, im., pl. 6, fig. 23
(queen), fig. 29 (sold.), work., Ceylon: Heneratgoda,
Peradeniya (Mus. Vienna).

Capritermes (Capritermes) ceylonicus Holmgren 1913-14, pp. 278-279.

Eutermes perparvus Holmgren 1911c, p. 201, im., Ceylon: Heneratgoda, Peradeniya.

Capritermes nemorosus Wasmann 1902b, p. 126, sold., work., p. 127, sold., Ceylon: Ban-
darawella.

Eutermes perparvus Green 1913, p. 13, loc.

Winged, queen, sold., work.

Ceylon.

Indo-Malayan.

Capritermes distinctus Holmgren.

Capritermes ceylonicus Holmgren 1911c, pp. 204-205 (*part*).

Capritermes distinctus Holmgren 1913b, p. 246, im. (queen), sold., work., pl. 6, fig. 24
(queen), fig. 30 (sold.), Ceylon (Escherich).

Queen, sold., work.

Ceylon.

Indo-Malayan.

Capritermes distortus Silvestri.

Capritermes distortus Silvestri 1922, pp. 541-543, fig. 5 (winged female, sold., work.),
Kavalai, Cochin State.

Winged, sold., work.

Cochin State (India: Kavalai).

Indo-Malayan.

Capritermes dolichocephalus John.

Capritermes dolichocephalus John 1925, p. 416, sold., work., Malay Arch.: Selangor, Ka-
jang; E. Sumatra: Kota Baroe.

Sold., work.

Malay Peninsula, E. Sumatra.

Indo-Malayan.

Capritermes fletcheri Holmgren, K. and N.

Capritermes fletcheri Holmgren, K. and N. 1917, p. 169, sold., work., Malabar: Puthupadi
Forest; Anamalai Hills; Mysore: Bababudin Hills.

Sold., work.

India.

Indo-Malayan.

Capritermes fuscotibialis Light.

Capritermes fuscotibialis Light (1929) 1931, pp. 583, 585, 598-599, im. (winged male),
China: Hong Kong.

Holotype: im., Emerson coll.

Capritermes fuscotibialis Wu 1935, p. 22, syst., China.

Winged.

China.

Indo-Malayan.

Capritermes garthwaitei Gardner.

Capritermes garthwaitei Gardner 1944, pp. 106-108, winged, fig. 2; sold., figs. 3-4, Burma: Maymyo.

Winged, sold.

Burma.

Indo-Malayan.

Capritermes gravelyi Silvestri.

Capritermes gravelyi Silvestri 1922, pp. 535-537, fig. 1 (sold., work.), Koyna Valley, Satara Distr.

Sold., work.

India.

Indo-Malayan.

Capritermes greeni John.

Capritermes greeni John 1925, pp. 414-415, queen, sold., work., Malay Arch.: Selangor Kajang, Kuala Lumpur.

Queen, sold., work.

Malay Peninsula.

Indo-Malayan.

Capritermes hutsoni Kemner.

Capritermes hutsoni Kemner 1926, pp. 391-392, fig. 5 (sold.), sold., work., Ceylon: Pelmadulla.

Sold., work.

Ceylon.

Indo-Malayan.

Capritermes incola (Wasmann).

Eutermes incola Wasmann 1893, p. 242, im., Ceylon: Colombo.

Capritermes incola Wasmann 1902b, pp. 126, 128, Ceylon.

Capritermes longicornis Wasmann 1902b, pp. 126-128, im., sold., work., pl. 4, fig. 7 (sold.), may be separate species, Ceylon: Anuradhapura, Bandarawella; India: Khandala [near Bombay?].

Termes (Eutermes) incola Desneux 1904e, p. 43, syn., Ceylon.

Termes (Eutermes) longicornis Desneux 1904e, p. 43, syn., India, Ceylon.

Capritermes incola Holmgren 1911c, p. 204, pl. 2, fig. R (sold.), im., sold., work., Ceylon: Peradeniya.

Capritermes (Capritermes) incola Holmgren 1912, p. 116, pl. 4, fig. 14 (sold.), 15 (im.), Ceylon, So. India.

Capritermes incola Holmgren 1913b, p. 252, im., sold., work., pl. 6, fig. 20 (im.), fig. 32 (sold.), Ceylon; India: Bombay.

Capritermes (Capritermes) incola Holmgren 1913-14, p. 285, Ceylon: Peradeniya.

Capritermes incola Holmgren, K. and N. 1917, p. 170, sold., work., Nilgiri Hills, Kethi; Coorg: Mercara; Mysore: Bababudin Hills, India.

Capritermes incola John 1925, p. 418, royal pair, sold., work., Ceylon: Peradeniya.

Winged, royal pair, sold., work.

Ceylon, India.

Indo-Malayan.

Capritermes incola, var. *cornutella* Silvestri.

Capritermes longirostris var. *cornutella* Silvestri 1922, pp. 537-538, fig. 2 (sold., work.), India: Akalpa, Randal Valley, Ratnagiri Dist.

Sold., work.

India.

Indo-Malayan.

Capritermes jangtsekiangensis Kemner.

Capritermes jangtsekiangensis Kemner 1925, pp. 4-5, sold., work., Tschingkiang, Kiangsu, Central China; Light 1931, p. 585, p. 598 spelled *yangtsekiangensis*, syn.

Sold., work.

China.

Indo-Malayan.

Capritermes laetus Silvestri.

Capritermes laetus Silvestri 1914, p. 434, figs. 9-10 (sold.), Lower Burma: Sukli.

Sold.

Burma.

Indo-Malayan.

Capritermes latignathus Holmgren.

Capritermes (Capritermes) latignathus Holmgren 1913-14, pp. 280-281, sold., work., Java: Tjibodas.

Sold., work.

Java.

Indo-Malayan.

Capritermes modiglianii Silvestri.

Capritermes modiglianii Silvestri 1922, pp. 545-546, fig. 7 (sold., work.), Sumatra: Doloc-Tolong.

Sold., work.

Sumatra.

Indo-Malayan.

Capritermes mohri Kemner.

Capritermes Mohri Kemner 1934, pp. 178-179, fig. 53, 1-2 (im.), 3-5 (sold.), Java: Buitenzorg.

Winged, sold.

Java.

Indo-Malayan.

Capritermes nemorosus (Haviland).

Termes nemorus Haviland 1898, p. 413, im., sold., work., pl. 24, figs. 53-54 (sold.), 55-56 (im.), Borneo: Sarawak.

Type: No. 377.

?**Capritermes nemorosus** Wasmann 1902b, p. 126 (no description), loc., p. 127, sold., Ceylon: Bandarawella (ident. doubtful on loc. im.), Borneo.

Termes (Eutermes) nemorosus Desneux 1904e, p. 44, syn.

Capritermes (Capritermes) nemorosus Holmgren 1912, p. 115, fig. 83 (sold. mandibles), "Hinterindien."

Capritermes (Capritermes) nemorosus Holmgren 1913b, p. 250, im., sold., work., pl. 6, fig. 21 (im.), 26 (sold.), Borneo: Sarawak, Eulayat Riv.

Capritermes (Capritermes) nemorosus Holmgren 1913-14, pp. 279-280, Sumatra, Malacca, Borneo.

Capritermes nemorosus John 1925, p. 417, pl. 21, fig. 20 (nest), winged, queen, sold., work., loc.

Capritermes medius Holmgren 1913b, p. 252, sold., work., pl. 6, fig. 27 (sold.), Sarawak.

Capritermes (Capritermes) medius Holmgren 1913-14, p. 279, Malacca.

Capritermes medius John 1925, pp. 417-418, winged, royal pair, sold., work., pl. 23, fig. 32 (nest), Sumatra, loc.

Eutermes (Subulitermes) inaniformis John 1925, p. 391, im., E. Sumatra only.

Capritermes minor Holmgren 1913b, p. 252, sold., work., pl. 6, fig. 28 (sold.), Sarawak.

Capritermes (Capritermes) minor Holmgren 1913-14, p. 279, im.-queen, sold., work., Sumatra, Malacca.

Capritermes minor John 1925, p. 417, sold., work., E. Sumatra.

Capritermes nemorosus forma *Rothi* Holmgren 1913b, p. 251, sold., work., Borneo: Mount Lambir.

Winged, royal pair, sold., work.

Borneo, Sumatra, Malay Peninsula, ?Ceylon, ?India.

Indo-Malayan.

Capritermes nitobei (Shiraki).

Eutermes nitobei Shiraki 1909, p. 238, Formosa: Maruyama; Nitobe 1911, p. 20. Type: Inst. Sci., Govt. Formosa.

Termes (Eutermes) nitobei Oshima 1909, p. 40.

Termes (Eutermes) longicornis Oshima 1910, p. 411.

Eutermes longicornis Oshima 1910b, p. 516.

Eutermes longicornis Oshima 1911, p. 9; Nawa 1911, p. 14; 1912, p. 18, pl. 1, fig. 6.

Capritermes nitobei Oshima 1912, p. 82, pl. 1, figs. 9, 14, 24-25, pl. 2, figs. 7, 24.

Capritermes watasei Holmgren 1912, p. 116, no description, Formosa.

Capritermes sulcatus Holmgren 1912a, p. 130, im., sold., work., Formosa; 1913b, p. 247, im., sold., work., pl. 6, figs. 22, 31 (im., sold.), Formosa.

Capritermes (Capritermes) nitobei Oshima 1913, p. 279, syn., loc., Formosa; 1914a, p. 2; Hozawa 1915, p. 145, im., sold., work., figs. 37-39 (im., sold., work.), pl. 4, figs. 29-30 (im., sold.), syn., Formosa, Loochoo.

Capritermes nitobei Light 1931, pp. 583, 585, 598, China, loc.; Wu 1935, p. 22, syst., China.

Winged, sold., work.

Formosa, China (Hainan Isl. to Yenping (No. Fukien) (to Kiangsu?).

Indo-Malayan.

Capritermes obtusus Silvestri.

Capritermes obtusus Silvestri 1923, pp. 229-231, fig. 7 (winged female), winged, work., Barkuda Isl., Chilka Lake.

Winged, work.

India.

Indo-Malayan.

Capritermes obtusus, var. *abbreviatus* Silvestri.

Capritermes obtusus var. *abbreviatus* Silvestri 1923, pp. 231-232, soldier, worker, fig. 8 (sold., work.), Barkuda Isl., Chilka Lake.

Sold., work.

India.

Indo-Malayan.

Capritermes padangensis Kemner.

Capritermes padangensis Kemner 1930, pp. 320-321, sold., work., figs. 20-25 (sold.), west coast Sumatra: Tandjunggadang.

Sold., work.

Sumatra.

Indo-Malayan.

Capritermes paetensis Oshima.

Capritermes paetensis Oshima 1920a, p. 506, sold., work., pl. 2, figs. 7-8 (sold.), pl. 3, figs. 15-16, pl. 4, figs. 10-11, Paete (Laguna Prov.), Luzon, Philippines.

Sold., work.

Philippines.

Indo-Malayan.

Capritermes punjabensis Holmgren, K. and N.

Capritermes punjabensis Holmgren, K. and N. 1917, p. 170, dealated, India: Punjab, Lyallpur.

Dealated.

India.

Indo-Malayan.

Capritermes santschii Silvestri.

Capritermes santschii Silvestri 1922, pp. 538-541, winged female, fig. 3, Sumatra: Padang-Pandjang.

Winged.

Sumatra.

Indo-Malayan.

Capritermes schultzei Holmgren.

Capritermes Schultzei Holmgren 1911b, p. 462, sold., work., fig. 5 (sold.), former German New Guinea: Sepik.

Sold., work.

New Guinea.

Papuan.

Capritermes semarangi Holmgren.

Capritermes semarangi Holmgren 1913b, p. 247, im., sold., work., Java: Samarang.

Type: Holmgren coll.

Capritermes (Capritermes) semarangi Holmgren 1913-14, p. 279, fig. 27 (sold.), E. Sumatra.

Capritermes javanicus Holmgren 1913b, p. 255, im., sold., work., Java: Samarang.

Winged, sold., work.

Java, Sumatra.

Indo-Malayan.

Capritermes speciosus (Haviland).

Termes speciosus Haviland 1898, p. 413, winged, sold., work., Borneo: Sarawak.

Type: No. 294.

Termes (Eutermes) speciosus Desneux 1904e, p. 45, syn., pl. 2, fig. 10 (sold.).

Capritermes (Capritermes) speciosus Holmgren 1912, p. 116, pl. 4, fig. 17 (sold.), "Hinter-indien."

Capritermes speciosus Holmgren 1913b, p. 249, im., sold., work., pl. 6, fig. 25 (sold.).

Capritermes speciosus John 1925, p. 414, E. Sumatra.

Winged, sold., work.

Borneo: Sarawak; Billiton;

Sumatra.

Indo-Malayan.

Capritermes sumatrensis John.

Capritermes sumatrensis John 1925, pp. 415-416, sold., work., E. Sumatra: Kota Baroe.
Sold., work.

Sumatra.

Indo-Malayan.

Capritermes tetraphilus Silvestri.

Capritermes tetraphilus Silvestri 1922, pp. 543-545, fig. 6 (sold.), Bengal: Chittagong Hill
Tracts.

Sold.

India.

Indo-Malayan.

PERICAPRITERMES

(Around)

Genus *Pericapritermes* Silvestri.

Generotype: *Pericapritermes urgens* Silvestri.

=Genus *Pericapritermes* Silvestri 1914-15, p. 134.

=Genus *Pericapritermes* Sjöstedt 1926, p. 282.

<Subgenus *Capritermes* Holmgren 1912, p. 116.

Pericapritermes appellans Silvestri.

Pericapritermes appellans Silvestri 1914-15, p. 139, im., sold.¹⁻², work., fig. 82 (im., sold.),
Fr. Guinea: Mamou; Sjöstedt 1926, p. 286, syn., loc.

Queen, sold.¹⁻², work.

Fr. Guinea.

Ethiopian.

Pericapritermes appellans, var. *metata* Silvestri.

Pericapritermes appellans var. *metata* Silvestri 1914-15, p. 141, im., sold., work., fig. 84
(im., sold.), Fr. Guinea: Kindia, Kakoulima, Cama-
yen; Sjöstedt 1926, p. 286, syn., loc.

Queen, sold., work.

Fr. Guinea.

Ethiopian.

Pericapritermes chiasognathus (Sjöstedt).

Capritermes tortuosus Wasmann 1902b, p. 126, Cameroon.

Eutermes chiasognathus Sjöstedt 1904, p. 85, sold., work., pl. 2, fig. F 1-2 (sold.), Cam-
eroon: Lolodorf.

Termes (*Eutermes*) *chiasognathus* Desneux 1904e, p. 41, syn.

Capritermes (*Capritermes*) *chiasognathus* Holmgren 1912, p. 116 (no description).

Pericapritermes chiasognathus Sjöstedt 1926, pp. 283-284, pl. II, fig. Fa, syn., loc.; 1926b,
p. 151, Congo.

Sold., work.

Cameroon, Fr. Equatorial

Africa, Congo.

Ethiopian.

Pericapritermes cordatus Sjöstedt.

Pericapritermes cordatus Sjöstedt 1924c, p. 496, sold., Congo: Mukimbungu; 1926, p. 284,
pl. II, fig. F 1-2, syn., loc.

Sold.

Congo.

Ethiopian.

Pericapritermes heteronotus Silvestri.

Pericapritermes heteronotus Silvestri 1914-15, p. 137, im., sold.¹⁻³, work., fig. 82, 1-4 (im., sold.), Fr. Guinea: Kindia; Sjöstedt 1926, p. 284, syn., loc.

Queen, sold.¹⁻³, work.

Fr. Guinea, Sierra Leone, Congo.

Ethiopian.

Pericapritermes magnificus Silvestri.

Pericapritermes magnificus Silvestri 1912, p. 254, fig. 20 (sold., work.), Fr. Congo: Brazzaville; Sjöstedt 1926, p. 283, syn., loc.

Sold., work.

Fr. Equatorial Africa.

Ethiopian.

Pericapritermes silvestrianus (Emerson).

Capritermes (Pericapritermes) silvestrianus Emerson 1928, p. 416, new name for *P. schereri* von Rosen, imago.

Mirotermes (Cubitermes) schereri von Rosen 1912, p. 231, im., Liberia: Cape Mesurado.

Type: Zool. Staatssammlung, Munich.

Pericapritermes Schereri Silvestri 1914-15, p. 142, im.

Winged.

Liberia.

Ethiopian.

Pericapritermes socialis (Sjöstedt).

Eutermes socialis Sjöstedt 1899, p. 38, im., Cameroon: Mungo and Victoria.

Eutermes socialis Sjöstedt 1900a, p. 191, sold. only, Gold Coast: Aburi; Cameroon: Mungo; 1904, p. 84, sold. only.

Capritermes (Capritermes) socialis Holmgren 1912, p. 116, Gold Coast, Cameroon.

Eutermes (Capritermes) socialis Sjöstedt 1914a, p. 6, So. Nigeria: Sapele.

Anoplotermes socialis Silvestri 1914-15, p. 60, fig. 33, 1-13 (im., work.), Cameroon: Victoria.

Pericapritermes socialis Sjöstedt 1926, p. 285, syn., loc.

Winged, queen, sold., work.

Gold Coast, Cameroon, So.

Nigeria, Congo.

Ethiopian.

Pericapritermes urgens Silvestri.

Pericapritermes urgens Silvestri 1914-15, p. 135, im., queen, sold., work., fig. 80 (im., sold.), Fr. Guinea: Mamou, Gold Coast: Aburi, Cameroon: Victoria; Sjöstedt 1926, p. 285, fig. 65 (sold.), syn., loc.

Capritermes (Pericapritermes) urgens Emerson 1928, p. 543, fig. 74 (sold.), Cameroon: Bipindi.

Winged, queen, sold., work.

Fr. Guinea, Gold Coast, Cameroon.

Ethiopian.

Pericapritermes urgens, var. confinis Silvestri.

Pericapritermes urgens var. *confinis* Silvestri 1914-15, p. 137, sold., work., Fr. Guinea: Camayenne, Kakoulima; Sjöstedt 1926, p. 285, syn., loc.

Sold., work.

Fr. Guinea.

Ethiopian.

Pericapritermes urgens, var. *nigeriana* Silvestri.

Pericapritermes urgens var. *nigeriana* Silvestri 1914-15, p. 137, sold., work., So. Nigeria: Lagos, Olokemeji, Ibadan; Sjöstedt 1926, p. 285, syn., loc.; 1926a, p. 4, Gold Coast: Kumasi.

Sold., work.

So. Nigeria, Gold Coast.

Ethiopian.

NEOCAPRITERMES

Genus *Neocapritermes* Holmgren.

Generotype: *Neocapritermes opacus* (Hagen).

—Subgenus *Neocapritermes* (*Capritermes*) Holmgren 1912, pp. 115, 97.

—Genus *Neocapritermes* Sjöstedt 1926, p. 286 (designates *alienus* as type).

Neocapritermes angusticeps (Emerson).

Capritermes (*Neocapritermes*) *angusticeps* Emerson 1925, pp. 447-449, fig. 91, im., sold., Brit. Guiana: Kartabo.

?*Capritermes cingulatus* Banks 1918, p. 666, loc., Brit. Guiana: Kartabo.

Holotype: soldier, N. Y. Zool. Soc.

Winged, sold.

Brit. Guiana.

Neotropical.

Neocapritermes bodkini (Silvestri).

Capritermes Bodkini Silvestri 1923b, pp. 312-315, pl. 13 (sold., female nymph), sold., nymph, work., Brit. Guiana: Potaro Riv.

Capritermes (*Neocapritermes*) *bodkini* Emerson 1925, pp. 445-447, fig. 90, im., sold., Brit. Guiana: Tumatumari.

Capritermes Bodkini var. *modestior* Silvestri 1923a, p. 315, im., sold., work., pl. 14 (im., sold., work.), Kartabo.

Winged, sold., work.

Brit. Guiana.

Neotropical.

Neocapritermes brasiliensis (Snyder).

Capritermes (*Neocapritermes*) *brasiliensis* Snyder 1926d, p. 64, sold., fig. 3c, Brazil: Rio Mautania.

Type: sold., U.S.N.M. No. 27634.

Sold., work.

Brazil.

Neotropical.

Neocapritermes centralis (Snyder).

Capritermes (*Neocapritermes*) *centralis* Snyder 1932, p. 100, fig. 1, sold.; Costa Rica: Hamburg Farm, Santa Clara Prov.

Cotypes: sold., U.S.N.M. No. 44100.

Sold.

Costa Rica, Panama.

Neotropical.

Neocapritermes longinotus (Snyder).

Capritermes (*Neocapritermes*) *longinotus* Snyder 1926, p. 27, sold., Colombia: Rio Frio. Cotypes: sold., U.S.N.M. No. 28661.

Sold.

Colombia.

Neotropical.

Neocapritermes opacus (Hagen).

Termes opacus Hagen 1858, p. 196, im., pl. 3, fig. 27 (im. only), Brazil: near Lagoa Santa and Congonhas, Pará, Cassapava.

Type: Mus. Berlin; paratype: Hagen coll., M.C.Z.

Termes cingulatus Hagen 1858, p. 187, pl. 1, fig. 13 (sold. only), loc.?

Termes cingulatus Fr. Müller 1870, p. 206, biol., Brazil (St. Catharina): Itahahy.

Termes saliens Fr. Müller 1873, p. 357, sold., Brazil: St. Catherina; Berg 1880, Argentina (autotype sold., Emerson coll.).

Termes oreensis Sörensen 1884, p. 22, pl. 1, figs. 13-16 (sold.), Brazil.

Termes lacus sancti Sörensen 1884, p. 23, sold., work., Brazil.

Termes (Capritermes) cingulatus Wasmann 1897, p. 151, syn.

Termes (Capritermes) paradoxus Wasmann 1897, p. 152, sold., syn.

Capritermes opacus Silvestri 1901, p. 5, Argentina, Paraguay, Matto Grosso.

Capritermes opacus Silvestri 1903, p. 62, im., sold., work., fig. 14 (wings), pl. 3, figs. 108-111 (im.), fig. 112 (sold.), loc.

Capritermes opacus Wasmann 1902b, p. 126 (no description), syn., So. Amer.

Termes (Eutermes) opacus Desneux 1904e, p. 44, syn., So. America.

Capritermes opacus Holmgren 1906, p. 557, sold.¹⁻², work., fig. Qa (sold.²), Bolivia: Mojos, Charupampa, Yanalomas (Prov. Caupolicán); 1909, p. 81, anatomy, p. 82, fig. 17 (im.), fig. 18 (work.).

Capritermes (Neocapritermes) opacus Holmgren 1912, p. 116, So. America.

Capritermes alienus von Rosen 1912, p. 229, fig. 7 (sold.), Gondar, Abyssinia? error in locality.

Type: Zool. Staatssammlung, Munich.

Capritermes (Neocapritermes) alienus Holmgren 1912, p. 116; Hegh 1922, pp. 502, 701.

Neocapritermes alienus Sjöstedt 1926, p. 287, fig. 66 (sold.), pl. II, fig. G (sold.), syn., loc., Abyssinia.

Capritermes (Neocapritermes) opacus Emerson 1925, p. 449, sold., syn.

Capritermes (Neocapritermes) parallelus Snyder 1926d, p. 67, winged female, sold., Bolivia: Rosario.

Capritermes parallelus Silvestri 1934, fig. 19 (sold.).

Capritermes (Neocapritermes) alienus Jucci 1936, p. 5, remarks ?Abyssinia.

Neocapritermes alienus Ghidini 1938, p. 232, remarks ?Abyssinia.

Winged, sold., work.

Brazil, Paraguay, Argentina,

Bolivia.

Neotropical.

Neocapritermes parvus (Silvestri).

Capritermes opacus subspecies *parvus* Silvestri 1901, p. 5, nymph, sold.; 1903, p. 64, sold., work., pl. 3, fig. 113 (sold.), Paraguay: Villa Rica; Brazil: Coxipó (Cuyabá).

Termes (Eutermes) opacus subspecies *parvus* Desneux 1904e, p. 44, syn.

Capritermes (Neocapritermes) parvus Holmgren 1912, p. 116, So. America.

Nymph, sold., work.

Paraguay, Brazil.

Neotropical.

Neocapritermes talpa (Holmgren).

Capritermes talpa Holmgren 1906, p. 560, sold., work., fig. R (sold.), S (work.), Peru: Chacuimayo (Prov. Carabaya).

Capritermes (Neocapritermes) talpa Holmgren 1912, p. 116.

Capritermes (Neocapritermes) hopkinsi Snyder 1926d, p. 66, figs. 3a-b, Bolivia: Ivon.

Sold., work.

Peru, Bolivia.

Neotropical.

Neocapritermes villosus (Holmgren).

Capritermes opacus subspecies *villosus* Holmgren 1906, p. 558, sold.¹⁻², work., fig. Qb-c
(sold.¹⁻²), Peru: Llinquipata, Chaqueimayo (Tal des
Rio San Gaban, Prov. de Carabaya).

Capritermes (Neocapritermes) villosus Holmgren 1912, p. 116.

Capritermes (Neocapritermes) villosus Snyder 1926d, pp. 69-70, Brazil: Uniao, Lower
Madeira Riv.

Sold.¹⁻², work.

Peru, Brazil.

Neotropical.

PLANICAPRITERMES

Genus *Planicapritermes* Emerson, n. gen.

Generotype: *Planicapritermes planiceps* (Emerson).

<Genus *Capritermes* Emerson 1925, p. 445.

<Subgenus *Neocapritermes* Emerson 1925, p. 445.

<Subgenus *Neocapritermes* Snyder 1926d, p. 64.

Planicapritermes planiceps (Emerson).

Capritermes (Neocapritermes) planiceps Emerson 1925, pp. 310, 449-450, fig. 92 (sold.),

Brit. Guiana: Kartabo;

Snyder 1926d, p. 70, sold.,

Bolivia: Cavinas, etc.

Holotype: sold., N. Y. Zool. Soc.

Sold.

Brit. Guiana, Bolivia.

Neotropical.

MACROTERMITINAE

Subfamily MACROTERMITINAE Kemner.

Type genus: *Macrotermes* Holmgren.

=Subfamily MACROTERMITINAE Kemner 1934, pp. 69, 186.

<Termes-Reihe Holmgren 1912, pp. 8, 11.

>Subfamily ACANTHOTERMITINAE Sjöstedt 1926, pp. 8, 60.

><Subfamily TERMITINAE Sjöstedt 1926, pp. 8, 72.

==Subfamily MACROTERMITINAE Hare 1937, pp. 461, 474-475, 478.

Genera:

Acanthotermes Sjöstedt.

Pseudacanthotermes Sjöstedt.

Synacanthotermes Holmgren.

Allodontermes Silvestri.

Protermes Holmgren.

Sphaerotermes Holmgren.

Macrotermes Holmgren.

Odontotermes Holmgren.

Subgenus *Odontotermes* Holmgren.

Subgenus *Euscaiotermes* Silvestri.

Subgenus *Hypotermes* Holmgren.

Ancistrotermes Silvestri.

Microtermes Wasmann.

Subgenus *Microdontermes* Sarwar ms.?

ACANTHOTERMES

(Spiny)

Genus *Acanthotermes* Sjöstedt.Generitype: *Acanthotermes acanthothorax* Sjöstedt.<Genus *Termes* (*Termes*) Hagen 1858, pp. 107, 108.<Genus *Termes* (*Termes*) Hagen 1858a, p. 16.=Genus *Termes* Sjöstedt 1898a, p. 204.<Genus *Acanthotermes* Sjöstedt 1900a, p. 54.<Genus *Termes* Desneux (part) 1904e, pp. 28, 26.<Genus *Termes* (*Termes*) Desneux 1904e, pp. 32, 35.<Genus *Acanthotermes* Holmgren 1912, pp. 13, 11.=Genus *Acanthotermes* Sjöstedt 1926, p. 60.*Acanthotermes acanthothorax* (Sjöstedt).*Termes acanthothorax* Sjöstedt 1898a, p. 204, sold.¹⁻², work., Camerun, Ekunda, Kitta.Acanthotermes acanthothorax Sjöstedt 1900a, pp. 55-56, 59-65, 218, 220, 235, pl. 2, fig. B1-3
(sold.¹), fig. B4-6 (sold.²), Cameroon, Victoria,
Mungo; Silvestri 1912, p. 221; 1914-15, p. 10; Sjöstedt
1926, pp. 60-62, pl. 3, figs. A1-5a, text fig. 21, sold.¹⁻²
(5 types sold. described), syn., loc.Acanthotermes (*Acanthotermes*) acanthothorax Emerson 1928, pp. 432-433, fig. 5 (sold.¹⁻²),
two other sizes of intermediate sold.; Sjöstedt's "C"
type parasitized, "B" type also in probability; loc.;
Grassé 1937a, p. 29, figs. 19-20 (sold.¹⁻²), Ivory Coast:
Abobo-Baoulé.Sold.¹⁻², work.Portuguese Guinea, Ivory Coast,
Cameroon, Isl. Fernando Po,
French and Belgian Congo,
Uganda.

Ethiopian.

PSEUDACANTHOTERMES

Genus *Pseudacanthotermes* Sjöstedt.Generitype: *Pseudacanthotermes militaris* (Hagen).=Genus *Pseudacanthotermes* Sjöstedt 1924b, pp. 253-257 (256) (nom. nud.).=Genus *Pseudacanthotermes* Sjöstedt 1926, pp. 60, 62-64.=Subgenus *Pseudacanthotermes* Emerson 1928, pp. 406, 418, 432-433.=Genus *Pseudacanthotermes* Emerson 1945, p. 441.*Pseudacanthotermes curticeps* Sjöstedt.*Pseudacanthotermes curticeps* Sjöstedt 1924c, p. 497, sold.¹; 1926, p. 67, pl. 3, fig. E (sold.¹),
sold.¹⁻², work.¹⁻², Belgian Congo: Tshela.Sold.¹⁻², work.¹⁻²

Belgian Congo.

Ethiopian.

Pseudacanthotermes grandiceps (Sjöstedt).*Acanthotermes grandiceps* Sjöstedt 1915, p. 8, sold., work.¹⁻², figs. 1A, 1B (sold.), Brit. E.
Africa: Kisumu, etc.*Pseudacanthotermes grandiceps* Sjöstedt 1926, pp. 64-65, sold.¹, work.¹⁻², Brit. E. Africa.Sold.¹, work.¹⁻²

Brit. E. Africa.

Ethiopian.

Pseudacanthotermes militaris (Hagen).

Termes militaris Hagen 1858, p. 122, pl. 3, fig. 9 (head and prothorax imago), habitat unknown.

Acanthotermes militaris Sjöstedt 1900a, p. 56 (im.), pl. 2, fig. A1-3 (queen), fig. 8 (sold.¹), fig. A4-5 (sold.²), fig. A6-7 (work.¹⁻²), Angola, Togo, Congo.

Pseudacanthotermes militaris Sjöstedt 1924a, p. 256.

Pseudacanthotermes militaris Sjöstedt 1926, pp. 65-67, pl. 3, fig. C, text fig. 22 (soldiers), syn., loc.

Acanthotermes (Pseudacanthotermes) militaris Emerson 1928, pp. 437-438, pl. 22, and text fig. 8, wing., sold.¹, loc., syn.

Termes viator Walker 1853, p. 509 (im. only).

Type: Brit. Museum.

Wing., sold.¹⁻², work.¹⁻²

French Guinea, Sierra Leone, Togo, Cameroon, Isl. Fernando Po, Uganda, Kenya, Congo, Angola, Rhodesia, Nyassa, So. Africa.

Ethiopian.

Pseudacanthotermes militaris, var. laticeps (Sjöstedt).

Acanthotermes laticeps Sjöstedt 1905, p. 4, sold.¹, Sierra Leone.

Pseudacanthotermes laticeps Sjöstedt 1926, p. 64, pl. 3, fig. B1-2, sold.¹, loc.

Type: Mus. London and Stockholm.

Sold.¹⁻², work.¹⁻².

Sierra Leone, French Guinea, Dahomey.

Ethiopian.

Pseudacanthotermes militaris, subsp. minor (Sjöstedt).

Acanthotermes minor Sjöstedt 1913a, p. 358, sold., Congo: Sankisia.

Pseudacanthotermes minor Sjöstedt 1926, p. 67, pl. 3, fig. D (sold.¹); syn., loc.

Pseudacanthotermes minor Sjöstedt 1926c, pp. 238-239, sold., Accra.

Sold.¹⁻²

Belg. Congo, Zambesi, So. Africa, Gold Coast.

Ethiopian.

Pseudacanthotermes piceus (Sjöstedt).

Acanthotermes piceus Sjöstedt 1911b, p. 173 (im.), S. Rhodesia: Salisbury.

Pseudacanthotermes piceus Sjöstedt 1926, p. 65 (im.), (syn.).

Winged.

S. Rhodesia, Uganda.

Ethiopian.

Pseudacanthotermes spiniger (Sjöstedt).

Termes (Acanthotermes) spiniger Sjöstedt 1900, p. 278, Congo: Umangi.

Acanthotermes spiniger Sjöstedt 1900a, p. 65, pl. 2, fig. C1-2 (sold.¹), fig. C3-5 (sold.²), fig. C6 (work.).

Pseudacanthotermes spiniger Sjöstedt 1926, pp. 68-69, im., queen, sold.¹⁻², work.¹⁻², syn., loc.; 1926b, p. 4, Gold Coast: Aburi; Grassé 1937a, p. 31, figs. 21-22 (sold.¹⁻²), Ivory Coast: Abobo Baoulé.

Acanthotermes (Pseudacanthotermes) spiniger Emerson 1928, pp. 433-436, pls. 21, 23, fig. 2, text fig. 7, wing., sold.¹⁻², work., Belg. Congo.

Acanthotermes spiniger subsp. *Kohli* Wasmann 1911a, p. 110, pl. 3, fig. 3 (queen), sold. and im., Congo: Romé (near Stanleyville).

Acanthotermes spiniger subsp. *lujae* Wasmann 1904a, p. 673, wing., sold.¹⁻², work.¹⁻², Congo: Kondué.

Acanthotermes spiniger subsp. *Lujae* Wasmann 1911a, pp. 106-108.

Pseudacanthotermes spiniger subsp. *Maynei* Sjöstedt 1926, p. 70, pl. 3, fig. F1-5 (queen, sold.¹⁻²), sold.¹⁻², work.¹⁻², Congo: Eala.

Pseudacanthotermes Unsgaardi Sjöstedt 1926, pp. 71-72, sold.¹⁻², work.¹⁻², Fr. Congo: Indo, Mus. Stockholm.

Wing., queen, sold.¹⁻², work.¹⁻²

Fr. Guinea, Ivory and Gold
Coasts, Fr. Equatorial Africa,
Uganda, Belg. Congo.

Ethiopian.

SYNACANTHOTERMES

Genus *Synacanthotermes* Holmgren.

Generotype: *Synacanthotermes heterodon* (Sjöstedt).

Genus *Synacanthotermes* Holmgren 1910, p. 286 (no descr.).

=Genus *Synacanthotermes* Holmgren 1912, pp. 21, 12, fig. 5 (sold.).

Genus *Eutermes* Sjöstedt 1899, p. 38 (part).

<Genus *Termes*, subgen. *Eutermes* Desneux 1904e, pp. 32, 35.

=Genus *Synacanthotermes* Sjöstedt 1926, p. 151.

***Synacanthotermes heterodon* (Sjöstedt).**

Eutermes heterodon Sjöstedt 1899, p. 38, sold., work., Cameroon: N'dian.

Termes (Eutermes) heterodon Desneux 1904e, p. 42, syn.

Synacanthotermes heterodon Holmgren 1912, p. 21, fig. 5 (sold.), pl. 1, fig. 7 (sold.); Sjöstedt 1926, pp. 151-152, pl. 6, fig. Mu, text fig. 31 (sold.), loc., syn., sold., work.

Sold., work.

Cameroon.

Ethiopian.

Synacanthotermes heterodon, subsp. *trilobata* Sjöstedt.

Synacanthotermes heterodon subsp. *trilobata* Sjöstedt 1926, p. 152, pl. 6, fig. Ni-2, pl. 7, fig. A1-2 (sold.), Belg. Congo: Luluabourg, Mus. Tervueren and Stockholm.

Sold., work.

Belg. Congo.

Ethiopian.

***Synacanthotermes zanzibarensis* (Sjöstedt).**

Termes (Synacanthotermes) zanzibarensis Sjöstedt 1915, p. 10, fig. 2, sold., Zanzibar Isl.: Haitajwa Hill, Mus. Paris.

Synacanthotermes zanzibarensis Sjöstedt 1926, pp. 152-153, syn., loc.

Sold.

Zanzibar.

Ethiopian.

PROTERMES

Genus Protermes Holmgren.

Generotype: *Protermes prorepens* (Sjöstedt).

Genus Eutermes Sjöstedt 1907, p. 244 (part).

Genus Termes Sjöstedt 1911, p. 145 (part).

< **Genus Protermes** Holmgren 1910, p. 286 (no descr.).

< **Genus Protermes** Holmgren 1912, pp. 24, 11.

= **Subgenus Protermes** Holmgren 1912, p. 26.

= **Genus Protermes** Sjöstedt 1926, p. 147.

= **Genus Protermes** (Protermes) Emerson 1928, p. 438.

Protermes hirticeps Sjöstedt.

Protermes hirticeps Sjöstedt 1924c, p. 495, sold.¹⁻², Belg. Congo: Mukimbungu; 1926, pp. 148-149, pl. 6, fig. F1-2, sold.¹⁻², work.¹⁻² (only 2 species *Protermes*, of which 2 types soldiers known; only 1 type in *Allodontermes* also).

Protermes (Protermes) **hirticeps** Emerson 1928, pp. 439-440, fig. 10, sold., Belg. Congo.

Sold.

Belg. Congo.

Ethiopian.

Protermes minutus (Grassé).

Termes minutus Grassé 1937a, p. 62, sold.¹⁻², work., biol., figs. 32-35, pl. 4 (fungus), Côte d'Ivoire: Forest of Banco near Abidjan, environs of Bingerville.

Sold.¹⁻², work.

Ivory Coast.

Ethiopian.

Protermes prorepens (Sjöstedt).

Eutermes prorepens Sjöstedt 1907, p. 244, sold., work.¹, Congo: Mukimbungu.

Termes prorepens Sjöstedt 1911, p. 145, work.²

Protermes (Protermes) **prorepens** Holmgren 1912, pp. 25-26, fig. 8, pl. 1, fig. 8, sold.; Emerson 1928, p. 439, fig. 9, sold., Congo.

Protermes prorepens Sjöstedt 1926, p. 148, pl. 6, fig. G, text fig. 28, sold., syn., loc.

Sold., work.¹⁻²

Belg. Congo.

Ethiopian.

(Other
tooth)

ALLODONTERMES

Genus Allodontermes Silvestri.

Generotype: *Allodontermes schultzei* (Silvestri).

= **Genus Allodontermes** Silvestri 1914, p. 15.

= **Genus Allodontermes** Sjöstedt 1926, p. 143.

= **Subgenus Allodontermes** (*Termes*) Silvestri 1912a, p. 2.

= **Subgenus Allodontermes** (*Protermes*) Holmgren 1912, pp. 26, 11; Emerson 1928, p. 438.

Allodontermes giffardi Silvestri.

Allodontermes Giffardi Silvestri 1914-15, p. 16, fig. V, 1-2, sold., work.¹⁻², Nigeria Merid.: I. Badan; Sjöstedt 1926, p. 147, sold., work.¹⁻², queen, king, loc.

Allodontermes giffardi Grassé 1937a, p. 68, Ivory Coast: Man.

Queen, king, sold., work.¹⁻²

Ivory and Gold Coasts, So.

Nigeria, French Equatorial Africa.

Ethiopian.

Allodontermes infundibuli (Sjöstedt).

Termes infundibuli Sjöstedt 1913a, p. 363, im., sold., work.¹⁻³, pl. 10, fig. 1, head sold., SE. Congo: Katanga, Sankisia and Kasenga.

Allodontermes infundibuli Sjöstedt 1926, p. 146, pl. 6, fig. E (sold.), syn., loc., Mus. Ter- vueren and Stockholm.

Wing., sold., work.¹⁻²

SE. Congo.

Ethiopian.

Allodontermes morogorensis Harris.

Allodontermes morogorensis Harris 1936, pp. 364-366, figs. 1-2, wing., sold., work.¹⁻⁴. Tanganyika Terr. (close to *infundibuli*). Type: British Museum.

Wing., sold., work.¹⁻²

Tanganyika: Morogoro, etc.

Ethiopian.

Allodontermes rhodesiensis (Sjöstedt).

Termes (Allodontermes) rhodesiensis Sjöstedt 1914a, p. 3, fig. 2 (sold.). Rhodesia: Salis- bury.

Protermes (Allodontermes) Schultzei Holmgren 1913d, p. 324 (nec Silvestri), Zululand: Solkela.

Allodontermes Schultzei Silvestri 1914-15, p. 15; 1914a, p. 487, Zululand: Marzo, Pretoria.

Protermes (Allod.) rhodesiensis Heigh 1922, p. 686, Rhodesia.

Protermes (A.) Schultzei Heigh 1922, pp. 369, 685, Transvaal and Zululand only.

Allodontermes schultzei Fuller 1922, p. 71, im., sold., part, Transvaal.

Termes (Protermes) esuricensis Sjöstedt 1924b, p. 255, sold., Transvaal, Pretoria.

Allodontermes rhodesiensis Sjöstedt 1926, pp. 145-146, sold., work.¹⁻⁴, syn., loc.

Sold., work.¹⁻²

Rhodesia, So. Africa (Trans-
vaal, Swaziland, Zululand).

Ethiopian.

Allodontermes schultzei (Silvestri).

Termes Schultzei Silvestri 1908, p. 75, wing., sold., work.¹⁻⁴, pl. 8, figs. 18, 23, pl. 9, figs. 24-
25, Kalahari: Severelela, Kang-Kgokong.

Termes (Allodontermes) Schultzei Silvestri 1912a, p. 2, fig. 1, wing., sold.

Protermes (Allodontermes) Schultzei Holmgren 1912, pp. 25-26 [?fig. 7 (sold.)], pl. 1,
fig. 2 (im.), fig. 9 (sold.) (fig. 7 = *rhodesiensis*).

Allodontermes schultzei Fuller 1922, p. 71, Kalahari.

Protermes (Allodontermes) Schultzei Heigh 1922, pp. 369, 685 (Kalahari only).

Allodontermes Schultzei Sjöstedt 1926, p. 145, pl. 6, fig. D, text fig. 27 (sold.), syn., loc.

Wing., sold., work.¹⁻²

Kalahari (Bechuanaland).

Ethiopian.

Allodontermes schultzei, subsp. *orientalis* Fuller.

Allodontermes schultzei subsp. *orientalis* Fuller 1922, p. 71 (im.), Delagoa Bay, Portuguese
E. Africa.

Winged.

Portuguese E. Africa.

Ethiopian.

Allodontermes tenax (Silvestri).

Termes (Allodontermes) tenax Silvestri 1912a, p. 3, fig. 2, 1-6 (sold.), S. Congo: Luapula.

Protermes (Allodontermes) tenax Holmgren 1912, p. 26.

Allodontermes tenax Sjöstedt 1926, pp. 146-147.

Sold.

S. Congo: Luapula.

Ethiopian.

SPHAEROTERMES

(Sphere)

Genus *Sphaerotermes* Holmgren.

Generotype: *Sphaerotermes sphaerothorax* (Sjöstedt).

<Genus *Eutermes* Sjöstedt 1911, p. 159.

=Genus *Sphaerotermes* Holmgren 1912, pp. 33, 11.

=Genus *Sphaerotermes* Sjöstedt 1926, p. 149.

Sphaerotermes sphaerothorax (Sjöstedt).

Eutermes sphaerothorax Sjöstedt 1911, p. 159, sold., work., fig., sold., Congo: Mukimbungu.

Sphaerotermes sphaerothorax Holmgren 1912, p. 33, pl. 1, fig. 10, sold.; Silvestri 1914-15, p. 17, Victoria.

Termes (Sphaerotermes) sphaerothorax Sjöstedt 1914c, p. 90.

Sphaerotermes sphaerothorax Sjöstedt 1926, pp. 149-150, fig. 29, sold., pl. 6, fig. L₁₋₂, sold.; Emerson 1928, pp. 350-352, fig. 15, im., sold., work., loc.

Wing., sold., work.

Congo, Cameroon.

Ethiopian.

MACROTERMES

Genus *Macrotermes* Holmgren.

Generotype: *Macrotermes lilljeborgi* (Sjöstedt).

>Subgenus *Macrotermes (Macrotermes) = lilljeborgii* gruppe Holmgren 1909, p. 193.

Subgenus *Macrotermes (Termes)* Holmgren 1910, p. 286 (no descr.).

>Subgenus *Macrotermes* Holmgren 1912, p. 29.

>Genus *Macrotermes* Sjöstedt 1926, p. 72.

=Genus *Macrotermes* Emerson 1928, pp. 440-441.

>Genus *Bellicositermes* Grassé 1937a, p. 34.

(Jaw)

>Subgenus *Gnathotermes* Holmgren 1912, pp. 22, 11.

>Genus *Tumulitermes* Sjöstedt 1924b, pp. 253-256.

>Genus *Hepilitermes* Sjöstedt 1926, p. 79 (replaces *Tumulitermes* 1924b, pp. 253-256, preoccupied).

>Subgenus *Bellicositermes* Emerson 1925, p. 298.

>Genus *Amplitermes* Sjöstedt 1926, p. 81.

Macrotermes annandalei (Silvestri).

Termes annandalei Silvestri 1914, p. 427, fig. iii, sold.¹⁻², work.¹⁻², Moulmein, Lower Burma.

Sold.¹⁻², work.¹⁻²

Lower Burma; Siam; Yunnan,

China.

Indo-Malayan.

***Macrotermes azarellii* (Wasmann).**

Termes Azarellii Wasmann 1896, pp. 626-628, sold.¹⁻², work., Palon (Pegù), Burma; 1896a (suppl.), p. 152, sold.¹⁻², queen, Pegù, Burma.

Termes (Macrotermes) Azarelli Holmgren 1913b, p. 100, im., sold.¹⁻².

Type: Mus. Civico, Genoa.

Sold.¹⁻², work., queen.

Burma. Indo-Malayan.

***Macrotermes barneyi* Light.**

Macrotermes barneyi Light 1924, pp. 52-53, sold. in key, Hongkong, Amoy near Foochow, China, pp. 242-248, im., sold.¹⁻², work.; 1931, pp. 583-584, 593-594, Hainan Isl., Fukien; Silvestri 1947, pp. 13-40.

Wing., sold.¹⁻², work.

China. Indo-Malayan.

***Macrotermes bellicosus* (Smeathman).**

Termes bellicosus Smeathman 1781, p. 141, im., Sierra Leone.

Termes fatalis Fabricius 1781, p. 395; 1787, p. 248; 1793, p. 87; Gmelin 1800, p. 692, im., sold., refers to several species.

Termes capensis Latreille 1804, pp. 49, 59, loc.; 1805, p. 68.

Termes fatalis Burmeister 1839, p. 765 (part); Walker 1853, p. 510, only im. from Congo.

Termes subhyalinus Rambur 1842, p. 307, im., Senegal.

Termes viator Walker 1853, p. 508 (only queen and imago), Cape Coast Castle.

Termes bellicosus Hagen 1858, p. 109, im., sold., work., pl. I, fig. 3 (sold.), syn., loc.

Termes falciger Gerstacher 1891, p. 186, Ubusini.

Termes bellicosus subsp. *sansibarita* Wasmann 1897, p. 158, Zanzibar.

Macrotermes bellicosus Fuller 1922, p. 72, Congo; 1927, pp. 131-141 (along Limpopo to exclusion *natalensis*).

Amplitermes bellicosus Sjöstedt 1926, pp. 85-87, fig. 25, sold.¹⁻², syn., loc.

Bellicositermes bellicosus Sjöstedt 1926, pp. 367, 391; 1926a, p. 4, Gold Coast; Grassé 1937a, p. 34, Ivory Coast, Guinée (range 15° lat. No. to 20° lat. So.).

Macrotermes (Belliositermes) bellicosus Emerson 1928, pp. 446-447, fig. 13 (im.), map 7 (dist.).

Type: winged, Brit. Museum and Banks coll., Oxford?

Wing., queens, kings, sold.¹⁻²,
work.¹⁻²

Savannah region Africa from
approximately lat. 18° N. to
lat. 28° S.

Ethiopian.

***Macrotermes bellicosus*, form *kunenensis* Fuller.**

Macrotermes bellicosus form *kunenensis* Fuller 1922, p. 73, wing., sold., Ovamboland.

Amplitermes bellicosus forma *kunenensis* Sjöstedt 1926, pp. 87-88.

Bellicositermes bellicosus forma *kunenensis* Sjöstedt 1926, p. 391.

Wing., sold.

Ovamboland, SW. Africa.

Ethiopian.

Macrotermes bellicosus, form *limpopoensis* Fuller.

Macrotermes bellicosus form *limpopoensis* Fuller 1922, p. 73, winged, Transvaal, Messina.

Amplitermes bellicosus forma *limpopoensis* Sjöstedt 1926, p. 87.

Bellicositermes bellicosus forma *limpopoensis* Sjöstedt 1926, p. 391.

Winged.

Transvaal, So. Africa.

Ethiopian.

Macrotermes bellicosus, form *mossambica* (Hagen).

Termes bellicosus var. *Mossambica* Hagen 1858, p. 118, im., sold., etc. Mossambique.

Macrotermes bellicosus form *mossambica* Fuller 1922, p. 73.

Amplitermes bellicosus forma *mossambica* Sjöstedt 1926, p. 87, syn., loc.

Bellicositermes bellicosus forma *mossambica* Sjöstedt 1926, p. 391.

Wing., sold., work.

Mozambique, Zambesi, N.

Transvaal, Zwaziland, Delagoa Bay.

Ethiopian.

Macrotermes bellicosus, var. *tonga* Fuller.

Macrotermes bellicosus-tonga Fuller 1927, pp. 137, 140, sold., Zululand.

Sold.

Zululand.

Ethiopian.

Macrotermes bellicosus, var. *ukuzii* Fuller.

Macrotermes ukuzii Fuller 1922, p. 80, sold.¹⁻², work., Zululand, Ukuzi Riv., So. Africa.

Macrotermes bellicosus-ukuzii Fuller 1927, pp. 133, 137-141.

Amplitermes Ukuzii Sjöstedt 1926, p. 90.

Bellicositermes Ukuzii Sjöstedt 1926, p. 391.

Sold.¹⁻², work.

Zululand, So. Africa.

Ethiopian.

Macrotermes carbonarius (Hagen).

Termes carbonarius Hagen 1858, p. 130, winged, pl. 1, fig. 2 (sold.), pl. 2, fig. 8 (wing.), pl. 3, fig. 12 (head and pronotum imago), Borneo, winged, Mus. Vienna, Pulo Penang, sold., Mus. Berlin; Haviland 1898, p. 380, wing., sold., work., Singapore, Malacca, Siam (Borneo?).

Termes (Macrotermes) carbonarius Holmgren 1913b, pp. 93-94, pl. 3, figs. 1-3 (im., sold.¹⁻²), loc.; 1913-14, p. 242, Malacca.

Macrotermes carbonarius John 1925, p. 385, pls. 17, 7-8, 18, 9, 23, 27-28, loc., biol.

Type: Mus. Vienna; paratype: wing. female, M.C.Z., No. 200, sold.¹

Wing., sold.¹⁻², work.

Borneo, Malay Peninsula, Siam.

Indo-Malayan.

Macrotermes carboniceps (Sjöstedt).

Termes carboniceps Sjöstedt 1924a, p. 39, sold.¹, Belg. Congo: Yambata.

Amplitermes carboniceps Sjöstedt 1926, pp. 92-93, pl. 4, fig. A, sold.

Bellicositermes carboniceps Sjöstedt 1926, pp. 367, 391.

Sold.¹

Belgian Congo.

Ethiopian.

***Macrotermes convexus* (Grassé).**

Bellicositermes convexus Grassé 1937a, pp. 35-37, figs. 23-25, sold.¹⁻², fig. 26, Man à Touba,
Ivory Coast.

Sold.¹⁻²

Ivory Coast.

Ethiopian.

***Macrotermes estherae* (Desneux).**

Termes estherae Desneux 1908, p. 390, im., sold.¹⁻², work., Brit. India, Bijapur Dist.,
Bombay: Kaladji.

Termes (Macrotermes) estherae Holmgren 1913b, p. 94, im., sold.¹⁻², work.¹⁻², pl. 3, fig. 4
(im.), fig. 5 (sold.¹), fig. 6 (sold.²), local.

Termes convulsionarius König 1779, p. 24.

Hodoterme convulsionarius Hagen 1858, p. 90 (work.), Tranquebar.

Hodoterme (?) convulsionarius Holmgren 1911a, p. 43.

Termes convulsionarius Bugnion, 1913, pp. 136-139, pl. 9, syn.

(*Termes*) *Hodoterme convulsionarius* Fletcher in Holmgren, K. and N. 1917, pp. 145-
146, syn., loc. [Fletcher would make *estherae* syn. of
convulsionarius; Holmgren disagrees.]

Macrotermes convulsionarius John 1925, p. 385, syn., loc., Ceylon.

Wing., sold.¹⁻², work.¹⁻²

Bombay, Madras-India; Ceylon.

Indo-Malayan.

***Macrotermes gilvus* (Hagen).**

Termes gilvus Hagen 1858, p. 148, pl. 3, fig. 14 (im.), im., queen, sold.¹⁻², Java, coll. Selys
Longchamps Brussels, Mus. Vienna, Mus. Berlin.

Termes (Macrotermes) gilvus Holmgren 1913b, pp. 98-100, im., sold.¹⁻², work.¹⁻², pl. 3,
fig. 9 (im.), fig. 10 (sold.¹), fig. 11 (sold.²), syn., loc.;
1913-14, p. 243, loc.

?*Termes dives* Hagen 1858, p. 142, Java only (sold.).

?*Termes taurobanes* Walker 1853, p. 522.

?*Termes fatalis* Hagen 1858, p. 144 (sold.), Ceylon.

Termes Taurobanes ? Hagen 1860a, p. 103, sold., Borneo.

Termes malayanus Silvestri 1911c, p. 59 (guests), Java.

Termes gilvus Light 1921, p. 251, syn., loc.

Macrotermes gilvus John 1925, pp. 385-386, loc.; Kemner 1934, pp. 72-77 fig. 9 (im.,
sold.).

Paratype: wing. male, M.C.Z. No. 203.

Wing., sold.¹⁻², work.¹⁻², queens.

Java, Malay Peninsula, Borneo,
Sumatra, Celebes, Philippines.

Indo-Malayan.

***Macrotermes gilvus*, f. *angusticeps* Kemner.**

Macrotermes gilvus f. *angusticeps* Kemner 1934, pp. 77-79, fig. 10 (sold.), im., sold., W.
Java, Depok near Buitenzorg.

Im., sold.

Java.

Indo-Malayan.

***Macrotermes gilvus*, var. *boreensis* Kemner.**

Macrotermes gilvus var. *boreensis* Kemner 1933, p. 27, fig. 1 (sold.), Borneo, Samarinda.

Sold.

Borneo.

Indo-Malayan.

- Macrotermes gilvus*, f. *kalshoveni* Kemner.
Macrotermes gilvus f. *Kalshoveni* Kemner 1934, pp. 80-82, fig. 11 (sold.), Buitenzorg, Java.
 Sold.
 Java. Indo-Malayan.
- Macrotermes gilvus*, f. *latinotus* Kemner.
Macrotermes gilvus f. *latinotum* Kemner 1934, pp. 79-80, im., sold., W. Java.
 Wing., sold.
 W. Java. Indo-Malayan.
- Macrotermes gilvus*, f. *padangensis* Kemner.
Macrotermes gilvus f. *padangensis* Kemner 1930, pp. 306-307, fig. 9 (sold.²).
 Sold.²
 Fort de Kock, Sumatra Indo-Malayan.
- Macrotermes gilvus*, form *philippinensis* (Oshima).
Termes (*Macrotermes*) *philippinensis* Oshima 1914b, p. 566, im., sold.¹⁻², work., figs. 8-9,
 Philippines: Los Banos (Laguna Prov.), Luzon;
 1920a, p. 498, loc.; Light 1921, p. 252, syn., loc.
- Macrotermes* (*Macrotermes*) *philippinensis* Kemner 1934, p. 24.
Termes (*Termes*) *copelandi* Oshima 1914b, p. 570, pl. 9, figs. 6, 7, sold.¹⁻², work.¹⁻²,
 Philippines: Los Banos, Luzon.
- Termes* (*Macrotermes*) *copelandi* Oshima 1920a, p. 498, loc.; Light 1921, pp. 248, 251,
 syn., loc.
- Termes* (*Macrotermes*) *gilvus* Holmgren 1913b, p. 98, Philippines only.
- Termes* *gilvus* Silvestri 1926, p. 3.
- Macrotermes* *gilvus* Williams 1928; Light 1931, p. 594; Pangga 1936; 1937.
- Termes* (*Macrotermes*) *luzonensis* Oshima 1914b, p. 569, pl. 9, figs. 10-11, sold.¹⁻²,
 work., Philippines: Los Banos; 1920a, p. 498, loc.;
 Light 1921, p. 251, syn., loc.
- Macrotermes* *luzonensis* Kemner 1934, p. 24.
- Termes* (*Macrotermes*) *manilanus* Oshima 1914b, p. 565, im., Philippines, Manila;
 1920a, p. 498, loc.; Light 1921, p. 252, syn., loc.
- Macrotermes* *manilanus* Kemner 1934, p. 24.
 Wing., sold.¹⁻², work.
 Philippines. Indo-Malayan.
- Macrotermes* *gilvus*, subsp. *madurensis* Kemner.
Macrotermes *gilvus* subsp. *madurensis* Kemner 1934, pp. 82-83, fig. 12 (sold.), Madura Isl.
 (near E. Java).
- Sold.
 Madura Isl. Indo-Malayan.
- Macrotermes* *gilvus*, subsp. *malayanus* (Haviland).
Termes *malayanus* Haviland 1898, pp. 381-384, im., sold., work., fig. (nest and fungus
 garden), Malay Peninsula, Borneo; Pratt 1909a, p. 4,
 sold.; Escherich 1911, p. 22, 45-46.
- Termes* *gilvus* Holmgren 1911, p. 552.
Termes (*Macrotermes*) *gilvus* Holmgren 1912, pp. 29, 31, fig. 9 (sold. mandibles),
 ("Hinterindien" and) E. Indies; 1913b, p. 98, Malaya
 only.

Macrotermes gilvus John 1925, p. 385, royal pair, sold., work., loc.

Termes (Macrotermes) gilvus subsp. *malayanus* Bathelier 1927, pp. 141, 144.

Macrotermes gilvus subsp. *malayanus* Kemner 1934, p. 24.

Macrotermes gilvus subsp. *malayanus* Wheeler 1936, pp. 231-232.

Wing, queen, king, sold., work.

Malay Peninsula, Borneo.

Indo-Malayan.

***Macrotermes goliath* (Sjöstedt).**

Termes goliath Sjöstedt 1899a, p. 156, im., sold.¹⁻², work.¹, Kilimandjaro: Brit. E. Africa.

Termes michelli von Rosen 1912, p. 233, fig. 1, sold.¹, Congo: No. Katanga (Munich Mus. Zoolog. Staatssammlung); Holmgren 1912, p. 30, pl. 1, fig. 3 (im.), fig. 12, sold.¹⁻².

Amplitermes goliath Sjöstedt 1926, pp. 83-85, syn., loc.

Bellicositermes goliath Sjöstedt 1926, pp. 366, 391; 1926a, p. 4, Gold Coast.

Wing., queen, sold.¹⁻², work.¹⁻²

Fr. Guinea, Gold Coast, Daho-

mey, Fr. Equatorial Africa,

Uganda, Congo, Tanganyika,

Rhodesia, Nyassa, NE. Trans-

vaal.

Ethiopian.

***Macrotermes gratus* (Sjöstedt).**

Termes gratus Sjöstedt 1900, p. 278, im., Togo: Misahöhe.

Macrotermes gratus Sjöstedt 1926, p. 79, pl. 3, fig. K, wing.

Wing.

Togo.

Ethiopian.

***Macrotermes herus* (Sjöstedt).**

Termes herus Sjöstedt 1914b, p. 79, im., pl. 2, fig. 6, Abyssinia: Dirré-Daoua (30 km. from Djibouti).

Amplitermes herus Sjöstedt 1926, p. 88.

Bellicositermes herus Sjöstedt 1926, p. 391.

Type: Mus. Stockholm.

Wing., queen.

Abyssinia.

Ethiopian.

***Macrotermes imperator* (Sjöstedt).**

Termes imperator Sjöstedt 1913a, p. 359, sold.¹⁻², work.¹, Belg. Congo: Sankisia.

Macrotermes imperator Sjöstedt 1926, p. 76, fig. 24 (sold.), pl. 3, fig. G (sold.).

Termes (Macrotermes) imperator Hegh 1922, p. 139, etc.

Type: Mus. Tervueren and Stockholm.

Sold.¹⁻², work.¹

Belgian Congo.

Ethiopian.

***Macrotermes ituriensis* Sjöstedt.**

Macrotermes ituriensis Sjöstedt 1924b, p. 253, wing., Belg. Congo: Ituri, Mus. Stockholm; 1926, pp. 74-75, pl. 3, fig. H, wing.

Wing.

Belgian Congo.

Ethiopian.

Macrotermes jeanneli (Grassé).

Bellicositermes jeanneli Grassé 1937, pp. 71-73, figs. 7, sold.¹⁻², work., Kalodeka so. of Lac Rodolphe [Hegh 1922, figs. 53, 65, nests and loc.].

Sold.¹⁻², work.

E. Abyssinia, Kenya.

Ethiopian.

Macrotermes kibonotensis (Sjöstedt).

Tumulitermes kibonotensis Sjöstedt 1924b, p. 253, sold., Tanganyika: Kibonoto on, Kilimandjaro.

[*Hepilitermes* for *Tumulitermes* Sjöstedt 1926, p. 79 (nom. praeoc.).]

Sold.

Tanganyika.

Ethiopian.

Macrotermes lilljeborgi (Sjöstedt).

Termes Lilljeborgi Sjöstedt 1896, pp. 269-280, pl. 14, sold.¹⁻², work., Cameroon: Kitta, Kribi.

Termes (Macrotermes) Lilljeborgi Sjöstedt 1914c, p. 90, loc.

Macrotermes Lilljeborgi Sjöstedt 1926, p. 75, syn., loc.

Macrotermes (Macrotermes) lilljeborgi Emerson 1928, pp. 442-443, fig. 11, sold.¹.

Sold.¹⁻², work.

Cameroon, Nigeria (Old Calabar), Congo (Rio San Benito).

Ethiopian.

Macrotermes malaccensis (Haviland).

Termes malaccensis Haviland 1898, p. 381, sold.¹⁻², work., Malacca.

Termes (Macrotermes) malaccensis Holmgren 1913b, p. 96, im., sold.¹⁻², work.¹⁻², Malacca (Mus. Cambridge), Johore (Mus. Vienna), Banka off Sumatra (Mus. München).

Macrotermes malaccensis John 1925, p. 385, loc.

Gnathotermes Aurivilli Holmgren 1912, p. 23, fig. 6 (b) sold., pl. 2, fig. 8 (sold.) (parasitized), Billiton Isl.; Kemner 1925a, pp. 1-15, syn., Billiton (Reichsmus., Stockholm), Singapore (Mus. München).

?*Gnathotermes Havilandi* Holmgren 1912, p. 23, fig. 6 (a), sold., Johore; Kemner 1925a, pp. 1-15, syn., Malacca (parasitized sold.).

Type: No. 503 (Hav.).

Wing., sold.¹⁻², work.¹⁻²

Fed. Malay States, Sumatra,
Billiton.

Indo-Malayan.

Macrotermes michaelseni (Sjöstedt).

Termes (Termes) Michaelseni Sjöstedt 1914b, p. 77, im., sold.¹⁻², work., pl. 2, fig. 1 (im.), fig. 10 (sold.), SW. Africa: Okahandja.

Amplitermes Michaelseni Sjöstedt 1926, p. 88, wing., sold.¹⁻², work.¹⁻², SW. Africa, Zambesi: Villa Fontes.

Types: Mus. Hamburg, Stockholm.

Bellicositermes Michaelseni Sjöstedt 1926, p. 391.

Wing., sold.¹⁻², work.¹⁻²

SW. Africa, Zambesi.

Ethiopian.

***Macrotermes mozambicanus* (Sjöstedt).**

Amplitermes mozambicanus Sjöstedt 1926, pp. 89-90, wing., Mozambique: Vallée du Revoué, Env. d'Anodraba, Mus. Paris and Stockholm [near *usutu* Fuller].

Bellicositermes mozambicanus Sjöstedt 1926, pp. 367, 391.

Wing.

Mozambique.

Ethiopian.

***Macrotermes mülleri* (Sjöstedt).**

Termes mülleri v. Ihring 1887, p. 3 (near *T. lespesi*) not valid because of description.

Termes Mülleri Sjöstedt 1898a, p. 205, sold.¹⁻², work., French Congo (Gabon): Agoncho.

Macrotermes Mülleri Sjöstedt 1926, pp. 76-78, pl. 3, fig. L (wing.), im., sold.¹⁻², work.¹⁻², syn., loc.

Termes amplius Sjöstedt 1899, p. 35, sold., Congo: Umangi, Kasongi near Stanley Falls; 1900a, p. 89, sold.¹, pl. 3, fig. c.

Termes (Macrotermes) amplius Heigh 1922, pp. 243, 686.

Macrotermes Mülleri var. *ampla* Sjöstedt 1926, p. 78, syn., loc.

Type: Mus. Greifswald and Stockholm.

Termes gabonensis Sjöstedt 1900a, pp. 72-73, 92-94, 218, 222, 235, pl. 3, fig. B₁₋₂, sold.¹⁻², work., Agoncho; Wasmann 1911a, p. 99, queen, Congo: Sankuru.

Termes (Macrotermes) gabonensis Holmgren 1912, p. 29, Congo.

Macrotermes (Macrotermes) gabonensis Emerson 1928, pp. 443-444, fig. 12, wing., sold., Belg. Congo.

Wing., queen, sold.¹⁻², work.¹⁻²

French Equatorial Africa, Belgian Congo.

Ethiopian.

***Macrotermes natalensis* (Haviland).**

Termes bellicosus Hagen 1858, p. 120 (part), im. (nec Smeathman), "Kaffernlande" only; 1860, p. 102 (part), im. from Port Natal only; Sjöstedt 1900a, pp. 96, 102, im., sold., Durban and Upome only.

Termes natalensis Haviland 1898, p. 383, pl. 23, figs. 7-10, wing., sold.¹, work.¹, Natal.

Termes tumulicola Sjöstedt 1899, p. 34, im., sold.¹⁻², work., Liberia, Togo, Natal.

Termes (Termes) parvus Holmgren 1913d, p. 325, sold.¹⁻², work.¹⁻², Zululand (preoccupied by *Termes parvus* Hayland 1898, p. 404).

Macrotermes parvus Fuller 1922, pp. 73, 80; 1927, p. 137, syn.

Amplitermes parvus Sjöstedt 1926, p. 92, syn., loc.

Bellicositermes parvus Sjöstedt 1926, p. 391.

Macrotermes natalensis Fuller 1922, p. 73, im., sold., So. Africa, syn., loc.

Amplitermes natalensis Sjöstedt 1926, pp. 90-92, syn., loc.

Bellicositermes natalensis Sjöstedt 1926, pp. 367, 391.

Macrotermes (Bellicositermes) natalensis Emerson 1928, pp. 447-450, fig. 14, im., sold., map 8 dist., pl. 23, fig. 1, pls. 24, 25, 26, Belg. Congo.

Bellicositermes natalensis Grassé 1937a, p. 35, loc.

All stages.

Approx. lat. 13° N. to lat. 33° S.,

Africa.

Ethiopian.

Macrotermes natalensis form *natalensis* Fuller 1922, p. 76, Natal, Zululand.

Amplitermes natalensis forma *natalensis* (Haviland s. str.) Sjöstedt 1926, p. 92 (of doubtful validity).

Wing., sold.

So. Africa.

Ethiopian.

Macrotermes natalensis, var. *durbanensis* Fuller.

Macrotermes natalensis-durbanensis Fuller 1927, p. 136, im., Durban, Natal.

Wing.

So. Africa.

Ethiopian.

Macrotermes natalensis, form *intermedius* Fuller.

Macrotermes natalensis form *intermedius* Fuller 1922, p. 76, im., sold., Transvaal.

Amplitermes natalensis forma *intermedia* Sjöstedt 1926, p. 92 (of doubtful validity).

Wing., sold.

So. Africa.

Ethiopian.

Macrotermes natalensis, form *transvaalensis* Fuller.

Macrotermes natalensis form *transvaalensis* Fuller 1922, p. 76.

Amplitermes natalensis forma *transvaalensis* Sjöstedt 1926, p. 92 (of doubtful validity).

Wing., sold.

So. Africa.

Ethiopian.

Macrotermes niger (Sjöstedt).

Termes niger Sjöstedt 1898, p. 128, im., Cameroon; 1900a, p. 82, pl. 3, fig. A1 (im.).

Termes (*Macrotermes*) *niger* Holmgren 1912, p. 29.

Macrotermes niger Sjöstedt 1926, p. 74.

Wing.

Cameroon.

Ethiopian.

Macrotermes nigeriensis (Sjöstedt).

Termes nigeriensis Sjöstedt 1911b, p. 183, im., S. Nigeria; Jaba, Lagos.

Termes (*Termes*) *nigeriensis* Holmgren 1912, p. 30.

Amplitermes nigeriensis Sjöstedt 1926, p. 88, wing., syn., loc.

Bellicositermes nigeriensis Sjöstedt 1926, p. 391.

Wing.

So. Nigeria, Ivory Coast, Da-homey.

Ethiopian.

Macrotermes nobilis (Sjöstedt).

Termes speciosus Sjöstedt 1899, p. 35, Cameroon: Johann-Albrechtshöhe (name preoccupied).

Termes nobilis Sjöstedt 1900a, p. 90, sold.¹⁻², work.¹

Termes (*Macrotermes*) *nobilis* Holmgren 1912, p. 29, Cameroon, Belg. Congo.

Macrotermes speciosus Sjöstedt 1926, pp. 78-79, syn., loc.

Sold.¹⁻², work.¹

Cameroon, Belg. Congo.

Ethiopian.

***Macrotermes schoutedeni* Sjöstedt.**Macrotermes Schoutedeni Sjöstedt 1924a, p. 39, sold.¹, Belg. Congo: Boma.Tumulitermes Schoutedeni Sjöstedt 1924b, p. 256, sold.¹ (type of new genus).Hepilitermes Schoutedeni Sjöstedt 1926, pp. 79-81, fig. 24a (sold.¹⁻², work.¹⁻²), pl. 3, fig. M
(sold.¹), syn., loc.

Type: Congo Museum.

Sold.¹⁻², work.¹⁻²

Belg. Congo, Rhodesia.

Ethiopian.

***Macrotermes serrulatus* Snyder.**Macrotermes (Macrotermes) serrulatus Snyder 1934a, pp. 6-9, fig. 3 (sold.¹⁻²) (wing.?),
Mogok, Burma.Cotypes: sold.¹, British Museum and U.S.N.M. and
Forest Research Inst., Dehra Dun; comorphotypes:
sold.², as above, U.S.N.M. No. 50163.(?Wing.), sold.¹⁻²

Mogok, Burma.

Indo-Malayan.

***Macrotermes singaporenensis* (Oshima).**Termes (Macrotermes) singaporenensis Oshima 1913a, p. 284, im., soldiers, Malay Peninsula:
Singapore (name preoccupied by *Termes singaporiensis* Haviland 1898, p. 429).

Wing., soldiers.

Malay Peninsula.

Indo-Malayan.

***Macrotermes swaziae* (Fuller).**Termes swaziae Fuller 1915, p. 462, pl. 34, fig. 11, king, queen, sold.¹⁻², work., Transvaal:
Tzaneen, Barberton.

Macrotermes swaziae Fuller 1922, p. 78, wing.

Amplitermes Swaziae Sjöstedt 1926, pp. 88-89, syn., loc.

Bellicositermes Swaziae Sjöstedt 1926, p. 391.

Wing., king, queen, sold.¹⁻²,
work.¹

So. Africa.

Ethiopian.

***Macrotermes usutu* Fuller.**Macrotermes usutu Fuller 1922, p. 79, queen, sold.¹⁻², work., Usutu Riv., Swaziland.

Amplitermes Usutu Sjöstedt 1926, p. 90.

Bellicositermes Usutu Sjöstd. 1926, p. 391.

Queen, sold.¹⁻², work.

Swaziland.

Ethiopian.

***Macrotermes vitrialatus* (Sjöstedt).**

Termes vitrialatus Sjöstedt 1899, p. 34, im., Congo: Umangi.

Termes (Macrotermes) vitrialatus Holmgren 1912, p. 29, Cameroon.

Macrotermes vitrialatus Sjöstedt 1926, p. 79, syn., loc.

Wing., queen.

Belg. Congo, Cameroon.

Ethiopian.

Macrotermes waterbergi (Fuller).

Termes waterbergi Fuller 1915, p. 361, 466, sold., work., pl. 28, figs. 1-3, pl. 34, fig. 12,
Transvaal; Warmbaths (distr. of the Waterberg), etc.

Macrotermes waterbergi Fuller 1922, p. 79, im.

Amplitermes Waterbergi Sjöstedt 1926, p. 89, syn., loc.

Bellicositermes Waterbergi Sjöstedt 1926, p. 391.

Wing., sold.¹⁻², work.¹⁻²

Transvaal.

Ethiopian.

ODONTOTERMES

Genus *Odontotermes* Holmgren.

Generotype: *Odontotermes vulgaris* (Haviland).

>Genus *Odontotermes* Holmgren 1912, pp. 35, 11 (includes *Euscaiotermes*).

>Subgenus *Odontotermes* Holmgren 1910, p. 286 (*vulgaris* generotype).

>Genus *Termes* Banks (and Snyder) 1920, p. 8 (syn.).

>Genus *Termes* Fuller 1922, p. 82.

>Genus *Termes* Sjöstedt 1926, p. 93 (*capensis* generotype).

>Genus *Termes* Emerson 1928, pp. 452-453 (*capensis* generotype).

>Genus *Odontotermes* Kemner 1934, p. 83.

Subgenus *Odontotermes* (*Odontotermes*) Holmgren.

Subgenerotype: *Odontotermes* (O.) *vulgaris* (Haviland).

<Genus *Odontotermes* Holmgren 1912, pp. 35, 11.

=Subgenus *Odontotermes* (*Termes*) Holmgren 1910, p. 286.

>Subgenus *Cyclotermes* (*Termes*) Holmgren 1910, p. 286 (no description).

>Subgenus *Odontotermes* (*Cyclotermes*) Holmgren 1912, p. 38; 1913b, p. 108.

<Genus *Termitogetonella* Oshima 1920a, p. 496.

>Subgenus *Termes* (*Termes*) Fuller 1921, pp. 17-18, 22.

>Subgenus *Termes* (*Odontotermes*) Fuller 1922, pp. 82, 91 (*vulgaris* not included).

<Genus *Termes* Sjöstedt 1926, p. 93.

>Subgenus *Termes* (*Termes*) Emerson 1928, p. 452.

>Subgenus *Termes* (*Termes*) Snyder 1933a; 1934a.

Odontotermes (*Odontotermes*) *agilis* (Sjöstedt).

Termes agilis Sjöstedt 1904, p. 61, im., Liberia: Monrovia.

Odontotermes (*Odontotermes*) *agilis* Holmgren 1912, p. 37.

Termes agilis Sjöstedt 1926, p. 137, syn., loc.

Winged.

Liberia: Monrovia.

Ethiopian.

Odontotermes (*Odontotermes*) *akengeensis* (Emerson).

Termes (*Termes*) *akengeensis* Emerson 1928, pp. 464-465, fig. 25, sold.¹⁻², Belg. Congo:
Akenge.

Holotype: sold., A.M.N.H.

Sold.¹⁻²

Belgian Congo.

Ethiopian.

Odontotermes (Odontotermes) almorensis (Snyder).

Termes (Cyclotermes) almorensis Snyder 1933a, pp. 8-9, fig. 5, winged, W. Almora Forest Div., U. P., India.
Cotypes: winged, U.S.N.M. No. 44104, and For. Res. Inst., Dehra Dun.

Winged.

United Provinces, India.

Indo-Malayan.

Odontotermes (Odontotermes) amanicus Sjöstedt.

Odontotermes amanicus Sjöstedt 1925, p. 54, sold.¹, Usambara: Amani.

Termes amanicus Sjöstedt 1926, pp. 108-109, pl. 4, fig. D (sold.¹), im., sold.¹, work.

Winged, sold., work.

Usambara: Amani, Tanganyika.

Ethiopian.

Odontotermes (Odontotermes) anamallensis Holmgren, K. and N.

Odontotermes (Odontotermes) anamallensis Holmgren, K. and N. 1917, p. 157, sold.¹⁻², work., Anamalai Hills, India.

Sold.¹⁻², work.

India. Indo-Malayan.

Odontotermes (Odontotermes) anceps (Sjöstedt).

Termes anceps Sjöstedt 1911a, p. 171, sold., Abyssinia and Brit. E. Africa.

Odontotermes (Odontotermes) anceps Holmgren 1912, p. 37.

Termes anceps Sjöstedt 1926, p. 114, pl. 4, fig. E (sold.¹), syn., loc.

Sold., work.¹⁻²

Abyssinia, Brit. E. Africa.

Ethiopian.

Odontotermes (Odontotermes) anceps, var. *amaniensis* Sjöstedt.

Odontotermes amaniensis Sjöstedt 1924c, p. 490, sold., Usambara: Amani.

Termes amaniensis Sjöstedt 1926, p. 109, syn., loc.

Sold.

Usambara: Amani (Tanga-
nyika).

Ethiopian.

Odontotermes (Odontotermes) angustatus (Rambur).

Termes angustatus Rambur 1842, p. 306, im., Cape of Good Hope; Walker 1853, p. 519;
Hagen 1858, p. 123.

Termes Caffer (Hagen), Mus. Berlin.

Odontotermes (Odontotermes) angustatus Holmgren 1912, p. 37.

Termes vulgaris Fuller 1915, in part, nec Haviland, pp. 340-341 (mating swarm), fig. 4,
pp. 391-393, p. 481 (descr. mixed with *angustatus* and
vulgaris, but mating records and nest, sold. and work.
characters, especially antennal measurements, are
angustatus).

Termes (Odontotermes) angustatus Heigh 1922, pp. 214, 269, 313, 317, 382, 688.

Termes angustatus Sjöstedt 1926, pp. 139-140, syn., loc.

Type: Selys Longchamps coll., Brussels.

Winged, queen, sold., work.

Cape Good Hope, Orange Free
State, Natal, Kaffraria, Trans-
vaal, So. Africa.

Ethiopian.

Odontotermes (Odontotermes) angustipennis (Sjöstedt).

Termes angustipennis Sjöstedt 1900a, p. 115, pl. 3, fig. R1, im., Congo: Kinchassa.

Odontotermes angustipennis Holmgren 1912, p. 37.

Termes (Odontotermes) angustipennis Sjöstedt 1914c, p. 90, loc.

Termes angustipennis Sjöstedt 1926, p. 136, syn., loc.

Type: Mus. Brussels and Stockholm.

Winged.

Congo: Kinchassa, Kimuenza;

Fr. Equatorial Africa: Braz-
zaville.

Ethiopian.

Odontotermes (Odontotermes) apollo (Sjöstedt).

Termes apollo Sjöstedt 1905, p. 6, im., Brit. E. Africa.

Odontotermes (Odontotermes) apollo Holmgren 1912, p. 37.

Termes apollo Sjöstedt 1926, p. 142, syn., loc.

Type: Mus. London and Stockholm.

Winged.

Brit. E. Africa.

Ethiopian.

Odontotermes (Odontotermes) aquaticus (Sjöstedt).

Termes aquaticus Sjöstedt 1897, p. 124, im., Cameroon: Mungo Riv.

Odontotermes (Cyclotermes) aquaticus Holmgren 1912, p. 38.

Termes aquaticus Sjöstedt 1926, p. 133, syn., loc.

Winged, queen, work.

Cameroon, Togo: Bismarck-
burg.

Ethiopian.

Odontotermes (Odontotermes) assamensis Holmgren.

Odontotermes (Cyclotermes) assamensis Holmgren 1913b, p. 114, pl. 4, fig. 16, pl. 5, fig. 15,
queen, sold., work., Assam.

Odontotermes assamensis Silvestri 1914, p. 428, Abor.

Type: Brit. Mus.

Queen, sold., work.

Assam, Abor.

Indo-Malayan.

Odontotermes (Odontotermes) assmuthi Holmgren.

Odontotermes (Odontotermes) Assmuthi Holmgren 1913a, pp. 112-113, sold., work.¹⁻², Bom-
bay: Borivili Jungle; 1913b, p. 140, sold., work.¹⁻²,
Bombay: Borivili.

Odontotermes (Odontotermes) assmuthi Holmgren, K. and N. 1917, p. 154, loc.

Odontotermes (Odontotermes) ? assmuthi John 1925, p. 389, Singapore?

Termes ceylonicus Fletcher 1912, pp. 224, 233, fig. 6, sold., loc., Bombay, India.

Sold., work.

Bombay, So. India, Coorg,

Bihar, Punjab.

Indo-Malayan.

Odontotermes (Odontotermes) aurora (Sjöstedt).

Termes aurora Sjöstedt 1904, p. 60, im., Zanzibar.

Odontotermes (Odontotermes) aurora Holmgren 1912, p. 37.

Termes aurora Sjöstedt 1926, p. 138.

Type: Mus. Paris and Stockholm.

Winged.

Zanzibar.

Ethiopian.

Odontotermes (Odontotermes) badius (Haviland).

Termes badius Haviland 1898, p. 385, king, queen, sold.¹⁻², work., Natal; Sjöstedt 1900a, p. 110, im., sold.¹⁻², work.¹⁻², pl. 3, fig. O, queen.

Odontotermes (Odontotermes) badius Holmgren 1912, p. 36, fig. 12 (mand. sold.).

Termes (Odontotermes) badius Sjöstedt 1914b, p. 84, sold.¹⁻², loc.; 1926, pp. 109-113, syn., loc.

Termes latericius Fuller 1915, p. 339, fig. 6, mating and fig. nest.

?**Odontotermes tragardhi** Fuller 1922, p. 84, sold.¹

Type: Mus. Stockholm and Cambridge No. 573.

Winged, king, queen, sold.¹⁻²,
work.¹⁻²

Cameroon, Belg. Congo,
Uganda, Kenya, Tanganyika,
Kalahari, Transvaal, Orange
Free State, Natal, Zululand,
SW. Africa, Cape Province.

Ethiopian.

Odontotermes (Odontotermes) badius, form *littoralis* (Fuller).

Termes badius form *littoralis* Fuller 1922, p. 91, im., Natal-Zululand coast; Sjöstedt 1926, p. 113.

Winged.

Natal-Zululand Coast, So.
Africa.

Ethiopian.

Odontotermes (Odontotermes) bangalorensis Holmgren.

Odontotermes (Odontotermes) bangalorensis Holmgren 1913a, pp. 105-109, im., queen,
sold., work.¹⁻², Bangalore; 1913b, p. 112, pl. 4, fig. 15
(im.), im., queen, sold., work.¹⁻², Bangalore.

Odontotermes (Cyclotermes) bangalorensis Holmgren, K. and N. 1917, p. 151, loc.

Types: Brit. Mus., Mus. Berlin.

Odontotermes (Cyclotermes) bengalensis Holmgren 1912, p. 38 (no descr.), "Vorderindien."

Winged, queen, sold., work.¹⁻²

Bangalore, So. India (Coim-
batore, Shevaroy Hills, Bel-
lary Distr., Mysore State-
Bangalore), Punjab (Lyall-
pur).

Indo-Malayan.

Odontotermes (Odontotermes) bellahunisensis Holmgren, K. and N.

Odontotermes (Cyclotermes) bellahunisensis Holmgren, K. and N. 1917, pp. 150-151, im.,
sold., work., Madras; Bellary Distr., Bellahuni;
Mysore, Bangalore.

Winged, sold., work.

Madras, Mysore, India.

Indo-Malayan.

Odontotermes (Odontotermes) bequaerti (Emerson).

Termes (Termes) bequaerti Emerson 1928, pp. 454-455, fig. 16, sold., Belg. Congo: Thysville.

Termes badius Sjöstedt 1907, p. 239, Belg. Congo: Thysville; 1911, p. 144, Belg. Congo: Mukimbungu.

Holotype: sold., Congo Mus., Mus. Tervueren.

Sold.

Belg. Congo.

Ethiopian.

Odontotermes (Odontotermes) billitoni Holmgren.

Odontotermes (Odontotermes) Billitoni Holmgren 1913b, p. 138, sold., work., pl. 5, fig. 9, sold., Billiton.

Sold.

Billiton.

Indo-Malayan.

Odontotermes (Odontotermes) boetonensis Kemner.

Odontotermes (Odontotermes) boetonensis Kemner 1934, pp. 103-104, fig. 20, sold.

Sold.

Boeton Isl. so. of E. Celebes.

Indo-Malayan.

Odontotermes (Odontotermes) bomaensis Sjöstedt.

Odontotermes bomaensis Sjöstedt 1924c, p. 492, sold., Belg. Congo: Boma.

Termes bomaensis Sjöstedt 1926, p. 121, pl. 5, fig. G, sold.², sold., work.¹⁻², syn., loc. Types: Mus. Tervueren and Stockholm.

Sold., work.¹⁻²

Belg. Congo.

Ethiopian.

Odontotermes (Odontotermes) boranicus (Ghidini).

Termes boranicus Ghidini 1937, pp. 141-143, sold., work.¹⁻², Ethiopia: Galla-Borana (Neghelli) (near somaliensis).

Sold., work.

Ethiopia.

Ethiopian.

Odontotermes (Odontotermes) borgoriensis (Kemner).

Termes borgoriensis Kemner 1932a, pp. 139-140, alate, sold., Buitenzorg, Java.

Odontotermes (Odontotermes) borgoriensis Kemner 1934, pp. 89-91, fig. 13 (sold.), im., sold., Buitenzorg, W. Java, Bandoeng, middle.

Winged, sold.

Java.

Indo-Malayan.

Odontotermes (Odontotermes) bottegoanus (Sjöstedt).

Termes bottegoanus Sjöstedt 1912, p. 6 (im.), Gallaland: Dai Badditu a Dimé; 1926, p. 141, syn., loc.

Odontotermes (Odontotermes) bottegoanus Heigh 1922, pp. 313, 688.

Type: Mus. Genoa and Stockholm.

Winged.

Gallaland: Dai Badditu a Dimé
(Ethiopia).

Ethiopian.

Odontotermes (Odontotermes) brunneus (Hagen).

Termes brunneus Hagen 1858, p. 133, pl. 3, fig. 13 (im.), im., sold., Bengal; 1858a, p. 19, im., Bengal, Madras.

Odontotermes (Odontotermes) brunneus Holmgren 1912, p. 37, "Vorderindien."

Odontotermes (Cyclotermes) brunneus Holmgren 1913b, p. 121, pl. 4, fig. 5 (im.), pl. 5, fig. 4 (sold.), im., sold., work¹⁻², Bombay, Bengal, Mus. Berlin; Holmgren, K. and N. 1917, p. 153, loc.

Termes fatalis Burmeister 1839, p. 766, part.

Termes obesus Walker 1853, p. 516, im., No. India.

Type: Mus. Berlin; paratype: winged female, M.C.Z.
No. 201.

Winged, sold., work.

India. Indo-Malayan.

Odontotermes (Odontotermes) buchholzi (Sjöstedt).

Termes Buchholzi Sjöstedt 1897, p. 123, im., Gaboon: Ogowe (Fr. Equatorial Africa), Fernando Po, Cameroon; 1900a, p. 115, pl. 2, fig. E 1 (im.), loc.

Odontotermes (Odontotermes) Buchholzi Holmgren 1912, p. 37, loc.

Termes Buchholzi Sjöstedt 1926, p. 136, im., syn., loc.

Type: Mus. Greifswald and Stockholm.

Winged.

Liberia, Ivory Coast, Cam-
eroon, Fernando Po, Fr. Equa-
torial Africa, Congo.

Ethiopian.

Odontotermes (Odontotermes) butteli Holmgren.

Odontotermes (Odontotermes) butteli Holmgren 1913-14, pp. 246-247, sold., work¹⁻², E.
Sumatra: Lau Boentoe; Malacca: Gap.

Sold., work.

Sumatra, Malacca. Indo-Malayan.

Odontotermes (Odontotermes) cafrariae (Sjöstedt).

Termes Cafrariae Sjöstedt 1897, p. 124, im., Caffraria (Zululand); 1900a, p. 126, pl. 3, fig. G₁₋₂ (im.), "Kaffernlande": Natal, Durban.

Termes cafrariae Wasmann 1910a, p. 124, loc.

Odontotermes (Odontotermes) cafrariae Holmgren 1912, p. 37.

Termes cafrariae Fuller 1922, pp. 86, 93-94, im., sold., work., loc., Natal Coast.

Termes Cafrariae Sjöstedt 1926, pp. 134-135, syn., loc.

Termes capensis Hagen 1858, p. 127 (nec DeGeer), Kaffernlande.

Type: Mus. Stockholm.

Winged.

Zululand, Natal, Natal Coast,
Irls. Pemba and Fundu (off
Tanganyika).

Ethiopian.

Odontotermes (Odontotermes) capensis (DeGeer).

Termes capensis DeGeer 1778, p. 47, pl. 38, figs. 1-3, im., sold., descr. not valid; ed. Goetze 1778-83, p. 24, pl. 38, figs. 1-3, "Kapland"; Hagen 1858, p. 125, im.; Fuller 1922, pp. 85, 94.

Termes fatalis Burmeister 1839, p. 765 (part), Cap.; Walker 1853, p. 510 (part, im., Gambia).

Odontotermes (Odontotermes) capensis Holmgren 1912, p. 37.

Termes capensis Sjöstedt 1926, pp. 135-136, im., sold., loc., Gambia and "Kaffernland" should be eliminated.

Type: Mus. Stockholm. Type *fatalis* Burm. Mus. Berlin.

Winged, sold.

Cape of Good Hope.

Ethiopian.

Odontotermes (Odontotermes) celebensis Oshima.

Odontotermes (Odontotermes) celebensis Oshima 1914b, pp. 572-573, sold., work., pl. 9, fig. 12 (sold.), Maros, Celebes; Menado, Celebes; Talisay Isl.

Odontotermes (Odontotermes) menadoensis Kemner 1934, p. 87, new name.

Sold., work.

Celebes.

Indo-Malayan.

Odontotermes (Odontotermes) ceylonicus (Wasmann).

Termes ceylonicus Wasmann 1902b, p. 113, sold., work., Ceylon: Nalanda, Bentotta, Bandarawella.

Odontotermes (Odontotermes) ceylonicus Holmgren 1913b, p. 124, im., sold., work.¹⁻², pl. 4, fig. 4 (im.), pl. 5, fig. 3 (sold.), Ceylon, "Vorder-indien."

Winged, sold., work.¹⁻²

Ceylon.

Indo-Malayan.

Odontotermes (Odontotermes) classicus (Sjöstedt).

Termes classicus Sjöstedt 1912, p. 9, winged, sold.¹⁻², work.¹⁻², Erithrea: Bogos, Keren; 1926, pp. 120-121.

Type: Mus. Genoa and Stockholm.

Winged, sold.¹⁻², work.¹⁻²

Erithrea, Brit. Somaliland.

Ethiopian.

Odontotermes (Odontotermes) culturarum Sjöstedt.

Odontotermes culturarum Sjöstedt 1924c, p. 492, sold., Tanganyika Terr.: Myombo.

Termes culturarum Sjöstedt 1926, pp. 121-122, pl. 4, fig. M, sold.¹

Termes (Termes) culturarum Emerson 1928, pp. 459-461, fig. 21, queen, sold., work., St. Gabriel, near Stanleyville, Belg. Congo.

Queen, sold., work.

Belg. Congo, Uganda.

Ethiopian.

Odontotermes (Odontotermes) dehraduni (Snyder).

Termes (Termes) dehraduni Snyder 1933a, pp. 6-7, fig. 3, winged.

Cotypes: winged, U.S.N.M. No. 44103, and in Forest Research Inst. coll., Dehra Dun, U. P., India.

Winged.

Dehra Dun, India.

Indo-Malayan.

Odontotermes (Odontotermes) denticulatus Holmgren.

Odontotermes (Cyclotermes) denticulatus Holmgren 1913-14, p. 249, sold., work., E. Sumatra; 1913b, p. 119, sold., work., pl. 5, fig. 10 (sold.), Singapore, Mus. Cambridge, ? Sarawak, Miri Hill, Mus. Cambridge.

Sold., work.

Sumatra, Singapore, Sarawak.

Indo-Malayan.

Odontotermes (Odontotermes) diana (Sjöstedt).

Termes diana Sjöstedt 1911b, p. 184, im., Congo: Mukimbungu; 1926, p. 137.

Odontotermes (Odontotermes) diana Holmgren 1912, p. 37.

Winged.

Belg. Congo.

Ethiopian.

Odontotermes (Odontotermes) distans Holmgren, K. and N.

Odontotermes (Cyclotermes) distans Holmgren, K. and N. 1917, p. 153, im., Shevaroy Hills, Kadiar Rocks, India.

Winged.

India.

Indo-Malayan.

Odontotermes (Odontotermes) dives (Hagen).

Termes dives Hagen 1858, p. 139, im., queen, sold., work., pl. 2, fig. 9, pl. 3, fig. 15, Manila, Philippines only.

Odontotermes (Termes part) dives Holmgren 1911, p. 546 (relation to *T. nigricans*).

Odontotermes (Odontotermes) dives Holmgren 1913b, p. 130, pl. 4, fig. 9 (im.), Manila (Hof. Mus., Vienna), Malacca (Hof. Mus., Vienna), Moluccas (Hof. Mus., Vienna), Borneo (Hof. Mus., Vienna), Java (Reichsmuseum, Stockholm), Sumatra (Mus. Berlin).

?*Termes nigricans* Rambur 1842, p. 308; Hagen 1858, p. 162.

Termes dives Light 1921, p. 251, syn., loc., Manila, E. Indies.

Odontotermes (Odontotermes) ? dives John 1925, pp. 388-389, pls. 23, 29, Malay Arch., Batu Caves.

Termitogetonella tibiaoensis Oshima 1920a, sold. only, p. 496, sold., work., pl. 1, fig. 3, pl. 3, figs. 5-6, sold., Philippines, Panay: Tibiae (Antique Prov.); Light 1921, p. 251, syn. loc.

Odontotermes medioidentatus Oshima 1920a, p. 499, sold., work., pl. 1, fig. 4, pl. 3, figs. 11-12, pl. 4, figs. 8-9, sold., Philippines, Luzon: Paete (Laguna); Light 1921, p. 252, syn., loc. Manila. Type: Mus. Vienna; paratype: winged male, M.C.Z. No. 202.

Winged, queen, sold., work.

Philippines, Malay Arch., Java
(Moluccas?), Borneo.

Indo-Malayan, Papuan.

Odontotermes (Odontotermes) djampeensis Kemner.

Odontotermes (Odontotermes) djampeensis Kemner 1934, pp. 102-103, fig. 19, sold., Djampea Isl., W. Celebes.

Sold.

W. Celebes, Djampea.

Indo-Malayan.

Odontotermes (Odontotermes) ebeni (Sjöstedt).

Termes ebeni Sjöstedt 1912, p. 7, im., Abyssinia: Scioa, Mahal-Unoz; 1926, p. 143, loc. Abyssinia and Somaliland: Brava, Dolo.
Type: Mus. Genoa, Stockholm.

Winged.

Abyssinia, Somaliland.

Ethiopian.

Odontotermes (Odontotermes) egregius Sjöstedt.

Odontotermes egregius Sjöstedt 1925, p. 53, winged, Brit. E. Africa: Nairobi.
Termes egregius Sjöstedt 1926, pp. 138-139, pl. 4, fig. N, wing.
Type: Mus. Stockholm.

Winged.

Kenya.

Ethiopian.

Odontotermes (Odontotermes) elgonensis (Sjöstedt).

Termes elgonensis Sjöstedt 1926, pp. 141-142, winged, Brit. E. Africa: Mt. Elgon.
Winged.

Brit. E. Africa: Mt. Elgon
(Kenya).

Ethiopian.

Odontotermes (Odontotermes) erodens (Sjöstedt).

Termes erodens Sjöstedt 1904, p. 66, pl. 2, fig. C, imago, Coast of Red Sea; 1926, p. 133, syn., loc.

Odontotermes (Cyclotermes) erodens Holmgren 1912, p. 38, North Africa.
Types: Mus. Paris and Stockholm.

Winged.

No. Africa.

Ethiopian.

Odontotermes (Odontotermes) escherichi (Holmgren).

Termes Escherichi Holmgren 1911c (*in* Escherich), p. 195, pl. 3, fig. I, sold. Hantana (near Peradeniya), Ceylon.

Odontotermes (Cyclotermes) Escherichi Holmgren 1913b, p. 112, sold., work., pl. 5, fig. 17 (sold.); John 1925, p. 386, loc.

Odontotermes escherichi Kemner 1926, pp. 386-387, sold., work., Ceylon, Raltota.

Sold., work.

Ceylon.

Indo-Malayan.

Odontotermes (Odontotermes) fallax Sjöstedt.

Odontotermes fallax Sjöstedt 1924c, p. 491, sold.¹⁻², Brit. E. Africa: Mt. Meru.

Termes fallax Sjöstedt 1926, pp. 114-115, pl. 5, fig. B₁₋₂, sold.¹⁻², work.¹

Sold.¹⁻², work.

Mt. Meru, Kenya.

Ethiopian.

Odontotermes (Odontotermes) feae (Wasmann).

Termes Feae Wasmann 1896, pp. 625-626, sold., work., Carin Chebà, Burma (Mus. Civ. Genoa).

Odontotermes (Odontotermes) Feae Holmgren 1913b, p. 129, im., sold., work., pl. 4, fig. 2 (im.), pl. 5, fig. 2 (sold.), Bombay, Burma.

Odontotermes feae Silvestri 1914, p. 428, Abor.

Odontotermes (Odontotermes) feae Holmgren, K. and N. 1917, p. 156, So. India, Bombay, Bengal, Burma.

Winged, sold., work.

Burma, India, Abor.

Indo-Malayan.

Odontotermes (Odontotermes) feaeoides Holmgren, K. and N.

Odontotermes (Odontotermes) feaeoides Holmgren, K. and N. 1917, p. 156, sold., work., Coorg, Margalli.

Sold., work.

India. Indo-Malayan.

Odontotermes (Odontotermes) fidens (Sjöstedt).

Termes fidens Sjöstedt 1904, p. 52, sold.¹, work.¹, pl. 2, fig. D₁₋₂, sold.¹, Gold Coast: Accra.

Odontotermes (Odontotermes) fidens Holmgren 1912, p. 37, pl. 2, fig. 4, sold.

Termes fidens Sjöstedt 1926, pp. 104-106, fig. 26a, winged, queen, syn., loc. Type: Mus. Stockholm.

Winged, queen, sold.¹⁻², work.¹⁻²

Gold Coast, Nigeria (Lagos),

Cameroon, Gaboon (Fr. Equatorial Africa), Congo.

Ethiopian.

Odontotermes (Odontotermes) flammifrons (Sjöstedt).

Termes flammifrons Sjöstedt 1926b, pp. 148-149, sold., work., Belg. Congo: Haut, Uélé.

Termes flammifrons Sjöstedt 1927, p. 99, fig. 2 (sold.).

Types: Mus. Tervueren and Stockholm.

Sold., work.

Belg. Congo.

Ethiopian.

Odontotermes (Odontotermes) flavomaculatus Holmgren, K. and N.

Odontotermes (Cyclotermes) flavomaculatus Holmgren, K. and N. 1917, p. 150, im., sold., work., Assam: bet. Lukwa and Sibsagar Road.

Sold., work.

Assam.

Indo-Malayan.

Odontotermes (Odontotermes) flockianus (Sjöstedt).

Termes (Odontotermes) flockianus Sjöstedt 1914b, p. 81, sold.¹⁻², work.¹, pl. 2, figs. 11-12, sold.¹, Okahandja, SW. Africa.

Termes flockianus Sjöstedt 1926, p. 107, syn., loc.

Types: Mus. Hamburg and Stockholm.

Sold.¹⁻², work.¹

SW. Africa.

Ethiopian.

Odontotermes (Odontotermes) fontanellus Kemner.

Odontotermes fontanellus Kemner 1925, pp. 3-4, sold., work., Tschingkiang, Kiangsu, Middle China.

Termes fontanellus Light 1931, pp. 584, 594-595, Chingkiang, Kiangsu, syn.

Sold., work.

NE. China, Prov. Kiangsu.

Indo-Malayan.

Odontotermes (Odontotermes) formosanus (Shiraki).

Termes formosana Shiraki 1909, p. 234, Formosa; Oshima 1912, p. 81, pl. 1, figs. 7, 26-27, pl. 2, figs. 11, 18.

Termes vulgaris Shiraki 1909, p. 233; Oshima 1911, p. 7; Matsumura 1910, p. 1, pl. 1, figs. 2-4, 7, 9; Nawa 1911, p. 14; Nitobe 1911, p. 20.

Termes (Termes) vulgaris Oshima 1909, p. 37, figs. 9-10; 1910, p. 379.

Termes vulgaris? Nawa 1911a, p. 280, pl. 15.

Termes sp. Yano 1911a, p. 368; Nawa 1912, p. 17, pl. 1, fig. 4.

Odontotermes (Cyclotermes) formosanus Holmgren 1912, p. 38.

Odontotermes formosanus Holmgren 1912a, p. 127, im., sold.

Odontotermes (Cyclotermes) formosanus Holmgren 1913b, p. 116, pl. 4, fig. 1 (im.), pl. 5, fig. 11 (sold.), loc. Formosa, Mus. Vienna, Berlin, Munich; China, Fumui, Mus. Berlin; Siam, Bangkok, Mus. Vienna; Burma, Bhamo, Mus. Civ. Genoa; Oshima 1913, p. 278, syn.; 1914a, p. 2; 1915, p. 105, im., sold.; 1919, p. 326; Hozawa 1915, pp. 105-119, figs. 26-28, pl. 3, figs. 21-23, syn., loc.

Odontotermes sinensis Holmgren 1913b, p. 115, im., pl. 4, fig. 12, China: Canton, Futchau, Mus. Hamburg; Siam: Bangkok, Mus. Vienna; Hong Kong, Mus. Vienna?; Avisoville, Mus. Vienna.

Termes formosanus Light 1924, pp. 248-250, im., sold., loc., syn.: 1931, pp. 583-584, 594, Nanking, Yenping, and Hainan Isl.

Winged, king, queen, sold., work.

Formosa, China, Siam, Burma.

Indo-Malayan.

Odontotermes (Odontotermes) fulleri (Emerson).

Termes (Termes) fulleri Emerson 1928, pp. 465-466, fig. 26, sold., Niangara, Belg. Congo. Holotype: sold., A.M.N.H.

Sold.

Belg. Congo, Uganda.

Ethiopian.

Odontotermes (Odontotermes) grandiceps Holmgren.

Odontotermes (? Cyclotermes) grandiceps Holmgren 1912, p. 38, Java.

Odontotermes (Odontotermes) grandiceps Holmgren 1913b, p. 134, im., sold., work., pl. 4, fig. 8 (im.), pl. 5, fig. 7 (sold.), Java, Mus. Vienna, Java: Nongkodjadar, 1,200 meters elev.; 1913-14, p. 244, E. Sumatra, Java, Malacca; Kemner 1934, pp. 91-93, fig. 14 (sold.), Java.

Winged, sold., work.

Java, E. Sumatra, Malacca.

Indo-Malayan.

Odontotermes (Odontotermes) grassei Snyder and Emerson, new name.

Termes aluco Sjöstedt 1926, p. 96, im., p. 137, im., Ivory Coast (preoccupied by *Eutermes aluco* Sjöstedt 1904, p. 95).

Type: Mus. Paris and Stockholm.

Im.

Africa: Ivory Coast.

Ethiopian.

Odontotermes (Odontotermes) graveli Silvestri.

Odontotermes *graveli* Silvestri 1914, p. 428, sold., work., fig. IV, sold., Lower Burma: Sukli (E. side Dawna Hills).

Sold., work.

Burma.

Indo-Malayan.

Odontotermes (Odontotermes) hageni (Holmgren).

Termes fatalis Hagen 1858, p. 143 (part), Borneo only.

Termes Koenigi Desneux 1906, p. 359 (part), Borneo only.

Odontotermes (Cyclotermes) Hageni Holmgren 1913b, p. 113, im., pl. 4, fig. 20, Borneo, Mus. Vienna.

Winged.

Borneo.

Indo-Malayan.

Odontotermes (Odontotermes) hainanensis (Light).

Termes hainanensis Light 1924, pp. 53-54, 251-254, sold. (in key), Hainan, Kachek, pp. 251-254, sold. and work. (major and minor); 1931, pp. 584, 594, Hainan Isl., syn.

Sold.¹⁻², work.

China, Hainan.

Indo-Malayan.

Odontotermes (Odontotermes) holmgreni Snyder and Emerson, new name.

Odontotermes (Odontotermes) dives forma *celebensis* Holmgren 1913b, p. 131, pl. 4, fig. 10, dealate, pl. 5, fig. 8, sold., Celebes (preoccupied by *Odontotermes (Odontotermes) celebensis* Oshima 1914b, p. 572).

Type: Mus. Cambridge.

Odontotermes (Odontotermes) celebensis Kemner 1934, p. 87, syn., Celebes.

Sold., work.

Celebes.

Indo-Malayan.

Odontotermes (Odontotermes) horni (Wasmann).

Termes Horni Wasmann 1902b, p. 111, sold., work., Ceylon: Nalanda, p. 119, loc.

Termes peradeniyae Holmgren 1911c (*in Escherich*), p. 197, im., sold., work.¹⁻², Ceylon: Peradeniya (Mus. Vienna).

Odontotermes (Odontotermes) Horni Holmgren 1912, p. 36, fig. 15a, pl. 2, fig. 5 (sold.); 1913b, p. 127, pl. 4, fig. 1 (im.), pl. 5, fig. 1 (sold.).

Odontotermes (Odontotermes) horni Holmgren 1913-14, p. 245; John 1925, p. 387, loc.; Kemner 1926, p. 384.

Winged, sold., work.¹⁻²

Ceylon.

Indo-Malayan.

Odontotermes (Odontotermes) horni, var. *hutsoni* Kemner.

Odontotermes *horni* var. *hutsoni* Kemner 1926, pp. 384-385, fig. 2 (sold.¹), sold.¹, work.¹, Ceylon, Peradeniya, etc.

Sold.¹, work.¹

Ceylon.

Indo-Malayan.

Odontotermes (Odontotermes) horni, var. *minor* Kemner.

Odontotermes horni var. *minor* Kemner 1926, pp. 385-386, fig. 3 (sold.¹), sold.¹, work.¹, Ceylon, Raltota, etc.

Sold.¹, work.¹

Ceylon.

Indo-Malayan.

Odontotermes (Odontotermes) incisus Holmgren.

Odontotermes (Cyclotermes) incisus Holmgren 1913b, p. 121, pl. 4, fig. 19, im., Sumatra: Deli, Mus. Vienna.

Winged.

Sumatra.

Indo-Malayan.

Odontotermes (Odontotermes) inrapurensis Holmgren.

Odontotermes (Odontotermes) inrapurensis Holmgren 1913b, p. 138, im., pl. 4, fig. 18 (im.), E. Sumatra, Indrapura Estate—Tandjong, Mus. Hamburg.

Winged.

E. Sumatra.

Indo-Malayan.

Odontotermes (Odontotermes) interveniens Sjöstedt.

Odontotermes interveniens Sjöstedt 1924c, p. 491, sold.¹⁻², Okahandja, SW. Africa.

Termes interveniens Sjöstedt 1926, p. 120, syn., loc.; 1926b, pp. 145-147, winged.

Winged, sold.¹⁻²

SW. Africa, Rhodesia, Congo.

Ethiopian.

Odontotermes (Odontotermes) iratus (Sjöstedt).

Termes iratus Sjöstedt 1926, pp. 133-134, winged, Gaboon: Lam Baréné, Mus. Paris and Stockholm.

Winged.

Fr. Equatorial Africa.

Ethiopian.

Odontotermes (Odontotermes) javanicus Holmgren.

Odontotermes (Odontotermes) javanicus Holmgren 1912, p. 36, fig. 14, sold., pl. 2, fig. 1 (im.); 1913b, p. 132, im., sold., work., pl. 4, fig. 6 (im.), pl. 5, fig. 6 (sold.). Java: Salak (Mus. Hamburg, type locality), Java: Buitenzorg, Reichmus. Stockholm; 1913-14, p. 244, E. Sumatra, Java; John 1925, p. 389, loc.; Kemner 1934, pp. 93-95, fig. 15 (sold.), Java.

Odontotermes dives Holmgren 1913c, p. 20, loc. Java: Banjuwangi, Samarang.

Winged, sold., work.

Java, Sumatra, Malay Arch.

Indo-Malayan.

Odontotermes (Odontotermes) javanicus, form *nymanni* Holmgren.

Odontotermes (Odontotermes) javanicus forma *Nymanni* Holmgren 1913b, p. 133 (im.), Java? Reichmus. Stockholm.

Winged.

Java?

Indo-Malayan.

- Odontotermes (Odontotermes) karawajevi** John.
Odontotermes (Odontotermes) karawajevi John 1925, pp. 389-390, sold., work., Java: Depok. Sold., work.
 Java. Indo-Malayan.
- Odontotermes (Odontotermes) karnyi** Kemner.
Odontotermes (Odontotermes) Karnyi Kemner 1934, pp. 95-96, fig. 16, sold., Java: Buitenzorg.
 Sold.
 Java. Indo-Malayan.
- Odontotermes (Odontotermes) kibarensis** (Fuller).
Termes (Odontotermes) kibarensis Fuller 1923, p. 192, sold., Uganda: Kibara, Kampala, Brit. Mus., Mus. Stockholm.
Odontotermes ugandanicus Sjöstedt 1924c, p. 491, sold.
Termes kibarensis Sjöstedt 1926, p. 123, pl. 4, fig. L (sold.).
 Sold., queen.
 Uganda. Ethiopian.
- Odontotermes (Odontotermes) koenigi** (Desneux).
Termes fatalis Hagen 1858, p. 143, Ceylon (im. only).
Termes Koenigi Desneux 1906, pp. 359-360, syn.
Odontotermes (Odontotermes) fatalis Holmgren 1913b, p. 135, im., syn.
 Winged.
 Ceylon. Indo-Malayan.
- Odontotermes (Odontotermes) latericius** (Haviland).
Termes latericius Haviland 1898, p. 386, im., queen, sold.², work., Natal: Himbolton; Sjöstedt 1900a, p. 123, im., sold., work.¹⁻², pl. 3, figs. N 1-4 (im., sold.).
Odontotermes (Cyclotermes) latericius Holmgren 1912, p. 38.
Odontotermes latericius Holmgren 1913d, p. 328, p. 326 ex. p. sold., and work. (typical form), *Odontotermes destructor* Holmgren nec Smeathman; Silvestri 1914-15, p. 15, Senegal.
Termes latericius Fuller 1915, p. 385, p. 479, pl. 29, figs. 1-8, nest, pl. 31, fig. 6 nest (the high nest in background is *transvaalensis*), pl. 34, fig. 15, mand. sold. [p. 339 mating *badius*], So. Africa; 1922, p. 90; Sjöstedt 1926, pp. 129-132, pl. 5, figs. D 1-2, syn., loc. Types: Mus. Stockholm and Cambridge, No. 79.
 Winged, queen, sold.¹⁻², work.¹⁻²
 Senegal, Togo, Uganda, Congo,
 Angola, S.W. Africa, Rhodesia, Mozambique, So. Africa. Ethiopian.
- Odontotermes ((Odontotermes) latericius, var. media** (Wasmann).
Termes latericius var. *media* Wasmann and Werner 1912, p. 176, sold., work. No. Africa: Mongalla.
 Sold., work.
 Sudan. Ethiopian.

Odontotermes (Odontotermes) latialatus (Sjöstedt).

Termes latialatus Sjöstedt 1897, p. 124, im., Congo.

Odontotermes latialatus Silvestri 1914-15, p. 14, Congo, Boma.

Termes latialatus Sjöstedt 1926, p. 136, syn., loc.

Type: Mus. Hamburg and Stockholm.

Winged.

Congo.

Ethiopian.

Odontotermes (Odontotermes) latigula (Snyder).

Termes (Cyclotermes) latigula Snyder 1934a, pp. 9-10, fig. 5 (sold.), Andamans.

Cotypes: sold. in British Museum and U.S.N.M. and For.

Res. Inst., Dehra Dun; U.S.N.M. No. 50164.

Sold.

Andaman Isl.

Indo-Malayan.

Odontotermes (Odontotermes) latissimus (Kemner).

Termes latissimus Kemner 1930, pp. 307-309, im., Fort de Kock.

Winged.

Fort de Kock, Sumatra.

Indo-Malayan.

Odontotermes (Odontotermes) laetus (Sjöstedt).

Termes laetus Sjöstedt 1924b, p. 254, im., Transvaal: Pretoria; 1926, pp. 142-143, pl. 4,

fig. O.

Type: Mus. Stockholm.

Winged.

So. Africa (Transvaal: Pre-
toria).

Ethiopian.

Odontotermes (Odontotermes) lobintactus (Sjöstedt).

Termes lobintactus Sjöstedt 1926, pp. 116-117, sold., work.¹⁻², Belg. Congo: Mukimbungu.

Type: Mus. Stockholm.

Sold., work.¹⁻²

Belg. Congo.

Ethiopian.

Odontotermes (Odontotermes) longignathus Holmgren.

Odontotermes (Odontotermes) longignathus Holmgren 1913-14, pp. 244-245, sold., work.¹⁻²,
Malacca.

Sold., work.¹⁻²

Malacca.

Indo-Malayan.

Odontotermes (Odontotermes) makassarensis Kemner.

Odontotermes (Odontotermes) makassarensis Kemner 1934, pp. 100-102, fig. 18 (sold.), im.,
sold., Celebes: Macassar.

Winged, sold., work.

Celebes.

Indo-Malayan.

Odontotermes (Odontotermes) malabaricus Holmgren, K. and N.

Odontotermes (Odontotermes) malabaricus Holmgren, K. and N. 1917, p. 155, sold., work.,
Malabar, Poovanur; Shevaroy Hills, Yercaud; Mysore, Babadudin Hill.

Termes (Termes) malabaricus Snyder 1933a, pp. 7-8, fig. 4, winged, Dehra Dun.

Winged, sold., work.

India. Indo-Malayan.

Odontotermes (Odontotermes) malaccensis Holmgren.

Odontotermes (Odontotermes) malaccensis Holmgren 1913-14, pp. 247-248, sold., work.¹⁻²,
Malacca.

Sold., work.

Malacca. Indo-Malayan.

Odontotermes (Odontotermes) maledictus (Ghidini).

Termes (Cyclotermes) maledictus Ghidini 1941, p. 30, sold.¹, work.¹, Ethiopia: Elolo,
Caschei, Gongabaino.

Sold., work.

Ethiopia. Ethiopian.

Odontotermes (Odontotermes) malelaensis (Emerson).

Termes (Termes) malelaensis Emerson 1928, pp. 463-464, fig. 24 (sold.), sold., work.,
Malela, Belg. Congo.
Holotype: sold., A.M.N.H.

Sold., work.

Belg. Congo. Ethiopian.

Odontotermes (Odontotermes) maximus (Kemner).

Termes maximus Kemner 1930, p. 309, fig. 10 (sold.), Fort de Kock, Sumatra.

Sold.

Sumatra. Indo-Malayan.

Odontotermes (Odontotermes) mediocris (Sjöstedt).

Termes mediocris Sjöstedt 1911a, p. 171, sold., Abyssinia: Dirré-Daoua; 1926, p. 132, syn.,
loc.

Odontotermes (Cyclotermes) mediocris Holmgren 1912, p. 38.

Sold.

Abyssinia. Ethiopian.

Odontotermes (Odontotermes) microps (Sjöstedt).

Termes microps Sjöstedt 1899, p. 35, im., E. Africa: Tanga; 1900a, p. 119, pl. 3, fig. F 1
(im.); 1926, p. 133, syn., loc.

Odontotermes (Cyclotermes) microps Holmgren 1912, p. 38.

Types: Mus. Hamburg and Stockholm.

Winged, queen.

Tanganyika, Tanga, Kiliman-
jaro.

Ethiopian.

Odontotermes (Odontotermes) mirganjensis Holmgren, K. and N.

Odontotermes (Odontotermes) mirganjensis Holmgren, K. and N. 1917, p. 158, sold., work.¹,
Bengal, Mirganj, India.

Sold., work.

India.

Indo-Malayan.

Odontotermes (Odontotermes) monodon (Gerstäcker).

Termes monodon Gerstäcker 1891, p. 185, sold., work., Mozambique: Quilimane; Sjöstedt
1900a, p. 109, pl. 3, fig. I 1-3 (sold., work.), sold.¹⁻²,
work.¹⁻², loc.

Odontotermes (Odontotermes) monodon Holmgren 1912, p. 37.

Termes monodon Fuller 1922, p. 85, syn., So. Africa.

Termes monodon Sjöstedt 1926, pp. 107-108, sold.¹⁻², work.¹⁻², syn., loc.
Type: Mus. Hamburg and Stockholm.

Sold.¹⁻², work.¹⁻²

Mozambique, Transvaal, north
to Tanganyika, Zanzibar,
Uganda and Congo.

Ethiopian.

Odontotermes (Odontotermes) monodon, var. *Iujana* (Wasmann).

Termes monodon subsp. *Iujanus* Wasmann 1902a, p. 294, sold.¹, work., Zambesi: Morumballe.

Termes monodon var. *Iujana* Wasmann 1911a, p. 101, sold.¹⁻², work.

Odontotermes (Odontotermes) monodon var. *Iujana* Holmgren 1912, p. 37.

Termes monodon var. *Iujana* Sjöstedt 1926, p. 108, syn., loc.

Sold.¹⁻², work.

Zambesi (Portuguese E. Africa).

Ethiopian.

Odontotermes (Odontotermes) mukimbunginis Sjöstedt.

Odontotermes mukimbunginis Sjöstedt 1924c, p. 491, sold.¹⁻², Belgian Congo: Mukimbungu.

Termes Mukimbunginis Sjöstedt 1926, pp. 115-116, pl. 5, fig. A 1-2 (sold.¹⁻²), sold.¹⁻², work.¹

Termes (Termes) mukimbunginis Emerson 1928, pp. 461-462, fig. 22 (sold.¹⁻²), sold.¹, work.

Sold.¹⁻², work.

Belgian Congo.

Ethiopian.

Odontotermes (Odontotermes) nilensis Emerson, n. sp.

Termes affinis Träjårdh 1904, p. 4, sold., p. 5, biol., p. 20, fig. 2, pl. 2, figs. 1-2, pl. 3, figs. 2-3,
nests and fungus, Sudan: Kaka.

Termes vulgaris Sjöstedt 1904, p. 26 (im.), p. 35 (sold.), discusses affinities *vulgaris* and
affinis and places *affinis* in synonymy; Wasmann and
Werner 1912, p. 175, No. Africa.

Odontotermes vulgaris Sjöstedt 1926d, p. 72, Sudan only.

Termes vulgaris Sjöstedt 1926, p. 118, No. African local. only.

Odontotermes (Odontotermes) nilensis Weber 1943, p. 286, Anglo-Egyptian Sudan: Ima-
tung Mts.

Winged, sold.

Sudan.

Ethiopian.

Odontotermes (Odontotermes) nolaensis Sjöstedt.

Termes nolaensis Sjöstedt 1924c, p. 492, sold., French Congo, Bania, Nola.

Termes nolaensis Sjöstedt 1926, p. 124, pl. 4, fig. H (sold.), sold., queen, syn., loc.; 1926b, pp. 144-145, winged, Belg. Congo.

Type: Mus. Stockholm.

Winged, sold., queen.

French Equatorial Africa, Belg.
Congo, Uganda.

Ethiopian.

Odontotermes (Odontotermes) obesus (Rambur).

Termes obesus Rambur 1842, p. 304, im., India: Bombay; Hagen 1858, p. 145, im., E. Indies, Bombay.

Termes bellicosus Joly 1849, p. 1, fig. 14 (nec Smeathman).

Odontotermes (Cyclotermes) obesus Holmgren 1912, p. 38, pl. 2, fig. 2 (sold.); 1913b, p. 108, im., sold., work.¹⁻², pl. 4, fig. 13 (im.), pl. 5, fig. 12 (sold.), So. India; Holmgr., K. and N. 1917, p. 146, loc.

Type: Oxford (Hope Mus.) (Hagen); type: wing.
Mus. Vienna.

Winged, queen, sold., work.¹⁻²

Bombay, So. India, United and
Central Prov., Bengal, Orissa.

Indo-Malayan.

Odontotermes (Odontotermes) obesus, f. gurdaspurensis Holmgren, K. and N.

Odontotermes (Cyclotermes) obesus f. gurdaspurensis Holmgren, K. and N. 1917, p. 149, im., sold., work., Gurdaspur, India.

Sold., work.

India: Gurdaspur.

Indo-Malayan.

Odontotermes (Odontotermes) obesus, var. oculatus Silvestri.

Odontotermes obesus var. *oculatus* Silvestri 1923, pp. 224-225, im., queen, sold., work.
fig. II, Barkuda Isl. (Chilka Lake), Bay of Bengal—Coast of Orissa.

Winged, queen, sold., work.

Chilka Lake (Orissa), India.

Indo-Malayan.

Odontotermes (Odontotermes) oblongatus Holmgren.

Odontotermes (Odontotermes) oblongatus Holmgren 1913b, p. 139, sold., work., pl. 5, fig. 5, sold.? "Hinterindien" (Haviland), Mus. Cambridge No. 108; Silvestri 1923, Barkuda Isl.; John 1925, p. 139, loc.

Sold., work.

India, Malay Arch.

Indo-Malayan.

Odontotermes (Odontotermes) okahandjae (Fuller).

Termes (Odontotermes) okahandjae Fuller 1922, p. 92, sold.¹⁻³, work., Damaraland: Okhandja and Ovamboland.

Termes Okahandjae Sjöstedt 1926, p. 132.

Sold.¹⁻²⁻³, work.

So. Africa.

Ethiopian.

***Odontotermes (Odontotermes) orissae* (Snyder).**

Termes (Cyclotermes) orissae Snyder 1934a, pp. 10-11, fig. 6, winged, Goilkera, Porohat, Bihar and Orissa.

Cotypes: winged, Brit., U.S.N.M., and For. Res. Inst., Dehra Dun; U.S.N.M. No. 50165.

Winged.

Bihar and Orissa, India.

Indo-Malayan.

***Odontotermes (Odontotermes) ostentans* (Silvestri).**

Termes ostentans Silvestri 1912, p. 221, fig. 4, im., sold., work.¹⁻², Isl. of St. Thomé: Agua Izé and Ribeira Palma.

Odontotermes ostentans Hegh 1922, p. 688.

Termes ostentans Sjöstedt 1926, pp. 117-118.

Winged, sold., work.¹⁻²

St. Thomé Isl.

◦ Ethiopian.

***Odontotermes (Odontotermes) palmquisti* (Sjöstedt).**

Termes Palmquisti Sjöstedt 1907a, p. 16, pl. 4, fig. A (im.), Kilimandjaro, Kibonoto (Tanganyika).

Odontotermes (Odontotermes) Palmquisti Holmgren 1912, p. 37.

Termes Palmquisti Sjöstedt 1926, p. 141, syn., loc.

Winged.

Tanganyika, Kenya (Nairobi).

Ethiopian.

***Odontotermes (Odontotermes) paradenticulatus* Ahmad.**

Odontotermes (Cyclotermes) paradenticulatus Ahmad 1947, p. 1, fig. 1 (sold.), Philippines: east shore of Lake Bito, west of Tarragona, Leyte. Type: A.M.N.H.; paratypes: U.S.N.M.

Sold., work.

Philippines.

Indo-Malayan.

***Odontotermes (Odontotermes) parvidens* Holmgren, K. and N.**

Odontotermes (Odontotermes) parvidens Holmgren, K. and N. 1917, p. 154, sold., work., So. India: road from Mysore to Mercara, Punjab, Bengal, Assam.

Odontotermes microdens Silvestri 1914, p. 428, loc. Abör: Kobo. (Silvestri specimens from Fletcher labeled *microdens* ms., name later changed by Holmgren.)

Sold., work.

India, Abor.

Indo-Malayan.

***Odontotermes (Odontotermes) patruus* (Sjöstedt).**

Termes (Odontotermes) patruus Sjöstedt 1913a, pp. 366-368, sold., work.¹⁻², Belg. Congo: Katanga, Sankisia, Mfungwa; 1926, pp. 122-123, pl. 4, fig. K, sold., syn., loc.

Termes patruus Sjöstedt 1926b, p. 147, loc.

Type: Mus. Tervueren and Stockholm.

Sold., work.¹⁻²

SE. Congo: Sankisia, Mu-fungwa (Katanga).

Ethiopian.

Odontotermes (Odontotermes) pauperans (Silvestri).

Termes pauperans Silvestri 1912, p. 224, fig. 5, king, queen, sold.¹, work.¹⁻², Port. Guinea: Bissau, Farim.

Odontotermes pauperans Silvestri 1914-15, p. 15, loc.

Termes pauperans Sjöstedt 1926, pp. 127-128, syn., loc.; 1926c, pp. 239-240, Gold Coast: Accra; Grassé 1937a, p. 60, fig. 29 (sold.), Sénégal: Rufisque.

King, queen, sold.¹, work.¹⁻²

Senegal: Thiès, Dakar; Port.

Guinea: Bissau, Farim;

French Guinea: Camayenne, Mamou; Gold Coast: Aburi,

Accra.

Ethiopian.

Odontotermes (Odontotermes) planiceps Sjöstedt.

Odontotermes (Odontotermes) planiceps Sjöstedt 1924b, p. 254, sold., Belg. Congo: Kisanzu.

Termes planiceps Sjöstedt 1926, pp. 124-125, pl. 5, fig. E (sold.), sold., work.¹⁻², syn., loc. Sold., work.¹⁻²

Belg. Congo. Ethiopian.

Odontotermes (Odontotermes) praevalens (John).

Odontotermes (Odontotermes) robustus John 1925, pp. 387-388, sold., work., Malay Arch.: Johore.

Termes (Odontotermes) praevalens John 1926, p. 143, syn.

Sold., work.

Malay Arch.

Indo-Malayan.

Odontotermes (Odontotermes) preliminaris (Holmgren).

Termes preliminaris Holmgren 1911c (*in* Escherich), p. 196, im., Ceylon: Peradeniya.

Odontotermes (Cyclotermes) preliminaris Holmgren 1913b, p. 120, pl. 4, fig. 17 (im.).

Winged.

Ceylon.

Indo-Malayan.

Odontotermes (Odontotermes) pretoriensis Sjöstedt.

Odontotermes (Odontotermes) transvaalensis Holmgren (nec Sjöstedt) 1913b, p. 328, sold., Transvaal.

Odontotermes pretoriensis Sjöstedt 1924c, p. 492.

Termes pretoriensis Sjöstedt 1926, p. 116, pl. 4, fig. F, sold., syn., loc.

Sold.

Transvaal: Pretoria, Zululand:

Natal.

Ethiopian.

Odontotermes (Odontotermes) proximus Holmgren.

Odontotermes (Odontotermes) proximus Holmgren 1913-14, pp. 248-249, im., Malacca: Taiping, Maxwells Hill, 3,500 ft.

Winged.

Malacca.

Indo-Malayan.

Odontotermes (Odontotermes) ramulosus (Sjöstedt).

Termes ramulosus Sjöstedt 1904, p. 64, im., pl. 2, fig. B 1 (im.), Ger. E. Africa: Kondoa (Tanganyika).

Odontotermes (Odontotermes) ramulosus Holmgren 1912, p. 37.

Termes ramulosus Sjöstedt 1926, p. 135, syn., loc.

Type: Mus. Paris.

Winged.

Tanganyika.

Ethiopian.

Odontotermes (Odontotermes) rectanguloides Sjöstedt.

Odontotermes rectanguloides Sjöstedt 1924c, p. 490, sold.¹, Belg. Congo.

Termes rectanguloides Sjöstedt 1926, pp. 106-107, sold.¹, work.¹⁻²

Sold.¹, work.¹⁻²

Belg. Congo, Uganda.

Ethiopian.

Odontotermes (Odontotermes) redemannii (Wasmann).

Termes Redemannii Wasmann 1893, p. 239, winged, queen, sold., work., Ceylon.

Termes Redemannii Wasmann 1900, pp. 146, 402.

Termes redemannii Wasmann 1902b, p. 106, im., sold., p. 109, loc.

Termes Redemannii Desneux 1904e, p. 43, places sold. and work. in syn. *monoceros*.

Odontotermes (Cyclotermes) Redemannii Holmgren 1912, p. 36, fig. 16 (sold., mand.).

Odontotermes (Cyclotermes) redemannii Holmgren 1913-14, p. 249; John 1925, p. 386, loc.

Odontotermes Redemannii Holmgren 1913b, p. 110, im., sold., work.¹⁻²

Winged, queen, king, sold., work.

Ceylon.

Indo-Malayan.

Odontotermes (Odontotermes) rehobothensis (Sjöstedt).

Termes (Odontotermes) rehobothensis Sjöstedt 1914b, p. 82, im., pl. 2, fig. 3, S. W. Africa: Rehoboth.

Termes rehobothensis Sjöstedt 1926, p. 142, syn., loc.

Winged, queen.

S. W. Africa: Rehoboth, Oka-handja.

Ethiopian.

Odontotermes (Odontotermes) robustus Sjöstedt.

Odontotermes robustus Sjöstedt 1924c, p. 490, sold.¹⁻², Fr. Congo: Brazzaville.

Termes robustus Sjöstedt 1926, pp. 103-104, pl. 4, fig. B (sold.).

Sold.¹⁻²

Fr. Equatorial Africa.

Ethiopian.

Odontotermes (Odontotermes) rothschildianus (Sjöstedt).

Termes rothschildianus Sjöstedt 1911a, p. 171, im., Abyssinia: Addis Ababa.

Odontotermes rothschildianus Holmgren 1912, p. 37.

Termes rothschildianus Sjöstedt 1922, p. 242, pl. II¹, fig. 1; 1926, p. 142, syn., loc.

Type: Mus. Paris.

Winged.

Abyssinia.

Ethiopian.

Odontotermes (Odontotermes) salebrifrons (Sjöstedt).

Termes salebrifrons Sjöstedt 1904, p. 65, im., N. E. Africa: Djibouti (Gulf of Aden).

Odontotermes salebrifrons Holmgren 1912, p. 37.

Termes salebrifrons Sjöstedt 1926, p. 135.

Type: Mus. Paris.

Winged.

Fr. Somaliland.

Ethiopian.

Odontotermes (Odontotermes) sarawakensis Holmgren.Odontotermes (Cyclotermes) sarawakensis Holmgren 1913b, p. 118, sold., work., pl. 5,
fig. 16 (sold.), Sarawak (Cambridge Mus.).

Odontotermes (Odontotermes) sarawakensis Holmgren 1913-14, p. 247, Malacca, Penang.

Odontotermes (Cyclotermes) sarawakensis John 1925, pp. 386-387, pls. 23, 30, loc.

Winged, sold., work.

Sarawak, Malacca.

Indo-Malayan.

Odontotermes (Odontotermes) schmitzi (Emerson).Termes (Termes) schmitzi Emerson 1928, pp. 455-458, figs. 18, 19, im., sold., region of
Stanleyville, Belg. Congo, also near Lukolela, Belg.
Congo.

Holotype: winged; morphotype: sold., A.M.N.H.

Winged, sold.

Belg. Congo.

Ethiopian.

Odontotermes (Odontotermes) scrutor (Sjöstedt).Termes scrutor Sjöstedt 1907, p. 240, winged, sold., work., Congo: Mukimbungu; 1911,
p. 144, work.¹⁻²

Odontotermes (Odontotermes) scrutor Holmgren 1912, p. 37.

Termes scrutor Sjöstedt 1926, p. 128, pl. 5, fig. F (sold.), syn., loc.

Winged, sold., work.¹⁻²

Belg. Congo.

Ethiopian.

Odontotermes (Odontotermes) silvestrii Sjöstedt.

Odontotermes Silvestrii Sjöstedt 1925, p. 53, im., Upper Congo: Uélé (Riv.).

Termes Silvestrii Sjöstedt 1926, pp. 137-138, syn., loc.

Winged.

Congo.

Ethiopian.

Odontotermes (Odontotermes) simalurensis Oshima.Odontotermes simalurensis (Oshima) 1923, pp. 8-9, sold., work., fig. 4 (sold.), fig. 5
(work.), Sinabang, Simalur.

Sold., work.

Sumatra: Simalur.

Indo-Malayan.

Odontotermes (Odontotermes) simplicidens (Sjöstedt).Termes simplicidens Sjöstedt 1899, p. 36, sold., work., Cameroon: Ekundu; 1900a, p. 107,
pl. 3, figs. K 1-3 (sold., work.); 1926, pp. 128-129,
syn., loc.

Odontotermes (Cyclotermes) simplicidens Holmgren 1912, p. 38.

Type: Mus. Stockholm.

Sold.¹⁻², work.

Cameroon.

Ethiopian.

Odontotermes (Odontotermes) sinabangensis Kemner.

Odontotermes celebensis Oshima 1923, p. 10, sold., work., figs. 6-7 (sold., work.), Simalur, Sinabang.

Odontotermes (Odontotermes) sinabangensis Kemner 1934, p. 87, syn.

Sold., work.

Sumatra: Simalur.

Indo-Malayan.

Odontotermes (Odontotermes) sjöstedti (Emerson).

Odontotermes congoensis Sjöstedt 1924b, p. 254, sold., work.¹⁻², Belg. Congo: Ganda Sundi.

Termes congoensis Sjöstedt 1926, p. 127, pl. 5, fig. H (sold.).

Termes (Termes) sjöstedti Emerson 1928, pp. 415-416 (syn.), new name for *Termes congoensis* Sjöstedt 1926 preoccupied by *Microtermes congoensis* Sjöstedt, 1911.

Sold., work.¹⁻²

Congo.

Ethiopian.

Odontotermes (Odontotermes) sjöstedti, var. evansi (Emerson).

Termes (Termes) sjöstedti var. evansi Emerson 1928, pp. 462-463, fig. 23 (sold.), Sene-gambina, Cameroon.

Holotype: sold., A.M.N.H.

Sold.

Cameroon.

Ethiopian.

Odontotermes (Odontotermes) smeathmani (Fuller).

Termes Smeathmani Fuller 1924a, p. 363, syn., discus.

Termes destructor Smeathman 1781, p. 141, pl. 10, figs. 19-20, im., Sierra Leone.

Termes flavicollis Walker 1853, p. 504, only imago from west coast Africa.

Termes destructor Hagen 1858, p. 127, pl. 3, fig. 11, im. only, Senegal, Cordofan, Port Natal [*Termes Cordofanus* Kollar, Mus. Vienna, Cordofan]; Sjöstedt 1900a, p. 125, pl. 3, fig. H 1 (im.), loc.; 1904, pp. 24, 68, 126.

Odontotermes (Odontotermes) destructor Holmgren 1912, p. 37; 1913d, p. 326, im. only from Zululand.

Termes destructor Fuller 1922, pp. 83-84, syn., *cordofanus* Kollar, Mus. Vienna, not a syn. of *destructor*; Sjöstedt 1926, p. 134, winged, syn., loc.; Ghidini 1938, p. 230.

Type: *destructor* Smeathman in Banks coll. (Hagen).

Winged.

Senegal, Sierra Leone, Anglo-Egyptian Sudan (Kordofan, Bahr el Abiad); Eritrea (Bogos, Keren), Abyssinia (Dirré-Daoua); Gallaland: (Dai Badditua à Dimé), Zulu-land (Mkosi, Port Natal?).

Ethiopian.

Odontotermes (Odontotermes) snyderi (Emerson).

Termes (Termes) snyderi Emerson 1928, p. 466, fig. 27, sold., Belg. Congo: Leopoldville. Holotype: sold. A.M.N.H.

Sold.

Congo.

Ethiopian.

Odontotermes (Odontotermes) somaliensis (Sjöstedt).

Termes somaliensis Sjöstedt 1927, pp. 98-99, fig. 1 (sold.), Somaliland: Villaggio Duca Abruzzi, Mus. Stockholm.

Sold.

Somaliland.

Ethiopian

Odontotermes (Odontotermes) stanleyvillensis (Emerson).

Termes (Termes) stanleyvillensis Emerson 1928, p. 455, fig. 17, sold., region of Stanley ville, Belg. Congo.

Holotype: sold., A.M.N.H.

Sold.

Congo.

Ethiopian.

Odontotermes (Odontotermes) stercorivorus (Sjöstedt).

Termes stercorivorus Sjöstedt 1907a, p. 15, pl. 4, fig. D 1-2 (sold.), sold., work., Kili mandjaro: Kibonoto.

Odontotermes (Odontotermes) stercorivorus Holmgren 1912, p. 37.*Termes stercorivorus* Sjöstedt 1926, p. 128, syn., loc.

Sold., work.

Tanganyika.

Ethiopian.

Odontotermes (Odontotermes) sundaicus Kemner.

Odontotermes (Odontotermes) sundaicus Kemner 1934, pp. 96-98, fig. 17 (sold.), im., sold., Java.

? *Termes dives* Hagen 1858a, p. 20, im., Java only.

Odontotermes (Odontotermes) dives Holmgren 1913b, p. 130, pl. 4, fig. 9, im., Java only, Reichsmus. Stockholm.

Odontotermes (Odontotermes) javanicus forma *Buitenzorgi* Holmgren 1913b, p. 134, pl. 4, fig. 7, im., Java: Buitenzorg, Mus. Hamburg.

Winged.

Java.

Indo-Malayan.

Odontotermes (Odontotermes) sundaicus, f. *esuriens* Kemner.

Odontotermes (Odontotermes) sundaicus f. *esuriens* Kemner 1934, pp. 10, 17, 18, 98-100, sold., Java: Buitenzorg.

Odontotermes billitonii Holmgren 1913-14, p. 245, Java: Tjiogreh near Buitenzorg.*Odontotermes (Odontotermes) billitonii* John 1925, p. 389, loc.

Sold.

Java.

Indo-Malayan.

Odontotermes (Odontotermes) sudanensis Sjöstedt.**Odontotermes sudanensis** (Sjöstedt) 1924b, p. 254, sold., Sudan.

Termes sudanensis (Sjöstedt) 1926, pp. 125-126, pl. 5, fig. K 1-2, sold., syn., loc.; 1926a, p. 4, Sudan, Gold Coast (Aburi); Grassé 1937a, p. 60, figs. 30-31 (sold.), Guinée (Kindia). Types: Brit. Mus. and Mus. Stockholm.

Sold., work.¹⁻²

Senegal: Dakar; Egyptian Su dan: Wad Medani; Guinée: Kindia; Gold Coast: Aburi.

Ethiopian.

Odontotermes (Odontotermes) tanganicus Sjöstedt.*Termes transvaalensis* Sjöstedt 1907a, p. 14; 1915, p. 12.**Odontotermes tanganicus Sjöstedt** 1924c, p. 492, sold., Tanga (Tanganyika).*Termes tanganicus* Sjöstedt 1926, pp. 126-127, pl. 4, fig. I (sold.), syn., loc.

Sold.

Tanganyika: Tanga; Kenya:

Naivasha and Amboni.

Ethiopian.

Odontotermes (Odontotermes) taprobanes (Walker).*Termes Taprobanes* Walker 1853, p. 522, im., Ceylon, E. Indies; Hagen 1858, p. 136, pl. 3, fig. 16 (im.).**Odontotermes (Odontotermes) Taprobanes** Holmgren 1913b, p. 126, im., pl. 4, fig. 3 (im.), Borneo (Mus. Vienna), ?Sumatra, ?Ceylon (Brit. Mus.), ?E. Indies (Brit. Mus.), Calcutta (Mus. Vienna), Burma (Mus. Berlin), Malacca: Tengoh Mts. (Mus. Berlin).*Termes Sumatrense* Blanchard (*in* Cuvier 1849, pl. 106, fig. 4, queen).

Type: im., Brit. Mus.

Winged.

Ceylon, India, Burma, Malacca,

Sumatra, Borneo.

Indo-Malayan.

Odontotermes (Odontotermes) terricola (Sjöstedt).*Termes terricola* Sjöstedt 1902a, p. 252, sold.¹, work.¹⁻², Cameroon: Johan.-Albrechtshöhe.**Odontotermes (Odontotermes) terricola** Holmgren 1912, p. 37.*Termes terricola* Sjöstedt 1926, p. 122, syn., loc.*Termes (Termes) terricola* Emerson 1928, pp. 458-459, fig. 20 (queen, sold.), loc.

Types: Mus. Berlin and Stockholm.

Queen, sold.¹, work.¹⁻²

Cameroon, Belg. Congo, Isl.

Fundu (near W. Pemba) off

Tanganyika, Isl. Manda (off

Kenya).

Ethiopian.

Odontotermes (Odontotermes) trädgårdhi Holmgren.**Odontotermes Trädgårdhi** (Holmgren) 1913d, p. 328, king, queen, sold.¹⁻³, work.¹⁻², Natal: Sweetwater, Stanford Hill, Estcourt.**Odontotermes trädgårdhi** Fuller 1922, p. 84, im., sold.², work., syn., Pietermaritzburg, Durban, Estcourt.*Termes Trädgårdhi* Sjöstedt 1926, p. 113, syn., loc.King, queen, sold.¹⁻², work.¹⁻²

So. Africa, Belg. Congo: Boma.

Ethiopian.

Odontotermes (Odontotermes) transvaalensis (Sjöstedt).*Termes transvaalensis* Sjöstedt 1902b, p. 302, winged, Transvaal; 1904, pp. 26, 53, pl. 1, fig. A, im., queen, sold., work.*Termes badius* Silvestri 1908, p. 75, sold., work.**Odontotermes (Odontotermes) transvaalensis** Holmgren 1912, p. 37, fig. 13.*Termes transvaalensis* Fuller 1922, pp. 84, 92, syn., loc.

Termes (Odontotermes) transvaalensis Hégh 1922, pp. 313, 319 (fig. 219), 383, 615 (*Termes tubicola*), 688 *Odontotermes transvaalensis*.

Termes transvaalensis Sjöstedt 1926, p. 117, pl. 4, fig. G, syn., loc.

Winged, queen, sold., work.

Transvaal, Mphome; Orange

Free State, Bothaville;

Uganda, Ruwenzori; Bechuanaland, Vryburg.

Ethiopian.

Odontotermes (Odontotermes) vulgaris (Haviland).

Termes vulgaris Haviland 1898, p. 387, pl. 23, figs. 11-14, winged, sold., work., Natal.

Odontotermes vulgaris Holmgren 1912, p. 40.

Odontotermes destructor Holmgren 1913d, p. 326, sold., work., Natal.

Termes vulgaris Fuller 1922, pp. 87, 94, syn., loc.; Sjöstedt 1926, pp. 118-120, sold.¹⁻², syn., loc.
Type: No. 59, Mus. Cambridge and Stockholm.

Winged, queen, sold.¹⁻², work.¹⁻²

Natal, S. W. Africa, Rhodesia,

Senegal.

Ethiopian.

Odontotermes (Odontotermes) vulgaris, subsp. *minor* (Fuller).

Termes (Termes) vulgaris subsp. *minor* Fuller 1922, pp. 87, 94, im., sold., work., Natal Coast (loc. mixed with *T. vulgaris* s. lat.); Emerson 1928, p. 415 (name preoccupied by *Termes (Eutermes) odontognathus* subsp. *minor* Desneux 1904e, p. 44).

Im., sold., work.

Natal Coast.

Ethiopian.

Odontotermes (Odontotermes) wallonensis (Wasemann).

Termes obsesus subsp. *wallonensis* Wasemann 1902b, p. 106, im., sold., India: Wallon Sangamner (Ahmednagar Distr.).

Odontotermes (Cyclotermes) wallonensis Holmgren 1913b, p. 123, im., sold., So. India: Wallon.

Odontotermes (Cyclotermes) wallonensis Holmgren, K. and N. 1917, p. 152, So. India: Coimbatore, Mysore, etc.

Winged, sold., work.

So. India, Bombay, Cent. Prov.

Indo-Malayan.

Odontotermes (Odontotermes) zambesiensis (Sjöstedt).

Termes (Odontotermes) zambesiensis Sjöstedt 1914a, p. 2, fig. 1, sold., Zambesi: Villa Fontes (Port. E. Africa).

Termes zambesiensis Sjöstedt 1926, p. 123.

Type: Brit. Mus. and Mus. Stockholm.

Sold.

Port. E. Africa.

Ethiopian.

Odontotermes (Odontotermes) zulunatalensis Sjöstedt.

Odontotermes destructor Holmgren 1913d, p. 326 ("grössere stücke") (nec Smeathman).

Odontotermes zulunatalensis Sjöstedt 1924c, p. 491, sold., Zululand; Natal: Estcourt.

Termes zulunatalensis Sjöstedt 1926, p. 120, pl. 5, fig. 1 (sold.), sold., work.¹⁻², syn., loc.

Sold., work.¹⁻²

Zululand; Natal: Estcourt.

Ethiopian.

EUSCAIOTERMES

Genus **Odontotermes**, subgenus **Euscaiotermes** Silvestri.

Subgenerotype: **Odontotermes (Euscaiotermes) primus** Silvestri.
Genus **Odontotermes**, subgenus **Euscaiotermes** Silvestri 1923, p. 221.

Odontotermes (Euscaiotermes) primus Silvestri.

Odontotermes (Euscaiotermes) primus Silvestri 1923, pp. 221-223, fig. 1, sold., work., Barrakuda Isl. (Chilka Lake) off Orissa.

Sold., work.

Orissa, India.

Indo-Malayan.

HYPOTERMES

(Under)

Genus **Odontotermes**, subgenus **Hypotermes** Holmgren.

Subgenerotype: **Odontotermes (Hypotermes) xenotermitis** (Wasmann).

=Subgenus **Xenotermes** Holmgren 1912, pp. 36, 39.

=Subgenus **Hypotermes** Holmgren 1913b, p. 141 (*Xenotermes* preoccupied by *Xenotermes* Wasmann: Rhysopauissidae).

Odontotermes (Hypotermes) obscuriceps (Wasmann).

Termes obscuriceps Wasmann 1902b, p. 113, sold., work., Ceylon: Trincomali, Bandarawella.

Odontotermes (Xenotermes) obscuriceps Holmgren 1912, p. 36, sold., fig. 17, pl. 2, fig. 3.

Odontotermes (Hypotermes) obscuriceps Holmgren 1913b, p. 141, im., sold., work.¹⁻², pl. 4, fig. 21 (im.), pl. 5, fig. 18 (sold.).

Odontotermes (Hypotermes) marshalli Kemner 1926, pp. 387-388, fig. 4 (sold.), sold., work., Ceylon.

Im., sold., work.¹⁻²

Ceylon.

Indo-Malayan.

Odontotermes (Hypotermes) sumatrensis Holmgren.

Odontotermes (Hypotermes) sumatrensis Holmgren 1913-14, p. 250, sold., work.¹, East Sumatra.

Sold., work.¹

Sumatra.

Indo-Malayan.

Odontotermes (Hypotermes) xenotermitis (Wasmann).

Termes xenotermitis Wasmann 1896, p. 628, sold., work., Palon Pegù, Burma; 1896a, p. 152 (supp.), queen, sold.

Termes (Eutermes) xenotermitis Desneux 1904e, p. 46, syn.

Odontotermes (Xenotermes) Xenotermitis Holmgren 1912, p. 39.

Odontotermes (Hypotermes) Xenotermitis Holmgren 1913b, p. 143, queen, sold. Pegù: Palon, Mus. Civ. Gen.

Odontotermes (Hypotermes) xenotermitis Holmgren, K. and N. 1917, p. 158, loc. India.

Queen, sold., work.

Burma; India: Bengal, Assam.

Indo-Malayan.

ANCISTROTERMES

Genus *Ancistrotermes* Silvestri.

Generitype: *Ancistrotermes crucifer* (Sjöstedt).

<Genus *Termes* Sjöstedt 1900a, p. 67.

=Subgenus *Ancistrotermes* Silvestri 1912a, p. 4.

<Genus *Microtermes* Holmgren 1912, pp. 40, 11.

=Genus *Ancistrotermes* Silvestri 1914-15, p. 17.

<Genus *Termes* Desneux 1904e, pp. 26, 28.

<Subgenus *Termes* Desneux 1904e, pp. 32, 35.

=Genus *Ancistrotermes* Sjöstedt 1926, p. 160.

Ancistrotermes amphidon Sjöstedt.

Ancistrotermes cavithorax Sjöstedt 1926, p. 163 ex p. wing., queen, Aburi; 1926a, p. 4 (loc.).

Ancistrotermes amphidon Sjöstedt 1926c, p. 240, sold.¹⁻², fig. 1, Gold Coast: Accra.

Winged, queen, sold.¹⁻²

Gold Coast, Uganda.

Ethiopian.

Ancistrotermes cavithorax (Sjöstedt).

Termes cavithorax Sjöstedt 1899, p. 37, sold.¹⁻², work., Cameroon: Victoria; 1900a, p. 130, im., sold.¹⁻², work.¹⁻², pl. 3, fig. M 1-3 (sold.¹, work.).

Microtermes cavithorax Holmgren 1912, p. 42.

Ancistrotermes cavithorax Sjöstedt 1926, p. 163, pl. 7, fig. P (sold.²), syn., loc.; Grassé 1937a, p. 72, figs. 39-42 (winged, sold., work.).

Type: Mus. Greifswald and Stockholm.

Winged, sold.¹⁻², work.¹⁻²

Cameroon, Congo (Sankuru),

S. Nigeria (Agege-Brit.

Mus.), Ivory Coast.

Ethiopian.

Ancistrotermes crucifer (Sjöstedt).

Termes crucifer Sjöstedt 1897, p. 123, im., Sierra Leone; 1900a, p. 127, im. only, pl. 3, fig. L 1-2 (im.).

Microtermes crucifer Holmgren 1912, p. 42.

Microtermes camerunensis Holmgren 1913d, p. 332, im.

Ancistrotermes crucifer Silvestri 1914-15, p. 18, im., sold.¹⁻², work., fig. V 1, loc.; Sjöstedt 1926, pp. 162-163, fig. 35 (sold.), im., sold.¹⁻², work.¹⁻², syn., loc.; Emerson 1928, pp. 468-469, fig. 28, sold., Congo; Grassé 1937a, p. 70, fig. 37 (sold.¹⁻²).

Types: Mus. Stockholm.

Winged, sold.¹⁻², work.¹⁻²

Senegal: Dakar; Sierra Leone;

Togo: Bismarckburg; Ivory Coast; Gold Coast: Aburi;

S. Nigeria: Lagos; Cameroon: Abo u. Mungo, Victoria; Congo: Libenge, etc.

Ethiopian.

Ancistrotermes crucifer, var. *diversana* Silvestri.

Ancistrotermes crucifer var. *diversana* Silvestri 1914-15, p. 20, fig. VIII, 1-5 (im., sold.¹⁻²), im., sold., work., French Guinea: Camayenne, Kakoulima, Kindia; Sjöstedt 1926, p. 163.

Microtermes crucifer, var. *diversana* Heigh 1922, pp. 321, 690.

Winged, sold.¹⁻², work.

Fr. Guinea.

Ethiopian.

Ancistrotermes (?) dubius Sjöstedt.

Ancistrotermes (?) dubius Sjöstedt 1926b, pp. 150-151, winged, Congo: Haut Uélé, Mus. Tervueren and Stockholm.

Winged.

Congo.

Ethiopian.

Ancistrotermes guineensis (Silvestri).

Termes (*Ancistrotermes*) *crucifer* subsp. *guineensis* Silvestri 1912, p. 227, sold.¹⁻², work., fig. VI, Port. Guinea: Rio Cassine.

Microtermes guineensis Holmgren 1913d, p. 333, sold.

Ancistrotermes crucifer var. *guineensis* Silvestri 1914-15, p. 20, Fr. Guinea: Mamou; Sjöstedt 1926, p. 163, syn., loc.

Ancistrotermes guineensis Emerson 1928, p. 468, sold.; Grassé 1937a, p. 68, fig. 36, sold.¹⁻², Ivory Coast: Akakro.

Sold.¹⁻², work.

Port., Fr. Guinea, Ivory Coast.

Ethiopian.

Ancistrotermes latinotus (Holmgren).

Termes crucifer Sjöstedt 1900a, p. 127, sold. only, pl. 3, fig. L 3-5, sold., work., Angola: Malanga.

Termes (*Ancistrotermes*) *crucifer* Silvestri 1912a, p. 5, fig. 3, Luapula.

Microtermes latinotus Holmgren 1912, pp. 42, 44, syn. (not described), Luapula; 1913d, pp. 332-333, im., sold.

Ancistrotermes latinotus Silvestri 1914-15, p. 19, fig. VII 1-3, im., sold.¹⁻², work., syn., Angola: Malanga; Sjöstedt 1926, pp. 161-162, pl. 7, fig. O (sold.²), syn., loc. (ascribes species to Silvestri not Holmgren).

Winged, sold.¹⁻², work.

Angola; Congo-Rhodesia: Luapula; Congo: Libenge; So. Africa.

Ethiopian.

Ancistrotermes lebomboensis Fuller.

Ancistrotermes lebomboensis Fuller 1922, p. 103, im., sold.¹⁻², work.¹⁻², Lourenco Marques, Transvaal So. Africa; Sjöstedt 1926, p. 164, loc.

Winged, sold.¹⁻², work.¹⁻²

So. Africa.

Ethiopian.

Ancistrotermes periphrasis Sjöstedt.

Ancistrotermes periphrasis Sjöstedt 1924c, p. 496, sold.², Sudan; 1926, p. 164, pl. 7, fig. Q, sold.², work.¹⁻², Ägypt. Sudan: El Amira-Bir Joghān and Khor El Affin; 1926b, pp. 149-150, wing., Congo; 1926c, pp. 241-242, sold.¹, Accra.

Wing., sold.¹⁻², work.¹⁻²

Sudan, Gold Coast, Congo.

Ethiopian.

Ancistrotermes wasmanni Snyder and Emerson, new name.

Termes cavithorax Wasmann 1911a, p. 102, sold.¹⁻², work.¹⁻², Congo: Sankuru.

Sold.¹⁻², work.¹⁻²

Belg. Congo.

Ethiopian.

MICROTERMES

Genus **Microtermes** Wasmann.

<Genus **Termes** Sjöstedt 1900a, p. 67.

=Genus **Microtermes** Wasmann 1902b, p. 115.

<Genus **Termes** Desneux 1904e, pp. 26, 28.

<Subgenus **Termes** (**Termes**) Desneux 1904e, pp. 32, 35.

<Genus **Microtermes** Fuller 1922, p. 95.

=Subgenus **Microtermes** Fuller 1922, p. 95 (sensu Silvestri 1914-15).

=Genus **Microtermes** Sjöstedt 1926, p. 165.

Microtermes albinotus Holmgren.

Microtermes albinotus Holmgren 1913d, p. 333, im., Africa (or Madagascar); Sjöstedt 1926, p. 177, affinity.

Winged.

Africa, No. Madagascar.

Ethiopian or Malagasy.

Microtermes albopartitus (Sjöstedt).

Termes albopartitus Sjöstedt 1911d, p. 4, winged, sold.¹⁻², work.¹⁻², Rhodesia: Salisbury.

Microtermes albopartitus Holmgren 1912, p. 42; 1913d, pp. 333-334, im., sold.

Microtermes longiceps Holmgren 1913d, pp. 330, 334, Zululand: Mkosi; Hegh 1922, p. 690; Fuller 1922, p. 101, Lake Kosi, Zululand.

Microtermes albopartitus Sjöstedt 1926, p. 178, pl. 7, fig. L 1-3, sold.¹⁻², syn., loc.

Winged, sold.¹⁻², work.¹⁻²

So. Africa.

Ethiopian.

Microtermes alluaudanus (Sjöstedt).

Termes (**Microtermes**) **alluaudanus** Sjöstedt 1915, pp. 13-16, winged, sold., work.¹⁻², fig. 3 (sold.), Brit. E. Africa (Kenya), Likoni, etc., near Mombasa.

Microtermes alluaudanus Sjöstedt 1926, p. 180, syn., loc.

Winged, sold., work.¹⁻²

Brit. E. Africa: Likoni and

Cheteni (near Mombasa),

Kenya.

Ethiopian.

Microtermes aluco (Sjöstedt).

Eutermes aluco Sjöstedt 1904, pp. 95, 27, im., Fr. Sudan: Sikasso; Heigh, 1922, pp. 75, 469, 694; Sjöstedt 1926, pp. 323, 291, im.
Type: Mus. Paris and Stockholm.

Termes (Eutermes) aluco Desneux 1904e, p. 40, syn.

Ancistrotermes sudanensis Sjöstedt 1924b, p. 255, sold.², work., Fr. Sudan.

Microtermes sudanensis Sjöstedt 1926, pp. 177-178, pl. 7, fig. H 1-2, sold.², Mus. Paris and Stockholm; 1926b, pp. 151-152, winged, sold., Congo: Haut Uélé, Maude, Mus. Tervueren and Stockholm; 1926c, pp. 242-243, winged, Accra; Cox and Porter 1935, p. 7, Nigeria; Myers 1938, p. 7, Sudan.

Winged, sold.², work.¹⁻²

Sudan, Gold Coast, Nigeria,
Congo.

Ethiopian.

Microtermes calvus Emerson.

Microtermes calvus Emerson 1928, pp. 470-471, fig. 29, sold., Belg. Congo: St. Gabriel near Stanleyville.

Holotype: sold., A.M.N.H.

Sold., work.

Congo.

Ethiopian.

Microtermes congoensis (Sjöstedt).

Termes congoensis Sjöstedt 1911, p. 146, winged, queen, sold.¹⁻², work.¹⁻², Congo: Mukimbungu.

Microtermes congoensis Holmgren 1912, p. 42.

Termes (Microtermes) congoensis Sjöstedt 1914a, p. 4, loc.

Microtermes congoensis Sjöstedt 1926, pp. 178-179, pl. 7, fig. K 1-2 (sold.¹⁻²), syn., loc.

Winged, queen, sold.¹⁻², work.¹⁻²

Congo; So. Nigeria: Agege;

Cameroon: Victoria; Angola:

S. Paolo de Loanda.

Ethiopian.

Microtermes congoensis, var. *comprehensa* Silvestri.

Microtermes congoensis var. *comprehensa* Silvestri 1914-1915, p. 24, sold., work.¹⁻², fig. 11 (sold.), Fr. Guinea: Kindia; Sjöstedt 1926, p. 179.

Sold., work.¹⁻²

Fr. Guinea.

Ethiopian.

Microtermes divellens (Sjöstedt).

Eutermes divellens Sjöstedt 1904, p. 94, im., p. 28, Madagascar: Nossi-Bé.

Termes (Eutermes) divellens Desneux 1904e, p. 41, syn.

Eutermes (Eutermes?) divellens Holmgren 1912, p. 62.

Eutermes divellens Heigh 1922, pp. 432, 691; Sjöstedt 1926, p. 292, im., 324 syn.

Winged.

Madagascar.

Malagasy.

***Microtermes dubius* Fuller.**

***Microtermes dubius* Fuller** 1922, p. 101, winged, Damaraland: Dornweld near Windhoek; Sjöstedt 1926, p. 181.

Winged.

S. W. Africa.

Ethiopian.

***Microtermes etiolatus* Fuller.**

***Microtermes etiolatus* Fuller** 1922, p. 102, winged, sold., work.¹⁻², Lourenco Marques, Transvaal; Sjöstedt 1926, p. 181, syn.

Winged, sold., work.¹⁻²

So. Africa.

Ethiopian.

***Microtermes feae* Silvestri.**

***Microtermes feae* Silvestri** 1912, p. 229, fig. VII, 1-18, im., sold., work.¹⁻², Isl. Fernando Po; Sjöstedt 1926, p. 179, syn.; Emerson 1928, pp. 474-475, fig. 32b, c (sold.¹⁻²), syn., loc.

Winged, sold., work.¹⁻²

Isl. Fernando Po; Cameroon:

Bipindi; Congo: Thysville.

Ethiopian.

***Microtermes globicola* Wasmann.**

***Microtermes globicola* Wasmann** 1902b, p. 116, sold., work., Ceylon: Anuradapura; Holmgren 1913b, p. 146; Holmgren, K. and N. 1917, p. 159, Mysore State, Maddur, India.

Sold., work.

Ceylon, India.

Indo-Malayan.

***Microtermes havilandi* Holmgren.**

Termes incertus Haviland (nec Hagen) 1898, p. 388, pl. 23, figs. 15-18, im., sold., work., Natal, Mozambique, So. Africa; Sjöstedt 1900a, p. 135; Warren 1909, p. 124; Holmgren 1912, pp. 42, 48 (ex p.); Fuller 1915, pp. 341, 393, 483, fig. 5 (swarm), pl. 29, figs. 9-10 (nest), pl. 31, figs. 4-5, pl. 34, fig. 17 (mand. sold.); Hegh 1922, p. 139, etc.; Sjöstedt 1926, pp. 170-172, fig. 17 (sold.¹⁻²), pl. 7, fig. D 1-3 (sold.¹⁻²), syn., loc.

***Microtermes Havilandi* Holmgren** 1913d, pp. 330 (im.), 332, 334 (sold.), Natal and Zululand.

***Microtermes havilandi* Fuller** 1922, p. 97, im., sold., work., Natal, Zululand, So. Africa. Types: Mus. Cambridge and Stockholm.

Winged, sold.¹⁻², work.

So. Africa.

Ethiopian.

***Microtermes havilandi*, form *intermedius* Fuller.**

***Microtermes havilandi*, form *intermedius* Fuller** 1922, p. 98, im., sold., work., Klerksdorp, Transvaal, Bloemfontein, So. Africa.

Microtermes incertus* forma *intermedius Sjöstedt 1926, p. 172.

Winged, sold., work.

So. Africa.

Ethiopian.

Microtermes havilandi, form *occidentalis* Fuller.

Microtermes havilandi, form *occidentalis* Fuller 1922, p. 99, im., Graspan, Modder Riv., Rail and Olivewood, So. Africa.

Microtermes incertus forma *occidentalis* Sjöstedt 1926, p. 172.

Winged.

So. Africa.

Ethiopian.

Microtermes hollandi Grassé.

Microtermes hollandi Grassé 1937a, pp. 84-86, sold., fig. 48, Dakar: Senegal.

Sold.

Senegal.

Ethiopian.

Microtermes incertoides Holmgren.

Microtermes incertus Wasmann 1902b, p. 117, sold., work. from Wallon.

Microtermes incertoides Holmgren 1913a, pp. 113-114, sold., work.¹⁻², Wallon; 1913b, p. 151, sold., work.¹⁻², Wallon, India.

Sold., work.¹⁻²

India.

Indo-Malayan.

Microtermes incertus (Hagen).

Termes incertus Hagen 1853, p. 481, pl. 4, fig. 22, queen, Mozambique.

Termes (Eutermes) incertus Hagen 1858, p. 230, queen.

Termes incertus Hagen 1858a, p. 32 (im.).

Type: Mus. Berlin.

Winged, queen.

Mozambique, Africa.

Ethiopian.

Microtermes insperatus Kemner.

Microtermes insperatus Kemner 1934, pp. 106-109, fig. 21/1-3 (im.), 21/4-5 (sold.), E. and W. Java.

Microtermes pallidus Holmgren 1913-14, p. 251; John 1925, p. 390, loc.

Winged, sold., work.

Java, Malaya.

Indo-Malayan.

Microtermes jacobsoni Holmgren.

Microtermes Jacobsoni Holmgren 1913b, p. 148, im., sold., work., fig. 6 (im.), pl. 6, fig. 8 (sold.), Java: Samarang.

Microtermes pallidus jacobsoni Holmgren 1913-14, p. 251, Java, Sumatra, Malacca.

Winged, sold., work.

Java, Sumatra, Malacca.

Indo-Malayan.

Microtermes kasaiensis (Sjöstedt).

Eutermes kasaiensis Sjöstedt 1913a, p. 389, im. (queen), sold., work., Congo: Kasai.

Microcerotermes kasaiensis Hegh 1922, pp. 445, 702.

Microtermes kasaiensis Hegh 1926, p. 180, syn., loc.

Types: Mus. Tervueren and Stockholm.

Queen, sold., work.

Congo.

Ethiopian.

Microtermes kauderni Holmgren.

Microtermes? *Kauderni* Holmgren 1909a, p. 6, sold., work., biol., fig. 1 (nest), pl. 1, fig. 2 (loc.), type loc. Madagascar: Ste. Maria de Marovoay and Majunga; 1912, p. 42, fig. 19 (mand. sold.); Sjöstedt 1926, pp. 169-170, pl. 7, fig. B 1-2 (sold.), syn., loc.

Sold.¹⁻², work.
Madagascar.

Malagasy.

Microtermes lepidus Sjöstedt.

Microtermes lepidus Sjöstedt 1924c, p. 496, sold., Senegal: Dakar; 1926, pp. 172-173, pl. 7, fig. E 1-2 (sold.), sold., work.

Sold., work.
Senegal.

Ethiopian.

Microtermes lounsburyi Fuller.

Microtermes lounsburyi Fuller 1922, p. 99, winged, sold., work.¹⁻², Transvaal: Pienaar Riv., Bushveld.

Microtermes Lounsburyi Sjöstedt 1926, p. 180.

Winged, sold., work.¹⁻²

So. Africa.

Ethiopian.

Microtermes macronotus Holmgren.

Microtermes macronotus Holmgren 1913b, p. 145, pl. 6, fig. 1, im. (?), Ceylon, Mus. Vienna; Green 1913, p. 11, Ceylon.

Winged.
Ceylon.

Indo-Malayan.

Microtermes madagascariensis Holmgren.

Microtermes madagascariensis Holmgren 1913d, p. 332, im., Madagascar; Sjöstedt 1926, p. 180.

Winged.
Madagascar.

Malagasy.

Microtermes magnocellus (Sjöstedt).

Termes (**Microtermes**) *magnocellus* Sjöstedt 1915, pp. 16, 18, winged, Usambara: Tanga.

Microtermes magnocellus Sjöstedt 1926, p. 176, syn., loc.

Winged.
Tanganyika.

Ethiopian.

Microtermes microthorax Holmgren.

Microtermes microthorax Holmgren 1913d, p. 333 (im.), Africa, or Madagascar; Sjöstedt 1926, p. 177.

Winged.
Africa or Madagascar.

Ethiopian or Malagasy.

Microtermes mokeetsei Fuller.

Microtermes mokeetsei Fuller 1922, p. 100, winged, sold., N. E. Transvaal: Mokeetse, Koedoes Riv.

Microtermes Mokeetsei Sjöstedt 1926, p. 180.

Winged, sold.
So. Africa.

Ethiopian.

***Microtermes mycophagus* (Desneux).**

Termes mycophagus Desneux 1906, p. 348, winged, sold., work., Sind: Karachi, India.

Microtermes mycophagus Holmgren 1913b, p. 150, im., sold., work., pl. 6, fig. 5 (im.);
Holmgren, K. and N. 1917, p. 159, Punjab: Lyallpur.

Winged, sold.

India.

Indo-Malayan.

***Microtermes obesi* Holmgren.**

Microtermes obesi Holmgren 1913b, p. 150, pl. 6, fig. 4 (im.), Bombay: Khandala; Holmgren, K. and N. 1917, p. 159, im., Mysore: Bangalore; Bihar: Pusa.

Microtermes Anandi Holmgren 1913a, p. 114; 1913b, p. 152, sold., work., Gujarat: Anand.

Microtermes anandi Holmgren 1913-14, pp. 250-251, No. Ceylon.

Microtermes anandi Holmgren, K. and N. 1917, p. 160, So. India (syn. by Fletcher); Silvestri 1923, p. 225, Barkuda Isl. (Orissa).

Microtermes anandi, forma *curvignathus* Holmgren 1913a, p. 114.

Microtermes Anandi f. *curvignathus* Holmgren 1913b, p. 153, sold., work., pl. 6, fig. 9 (sold.), Bombay.

Winged, sold., work.

So. India, No. Ceylon.

Indo-Malayan.

***Microtermes osborni* Emerson.**

Microtermes osborni Emerson 1928, p. 472, fig. 31, winged and sold., St. Gabriel near Stanleyville, Belg. Congo.

Holotype: sold.; morphotype: winged, A.M.N.H.

Winged, sold.

Belg. Congo.

Ethiopian.

***Microtermes pallidus* (Haviland).**

Termes pallidus Haviland 1898, p. 389, queen, sold., work., Malay Penins.

Microtermes pallidus Holmgren 1912, p. 42, fig. 20 (sold. mand.), Malacca, Singapore, Java; 1913b, p. 147, im., sold., work., pl. 6, figs. 2, 7 (im., sold.), loc.; 1913-14, p. 251; John 1925, p. 390, loc.

Winged, queen, sold., work.

Malacca, Singapore, Java.

Indo-Malayan.

***Microtermes problematicus* Grassé.**

Microtermes problematicus Grassé 1937a, pp. 88-89, im., figs. 50-51, Dakar, Senegal.

Winged.

Senegal.

Ethiopian.

***Microtermes pusillus* Silvestri.**

Microtermes Feae var. *pusilla* Silvestri 1914-1915, p. 25, sold.¹, work.¹, Cameroon: Victoria.

Microtermes pusillus Sjöstedt 1926, p. 179; Emerson 1928, p. 475, fig. 32a (sold.), Thysville, Belg. Congo.

Sold., work.

Cameroon, Belg. Congo.

Ethiopian.

***Microtermes redenianus* (Sjöstedt).**

Termes redenianus Sjöstedt 1904, p. 68, im., sold.¹⁻², work.¹⁻², pl. 2, fig. L 1-3, Usambara: Tanga.

***Microtermes redenianus* Holmgren 1912, p. 11, im.; 1913d, p. 332 (im.), p. 334 (sold.¹⁻²); Sjöstedt 1926, p. 174, pl. 7, fig. F (sold.).**

Winged, sold.¹⁻², work.¹⁻²

Tanganyika, Congo.

Ethiopian.

***Microtermes sindensis* (Desneux).**

Termes sindensis Desneux 1906, p. 354, im., India.

***Microtermes sindensis* Holmgren 1913b, p. 149, pl. 6, fig. 3, im., Sind: Karachi.**

Winged.

India. Indo-Malayan.

***Microtermes sjöstedti* Emerson.**

***Microtermes sjöstedti* Emerson 1928, p. 471, fig. 30, sold., Belg. Congo, region of Stanleyville.**

Holotype: sold., A.M.N.H.

Sold.

Congo.

Ethiopian.

***Microtermes somaliensis* Sjöstedt.**

***Microtermes somaliensis* Sjöstedt 1927, p. 100, im., sold., work., fig. 3, sold., Somaliland: Villaggio Duca Abruzzi; Ghidini 1938, p. 231.**

Winged, sold., work.

Somaliland.

Ethiopian.

***Microtermes subhyalinus* Silvestri.**

***Microtermes subhyalinus* Silvestri 1914-1915, p. 21, im., sold., work.¹⁻², fig. 9, 1-7 (im., sold.), Fr. Guinea: Kindia (type loc.); Sjöstedt 1926, p. 174, loc.; 1926c, p. 164, Gold Coast.**

Winged, sold., work.¹⁻²

Fr. Guinea (Kindia type, Camayenne paratype), Gold Coast.

Ethiopian.

***Microtermes subhyalinus*, var. *depauperata* Silvestri.**

***Microtermes subhyalinus* var. *depauperata* Silvestri 1914-1915, p. 23, sold., fig. 10, sold., Cameroon: Victoria; Sjöstedt 1926, p. 175.**

Sold.

Cameroon.

Ethiopian.

***Microtermes subhyalinus*, var. *negrilliensis* Ghidini.**

***Microtermes subhyalinus* var. *negrilliensis* Ghidini 1937, pp. 141-143, sold., Ethiopia.**

Sold.

Ethiopia: Galla-Borana (Mega).

Ethiopian.

***Microtermes tenuis* Oshima.**

***Microtermes tenuis* Oshima 1923, pp. 11-13, im., Sinabang, Simalur, Sumatra.**

Winged.

Sumatra.

Indo-Malayan.

Microtermes thoracalis Sjöstedt.

Microtermes thoracalis Sjöstedt 1926, p. 176, winged, sold., work., pl. 7, fig. G 1-2 (sold.), Egyptian Sudan; Wad Medani; Fr. Sudan.

Winged, sold., work.

Egyptian Sudan; Fr. W. Africa:

Fr. Sudan.

Ethiopian.

Microtermes toumodiensis Grassé.

Microtermes toumodiensis Grassé 1937a, pp. 80-83, fig. 45 (im.), fig. 46-47 (sold.), Toumodi, Ivory Coast.

Winged, sold.

Ivory Coast.

Ethiopian.

Microtermes trädgårdhi (Sjöstedt).

Termites incertus Trädgårdh (nec Haviland) 1904, p. 29, sold., pl. 4 (sold.), Sudan.

Termites Trädgårdhi Sjöstedt 1904, p. 71, winged, sold., work., Sudan: Kaka, Kartum.

Microtermes Trädgårdhi Holmgren 1913d, p. 333 (im.), p. 334 (sold.); Sjöstedt 1926, p. 174, pl. 7, fig. M (sold.).

Winged, sold., work.

Sudan.

Ethiopian.

Microtermes umfolozii Fuller.

Microtermes umfolozii Fuller 1922, p. 101, im., Umfolozi, Rail, Zululand, So. Africa.

Winged.

So. Africa.

Ethiopian.

Microtermes unicolor Snyder.

Microtermes unicolor Snyder 1933, pp. 92-93, king, queen, India: Dehra Dun.

Cotypes: king and queen, male, Brit. Mus., female, U.S.N.M. No. 44878.

Microtermes pubescens Snyder 1933a, pp. 9-10, sold., Dehra Dun.

Type: Brit. Mus.

King, queen, sold.

India.

Indo-Malayan.

Microtermes usambaricus Sjöstedt.

Microtermes usambaricus Sjöstedt 1926, p. 173, sold., Usambara: Mombo.

Sold.

Tanganyika.

Ethiopian.

Microtermes vadschaggae (Sjöstedt).

Termites vadschaggae Sjöstedt 1907a, p. 9 (im.), p. 10 (sold.), p. 19, im., sold., work., pl. 4, fig. E (fungus garden), Kilimandjaro: Kibonoto.

Microtermes vadschaggae Holmgren 1912, p. 41, fig. 5 (im. mand.); Silvestri 1914-15, p. 21, sold., Senegal: Thiès, Dakar.

Termites vadschaggae Sjöstedt 1915, pp. 13, 14, im., Kilimandjaro.

Termites Vadschaggae Sjöstedt 1926, p. 175, pl. 7, fig. C (sold.²), syn., loc.

Winged, queen, sold.¹⁻², work.¹⁻²

Tanganyika, Senegal.

Ethiopian.

Microtermes vadschaggae, var. **dubius** Grassé.

Microtermes vadschaggae var. **dubius** Grassé 1937a, pp. 86-87, fig. 49-A (sold.), Akakro, Ivory Coast.

Sold., work.¹⁻²

Ivory Coast.

Ethiopian.

MICRODONTERMES

Genus **Microtermes**, subgenus **Microdontermes** Sarwar 1940b, p. 144.

(Subgenus for *Microtermes mukarensis* which species combines characters of both *Odontotermes* and *Microtermes*.)

Ms. only ?

NASUTITERMITINAE

Subfamily NASUTITERMITINAE Hare.

Type genus: **Nasutitermes** Dudley.

=Subfamily NASUTITERMITINAE Hare 1937, pp. 462, 464, 475.

=?Subfamily EUTERMITINAE Holmgren 1910a, p. 146 (no description).

<**Syntermes**-Reihe Holmgren 1912, p. 45 (*Anoplotermes* included).

=Subfamily EUTERMITINAE Sjöstedt 1926, p. 290.

=Subfamily NASUTITERMITINAE Emerson 1945, p. 441.

Genera:

Syntermes Holmgren.

Procornitermes Emerson, n. gen.

Cornitermes Wasmann.

Triacitermes Emerson, n. gen.

Rhynchotermes Holmgren.

Hirtitermes Holmgren.

Nasutitermes Dudley.

Rotunditermes Holmgren.

Havilanditermes Light.

Tumulitermes Holmgren.

Occasitermes Holmgren.

Parvitermes Emerson, n. gen.

Obtusitermes Snyder.

Diversitermes Holmgren.

Bulbitermes Emerson, n. gen.

Coarctotermes Holmgren.

Velocitermes Holmgren.

Tenuirostritermes Holmgren.

Ceylonitermes Holmgren.

Grallatotermes Holmgren.

Lacessititermes Holmgren.

Longipeditermes Holmgren.

Constrictotermes Holmgren.

Hospitalitermes Holmgren.

Trinervitermes Holmgren.

Paracornitermes Emerson, n. gen.

Labiotermes Holmgren.

Armitermes Wasmann.
Curvitermes Holmgren.
Angularitermes Emerson.
Mimeutermes Silvestri.
Subulitermes Holmgren.
Convexitermes Holmgren.
Eutermellus Silvestri.

SYNTERMES

Genus **Syntermes** Holmgren.
 Generitype: **Syntermes dirus** (Burmeister).
 <Genus **Termes** Hagen 1858, pp. 107-108; 1858a, p. 16; 1862, p. 59; Silvestri 1903, p. 47;
 Holmgren 1906, p. 544.
 =Genus **Syntermes** Holmgren 1910, p. 285; 1911, p. 545; 1912, pp. 46, 11, 45; Snyder 1924c,
 p. 21; Emerson 1945; pp. 439-441.

Syntermes aculeosus Emerson.
Syntermes aculeosus Emerson 1945, pp. 443-444, fig. 4 (sold.), sold., work., Oronoque Riv.,
 Brit. Guiana.

Sold., work. Neotropical.
 Brit. Guiana.

Syntermes brevimalus Emerson.
Syntermes brevimalus Emerson 1945, pp. 457-458, fig. 11, sold., Oronoque Riv., Brit. Guiana.
 Sold.
 Brit. Guiana. Neotropical.

Syntermes calvus Emerson.
Syntermes calvus Emerson 1945, pp. 463-464, fig. 12, sold., Kartabo: Brit. Guiana.
 Sold.
 Brit. Guiana. Neotropical.

Syntermes chaquimayensis chaquimayensis (Holmgren).
Termes chaquimayensis Holmgren 1906, p. 547, sold., work.¹⁻², Prov. de Carabaya, Peru.
Syntermes chaquimayensis Holmgren 1911, pp. 546-548, sold.
Syntermes chaquimayensis chaquimayensis Emerson 1945, pp. 447-449, syn., loc.
 Types, cotypes: sold., Emerson coll.

Sold., work.¹⁻²
 Peru: Llinquipata, Chacaimayo,
 Val. Rio San Gaban (Prov.
 de Carabaya); Bolivia. Neotropical.

Syntermes chaquimayensis, subsp. **emersoni** Snyder.
Syntermes emersoni Snyder 1924c, pp. 22, 26-27, pl. 4, fig. 20, sold., Iguarape(?), Brazil.
Syntermes chaquimayensis, subsp. **emersoni** Emerson 1945, p. 449, syn.
 Holotype: sold., U.S.N.M. No. 25748.

Sold.
 Brazil. Neotropical.

Syntermes chaquimayensis, subsp. **parvinasus** Emerson.

Syntermes chaquimayensis, subsp. **parvinasus** Emerson 1945, pp. 450-451, fig. 7, sold., Rio
Waupes, Brazil or possibly Colombia.

Paratypes: from Ireng Rio to Roraima, Brazil, M.C.Z.
and A.M.N.H.

Sold.

Brazil.

Neotropical.

Syntermes dirus (Burmeister).

?*Termes spinosum* Latreille 1804, pp. 62-63, sold.; 1805, p. 70, sold.

Termes fatale Perty 1830, p. 127, pl. 25, fig. 8, im.

Termes flavicollis Perty 1830, p. 128, pl. 25, fig. 11, im., fig. 13, sold., Brazil.

Termes dirus Burmeister 1839, p. 766, im., Brazil.

Termes from Brazil Westwood 1840, p. 12, fig. 58, 1-11, im.

Termes obscurum Blanchard 1840, pl. 47, fig. 1.

Termes costatus Rambur 1842, p. 305, im., Cayenne.

Termes dirus Rambur 1842, p. 307, im.

?*Termes céphalotes* Rambur 1842, p. 309, sold., Brazil.

?*Termes dirus* Walker 1853, p. 510, im., syn.

?*Termes dubius* Walker 1853, p. 521 (im.).

?*Termes cephalotes* Walker 1853, p. 521 (im.).

Termes dirus Hagen 1858, p. 151, im., sold., work., pl. 2, figs. 16-17 (im.), pl. 3, fig. 17,
im. (part); 1858a, p. 21, im.; 1862, pp. 83-85, im.,
sold., work., pl. 4, figs. 1-8 (im.).

Termes spinosus Wasmann 1897, p. 139 (syn.); Desneux 1904e, p. 38 (syn.), pl. 2,
figs. 8, 8a, 8b (im., sold., work.).

Syntermes dirus Holmgren 1911, pp. 545-548, im., sold.

Termes spinosus Desneux 1915, p. 8 (syn.).

Syntermes dirus Snyder 1924c, p. 21 (im.), p. 22 (sold.), p. 24 (im.), p. 27 (sold.), from
Brazil only; Emerson 1945, pp. 459-462, syn., loc.,
types, p. 462; type locality: Rio, Brazil.

Type: 1 imago (cotype), det. Burmeister and Hagen,
No. 2763, Mus. Berlin.

Winged, sold., work.

Brazil, Dutch Guiana.

Neotropical.

Syntermes grandis (Rambur).

Termes fuscum Latreille 1804, p. 60, im.; 1805, p. 68, im.

Termes grandis Rambur 1842, p. 306, im.

Termes decumanus Erichson 1848, p. 582, im.

Termes costatus Walker 1853, p. 518, im.

Termes grandis Walker 1853, p. 519, loc.

Termes grandis Hagen 1858, p. 157, im., sold., pl. 2, fig. 10, pl. 3, fig. 18, im.; 1858a, p. 22, im.

Syntermes grandis Holmgren 1911, pp. 546-548, im., sold.

Termes grandis Desneux 1915, p. 8 (loc. type).

Syntermes grandis Snyder 1924c, pp. 22, 24, 27 (im., sold.), pl. 4, fig. 23 (sold.); Emerson
1945, pp. 451-453, syn., loc., types pp. 452-453; type
loc.: Cayenne.

Morphotype: sold., M.C.Z.

Winged, sold., work.

Fr. Guiana, Brit. Guiana, Bra-
zil, Venezuela.

Neotropical.

Syntermes hageni Holmgren.

Syntermes dirus f. hageni Holmgren 1911, pp. 547-548, sold., Brazil.

Syntermes hageni Snyder 1924c, p. 28, sold., Entre Rios, Rio, Brazil; Emerson 1945, pp. 454-455, fig. 9 (sold.), syn., loc., types.

Sold.

Brazil.

Neotropical.

Syntermes insidians Silvestri.

Syntermes insidians Silvestri 1946, pp. 12-14, fig. 4 (sold.), sold., work.¹⁻², Pitangueira (S. Paulo), Brazil.

Sold., work.¹⁻²

Brazil.

Neotropical.

Syntermes lighti Emerson.

Syntermes lighti Emerson 1945, pp. 453-454, fig. 8 (sold.), syn.

Syntermes peruanus Snyder 1926d, p. 15, pl. 2, fig. 8 (sold.), Villa Bella, Bolivia.

Holotype and paratypes: 4 sold., Acc. 4043, Carnegie Mus., A.M.N.H.; paratypes: Vienna Mus., M.C.Z., Caiçara, Brazil.

Sold.

Bolivia, Brazil.

Neotropical.

Syntermes magnoculus Snyder.

Syntermes magnoculus Snyder 1924c, pp. 23-25, winged, sold., "Chapada" (Brazil); Emerson 1945, pp. 445-446, fig. 5, sold. mand., loc., types.

Holotype: female, M.C.Z. No. 14510; paratype: male, U.S.N.M.; topotype: sold., M.C.Z.

Winged, sold.

Brazil.

Neotropical.

Syntermes molestus (Burmeister).

Termes molestus Burmeister 1839, p. 766, im.; Walker 1853, p. 513, im.; Hagen 1858, p. 159, pl. 3, fig. 19, im., Bahia, Amazon Riv.; 1858a, p. 22, im.; Silvestri 1901, p. 4 (loc.), Brazil: Corumbá (Cayubá).

Termes molestus Silvestri 1903, pp. 51, 116, im., sold., work., fig. 10 (wings), pl. 2, figs. 84-85 (im.), figs. 86-88 (sold.).

Syntermes molestus Holmgren 1911, pp. 547-548, im., sold.

Syntermes brasiliensis Holmgren 1911, pp. 547-548, im., sold.

Syntermes molestus Snyder 1924c, pp. 22, 24, im., p. 23, sold.

Syntermes brasiliensis Snyder 1924c, p. 23, sold.

Syntermes sp. Emerson ms. Snyder 1924c, p. 22, im.

Syntermes brasiliensis Bequaert 1925, p. 294 (biol.).

Syntermes molestus Snyder 1926d, pp. 14-15, pl. 2, fig. 5 (sold.).

Syntermes brasiliensis Snyder 1926d, p. 13, pl. 2, fig. 9 (sold.).

Syntermes molestus Emerson 1945, pp. 467-470, syn., loc., types, pp. 469-470; type loc. Brazil: Bahia.

Type: 1 imago (cotype), No. 2765 Mus. Berlin.

Winged, sold., work.

Brazil, Bolivia, Colombia, Venezuela.

Neotropical.

Syntermes obtusus Holmgren.

Termes grandis Silvestri 1901, p. 4, fig. winged, Paraguay: Villa Rica; 1903, p. 49 (im., work.), p. 116, biol., pl. 2, figs. 79-83 (im., work.), Villa Rica.

Syntermes obtusus Holmgren 1911, pp. 546-547 (im., syn.); Snyder 1924c, p. 22, im.; Emerson 1945, pp. 444-445, syn., loc., types.
Type: Silvestri coll., Portici.

Winged, work.

Paraguay.

Neotropical.

Syntermes parallelus Silvestri.

Syntermes parallelus Silvestri 1923b, pp. 318-321, pl. 15 (wing., sold., work.), wing., sold., work.¹⁻², Cattle Trail Survey, Canister Falls, Brit. Guiana; Snyder 1924c, p. 22, im., p. 23, sold.

Syntermes colombianus Snyder 1924c, pp. 23, 29, pl. 4, fig. 24 (sold.), Colombia.

Type: M.C.Z. No. 14511.

Syntermes parallelus Emerson 1925, pp. 310, 361-363, fig. 46, im., sold., Brit. Guiana; 1945, pp. 466-467, syn., loc., types.

Winged, sold., work.¹⁻²

Colombia, Brit. Guiana.

Neotropical.

Syntermes peruanus Holmgren.

Termes dirus Holmgren 1906, p. 545, im., sold., work.

Syntermes dirus Holmgren 1909, p. 85 (anatomy).

Syntermes peruanus Holmgren 1911, pp. 546-548, im., sold.

?*Syntermes boliviensis* Holmgren 1911, pp. 547-548, sold., Bolivia; 1912, p. 47 (loc.); Snyder 1924c, p. 23 (sold.).

Syntermes peruanus Snyder 1924c, p. 22, im., sold.; Emerson 1945, pp. 458-459, syn., loc., types, cotypes: im., sold., work.; type loc., Peru: Juan del Oro, Tambopata Valley.

Cotypes: 1 sold., workers, Holmgren coll. labeled *S. dirus*.

Winged, sold., work.

Peru, Bolivia.

Neotropical.

Syntermes praecellens Silvestri.

Syntermes praecellens Silvestri 1946, pp. 2-6, fig. 1, female winged, sold., work.¹⁻², possible other type sold.? Jabaquara (S. Paulo), Brazil.

Winged, sold., work.¹⁻²

Brazil.

Neotropical.

Syntermes silvestri Holmgren.

Termes dirus Silvestri 1901, p. 4; 1903, p. 48 (sold., work.), p. 115 (biol.), pl. 2, figs. 75-78 (sold., work.), pl. 6, fig. 298 (biol.).

Syntermes silvestri Holmgren 1911, pp. 546, 548, sold.; 1912, pp. 19, 47, fig. 4 (sold. mand.), pl. 2, fig. 14 (sold.); Snyder 1924c, p. 23 (sold.); Emerson 1945, pp. 462-463, syn., loc., types; type loc., Brazil: Coxipó, Cuyabá, Matto Grosso.

Cotype: sold., Silvestri coll., Portici.

Sold., work.

Brazil, Paraguay, Argentina.

Neotropical.

Syntermes snyderi Emerson.

?*Termes dirus* Walker 1853, p. 510, im., sold., work.

Syntermes snyderi Emerson 1925, pp. 294, 310, 358-359, fig. 44, im., sold., Kartabo, Brit. Guiana.

Syntermes snyderi Emerson, in Snyder 1924c, p. 21 (im.), p. 22, sold. in keys.

Syntermes dirus Snyder 1924c, pp. 27-28, sold., Kartabo, Brit. Guiana.

Syntermes snyderi Snyder 1926d, pl. 2, fig. 7, sold.

Syntermes dirus Wheeler 1936, pp. 174, 176, 221 (biol.), Guiana only.

Syntermes snyderi Emerson 1945, pp. 446-447, syn., loc., types.

Holotype: sold.; morphotype: imago, Emerson coll.

Winged, sold., work.

Brit. Guiana, Dutch Guiana,

Venezuela.

Neotropical.

Syntermes solidus Emerson.

Syntermes solidus Emerson 1945, p. 447, sold., fig. 6, Fr. Guiana: St. Jean, Moroni Riv.

Holotype: sold.

Sold.

Fr. Guiana.

Neotropical.

Syntermes territus Emerson.

Syntermes territus Emerson 1925, pp. 310, 359-361, fig. 45, im., sold., Kartabo, Brit. Guiana.

Syntermes territus Emerson, in Snyder 1924c, p. 22 (im.), p. 23 (sold.).

Syntermes territus Emerson 1945, pp. 464-466, syn., loc., types.

Holotype: sold.; morphotype: im., Emerson coll.

Im., sold.

Brit. Guiana, Brazil.

Neotropical.

Syntermes wheeleri Emerson.

Syntermes wheeleri Emerson 1945, pp. 455-457, fig. 10, sold., Brazil: Rio.

Holotype: sold. (det. by Burmeister and Hagen as *T. dirus*); type: M.C.Z. No. 25707.

Sold., work.¹

Brazil.

Neotropical.

PROCORNITERMES

Genus **Procornitermes** Emerson, n. gen.

Generitype: **Procornitermes striatus** (Hagen).

<Subgenus **Termes** Hagen 1858, pp. 107, 108; 1858a, p. 23.

<Subgenus **Cornitermes** Wasmann 1897, p. 150.

<Genus **Cornitermes** Silvestri 1901, p. 4; 1903, p. 52.

<Genus **Termes** Desneux 1904e, pp. 26, 28.

<Subgenus **Termes** (**Termes**) Desneux 1904e, pp. 32, 35.

<Genus **Cornitermes** Holmgren 1906, p. 549; 1912, pp. 45, 49.

<Subgenus **Cornitermes** Holmgren 1912, p. 50.

<Subgenus **Tubulitermes** Holmgren 1912, pp. 52, 53.

<Genus **Cornitermes** Emerson 1925, p. 363.

<Subgenus **Cornitermes** Emerson 1925, p. 365; 1928, p. 406.

<Genus **Cornitermes** Snyder 1926d, p. 17.

<Subgenus **Cornitermes** Snyder 1926d, p. 17.

<Genus **Cornitermes** Hare 1937, pp. 460, 474.

Procornitermes cornutus (Holmgren).

Cornitermes (Cornitermes) cornutus Holmgren 1906, p. 549, sold., work., fig. J (sold.), fig. K (work.), Bolivia: Tuiche (Prov. Caupolicana).

Cornitermes striatus Snyder 1926d, p. 20, sold. and work., loc. (part), Tumupasa and Covendo, Bolivia.

Sold., work.

Bolivia.

Neotropical.

Procornitermes lespesii (Fr. Müller).

Termes Lespesii Fr. Müller 1873, p. 349, Brazil: S. Catharina, Itajahy.

Termes lespesi Berg. 1880.

Cornitermes Lespesii Silvestri 1903, p. 57, places in syn. with *striatus*, loc.

?**Termes Lespesi** Desneux 1904e, p. 38, places in syn. with *striatus*.

Cornitermes (Cornitermes) Lespesi Holmgren 1912, p. 51, fig. 23 (sold. mand.).

Cornitermes (Cornitermes) lespesi Snyder 1926d, p. 20, queen, sold., work., loc., Bolivia.

Termes striatus Müller 1871, pp. 205-206 (biol.).

Cornitermes (Cornitermes) striatus Snyder 1926d, p. 20, sold., Bolivia: Asunto, Canamina, Espia only.

Queen, sold., work.

Brazil, Bolivia.

Neotropical.

Procornitermes striatus (Hagen).

Termes striatus Hagen 1858, p. 171, im., Brazil.

Cornitermes striatus Silvestri 1901, p. 4, Argentina, Uruguay, Paraguay; 1903, p. 57, im., sold., work., fig. 12 (wings), pl. 3, fig. 99 (im.), figs. 100-101 (sold.), loc.

Cornitermes (Cornitermes) striatus Holmgren 1912, p. 51, pl. 2, figs. 10, 13 (sold.).

Type: Mus. Berlin; paratype: winged male, M.C.Z.
No. 205.

Winged, sold., work.

Brazil, Paraguay, Uruguay, Argentina.

Neotropical.

CORNITERMES

(Horn)

Genus **Cornitermes** Wasmann.

Generitype: **Cornitermes cumulans** (Kollar).

<Subgenus **Termes** Hagen 1858, pp. 107, 108; 1858a, p. 23.

<Subgenus **Cornitermes** Wasmann 1897, p. 150.

<Genus **Cornitermes** Silvestri 1901, p. 4; 1903, p. 52.

<Genus **Termes** Desneux 1904e, pp. 26, 28.

<Subgenus **Termes (Termes)** Desneux 1904e, pp. 32, 35.

<Genus **Cornitermes** Holmgren 1906, p. 549; 1912, pp. 45, 49.

<Subgenus **Cornitermes** Holmgren 1912, pp. 50-51.

<Subgenus **Tubulitermes** Holmgren 1912, pp. 52, 53.

<Genus **Cornitermes** Emerson 1925, p. 363.

<Subgenus **Cornitermes** Emerson 1925, p. 365; 1928, p. 406.

<Genus **Cornitermes** Snyder 1926d, p. 17.

<Subgenus **Cornitermes** Snyder 1926d, p. 17.

<Genus **Cornitermes** Hare 1937, pp. 460, 474.

- Cornitermes acignathus* Silvestri.
Cornitermes acignathus Silvestri 1901, p. 4, sold., work., Ecuador: Guayaquil; 1903, p. 55,
 pl. 3, fig. 95, sold.
- Termes acignathus* Desneux 1904e, p. 35, syn.
 Sold., work.
 Ecuador. Neotropical.
- Cornitermes boliviensis* Snyder.
Cornitermes (Cornitermes) boliviensis Snyder 1926d, p. 17, winged female, sold., Lago
 Rogagua, Bolivia, also Cachuela Esperanza (Beni
 Riv.), Bolivia.
 Type: winged female, U.S.N.M. No. 27648.
- Winged.
 Bolivia. Neotropical.
- Cornitermes cumulans* (Kollar).
Termes cumulans Kollar 1832, vol. 1, p. 111, fig. 9B; vol. 2, p. 13, fig. 9, im., Brazil.
Termes dubius Rambur 1842, p. 309, sold.
Termes cumulans Hagen 1858, p. 165, pl. 2, fig. 11, pl. 3, fig. 20, im., Brazil: Ypanema,
 Barra only.
Termes (Cornitermes) cumulans Wasmann 1897, p. 150, im.
Cornitermes cumulans Silvestri 1903, p. 56, loc., Ypanema only.
Cornitermes similis Silvestri 1901, p. 4, Argentina: Posados; Paraguay: Matto Grosso;
 1903, p. 53, im., sold., work., Brazil, fig. 11 (wings),
 pl. 2, figs. 89-91 (im.), figs. 92-93 (sold.), pl. 3, fig. 94
 (sold.); Holmgren 1912, p. 51, fig. 25 (sold.), pl. 2,
 fig. 9 (im.), Argentina.
? *Termes americanus* Rengger 1895, ? Paraguay.
? *Termes Christiernsoni* Sörensen 1884, p. 20, pl. 1, figs. 1-12, Argentina: Gran Chaco.
Winged, sold., work.
Brazil: Ypanema—São Paulo
 Prov., Barra—Rio Negro;
 Paraguay; Argentina. Neotropical.
- Cornitermes pilosus* Holmgren.
Cornitermes pilosus Holmgren 1906, p. 551, sold., work., fig. L (sold.), fig. M (work.),
 Peru.
Cornitermes (Cornitermes) pilosus Holmgren 1912, p. 51, fig. 24 (sold. mand.).
 Cotype: sold., work., M.C.Z. No. 10103.
 Sold., work.
 Peru: Chiquimayo (Val. des
 Rio San Gaban, Prov. Cara-
 baya). Neotropical.
- Cornitermes pugnax* Emerson.
Cornitermes (Cornitermes) pugnax Emerson 1925, pp. 365-367, fig. 48, im., sold., Kartabo,
 Brit. Guiana.
Cornitermes acignathus Banks 1918, p. 666, Brit. Guiana only.
Cornitermes (Cornitermes) similis Snyder 1926d, p. 20, Bolivia.
Winged, sold.
Brit. and Dutch Guiana; Bra-
zil: Amazonas; Bolivia. Neotropical.

Cornitermes silvestrii Emerson, n. sp.

Cornitermes cumulans Silvestri 1901, p. 4, loc., Brazil: Cuyabà; 1903, p. 56, im., sold., work., p. 120, biol., figs. 40-41 (nests), pl. 3, figs. 96-98 (im., sold.), Brazil: Coxipô, Cuyabà only.

Winged, sold., work.

Brazil. Neotropical.

Cornitermes similis (Hagen).

Termes similis Hagen 1858, p. 167, im. only, pl. 3, fig. 21 (im.), Brazil: Lagoa Santa.

Termes (Cornitermes) similis Wasmann 1897, p. 150.

Types: Mus. Hall, Berlin; paratype: winged female, M.C.Z. No. 420.

Winged, sold., work.

Brazil. Neotropical.

Cornitermes snyderi Emerson, n. sp.

Cornitermes (Cornitermes) cumulans Snyder 1926d, p. 19, winged, queen, sold., work., Bolivia: Rosario.

Winged, queen, sold., work.

Bolivia. Neotropical.

Cornitermes walkeri Snyder.

Cornitermes (Cornitermes) acignathus walkeri Snyder 1929, p. 84, sold., fig. 1, Rio Tapia, Rep. Panama.

Type: sold., U.S.N.M. No. 41743.

Cornitermes (Cornitermes) acignathus, costaricensis Snyder 1929, p. 84, sold., fig. 2, Costa Rica: Hamburg Farm near San Jose.

Cornitermes acignathus Banks 1918, p. 662, sold., p. 666, loc. [?Panama: Cabina]; Snyder 1925, p. 187, dealated male and females, Rio Tapia, Panama; 1926, p. 28, sold., work., Colombia: Santa Anna.

Cornitermes (Cornitermes) acignathus Snyder 1929, pp. 83, 86, sold., discus.

Dealated male, females, sold.

Panama, Costa Rica, Colombia. Neotropical.

TRIACITERMES

Genus *Triacitermes* Emerson, n. gen.

Generotype: *Triacitermes triacifer* (Silvestri).

<Genus *Cornitermes* Silvestri 1901, p. 4; 1903, p. 52.

<Subgenus *Termes (Termes)* Desneux 1904e, pp. 32, 35.

<Subgenus *Cornitermes (Cornitermes)* Holmgren 1912, p. 50.

Triacitermes triacifer (Silvestri).

Cornitermes triacifer Silvestri 1901, p. 4, sold., work., Brazil: Corumbà; 1903, p. 58, pl. 3, fig. 102, sold., work.

Termes (Termes) triacifer Desneux 1904e, p. 38, syn.

Sold., work.

Brazil. Neotropical.

RHYNCHOTERMES

(Snout)

Genus *Rhynchotermes* Holmgren.Generitype: *Rhynchotermes nasutissimus* (Silvestri).=Subgenus *Rhynchotermes* (*Armitermes*) Holmgren 1912, p. 55.*Rhynchotermes nasutissimus* (Silvestri).*Armitermes nasutissimus* Silvestri 1901, p. 7, im.; 1903, pp. 79-80, im., sold., work., fig. 20 (wings), pl. 4, figs. 141-142 (im.), figs. 143-147, sold., fig. 148 (work.), Brazil: Coxipô (Cuyabá); Paraguay: Arequá.*Termes* (*Eutermes*) *nasutissimus* Desneux 1904e, p. 44 (syn.), loc.*Armitermes nasutissimus* Holmgren 1906, p. 569, Bolivia: Mojos (Prov. de Caupolicana).*Armitermes* (*Rhynchotermes*) *nasutissimus* Holmgren 1912, p. 53, fig. 29 (im. mand.), pp. 55, 57, fig. 36 (sold. mand.), pl. 2, fig. 15 (sold.), loc.; Snyder 1926d, p. 25, Bolivia.

Winged, sold., work.

Brazil, Paraguay, Bolivia.

Neotropical.

Rhynchotermes perarmatus (Snyder).*Armitermes* (*Rhynchotermes*) *perarmatus* Snyder 1925, pp. 188-190, 193, sold., work., fig. 7 (sold.), Rio Chinilla, C. Z., Panama.

Type: sold., U.S.N.M. No. 27240.

Armitermes (*Rhynchotermes*) *major* Snyder 1925b, pp. 160-161, sold., work., Estrella, Costa Rica.

Sold., work.

Panama, Ecuador, Costa Rica.

Neotropical.

HIRTITERMES

Genus *Hirtitermes* Holmgren.=Subgenus *Hirtitermes* Holmgren.Generitype: *Hirtitermes hirtiventris* (Holmgren).Subgenus *Eutermes* (*Hirtitermes*) Holmgren 1912, pp. 59, 60, 62.*Hirtitermes hirtiventris* (Holmgren).*Eutermes* (*Hirtitermes*) *hirtiventris* Holmgren 1912, pp. 60, 62, 67, fig. 38 (sold. mand.), pl. 3, fig. 1 (sold.), Sarawak; 1913b, p. 156, sold., work.

Sold., work.

Borneo: Sarawak.

Indo-Malayan.

Hirtitermes sinabangensis Oshima.*Hirtitermes sinabangensis* Oshima 1923, pp. 21-22, figs. 19-20, sold., work., Sinabang, Simalur, Sumatra.

Sold., work.

Sumatra.

Indo-Malayan.

Hirtitermes spinoccephalus (Oshima).*Eutermes* (*Hirtitermes*) *spinoccephalus* Oshima 1914b, pp. 574-575, pl. 10, fig. 7, sold., Tarakan, Dutch Borneo.

Sold., work.

Dutch Borneo.

Indo-Malayan.

NASUTITERMES

Genus **Nasutitermes** Dudley.

Generitype: **Nasutitermes corniger** Motschulsky.

=Genus **Nasutitermes** Dudley (and Beaumont) 1890, p. 158.

<Subgenus **Eutermes** (**Termes**) Hagen (part), 1858, p. 186; 1858a, pp. 26, 16 (misspelled *Eutermes*).

<Genus **Eutermes** Fr. Müller 1873, p. 343.

<Genus **Eutermes** Froggatt 1897, p. 741.

=Subgenus **Eutermes** (**Termes**) Wasmann 1897, p. 151, designates type.

<Genus **Termes** (part) Haviland 1898, p. 377.

<Genus **Eutermes** Sjöstedt 1900a, p. 139 (part); 1904 (part).

<Genus **Eutermes** Silvestri 1901; 1903, p. 81.

<Genus **Eutermes** Wasmann 1902b, p. 128.

<Genus **Termes**, subgen. **Eutermes** Desneux 1904e, pp. 32, 39.

<Genus **Eutermes** Holmgren 1910b, p. 209, etc.

=Subgenus **Eutermes** Holmgren 1910b, pp. 206, 216 (except for *longirostratus*).

<Genus **Eutermes** Holmgren 1912, pp. 58, 45.

=Genus **Nasutitermes** Banks 1919, p. 479; Banks (and Snyder) 1920, pp. 69, 82.

<Genus **Eutermes** Sjöstedt 1926, pp. 307, 325.

=Subgenus **Nasutitermes** Hare 1937, pp. 462, 477.

?**Nasutitermes acutus** (Holmgren).

Eutermes (**Eutermes**) *acutus* Holmgren 1913b, p. 189, im., Java: Wonosobo.

Type: Holmgren coll.; cotypes in Leydener Mus. [No point on mandibles probably small form *javanicus*.]

Subulitermes(?) *acutus* Kemner 1934, p. 122.

Eutermes (**Eutermes**) *buitenzorgi* Holmgren 1913-14, pp. 263-264, fig. 13 (sold.), sold., work.¹⁻², Java: Buitenzorg; E. Sumatra. [No point to mand. sold.]; Oshima 1914b, pp. 575-576, pl. 10, fig. 13, sold., work., Pengaran, Johore; John 1925, p. 295, loc., Java: Depok.

Subulitermes *buitenzorgi* Kemner 1934, p. 122, im., p. 114, im., Java: Wonosobo.

Winged, sold., work.

Java, Sumatra, Malay Pen.

Indo-Malayan.

Nasutitermes aduncus Snyder.

Nasutitermes (**Nasutitermes**) *aduncus* Snyder 1926d, p. 26, pl. 2, figs. 1-2 (sold.), sold., work., Rurrenabaque, Bolivia.

Type: sold., U.S.N.M. No. 27652.

Sold., work.

Bolivia.

Neotropical.

Nasutitermes aethiops (Sjöstedt).

Eutermes (**Eutermes**) *aethiops* Sjöstedt 1924a, p. 41, nasutus, Luebo, Belg. Congo; 1926, p. 318, nasutus, work.

Nasutus, work.

Belg. Congo.

Ethiopian.

Nasutitermes alticola (Holmgren).

Eutermes (Eutermes) alticola Holmgren 1913b, pp. 159-163, winged, sold., "Malakka," described in key.

Winged, sold.

Malacca.

Indo-Malayan.

Nasutitermes amboinensis (Kemner).

Eutermes amboinensis Kemner 1931, pp. 38-43, winged, sold., work., fig. 13 (winged), fig. 14 (sold.), Amboina.

Winged, sold., work.

Amboina.

Papuan.

?*Nasutitermes anamalaiensis* Snyder.

Nasutitermes (Rotunditermes) anamalaiensis Snyder 1933a, pp. 11-12, fig. 6, sold., Anamalai Hills, Madras, India.

Cotypes: sold., Brit. Mus., For. Res. Inst., U.S.N.M. No. 44105.

Sold.

India.

Indo-Malayan.

Nasutitermes aquilinus (Holmgren).

Eutermes (Eutermes) aquilinus Holmgren 1910b, p. 286, im., sold.¹⁻², work., fig. 59a (im.), b, c (sold.¹), d, e (sold.²), Brazil: Valley of Itapocú (distr. Jaraguá, S. Catharina), Blumenau, pp. 193-196, variation; John 1920, pp. 230-231, Paraguay.

Winged, sold., work.

Brazil, Paraguay.

Neotropical.

Nasutitermes aquilinus, form *rectifrons* (Holmgren).

Eutermes (Eutermes) aquilinus forma rectifrons Holmgren 1910b, p. 289, im., sold., work., Brazil: Rio Grande do Sul. Type: Reichmus., Stockholm.

Winged, sold., work.

Brazil.

Neotropical.

Nasutitermes arboreus (Smeathman).

Termes arborum Smeathman 1781, pp. 141, 161, pl. 10, figs. 21-25 (ed. Meyer), p. 14, fig. 2, im., Sierra Leone; Hagen 1858, p. 212, im. *T. obscurus*, Cape (Mus. Berlin), Senegal (Selys coll.), work.-nasutus, pl. 1, fig. 23, Cape (Selys coll.) [sold. seems doubtful].

Eutermes (Eutermes) arborum Holmgren 1912, p. 62.

Termes (Eutermes) arborum Desneux 1915, p. 9, loc.

Eutermes arborum Sjöstedt 1926, p. 315, fig. 69 (sold.), syn., loc.

Winged, queen, sold., work.

Senegal, Sierra Leone, Gold Coast, Cameroon, Fernando Po, Fr. Equatorial Africa, Congo, Cape.

Ethiopian.

Nasutitermes arenarius (Hagen).

Termes arenarius Hagen 1858, p. 222 (Bates ms.), im., sold., work., Brazil: Santarem only.

Eutermes (Eutermes) arenarius Holmgren 1910b, p. 263, im. only, Brazil: Santarem.
Type: Hagen coll., M.C.Z. (im., sold.).

Winged, sold., work.

Brazil.

Neotropical.

Nasutitermes aruensis (John).

Eutermes (Eutermes) aruensis John 1925, p. 399, sold., Aru Isl., Wammar.

Sold.

Aru Isl.

Papuan.

Nasutitermes balintauacensis (Oshima).

Eutermes (Eutermes) balintauacensis Oshima 1917a, p. 224, sold., Philippines, Balintawac; 1920a, p. 502, loc. pl. 3, fig. 17, pl. 4, fig. 16 (sold.), Philippines: Luzon, Paete (Laguna Prov.).

Nasutitermes (Nasutitermes) balintauacensis Light and Wilson 1936, pp. 505-506, fig. 19 (sold.), Balintawac: Rizal, type loc.

Sold.

Philippines.

Indo-Malayan.

Nasutitermes banksi Emerson.

Nasutitermes holmgreni Banks 1918, p. 667, fig., sold., Tukeit, Brit. Guiana.

Nasutitermes (Nasutitermes) banksi Emerson 1925, pp. 294, 299, syn., p. 308, sold., p. 392, fig. 61 (im., sold.), Tukeit, Brit. Guiana (new name for *N. holmgreni* Banks).

Type: A.M.N.H.; paratype: M.C.Z.

Nasutitermes banksi Emerson 1929, p. 722, biol.

Nasutitermes (Convexitermes) pulliceps Snyder 1926d, p. 34, sold., Bolivia: Cachuela Esperanza (Beni Riv.).

Winged, sold.

Brit. Guiana, Bolivia.

Neotropical.

Nasutitermes benjamini Snyder.

Eutermes (Eutermes) insularis Sjöstedt 1924c, p. 494, nasutus, Isl. Mauritius.

Eutermes insularis Sjöstedt 1926, p. 316.

Nasutitermes (Nasutitermes) benjamini Snyder 1926e, p. 143 (new name for *E. insularis* Sjöstedt).

Nasutus.

Isl. Mauritius.

Malagasy.

Nasutitermes bequaerti Emerson.

Eutermes (Eutermes) nanus Sjöstedt 1924a, p. 41, nasutus, Belg. Congo: Bomba.

Nasutitermes (Nasutitermes) bequaerti Emerson 1928, p. 416 (new name for *E. nanus* Sjöstedt).

Nasutus.

Congo: Bomba, Stanleyville.

Ethiopian.

Nasutitermes bivalens (Holmgren).

Eutermes (Eutermes) bivalens Holmgren 1910b, p. 221, sold.¹⁻², work., fig. 13 (sold.¹⁻²),
Brazil: Cuyabà (Matto Grosso).

Eutermes Rippertii var. *Silvestri* 1903, p. 82, figs. 155-158 (sold.¹⁻²) (Rio Cuyabà, Brazil).

Sold.¹⁻²

Brazil.

Neotropical.

Nasutitermes boengiensis (Kemner).

Eutermes boengiensis Kemner 1934, pp. 143-145, sold., Boeton Isl., Celebes.

Sold.

Celebes.

Indo-Malayan.

Nasutitermes boetoni (Oshima).

Eutermes (Tumulitermes) boetoni Oshima 1914b, pp. 579-580, pl. 10, fig. 11, sold., work.,
Boeton, Celebes.

Sold., work.

Celebes.

Indo-Malayan.

Nasutitermes boliviensis (Holmgren).

Eutermes (Eutermes) boliviensis Holmgren 1910b, p. 233, im., sold., work., Bolivia: Mojos.
Winged, sold., work.

Bolivia.

Neotropical.

Nasutitermes brevicornis Light and Wilson.

Nasutitermes (Nasutitermes) brevicornis Light and Wilson 1936, pp. 512-513, fig. 24 (sold.),
Cotabato Prov., Mindanao.

Sold.

Philippines.

Indo-Malayan.

Nasutitermes brevioculatus (Holmgren).

Eutermes (Eutermes) brevioculatus Holmgren 1910b, p. 220, im., sold., work., fig. 12 (im.,
sold.), Brazil: Coxipò, Cuyabà, Urucùm, Corumbà;
Paraguay: Asunción, etc.

Eutermes Rippertii Silvestri 1901, p. 7, Paraguay, Matto Grosso.

Eutermes Rippertii Silvestri 1903, p. 81, im., sold., work., fig. 21 (wings), figs. 48-50
(nest), pl. 4, figs. 149-150 (im.), figs. 151-158 (sold.),
Brazil, Paraguay.

Eutermes brevioculatus John 1920, p. 228, loc. cit.

Winged, sold., work.

Brazil, Paraguay, Bolivia.

Neotropical.

Nasutitermes brevipilus Emerson.

Nasutitermes (Nasutitermes) brevipilus Emerson 1925, pp. 395-397, fig. 63, im., sold.,
Kartabo: Brit. Guiana.
Holotype: imago; morphotype: sold., N. Y. Zool. Soc.,
A.M.N.H.

Winged, sold.

Brit. Guiana.

Neotropical.

Nasutitermes brevirostris (Oshima).

Eutermes (*Grallatotermes*) *brevirostris* Oshima 1917, p. 198, im., sold., work., fig. 3 (im.), fig. 4 (sold.), Caroline Isls., Ponapi and Palao Isls.; 1942, p. 387, Palao: Ponape.

Nasutitermes (*Nasutitermes*) *brevirostris* Light and Wilson 1936, p. 476 (syst.).

Winged, sold., work.

Caroline Isls.

Papuan.

Nasutitermes brunneus Snyder.

Nasutitermes (*Nasutitermes*) *fletcheri* Snyder 1933a, p. 10, im., p. 11, sold., pl. 1 (sold., fungous infection), India: Anamalai Hills, Madras.

Nasutitermes (*Nasutitermes*) *fletcheri* Margabandhu 1935, p. 209.

Nasutitermes (*Nasutitermes*) *brunneus* Snyder 1934a, p. 11, discus., winged, sold., India: Anamalai Hills, Madras.

Cotypes: winged, For. Res. Inst., and U.S.N.M. No. 50166; comorphotypes: sold., as above.

Winged, sold.

India. Indo-Malayan.

Nasutitermes bulbiceps (Holmgren). ..

Eutermes (*Eutermes*) *bulbiceps* Holmgren 1913b, p. 160, sold.¹, p. 161, sold.², Malacca: Selango (Gap); 1913-14, p. 254, sold., work., pl. 17, fig. 14a, sold.¹, 14b, sold.², Malacca.

Sold.¹⁻², work.

Malacca.

Indo-Malayan
Sudan

Nasutitermes busuangae Light and Wilson.

Nasutitermes (*Nasutitermes*) *busuangae* (Light and Wilson) 1936, pp. 511-512, figs. 11-23, sold., Busuanga Isl., Palawan.

Sold.
Philippines. Indo-Malayan

Nasutitermes carnarvonensis (Hill).

Eutermes *carnarvonensis* Hill 1942, pp. 279-281, figs. 186-188, alate, sold., work., Queensland: Carnarvon Range.

Holotype: winged; morphotype: sold., C.S.I.R. coll.

Winged, sold., work.

Australia: Queensland.

Australian.

Nasutitermes castaneus (Oshima).

Eutermes (*Eutermes*) *castaneus* Oshima 1920a, p. 502, sold., work. (comp. with *N. gracilis*), pl. 2, fig. 4 (sold.), pl. 3, fig. 18, pl. 4, fig. 15 (sold.), Philippines: Luzon, Sarai (near Paete), Laguna Prov.

Nasutitermes (*Nasutitermes*) *castaneus* Light and Wilson 1936, pp. 508-509, fig. 21 (sold.).

Sold., work.

Philippines.

Indo-Malayan.

Nasutitermes celebensis (Holmgren).

Eutermes (Eutermes) celebensis Holmgren 1913b, p. 181, im., sold., work., Celebes: Menado (Mus. Cambridge).

Winged, sold., work.

Celebes.

Indo-Malayan.

Nasutitermes centraliensis (Hill).

Eutermes centraliensis Hill 1925a, pp. 221-222, pl. 24, figs. 27-29, sold., work., Central Australia (near Alice Springs); 1942, pp. 207-209, figs. 104-105.

Holotype: sold.; morphotype: work., Nat. Mus., Melbourne.

Sold., work.

Central Australia, Western Australia, Queensland.

Australian.

Nasutitermes ceylonicus (Holmgren).

Eutermes ceylonicus Holmgren 1911c, p. 197, sold., pl. 3, fig. M, Ceylon: Peradeniya.

Eutermes (Eutermes) ceylonicus Holmgren 1913b, p. 177, sold., work., pl. 7, fig. 15 (sold.) ; 1913-14, p. 263.

Sold., work.

Ceylon.

Indo-Malayan.

Nasutitermes chapini Emerson.

Nasutitermes (Nasutitermes) chapini Emerson 1928, p. 480, fig. 35 (sold.), Ngayu, Belg. Congo.

Holotype: sold., A.M.N.H.

Sold.

Belg. Congo.

Ethiopian.

Nasutitermes chapmani Light and Wilson.

Nasutitermes (Nasutitermes) chapmani Light and Wilson 1936, pp. 502-503, fig. 16, dealate and sold., Cuenos de Nigros.

Dealate, sold.

Philippines.

Indo-Malayan.

Nasutitermes chaquimayensis (Holmgren).

Eutermes chaquimayensis Holmgren 1906, p. 575, im., sold., work., fig. E 1 (im.), fig. F 1 (sold.), fig. G (work.), Bolivia: San Fermin (Prov. Caupolicana); Peru: Llinquipata, Chaque Mayo (Prov. de Carabaya).

Eutermes (Eutermes) chaquimayensis Holmgren 1910b, p. 228, im., sold., work., fig. 19 (im., sold.).

Eutermes chaquimayensis John 1920, p. 228, Bolivia, Brazil.

?**Eutermes (Eutermes) tuichensis** Holmgren 1910b, p. 232, im., sold., work., Bolivia; Tuiche. Winged, sold., work.

Bolivia, Peru, Brazil.

Neotropical.

Nasutitermes chrysopleura (Sjöstedt).

Eutermes chrysopleura Sjöstedt 1897, p. 126, im. (dealated), Cameroon: Victoria.

Termes (Eutermes) chrysopleura Desneux 1904e, p. 41, syn.

?Eutermes chrysopleura Sjöstedt 1926, p. 324, syn., loc.

Dealated.

Cameroon.

Ethiopian.

Nasutitermes coalescens (Mjöberg).

Eutermes coalescens Mjöberg 1920, p. 51, sold., work., figs. 17e, 24, sold., S. W. Australia: Mundaring; Hill 1942, p. 209, loc.

Cotypes: in Nat. Hist. Mus., Stockholm, and Hill coll.

Sold., work.

W. Australia.

Australian.

Nasutitermes colimae Light.

Nasutitermes (?) colimae Light 1933, p. 129, pl. 8, figs. 1 and 2, figs. AA and CC, winged, Colima.

Winged.

W. Mexico.

Neotropical.

Nasutitermes columbicus (Holmgren).

Eutermes (Eutermes) guayanae forma columbicus Holmgren 1910b, p. 250, sold., "Columbia." Type: Mus. Hamburg.

Nasutitermes columbicus Snyder 1924c, pp. 30-31, winged, Frijoles, C. Z., Panama (distinct species).

Nasutitermes (Nasutitermes) columbicus Snyder 1926, p. 28, sold., work., Hamburg Farm, Costa Rica.

Winged, sold., work.

Colombia, Panama, Costa Rica.

Neotropical.

Nasutitermes comorensis (Wasmann).

Eutermes comorensis Wasmann 1910a, p. 126, sold., work., Comoro Isls.: Moheli; Sjöstedt 1926, p. 322, syn., loc.

Cotype: nasutus, Sjöstedt coll.

Nasutus, work.

Comoro Isls.

Malagasy.

Nasutitermes comstockae Emerson.

Nasutitermes (Nasutitermes) comstockae Emerson 1925, pp. 390-391, fig. 57e, f, sold., Kartabo, Brit. Guiana.

Holotype: sold., Emerson coll.

Sold.

Brit. Guiana.

Neotropical.

Nasutitermes constricticeps Light and Wilson.

Nasutitermes (Nasutitermes) constricticeps Light and Wilson 1936, pp. 510-511, fig. 22, sold., Zamboanga Prov., Mindanao.

Sold.

Philippines.

Indo-Malayan.

Nasutitermes corniger (Motschulsky).

Termes cornigera Motschulsky 1855, p. 10, sold., Panama: Obispo; Hagen 1858, p. 200,
places in syn. with *Termes morio* Latreille.

Nasutitermes cornigera Banks 1918, p. 665, im., sold., pl. 51, fig. 2 (sold.), Panama: Obispo,
Trinidad Riv., Las Cascadas.

Nasutitermes (Nasutitermes) cornigera Snyder 1926d, p. 31, Bolivia.

Type: sold., Hagen coll., M.C.Z.

Eutermes sp. Dudley (and Beaumont) 1889, pp. 85-104, biol., figs. 1-6, 7, 9, im., sold., work.,
fig. 8, sold., Panama.

Termes morio Hagen 1858a, p. 27, im. (Panama only).

Eutermes (Eutermes) insularis Holmgren 1910b, p. 239, sold., fig. 26 (sold.), Costa Rica.

Eutermes (Eutermes) costaricensis Holmgren 1910b, pp. 210, 237, im., sold., work.,
fig. 24 (sold.), Costa Rica only.

Eutermes (Eutermes) insularis forma *obscurus* Holmgren 1910b, p. 239, sold., Costa
Rica: Port Limon.

Eutermes sp. Dudley and Beaumont 1889a, pp. 56-73, biol., figs. 1-7, 8 (sold.), fig. 9 (im.,
sold.).

Nasutitermes sp. Dudley and Beaumont 1890, pp. 158, 163.

Winged, sold., work.

(?Texas); Mexico; Guatemala;
Honduras; Costa Rica; Pan-
ama; Bolivia (Continental
Americas).

Nearctic, Neotropical.

Nasutitermes corporaali (Wasmann).

Eutermes Corporaali Wasmann 1922, p. 38, sold.¹⁻², work., Java: Preanger, Tijgembong.

Eutermes Corporaali Kemner 1934, p. 139, remarks.

Sold.¹⁻², work.

Java.

Indo-Malayan.

Nasutitermes costalis (Holmgren).

Eutermes costalis Holmgren 1910b, p. 293, fig. 64 (im.), Trinidad.

Type: Mus. Hamburg.

Nasutitermes (Nasutitermes) costalis Emerson 1925, pp. 379-381, fig. 55a-d, im., sold., syn.,
loc.

?*Termes morio* Latreille 1805, p. 69, St. Domingo, Selys Longchamps coll., Brussels—
imago remains; Burmesiter 1839, p. 767; Hagen 1858,
p. 200, pl. 3, fig. 29 (imago); 1858a, p. 27, im.; 1860a,
p. 122, im., sold.

Termes (Eutermes) morio Desneux 1915, p. 9, loc.

Nasutitermes morio Banks 1919, p. 486.

Eutermes (Eutermes) Cayennae Holmgren 1910b, p. 232, sold., work., fig. 21 (sold.),
Cayenne.

Eutermes (Eutermes) Cayennae forma *atriceps* Holmgren 1910b, p. 234, fig. 21 (sold.),
Surinam: Paramaribo.

Eutermes (Eutermes) Cayennae forma *brevinasus* Holmgren 1910b, p. 234, sold., work.

Eutermes (Eutermes) Cayennae forma *lividus* Holmgren 1910b, p. 234, sold., work.,
Cayenne.

Eutermes (Eutermes) haitiensis Holmgren 1910b, p. 227, sold., work., fig. 18 (sold.), Haiti,
pp. 188-190, variation.

Eutermes (Eutermes) haitiensis forma *albus* Holmgren 1910b, p. 228, sold., Haiti.

Eutermes (Eutermes) martinicensis Holmgren 1910b, p. 238, sold., work., fig. 25 (sold.), Martinique.

Eutermes (Eutermes) Sanchezi Holmgren 1910b, p. 236, fig. 23 (sold.), Haiti: Sanchez.

Nasutitermes sanctae-luciae Banks 1919, p. 487, im., 482, im., sold.

Eutermes (Eutermes) Sanctae-Luciae Holmgren 1910b, p. 226, sold., work., fig. 17 (sold.), St. Lucia.

Winged, queens, sold., work.

Haiti, Dominican Republic (St.

Domingo), St. Kitts, Antigua,
Dominica, Martinique, St.
Lucia, Grenada, Trinidad,
Guiana.

Neotropical.

Nasutitermes coxipoensis (Holmgren).

Eutermes (Eutermes) coxipoensis Holmgren 1910b, p. 248, im., sold., work., Brazil:
Coxipô (Cuyabà).

Eutermes arenarius subsp. *proximus* var. *b* Silvestri 1903, p. 85, im., sold., work., pl. 4, fig. 164 (sold.).

Winged, sold., work.

Brazil. Neotropical.

Nasutitermes crassicornis (Holmgren, K. and N.).

Eutermes (Eutermes) crassicornis Holmgren, K. and N. 1917, p. 162, sold., work., Anamalai Hills; Coorg (Sidapur), Margalli Estate; Mysore (Bababudin Hills), India.

Nasutitermes (Rotunditermes) crassicornis Snyder 1933a, p. 12 (remarks).

Sold., work.

India. Indo-Malayan.

Nasutitermes crassus Snyder.

Nasutitermes crassus Snyder 1926d, p. 28, sold., work., Rurrenabaque, Bolivia.

Type: sold., U.S.N.M. No. 27653.

Sold., work.

Bolivia. Neotropical.

Nasutitermes culasiensis (Oshima).

Eutermes (Eutermes) gracilis Oshima 1916, p. 362, sold., pl. 1, fig. 9, pl. 2, figs. 4-5, Philippines: Sarai (preoccupied by *(Eutermes) gracilis* Handlirsch 1908, p. 699, Oligocene: Baltic amber); 1920a, p. 501, Luzon: Paete (Laguna Prov.).

Eutermes (Rotunditermes) culasiensis Oshima 1920a, p. 504, sold., work., pl. 2, fig. 6 (sold.), pl. 3, fig. 20, pl. 4, fig. 14 (sold.), Panay: Culasi (Antique Prov.).

Nasutitermes (Nasutitermes) gracilis Light and Wilson 1936, p. 482, fig. 8a (dealate), 8b-k (sold.).

Eutermes minutus Oshima 1917a, p. 225, Philippines: Luzon.

Dealate, sold., work.

Philippines. Indo-Malayan.

Nasutitermes dendrophilus (Desneux).

Termes (Eutermes) Rippertii subsp. **dendrophilus** Desneux 1906, p. 357, im., sold., work., Ecuador; (Mus. Berlin).

Eutermes (Eutermes) dendrophilus Holmgren 1910b, p. 243, fig. 29, im., sold., work., fig. 29, im., sold., Ecuador: Guayaquil, Santa Domingo de los Colorados.

Winged, sold., work.

Ecuador.

Neotropical.

Nasutitermes diabolus (Sjöstedt).

Eutermes diabolus Sjöstedt 1907, p. 250, nasutus, work., Congo: Mukimbungu.

Eutermes (Eutermes) diabolus Holmgren 1912, p. 62.

Eutermes diabolus Sjöstedt 1926, p. 318, syn., loc.

Nasutitermes (Nasutitermes) diabolus Emerson 1928, p. 477, fig. 33 (sold.), loc.

Sold., work.

Congo, Cameroon (Senegambia).

Ethiopian.

Nasutitermes dixoni (Hill).

Eutermes dixoni Hill 1932, pp. 150-154, figs. 13-14 (winged), figs. 15-16 (sold.), Federal Capital Terr. and Victoria, Australia; 1942, pp. 210-212, figs. 106-108, winged, sold.

Holotype: winged; morphotype: sold., work., coll. C.S.I.R.

Winged, queen, brachypterous
reproductives, sold., work.

Austral. Capital Terr., N. S.
Wales, Victoria, So. Australia.

Australian.

Nasutitermes doboensis (Oshima).

Eutermes (Eutermes) doboensis Oshima 1914b, pp. 576-577, pl. 10, fig. 12, sold., work., Dobo, Arue Isl., Dutch New Guinea.

Sold., work.

Arue Isl.

Papuan.

Nasutitermes dulcis (Sjöstedt).

Eutermes (Eutermes) dulcis Sjöstedt 1924c, p. 494, nasutus, Belg. Congo: Haut Uélé, Moto; 1926, pp. 321-322.

Nasutus, work.

Congo.

Ethiopian.

Nasutitermes ecuadorianus (Holmgren).

Eutermes (Eutermes) peruanus forma **ecuadorianus** Holmgren 1910b, pp. 240-241, im., sold., work., Ecuador: Babahoyo.

Type: Mus. Hamburg.

Winged, sold., work.

Ecuador.

Neotropical.

Nasutitermes ehrhardti (Holmgren).

Eutermes (Eutermes) Ripperti forma Ehrhardti Holmgren 1910b, p. 276, im., sold., work., figs. 52a (im.), 52b, c (sold.), Brazil: Blumenau (Mus. Berlin and Greifswald), Valley of Itapocú (distr. Jaraguá, Sta. Catharina) (Mus. Hamburg), Rio Grande do Sul (Wasmann coll.).

Winged, sold.

Brazil. Neotropical.

Nasutitermes ekunduensis (Sjöstedt).

Eutermes ekunduensis Sjöstedt 1911d, p. 16, sold., Cameroon: Ekundu; 1926, pp. 322-323, fig. 68 (sold.).

Eutermes (Eutermes) arborum Heigh 1922, p. 691.

Sold.

Cameroon. Ethiopian.

Nasutitermes elegantulus (Sjöstedt).

Eutermes elegantulus Sjöstedt 1911d, p. 13, Cameroon: Victoria.

Eutermes (Subulitermes?) elegantulus Holmgren 1912, p. 64.

Eutermes (s.s.) elegantulus Sjöstedt 1926, pp. 309-310, pl. 11, fig. M, text fig. 68(2) (sold.), syn., loc.

Eutermes macrophthalmus Silvestri 1912, p. 240, fig. 13, im., sold., work., Isl. Principe.*Eutermes (Eutermes) macrophthalmus* Holmgren 1912, p. 62.*Eutermes (Eutermes) macrophthalmus* Heigh 1922, pp. 432, 691.

Winged, nasutus, work.

Cameroon; Isl. Principe; Belg.

Congo.

Ethiopian.

Nasutitermes emersoni Snyder.

Nasutitermes (Nasutitermes) emersoni Snyder 1934a, pp. 11-12, sold., Sundarbans, Bengal.

Cotypes: soldiers, British Mus., U.S.N.M. No. 50167, and For. Res. Inst., Dehra Dun.

Sold.

Bengal, India. Indo-Malayan.

Nasutitermes ephratae (Holmgren).

Eutermes (Eutermes) Ephratae Holmgren 1910b, p. 223, im., work., fig. 14 (im.), Surinam: Ephrata.

Nasutitermes ephratae Banks 1918, p. 665 (im., sold.), p. 666 (loc.), pl. 51, fig. 2 (right), im., fig. 11 (sold.), Panama: Cabima, Brit. Guiana: Tukeit.

Nasutitermes (Nasutitermes) ephratae Emerson 1925, pp. 381-383, fig. 55e-h, im., sold., Brit. Guiana, Trinidad.

Nasutitermes (Nasutitermes) ephratae Snyder 1926d, p. 32, Bolivia.*Nasutitermes creolina* Banks 1919, p. 485 (im. only), pl. 1, fig. 9, im., Montserrat.

Eutermes (Eutermes) Klinckowstroemi Holmgren 1910b, p. 225, fig. 16 (sold.), Surinam: Ephrata.

Type: Reichmus, Stockholm.

Winged, queens, sold., work.

Montserrat; Trinidad; Honduras; Costa Rica; Panama; Dutch and Brit. Guiana; Bolivia.

Neotropical.

Nasutitermes eucalypti (Mjöberg).

Eutermes eucalypti Mjöberg 1920, p. 54, sold., work., figs. 18c, 26b, c (sold.), N. W. Australia: Kimberly distr.; Hill 1942, pp. 212-213, figs. 109-110 (sold.), syn., loc.

Eutermes fieldi Hill 1923 (in part), p. 45, figs. 11-13.

Cotypes: Nat. Hist. Mus., Stockholm, and Hill coll.

Sold., work.

W. Australia, No. Territory.

Australian.

Nasutitermes exitiosus (Hill).

Eutermes exitiosus Hill 1925a, pp. 222-226, pl. 25, figs. 30-35, winged, sold., work. S. W. Australia: Ludlow; 1942, pp. 214-217, figs. 111-113 (imago, sold.), syn., loc.

Holotype: winged; morphotype: sold., work., Nat. Mus., Melbourne.

Eutermes fumigatus Silvestri 1909, p. 307, pl. 21, figs. 221-222, sold., Australia: Donnybrook. Winged, sold., work.

W. and So. Australia, Victoria,

N. S. Wales, Austral. Capital

Terr., Queensland.

Australian.

Nasutitermes expulsus (Sjöstedt).

Eutermes expulsus Sjöstedt 1926b, pp. 154-155, nasutus, work., Belg. Congo: Bas Uélé, Mus. Tervueren and Mus. Stockholm.

Nasutus, work.

Congo.

Ethiopian.

Nasutitermes ferranti (Wasmann).

Eutermes Ferranti Wasmann 1911a, p. 167, sold., work., Congo: Sankuru; Sjöstedt 1926, p. 310, syn.

Sold., work.

Congo.

Ethiopian.

Nasutitermes feytaudi (Holmgren).

Eutermes (Eutermes) Feytaudi Holmgren 1910b, p. 280, fig. 54 (im.), im., work., Brazil: Rio de Janeiro, Corcovado.

Winged, work.

Brazil.

Neotropical.

Nasutitermes fletcheri (Holmgren, K. and N.).

Eutermes (Eutermes) fletcheri Holmgren, K. and N. 1917, p. 161, sold., work., Shevaroy Hills, India.

Sold., work.

India.

Indo-Malayan.

Nasutitermes fulleri Emerson.

Nasutitermes (Nasutitermes) fulleri Emerson 1928, p. 483, fig. 37, sold., Belg. Congo, region of Stanleyville.

Holotype: sold., A.M.N.H.

Sold.

Belg. Congo.

Ethiopian.

Nasutitermes fulviceps (Silvestri).

Eutermes arenarius subsp. **fulviceps** Silvestri 1901, p. 7, im., Argentina, Uruguay, Paraguay; 1903, p. 87, im., sold., work., fig. 23 (wings), pl. 4, figs. 171-174 (im.), figs. 175-176 (sold.), figs. 178-179 (work.), figs. 180-182 (2d form queen), loc.

Termes (**Eutermes**) **arenarius** subsp. **fulviceps** Desneux 1904e, p. 40 (syn.).

Eutermes (**Eutermes**) **fulviceps** Holmgren 1910b, p. 271, im., sold., work., fig. 49 (im., sold.), Argentina, Uruguay, Paraguay, Brazil; John 1920, p. 229, loc.

Eutermes (**Eutermes**) **brasiliensis** Holmgren 1910b, p. 273, im., sold., work., fig. 50a, b, c (im., sold.), Brazil: Rio Grande.

Eutermes ellenriederi von Rosen 1912, p. 224, sold., work., Brazil: Rio Grande.

Eutermes (**Eutermes**) **ellenriederi** Holmgren 1912, p. 62.

Im., queens, sold., work.

Argentina, Uruguay, Paraguay,

Brazil.

Neotropical.

Nasutitermes fumigatus (Brauer).

Eutermes fumigatus Brauer 1865, p. 977, im., N. S. Wales: Sydney, Australia; 1866, p. 48, N. S. Wales; Mjöberg 1920, p. 44, im., sold., fig. 18e (sold.), W. and South Australia, N. S. Wales; Froggatt 1897, p. 755, fig. 5, 5a, im., sold., work., N. S. Wales; Hill 1942, pp. 218-220, figs. 114-116 (im., sold.), syn., loc.

Cotypes: Mus. Vienna, C.S.I.R. and Hill coll.

Winged, sold., work.

N. S. Wales, Queensland, Victoria, So. Australia.

Australian.

Nasutitermes fumipennis (Walker).

Termes fumipennis Walker 1853, p. 525, im., "New Holland" (Australia); Hagen 1858, p. 209, im., sold.; 1858a, p. 29, im.

Eutermes fumipennis Froggatt 1897, p. 753, pl. 35, figs. 4, 4a, loc.

Eutermes fumipennis Mjöberg 1920, p. 43, pl. 2, fig. 6, text fig. 17b (sold.), So. Australia, N. S. Wales, S. and N. Queensland; Hill 1942, pp. 220-221, syn., loc.

Types: Brit. Mus.

Winged, sold., work.

So. Australia, N. S. Wales, S. and N. Queensland.

Australian.

Nasutitermes fuscipennis (Haviland).

Termes fuscipennis Haviland 1898, p. 422, im., sold., work., Borneo: Sarawak.

Eutermes (**Eutermes**) **fuscipennis** Holmgren 1913b, p. 166, im., sold., work., pl. 7, fig. 9 (sold.).

Type: No. 446.

Winged, sold., work.

Borneo.

Indo-Malayan.

Nasutitermes gaigei Emerson.

Nasutitermes (Nasutitermes) gagei Emerson 1925, pp. 394-395, fig. 62, im., sold., Kartabo, Brit. Guiana.

Holotype: winged; morphotype: sold., N. Y. Zool. Soc.

Winged, sold.

Brit. Guiana.

Neotropical.

Nasutitermes gardneri Snyder.

Nasutitermes (Subulitermes) gardneri Snyder 1933a, p. 12, sold., Rangirum, Darjeeling, Bengal, India; Margabandhu 1935, p. 209.

Cotypes: soldiers, Brit. Mus., and U.S.N.M. No. 44579.

Sold.

India.

Indo-Malayan.

Nasutitermes glabritergus Snyder and Emerson, n. sp.

Nasutitermes rotundatus Snyder 1925b, p. 162, sold., work., Costa Rica: Colombiana; differs from *N. rotundatus* by having no hairs on tergites.

Cotypes: sold., U.S.N.M. No. 59011.

Sold., work.

Costa Rica.

Neotropical.

Nasutitermes globiceps (Holmgren).

Eutermes (Eutermes) globiceps Holmgren 1910b, p. 253, sold., work., fig. 35 (sold.), Paraguay: San Bernardino. Type: Mus. Vienna.

Sold., work.

Paraguay.

Neotropical.

Nasutitermes gracilirostris (Desneux).

Termes (Eutermes) gracilirostris Desneux 1905, p. 376, sold., work., fig. 5 (sold.), Ger. New Guinea: Fried.-Wilh.-Hafen.

Eutermes gracilirostris Hill 1942, pp. 221-223, figs. 117-118 (sold.), syn., loc. Types: Hungarian Mus.

Sold., work.

New Guinea.

Papuan.

Nasutitermes graveolus (Hill).

Eutermes graveolus Hill 1925a, pp. 226-228, pl. 25, figs. 36-38, pl. 26, figs. 39-42, winged, sold., work., No. Terr.: Darwin; Hill 1942, pp. 225-227, figs. 120-122 (im., sold.), syn., loc.

Holotype: sold.; morphotype: winged, work., Nat. Mus., Melbourne.

Winged, sold., work.

No. Territory, Queensland.

Australian.

Nasutitermes guayanae (Holmgren).

Eutermes (Eutermes) Guayanae Holmgren 1910b, p. 254, sold., work., fig. 36 (sold.), Upper Surinam.

Nasutitermes guyanae Banks 1918, p. 666, Brit. Guiana: Tukey, etc.

Nasutitermes (Nasutitermes) guayanae Emerson 1925, pp. 376-378, fig. 54, im., sold.

Syn. *Eutermes (Eutermes) grandis* Holmgren 1910b, p. 258, sold., work., fig. 39 (sold.), Peru: Chiquimayo.

Type: Mus. Hamburg and Berlin.

Winged, sold., work.

Dutch and Brit. Guiana.

Neotropical.

Nasutitermes havilandi (Desneux).

Termes latifrons Haviland 1898, p. 428, im., sold., Borneo: Sarawak.

Termes Havilandi Desneux 1904a, p. 151 (syn.).

Termes (Eutermes) Havilandi Desneux 1904e, p. 42 (syn.).

Eutermes (Eutermes) Havilandi Holmgren 1913b, p. 188, im., sold., work.

Eutermes (Eutermes) havilandi Holmgren 1913-14, p. 265, Sumatra, Malacca; John 1925, p. 399, loc.

Type: No. 127.

Winged, sold., work.

Borneo (Sarawak), Sumatra,

Malacca.

Indo-Malayan.

Nasutitermes horni (Wasmann).

Eutermes inanis subsp. **Horni** Wasmann 1902b, p. 137, sold., work., Ceylon: Bandarawella.

Termes (Eutermes) inanis subsp. **Horni** Desneux 1904e, p. 42 (syn.).

Eutermes (Subulitermes) Horni Holmgren 1912, p. 64.

Eutermes (Eutermes) Horni Holmgren 1913b, p. 176.

Sold., work.

Ceylon.

Indo-Malayan.

Nasutitermes hubbardi Banks.

Nasutitermes hubbardi Banks 1919, p. 485, pl. 2, figs. 18, 21 (sold.), Jamaica; Cuba: Cuboda.

Type: M.C.Z. No. 10080, A.M.N.H.

Sold.

Jamaica, Cuba.

Neotropical.

Nasutitermes impetus (Sjöstedt).

Eutermes (Eutermes) impetus Sjöstedt 1924c, p. 493, nasutus, French Congo: Brazzaville; 1926, p. 308, pl. 11, fig. H 1-2 (nasutus, work.), syn., loc.

Nasutus, work.

Fr. Equatorial Africa.

Ethiopian.

Nasutitermes incurvus (Sjöstedt).

Eutermes (Eutermes) incurvus Sjöstedt 1924a, p. 41, nasutus, Belg. Congo: Kunungu and Lukula.

Eutermes incurvus Sjöstedt 1926, pp. 320-321, nasutus, work.¹⁻², syn., loc.

Nasutitermes (Nasutitermes) incurvus Emerson 1928, p. 478, fig. 34 (sold.), Belg. Congo and Cameroon.

Nasutus, work.¹⁻²

Congo, Cameroon.

Ethiopian.

Nasutitermes indicola (Holmgren, K. and N.).

Eutermes (Eutermes) indicola Holmgren, K. and N. 1917, p. 161, sold., work., Coorg, Mercara, Anamalai Hills, India.

Eutermes (Eutermes) processionarins (misspelled for *ius*) Schmitz 1924, p. 302, sold., work., fig. II A-B (sold.), "Vorderindien, Western Ghats-Gebirges."

Sold., work.

India.

Indo-Malayan.

Nasutitermes indoensis (Sjöstedt).

Eutermes indoensis Sjöstedt 1925, p. 55, nasutus, French Congo: Indo, Sibiti; 1926, pp. 312-314, pl. 11, fig. N 1-4, winged, nasutus¹⁻², work., Mus. Stockholm.

Winged, nasutus¹⁻², work.

Fr. Equatorial Africa.

Ethiopian.

Nasutitermes infuscatus (Sjöstedt).

Eutermes infuscatus Sjöstedt 1902, p. 40, im., Brit. Central Africa: Nyassaland: Zomba; 1926, pp. 318-319, syn., loc.

Winged, nasutus, work.

Nyassaland.

Ethiopian.

Nasutitermes infuscatus, var. *perfusca* (Silvestri).

Eutermes infuscatus var. *perfusca* Silvestri 1914-15, p. 35, im., sold., work., fig. 15 (im., sold.), Dahomey: Cotonou; Sjöstedt 1926, p. 319.

Winged, sold., work.¹⁻²

Dahomey.

Ethiopian.

Nasutitermes intermedius Banks.

Nasutitermes intermedius Banks 1919, p. 485, sold., work., 482, pl. 2, figs. 13, 25 (sold.), Triinidad: Arepo Savanna, Cumuto.

Nasutitermes (Nasutitermes) intermedius Emerson 1925, pp. 389-390, fig. 59, im., sold., Kartabo, Brit. Guiana.

Type: sold., M.C.Z. No. 10079.

Winged, sold., work.

Trinidad, Brit. Guiana.

Neotropical.

Nasutitermes itapocuensis (Holmgren).

Eutermes (Eutermes) itapocuensis Holmgren 1910b, p. 278, im., sold., work., figs. 53a (im.), 53b-c (sold.), Brazil: Valley of the Itapocú (distr. Jaraguá, Sta. Catharina Blumenau, São Paulo).

Winged, sold., work.

Brazil.

Neotropical.

Nasutitermes jacobsoni Oshima.

Nasutitermes jacobsoni Oshima 1923, pp. 13-15, figs. 9-10, sold., work., Sinabang, Simalur, Sumatra.

Sold., work.

Sumatra.

Indo-Malayan.

Nasutitermes jaraguae (Holmgren).

Eutermes (Eutermes) Jaraguae Holmgren 1910b, p. 268, sold., work., fig. 47 (sold.), Brazil: Valley of the Itapocú (distr. Jaraguá, Sta. Catharina, São Paulo).

Eutermes (Eutermes) aurantiacus Holmgren 1910b, p. 270, sold., work., Brazil: Valley of the Itapocú.

Type: Mus. Hamburg.

[**Nasutitermes (Nasutitermes) aurantiacus** Snyder 1926d, pp. 27-28, queen, Bolivia: Rosario; not *aurantiacus* = *Microcerotermes arboreus*].

Sold., work.

Brazil. Neotropical.

Nasutitermes javanicus (Holmgren).

Eutermes (Eutermes) javanicus Holmgren 1913b, p. 175, sold., work., pl. 7, fig. 16 (sold.), Java: Tjompea; 1913-14, p. 262, sold., work., Sumatra.

Eutermes (Eutermes) javanicus John 1925, p. 394, loc.

Eutermes javanicus Kemner 1934, pp. 130-131, places in *constrictus* group.

Sold., work.

Java, Sumatra (east). Indo-Malayan.

Nasutitermes johoricus (John).

Eutermes (Eutermes) johoricus John 1925, p. 393, sold., work., Malay Archipelago: Johore.

Sold., work.

Malay Archipelago. Indo-Malayan.

Nasutitermes kaewiengensis (Hill).

Eutermes kaewiengensis Hill 1927a, pp. 28-31, pl. 1, figs. 27-28, pl. 5, fig. 159, pl. 8, fig. 160, im., sold., work., New Ireland: Kaiwieng; 1942, pp. 231-232, figs. 126-128 (im., sold.), syn., loc. Holotype: winged; morphotype: sold., Nat. Mus. Melbourne.

Winged, sold., work.

New Ireland, New Hebrides.

Papuan.

Nasutitermes kanehirae (Oshima).

Eutermes (Subulitermes) kanehirae Oshima 1914b, p. 578, pl. 10, fig. 14, sold., work., Dobo, Arue Isl., Dutch New Guinea.

Sold., work.

Dutch New Guinea.

Papuan.

Nasutitermes kaudernianus (Sjöstedt).

Eutermes kaudernianus Sjöstedt 1914, pp. 13-15, sold., work., Madagascar: Ste. Marie de Marovoay; 1926, p. 322.

Sold., work.

Madagascar.

Malagasy.

Nasutitermes kemneri Snyder and Emerson, new name.

Eutermes arenarius Silvestri 1901, pp. 7, 11, Brazil: Coxipò; 1903, p. 83, im., sold., work., pl. 4, figs. 159-160 (sold.), fig. 161 (work.).

Eutermes (Eutermes) arenarius Holmgren 1910b, p. 263, sold., work. only, fig. 43 (sold.), Brazil: Coxipò only.

Im., sold., work.

Brazil.

Neotropical.

Nasutitermes kimberleyensis (Mjöberg).

Eutermes kimberleyensis Mjöberg 1920, p. 49, sold., work., pl. 2, fig. 5, text fig. 21b (sold.), N. W. Australia: Derby; Hill 1942, p. 233.

Cotypes: Nat. Hist. Mus., Stockholm, and Hill coll.

Sold., work.

W. Australia.

Australian.

Nasutitermes kinoshitae (Hozawa).

Eutermes (Eutermes) kinoshitae Hozawa 1915, p. 133, im., fig. 33 (im.), Formosa: Kappanzan.

Winged.

Formosa.

Indo-Malayan.

Nasutitermes kohli Emerson.

Nasutitermes (Nasutitermes) kohli Emerson 1928, p. 484, fig. 38 (sold.), Kandolo near Stanleyville, Belg. Congo.
Holotype: sold., A.M.N.H.

Sold.

Belg. Congo.

Ethiopian.

Nasutitermes konduensis (Sjöstedt).

Eutermes (Eutermes) konduensis Sjöstedt 1924a, p. 40, nasutus, Kasai, Kondué, Belg. Congo.

Eutermes konduensis Sjöstedt 1926, pp. 307-308, nasutus, work.¹⁻²

Sold., work.¹⁻²

Belg. Congo.

Ethiopian.

Nasutitermes lacustris (Bugnion).

Eutermes lacustris Bugnion 1912, p. 487, im., sold., work., pl. 7 (sold.), pl. 8 (im.), Ceylon.

Eutermes (Eutermes) lacustris Holmgren 1913b, p. 182, sold., work., Ceylon.

Eutermes (Eutermes) Greeni Holmgren 1912, p. 63, Ceylon (not described).

Eutermes greeni John 1913, p. 110.

Winged, sold., work.

Ceylon.

Indo-Malayan.

Nasutitermes laticeps (Wasmann).

Eutermes laticeps Wasmann 1897, p. 165, sold., work., pls. 11, 12, Madagascar: Nossi-Bé.

Termites (Eutermes) laticeps Desneux 1904e, p. 43 (syn.); Sjöstedt 1926, p. 310, syn.

Eutermes canaliculatus Wasmann 1897, p. 168, sold., work., pl. 11, fig. 14 (sold.), Madagascar: Nossi-Bé, etc.; Holmgren 1909a, p. 16, im., sold., work., loc.

Winged, gynacoid work., sold., work.

Madagascar.

Malagasy.

Nasutitermes latifrons (Sjöstedt).

Eutermes latifrons Sjöstedt 1896a, p. 298, im., Gold Coast: Aburi; 1900a, p. 209, im., sold., work., pl. 5, fig. P 1-3 (im.), 4 (nasutus), 5-6 (work.), Cameroon.

Eutermes Sjöstedti Wasmann 1902c, p. 717; Desneux 1904a, p. 151 (syn.).

Eutermes (Eutermes) latifrons Holmgren 1912, p. 62.

Eutermes latifrons Sjöstedt 1926, pp. 311-312, syn., loc.

Winged, neotenic reproductive,
nasutus, work.

Port. and Fr. Guinea, Ivory
and Gold Coasts, Togo, S.
Nigeria, Cameroon, Isls. Fer-
nando Po, Principe, Fr. Equa-
torial Africa, Belg. Congo.

Ethiopian.

Nasutitermes latus Light and Wilson.

Nasutitermes (Nasutitermes) latus Light and Wilson 1936, p. 494, fig. 12, sold., Philip-
pines: Palawan.

Sold.

Philippines.

Indo-Malayan.

Nasutitermes lighti Snyder and Emerson, new name.

Eutermes obscurus Holmgren 1906, p. 580, sold., work., part, Peru: Chaqueimayo (Carabaya) (preoccupied by fossil).

Eutermes (Eutermes) obscurus Holmgren 1910b, p. 247, fig. 31 (sold.) [in 1906 probably
two species involved].

Sold., work.

Peru.

Neotropical.

Nasutitermes lividus (Burmeister).

Termes lividus Burmeister 1839, p. 767, im., "St. Domingo, Port aux Princes"; Walker
1853, p. 515.

Termes lividus Hagen 1858, p. 221, pl. 3, fig. 33, im.

Nasutitermes lividus Banks 1919, p. 484, im., Haiti, near Port au Prince, Jeremie; Cuba,
Cayamas.

Type: Hagen coll., M.C.Z., from Berlin Mus.

Winged.

Haiti, Cuba.

Neotropical.

Nasutitermes llinquipatensis (Holmgren).

Eutermes llinquipatensis Holmgren 1906, p. 585, im., sold., work., Peru: Llinquipata (Prov.
de Carabaya).

Eutermes (Eutermes) llinquipatensis Holmgren 1910b, p. 224, im., sold., work., fig. 15
(im., sold.).

Winged, sold., work.

Peru.

Neotropical.

Nasutitermes longiarticulatus (Holmgren).

Eutermes (*Eutermes*) *longiarticulatus* Holmgren 1910b, p. 249, sold., work., Brazil: Coxipô, Cuyabá (Matto Grosso).

Eutermes arenarius subsp. *pluriarticulatus* var. *a* Silvestri 1903, p. 87, sold., work., pl. 4, fig. 169 (sold.), Brazil: Coxipô.

Sold., work.

Brazil.

Neotropical.

Nasutitermes longinasus (Holmgren).

Eutermes (*Eutermes*) *longinasus* Holmgren 1913b, p. 171, sold., work., pl. 7, fig. 8 (sold.), Borneo: Sarawak, Malacca; 1913-14, p. 253.

Eutermes longinasus John 1925, p. 392, loc.

Sold.¹⁻², work.

Borneo, Malay Archipelago.

Indo-Malayan.

Nasutitermes longipennis (Hill).

Eutermes longipennis Hill 1915, p. 104, wing., sold., work., No. Terr.: Koolpinyah.

Eutermes yarrabahensis Mjöberg 1920, p. 53, fig. 25, sold., work., Queensland; Hill 1922, p. 152, figs. 21-27, winged.

Eutermes longipennis Hill 1942, pp. 234-236, figs. 131-133 (im., sold.), syn., loc.

Winged, sold., work.

No. Terr., Queensland.

Australian.

Nasutitermes longirostratus (Holmgren).

Eutermes longirostratus Holmgren 1906, p. 598, sold., work., figs. W 1 (sold.), X 1 (work.), Peru: Linquipata, Chaqueimayo; Bolivia: San Fermin.

Eutermes (*Subulitermes*) *longirostratus* Holmgren 1910b, p. 300, im., sold., fig. 69 a-c (im., sold.).

Eutermes (*Eutermes*) *longirostratus* Holmgren 1912, p. 62 (syn.).

Winged, sold., work.

Peru, Bolivia.

Neotropical.

Nasutitermes longirostris (Holmgren).

Eutermes longirostris Holmgren 1913b, p. 169, sold., work., pl. 7, fig. 7 (sold.), Borneo: Sarawak.

Sold., work.

Borneo.

Indo-Malayan.

Nasutitermes luzonicus (Oshima).

Eutermes (*Grallatotermes*) *luzonicus* Oshima 1914b, p. 581, pl. 10, figs. 15-16, sold.¹⁻², work.¹⁻², Los-Banos, Luzon.

Nasutitermes (*Nasutitermes*) *luzonicus* Light and Wilson, 1936, p. 487, syn.

Eutermes (*Eutermes*) *manilensis* Oshima 1916, p. 363, pl. 1, fig. 6, pl. 2, fig. 11 (sold.), sold.¹, work.¹⁻², Manila.

Eutermes (*Eutermes*) *las-piñasensis* Oshima 1920a, pp. 489-512, pl. 4, sold., work., Sarai near Paete, Laguna Prov., Luzon.

Eutermes (Trinervitermes) menadoensis Oshima 1914b, p. 580, pl. 10, figs. 9-10, sold.¹⁻², work., Celebes: Menado; Borneo: Sandakam; 1920a, p. 504, sold., work., Luzon.

Nasutitermes menadoensis Light 1930a, pp. 16, 20, syn.

Eutermes menadoensis Kemner 1934, p. 146, syn., discuss.

Winged, sold., work.

Celebes, Borneo, Philippines:

all principal islands except

Palawan.

Indo-Malayan.

Nasutitermes macrocephalus (Silvestri) [several species involved].

Eutermes Rippertii subsp. *macrocephalus* Silvestri 1903, p. 83 [im. (queen)], sold., work., only part [Lungo l' Alto Paranà a Bella Vista], Puerto Bertoni, Paraguay; [Pampa Piray], S. Ignacio, Posadas, Argentina.

Type: Silvestri coll.

Termes (Eutermes) Rippertii var. *macrocephalus* Desneux 1904e, p. 44, syn.

Eutermes (Eutermes) macrocephalus Holmgren 1910b, p. 260, sold., work., fig. 41 (sold.).

Sold., work.

Paraguay, Argentina.

Neotropical.

Nasutitermes maculiventris (Sjöstedt).

Eutermes maculiventris Sjöstedt 1904, p. 104, im., nasutus, work., Gabun, French Congo.

Termes (Eutermes) maculiventris Desneux 1904e, p. 43, syn.

Eutermes (Eutermes) maculiventris Holmgren 1912, p. 62.

Eutermes maculiventris Sjöstedt 1926, pp. 319-320, fig. 70 (sold.), loc., syn.

Eutermes Lujae Wasmann 1911a, p. 168, king, queen, sold., work.¹⁻², Congo: Sankuru.

Winged, king, queen, sold.,
work.¹⁻²

Port. and Fr. Guinea, Cameroon,
Fr. Equatorial Africa, Belg.
Congo, Zanzibar.

Ethiopian.

Nasutitermes magnus (Froggatt).

Eutermes magnus Froggatt 1897, p. 742, pl. 35, fig. 6 (wing), winged, sold., work., Lollworth, Queensland.

Termes (Eutermes) magnus Desneux 1904e, p. 43 (syn.), Australia.

Eutermes magnus Mjöberg 1920, p. 37, sold., fig. 22 (sold.), N. Queensland; Hill 1942,
pp. 237-239, figs. 134-136 (im., sold.), loc., syn.

Hololectotype: sold.; morpholectotype: winged, work.,
Hill coll.

Eutermes vernoni Hill 1922a, pp. 142-148, im., queen, sold., work., figs. 1-9, pls. 23, 24,
fig. 1, N. E. Queensland: Townsville, Australia.

Eutermes (?) vernoni Hill 1927a, p. 31, sold., work., Papua, Yule Isl.

Winged, queen, sold., work.

Queensland, N. S. Wales, Torres

Strait: Banks Isl., Mulgrave

Isl.

Australian.

Nasutitermes mahéensis (Holmgren).

Eutermes nigrita, subsp. *mahéensis* Holmgren 1910a, p. 148, sold., work., Seychelles: Mahé,
Long Isl.; Sjöstedt 1926, pp. 317-318, loc., syn.

Eutermes (*Eutermes*) *maheensis* Holmgren 1912, p. 63.

Sold., work.

Seychelles.

Malagasy.

Nasutitermes major (Holmgren).

Eutermes major Holmgren 1906, p. 578, im., sold., work., fig. H 1 (sold.), fig. J 1 (work.),
Peru: Chaquimayo (Carabaya).

Eutermes (*Eutermes*) *major* Holmgren 1910b, p. 257, fig. 38 (im., sold.), im., sold., work.,
p. 180, variation.

Nasutitermes (*Nasutitermes*) *major* Snyder 1926d, p. 32, Bolivia.

Winged, sold., work.

Peru, Bolivia.

Neotropical.

Nasutitermes makassarensis (Kemner).

Eutermes makassarensis Kemner 1934, pp. 139-141, fig. 37 (sold.), Makassar, S. Celebes.
Sold.

Celebes (Macassar).

Indo-Malayan.

Nasutitermes maniseri (John).

Eutermes maniseri John 1920, pp. 229-230, fig. 1 (sold.), Brazil: Matto Grosso, Nalique.
Sold.

Brazil.

Neotropical.

Nasutitermes marivelles (Light and Wilson).

Subulitermes marivelles Light and Wilson 1936, pp. 513-515, fig. 25, alate, sold., Mount
Marivelles, Bataan Prov., Philippines.

Winged, sold.

Philippines.

Indo-Malayan.

Nasutitermes matangensiformis (Holmgren).

Eutermes (*Eutermes*) *matangensiformis* Holmgren 1913b, p. 185, im., sold., work., Borneo:
Sarawak, Nicobar Isl.: Naukauri, Mus. Vienna;
1913-14, p. 265, Malacca, Borneo.

Nasutitermes matangensiformis Oshima 1923, pp. 16-18, sold., work., Sinabang, Simalur,
Sumatra.

Eutermes (*Eutermes*) *matangensiformis* John 1925, p. 398, winged, sold., work. (loc.),
Malay Peninsula.

Eutermes (*Eutermes*) *javanicus* John 1925, p. 394, E. Sumatra.

Eutermes djemberensis Kemner 1934, pp. 128-129, fig. 31 (sold.), Djember (E. Java).

Eutermes (*Eutermes*) *timoriensis* John 1925, p. 398, sold., work., W. Sumatra: Padang.

Winged, sold., work.

Borneo, Java, Sumatra, Malay

Pen., Nicobar Isl.

Indo-Malayan.

Nasutitermes matangensiformis, form *obscurus* (Holmgren) (form name preoccupied).
Eutermes (Eutermes) matangensiformis forma *obscurus* Holmgren 1913b, p. 186, im., sold., work., Christmas Isl.

Winged, sold., work.

Christmas Isl.

Indo-Malayan.

Nasutitermes matangensis (Haviland).

Termes matangensis Haviland 1898, p. 427, im., sold., work., Borneo: Sarawak.

Eutermes (Eutermes) matangensis Holmgren 1912, p. 63, pl. 3, figs. 3 (im.), 4-5 (sold.); 1913b, p. 183, im., sold., work., pl. 7, fig. 21 (im.), figs. 17, 22 (sold.); 1913-14, pp. 264-265, Java, Malacca.

Eutermes (Eutermes) matangensis John 1925, p. 398, pl. 19, fig. 12; pl. 20, fig. 13 (nests), queen, sold., work., Sumatra.

Eutermes (Eutermes) matangensis forma *matangensioides* Holmgren 1913b, p. 184, im., sold., work., Borneo: Sarawak, Krakatau.

Types: Nos. 358-360.

Winged, sold., work.

Borneo, Java, Krakatau, Sumatra, Malay Pen.

Indo-Malayan.

Nasutitermes matangensis, subsp. *pyricephalus* (Kemner).

Eutermes matangensis subsp. *pyricephalus* Kemner 1934, pp. 124-127, fig. 28 (im.), fig. 29 (sold.), W. Java.

Winged, sold.

Java.

Indo-Malayan.

Nasutitermes maximus (Holmgren).

Eutermes (Eutermes) maximus Holmgren 1910b, p. 259, sold., work., fig. 40 (sold.), Peru: Chaqueymayo.

?[**Nasutitermes (Nasutitermes) maximus** Snyder 1926d, p. 32, Bolivia ? probably a new species].

Sold., work.

Peru.

Neotropical.

Nasutitermes mcgregori (Oshima).

Eutermes (Ceylonitermes) mcgregori Oshima 1916, p. 361, sold., work., pl. 1, fig. 19, Sarai, Luzon, Philippines; 1920a, p. 501, Panay: Tibiao (Antique Prov.).

Nasutitermes mcgregori Light 1930a, pp. 16, 20 (syn.).

Nasutitermes (Nasutitermes) mcgregori Light and Wilson 1936, pp. 461, 482, 509 (syn.).

Sold., work.

Philippines.

Indo-Malayan.

Nasutitermes meinerti (Wasmann).

Eutermes Meinerti Wasmann 1894, p. 211, work., Venezuela.

Termes (Eutermes) Meinerti Desneux 1904e, p. 46, syn.

Eutermes (Eutermes) Meinerti Holmgren 1910b, p. 252, sold., work., fig. 34 (sold.).

Type: Wasmann coll.

Sold., work.

Venezuela.

Neotropical.

Nasutitermes meridianus Light and Wilson.

Nasutitermes (*Nasutitermes*) *meridianus* Light and Wilson 1936, pp. 498-500, fig. 14, alate,
sold., Jolo, Palawan.

Winged, sold.

Philippines.

Indo-Malayan.

Nasutitermes mexicanus Light.

Nasutitermes (*Subulitermes*) *mexicanus* Light 1933, pp. 123-126, sold., figs. L, O, and V-Y,
Colima, Jalisco, and Madrid (W. Mexico).

Sold.

W. Mexico.

Neotropical.

Nasutitermes mindanensis (Light and Wilson).

Subulitermes mindanensis Light and Wilson 1936, pp. 515-517, fig. 26, alate, sold., Cota-
bato Prov., Mindanao.

Winged, sold.

Philippines.

Indo-Malayan.

Nasutitermes minimus (Holmgren).

Eutermes minimus Holmgren 1906, p. 582, im., sold., work., fig. M 1 (sold.), Bolivia: San
Jose, San Fermin (Prov. de Caupolicana), Peru:
Chaquimayo (Carabaya).

Eutermes (*Eutermes*) *minimus* Holmgren 1910b, p. 234, im., sold., work., fig. 22 (im.,
sold.), pp. 186-188, variation.

Nasutitermes (*Nasutitermes*) *minimus* Snyder 1926d, p. 32, Bolivia.

Winged, sold., work.

Bolivia, Peru.

Neotropical.

Nasutitermes minor (Holmgren).

Eutermes minor Holmgren 1906, p. 590, sold., work., fig. R 1 (sold.), Bolivia: Tuiche
(Caupolicana).

Eutermes (*Eutermes*) *minor* Holmgren 1910b, p. 267, sold., work., fig. 46 (sold.).

Nasutitermes (*Nasutitermes*) *minor* Snyder 1926d, pp. 29-30, winged, Rosario.

Nasutitermes (*Nasutitermes*) *aurantiacus* Snyder 1926d, p. 28, sold., work., Rosario.

Winged, sold., work.

Bolivia.

Neotropical.

Nasutitermes minusculus (Sjöstedt).

Eutermes (*Eutermes*) *minusculus* Sjöstedt 1924a, p. 40, nasutus, Lukulla, Belg. Congo.

Eutermes minusculus Sjöstedt 1926, pp. 308-309, fig. 67 (sold.), sold., work.

Nasutitermes? (*Nasutitermes*) *minusculus* Emerson 1928, p. 487, fig. 40 (sold.), Malela,
Belg. Congo.

Sold., work.

Belg. Congo.

Ethiopian.

Nasutitermes mojosensis (Holmgren).

Eutermes (Eutermes) mojosensis Holmgren 1910b, p. 230, im., sold., work., fig. 63 (im.),
Mojos, Bolivia, pp. 192-193, variation.

Eutermes rippertii Holmgren 1906, p. 574, Bolivia.
Type: Emerson coll.

Winged, sold., work.

Bolivia. Neotropical.

Nasutitermes mollis Light and Wilson.

Nasutitermes (Nasutitermes) mollis Light and Wilson 1936, p. 486, fig. 9 (sold.), Cotabato
Prov., Mindanao.

Sold.

Philippines. Indo-Malayan.

Nasutitermes montanae (Holmgren).

Eutermes Montanae Holmgren 1910b, p. 292, fig. 63 (im.), Surinam: Montana.

Winged.

Dutch Guiana. Neotropical.

Nasutitermes moratus (Silvestri).

Eutermes moratus Silvestri 1914, p. 431, sold., work., fig. 6 (sold.), India: Yambung, S. W.
Kemp (Abor Expedition).

Sold., work.

India. Indo-Malayan.

Nasutitermes myersi Snyder.

Nasutitermes (Nasutitermes) myersi Snyder 1933c, pp. 162-163, fig. 1-2 (sold.), Colinga-
Uraricuera, Savannahs, Amazonas, Brazil.
Cotypes: sold., U.S.N.M. No. 49892.

Sold.

Brazil. Neotropical.

Nasutitermes nigriceps (Haldeman).

Termes nigriceps Haldeman 1853, p. 365, sold., work., W. Mexico.

Termes (Eutermes) nigriceps Hagen 1858, p. 230, sold., W. Mexico.

Eutermes nigriceps Hagen 1858a, p. 32, W. Mexico.

Eutermes nigriceps Desneux 1904e, p. 46; Banks and Snyder 1920, pp. 4, 193.

Nasutitermes (Nasutitermes) nigriceps Light 1933, p. 114, im., sold., work., figs. K, N.
Eutermes (Eutermes) Acajutlae Holmgren 1910b, p. 262, im., sold., work., fig. 42
(im.), San Salvador: Acajutla (Mus. Hamburg), St. Thomas (Wasmann coll.).

Nasutitermes creolina Banks 1919, pp. 482, 484-485 (sold. only), pl. 2, fig. 17 (sold.),
St. Thomas, Trinidad, Porto Rico.

Eutermes (Eutermes) Guatemaleae Holmgren 1910b, p. 294, fig. 65 (im.), Guatemala:
San Jose.

Nasutitermes (Nasutitermes) guatemaleae Light 1935, p. 249, im., sold., Mexico:
Maria Madre Isl.

Eutermes (Eutermes) pacificus Holmgren 1910b, p. 266, fig. 45 (sold.), W. Coast
South or Central America.

Eutermes (Eutermes) pilifrons Holmgren 1910b, p. 265, sold., work., fig. 44 (sold.),
 Curacao (Mus. Hamburg), Mexico: Sierra du
 Nayarit, Terr. Jalasco (Mus. Paris), Colombia:
 Bogotá (Mus. Vienna).

Winged, queen, sold., work.

W. Mexico, Guatemala, Hon-
 duras, Costa Rica, Panama,
 Canal Zone, Colombia, Cura-
 cao, British Guiana, Trinidad,
 St. Thomas, St. Croix, Puerto
 Rico, Vieques Isl. (near
 Puerto Rico), San Salvador,
 Jamaica.

Neotropical.

Nasutitermes nigritus (Wasmann).

Eutermes nigrita Wasmann 1897, p. 171, nasutus, pl. 11, figs. 15, 20, 26-27, 34, Madagascar:
 Fenerive.

Eutermes nigrita Holmgren 1910b, pp. 146-148, sold., work. (im.?), Seychelles: Silhouette.
Eutermes nigrita Sjöstedt 1926, pp. 317-318, loc., syn.

Type: Mus. Stockholm.

Eutermes nigrita subsp. *rectirostris* Wasmann 1910a, p. 127, sold., work., Isl. Ste.
 Marie de Madagascar.

?(Imago), sold., work.

Madagascar, Seychelles.

Malagasy.

Nasutitermes nigritus, subsp. *rectirostris*, var. *pusilla* (Wasmann).

Eutermes nigritus subsp. *rectirostris* var. *pusilla* Wasmann 1910a, p. 127, sold., work.;
 Sjöstedt 1926, p. 317, East Madagascar: Isl. Prunes,
 Tamatave [probably not valid].

Sold., work.

Madagascar.

Malagasy.

Nasutitermes nordenskiöldi (Holmgren).

Eutermes (Eutermes) Nordenskiöldi Holmgren 1910b, p. 284, sold., work., fig. 57 (sold.),
 South Bolivia: Quinta; Argentina: Chaco de San-
 tiago del Estero, Icano, Salado.

Type: Mus. Paris.

Sold., work.

Bolivia, Argentina.

Neotropical.

Nasutitermes novarum hebridarum (Holmgren, N. and K.).

Eutermes (Eutermes) novarum hebridarum Holmgren, N. and K. 1915, pp. 92-93, imago,
 New Hebrides: Ambrym.

Eutermes novarum hebridarum Hill 1942, p. 242 (syn.).

Type: Basler Naturhist. Mus.

Nasutitermes (Grallotermes) oceanicum Snyder 1925g, pp. 439-440, sold., Graciosa
 Bay, Santa Cruz Archipelago.

Eutermes yandiniensis Hill 1927a, pp. 25-28, pl. 1, figs. 22-26, pl. 5, fig. 157, pl. 7, fig. 158, im., sold., work., Bougainville Isl. (Solomon Isls.), Yandini, New Britain: Rabaul, New Ireland: Kaiwieng, New Hebrides.

Winged, sold., work.

New Hebrides, Santa Cruz Archipelago, Solomon Isls., New Britain, New Ireland.

Papuan.

Nasutitermes octopilis Banks.

Nasutitermes octopilis Banks 1918, p. 666, fig. (sold.), Tukeit, Brit. Guiana.
Type: A.M.N.H.; paratype: M.C.Z.

Nasutitermes (*Nasutitermes*) *octopilis* Emerson 1925, pp. 383-385, fig. 56, im., sold.

Imago, sold.

Brit. Guiana.

Neotropical.

Nasutitermes oculatus (Holmgren).

Eutermes oculatus Holmgren 1911c, p. 200, im., p. 208, Ceylon: Peradeniya.
Type: Mus. Vienna.

Eutermes (*Ceylonitermes*?) *oculatus* Holmgren 1913b, p. 190, im.

Eutermes (*Eutermes*) *oculatus* Holmgren 1913-14, p. 269.

Eutermes oculatus John 1913, p. 109, places *longicornis* in syn.

Eutermes (*Eutermes*) *oculatus* John 1925, p. 393.

Eutermes (*Eutermes*) *longicornis* Holmgren 1913, p. 283, sold., work., Peradeniya; 1913b, p. 172, sold., work., pl. 7, fig. 5 (sold.), Ceylon: Peradeniya.

Eutermes longicornis Bugnion 1914, p. 184 (biol., syn.).

Winged, sold., work.

Ceylon. Indo-Malayan.

Nasutitermes olidus (Hill).

Eutermes olidus Hill 1926c, pp. 23-24, sold., work., Fiji: Taveuni; 1942, pp. 248-249, sold., work., figs. 150-151 (sold.), Fiji.
Holotype: sold.; morphotype: work., South Australian Mus.; paratype: Nat. Mus., Melbourne.

Sold., work.

Fiji.

Papuan.

Nasutitermes orientis Snyder.

Nasutitermes (*Subulitermes*) *orientis* Snyder 1925g, pp. 440-441, winged, sold., work., Auki, Malayta Isl., Solomon Isls.

Eutermes orientis Hill 1942, pp. 250-252, fig. 152 (winged), loc., syn.

Type: sold., M.C.Z. No. 15294; morphotype: winged; paratypes: U.S.N.M.

Winged, sold., work.

Solomon Isls., Malayta Isl.

Papuan.

Nasutitermes orientis, var. *tulagiensis* Snyder.

Nasutitermes (*Subulitermes*) *orientis*, var. *tulagiensis* Snyder 1925g, pp. 441-442, sold., work., Tulagi Isl., Solomon Isls.

Eutermes orientis var. tulagiensis Hill 1942, pp. 252-253, figs. 153-154 (sold.).

Type: sold., M.C.Z. No. 15295; paratypes: U.S.N.M.

Sold., work.

Solomon Isls., Tulagi Isl.

Papuan.

Nasutitermes oshimae Light and Wilson.

Nasutitermes (Nasutitermes) oshimae Light and Wilson 1936, p. 501, fig. 15, sold., Luzon.

Sold.

Philippines: Luzon.

Indo-Malayan.

Nasutitermes ovipennis (Haviland).

Termes ovipennis Haviland 1898, p. 424, im., sold., work., Borneo: Sarawak.

Eutermes (Eutermes) ovipennis Holmgren 1913b, p. 167, im., sold., work.; 1913-14, p. 253,
Malacca.

Type: No. 348.

Sold., work.

Borneo, Malay Arch.

Indo-Malayan.

Nasutitermes palaoensis (Oshima).

Eutermes (E.) palaoensis Oshima 1942, pp. 387-389, sold., work.¹⁻², Palao: Korror.

Sold., work.¹⁻²

Palao, Caroline Isls.

Papuan.

Nasutitermes panayensis (Oshima).

Eutermes (Grallatotermes) panayensis Oshima 1920a, p. 505, sold.¹⁻², work., pl. 2, fig. 5
(sold.), Philippines: Panay (Antique Prov.).

Nasutitermes panayensis Light 1930a, pp. 16, 20 (syn.).

Nasutitermes (Nasutitermes) panayensis Light and Wilson 1936, p. 476, syn., fig. 13 (im.,
sold., work.), Philippines: Marinduque Isl., loc.

Eutermes (Ceylonitermes) mcgregori Oshima 1920a, p. 501, loc., Philippines: Panay.
(Not Oshima 1916!)

Winged, sold., work.

Philippines: Tablas, Romblon,

Panay, Marinduque, Negros,

Cebu, Camasa, Zamboanga,

Leyte.

Indo-Malayan.

Nasutitermes parvonasutus (Nawa).

Eutermes parvonasutus Nawa 1911b, p. 414, pl. 21, figs. 1-4; 1912, p. 18, pl. 1, fig. 7.

Eutermes parvonasutus Oshima 1912, p. 83, pl. 1, fig. 16, pl. 2, figs. 14, 28-29, Formosa:
Kankao.

Eutermes (Eutermes) parvonasutus Hozawa 1915, p. 137, im., sold., work., pl. 4, fig. 27
(im.), fig. 28 (sold.), text figs. 34-36, syn., Formosa.

Nasutitermes parvonasutus Light 1931, pp. 583-584, 595, China: No. Fukien; Wu 1935,
p. 220.

Eutermes (Eutermes) Watasei Holmgren 1912a, pp. 134-136, im., sold., work., For-
mosa; 1913b, p. 170, im., sold., work., pl. 7, fig. 16.

Winged, sold., work.

Formosa, China (coast).

Indo-Malayan.

Nasutitermes parvus Light and Wilson.

Nasutitermes (Nasutitermes) parvus Light and Wilson 1936, pp. 504-505, sold., fig. 17, Jolo Isl.

Sold.

Philippines.

Indo-Malayan.

Nasutitermes peruanus (Holmgren).

Eutermes (Eutermes) peruanus Holmgren 1910b, p. 240, sold., work., fig. 27 (sold.), Peru: Chaqueimayo.

Eutermes peruanus John 1920, p. 229, Brazil.

Nasutitermes (Nasutitermes) ephratae Snyder 1926d, p. 32, loc. part, Bolivia.

Eutermes (Eutermes) tambopatensis Holmgren 1910b, p. 242; sold., work., fig. 28 (sold.), Peru: Tambopata (Juan del Oro), pp. 185, 192, variation.

Sold., work.

Peru, Bolivia, Brazil.

Neotropical.

Nasutitermes pictus Light.

Nasutitermes (?) pictus Light 1933, pp. 127-129, pl. 10, figs. 3-4, figs. Z and BB winged, Colima.

Winged.

W. Mexico.

Neotropical.

Nasutitermes piliceps (Holmgren).

Eutermes (Eutermes) piliceps Holmgren 1910b, p. 289, sold., work., fig. 60 (sold.), N. Paraguay: Estancia Postillon (on Rio Paraguay). Type: Mus. Hamburg.

Sold., work.

Paraguay.

Neotropical.

Nasutitermes pilosus Snyder.

Nasutitermes (Nasutitermes) pilosus Snyder 1926d, p. 30, soldier, Cachuela Esperanza (Beni River), Bolivia. Type: sold., U.S.N.M. No. 27654.

Sold.

Bolivia.

Neotropical.

Nasutitermes pluriarticulatus (Silvestri).

Eutermes arenarius subsp. **pluriarticulatus** Silvestri 1901, p. 7, im., Brazil: Coxipò; 1903, pp. 86-87, im., sold., work., fig. 22 (wings), pl. 4, figs. 165-166 (im.), figs. 167-168 (sold.), Coxipò, Cuyabà.

Eutermes (Eutermes) arenarius subsp. **pluriarticulatus** Desneux 1904e, p. 40 (syn.); Holmgren 1910b, p. 274, fig. 51 (im., sold.), Brazil (Matto Grosso): Coxipò, Cuyabà.

Winged, sold., work.

Brazil.

Neotropical.

Nasutitermes pluvialis (Mjöberg).

Eutermes pluvialis Mjöberg 1920, p. 45, figs. 19a-b, 20b, winged, sold., work., Queensland (S. Queensland: Blackal Range, Mount Tambourine, N. Queensland: Herberton, Malanda, Cedar Creek); Hill 1942, pp. 259-261, figs. 160-162, im., sold., syn., loc.

Cotypes: Nat. Hist. Mus., Stockholm, and Hill coll.

?*Eutermes fumigatus* Jarvis 1916, p. 17, econ.; 1925, p. 17, econ.; 1926, p. 13, econ.; Hill 1942, p. 220.

Winged, sold., work.

Queensland.

Australian.

Nasutitermes princeps (Desneux).

Termes (*Eutermes*) *princeps* Desneux 1905, p. 375, winged, sold., work., New Guinea: Friedrich-Wilhelms-hafen.

Eutermes princeps Holmgren 1911b, p. 464, im., sold., work., figs. 6-7 (im., sold.), loc.

Eutermes (*Eutermes*) *princeps* John 1925, p. 399; Hill 1942, pp. 261-263, figs. 167-169 (im., sold.).

Cotypes: Hill coll.

Winged, sold., work.

Brit. and Dutch New Guinea,
Aru Isl.

Papuan.

Nasutitermes profestus (Sjöstedt).

Eutermes profestus Sjöstedt 1926b, p. 161.

Coarctotermes contractus Sjöstedt 1926, pp. 355-356, im. only, Belg. Congo: Tumbwe only.
Type: Mus. Stockholm.

Winged.

Congo.

Ethiopian.

Nasutitermes projectus (Hill).

Eutermes projectus Hill 1942, pp. 296-297, figs. 212-213 (sold.), N. S. Wales: Euston.
Holotype: sold.; morphotype: work., C.S.I.R. coll.

Sold., work.

N. S. Wales.

Australian.

Nasutitermes proximus (Silvestri).

Eutermes arenarius subsp. *proximus* Silvestri 1901, p. 7, sold., Uruguay: La Sierra; 1903, p. 84, im., sold., work., pl. 4, figs. 162 (im.), 163 (sold.).

Termes (*Eutermes*) *arenarius* subsp. *proximus* Desneux 1904e, p. 40 (syn.).

Eutermes (*Eutermes*) *proximus* Holmgren 1910b, p. 245, im., sold., work., fig. 30 (sold.).

Eutermes (*Eutermes*) *aurantiacoides* Holmgren 1910b, p. 269, sold., work., fig. 48 (sold.), Brazil: Valley of Itapocú (distr. Jaraguá, Sta. Catharina), Mus. Hamburg.

Winged, sold., work.

Uruguay, Brazil.

Neotropical.

Nasutitermes putidus (Sjöstedt).

Eutermes (*Eutermes*) *putidus* Sjöstedt 1924a, pp. 40-41, nasutus, Congo: Kasai, Kondué.

Eutermes putidus Sjöstedt 1926, p. 314.

Sold., work.

Congo.

Ethiopian.

Nasutitermes regularis (Haviland).

Termes regularis Haviland 1898, p. 425, im., sold., work., Borneo: Sarawak.

Eutermes (Eutermes) regularis Holmgren 1913b, p. 168, im., sold., work. (ergatoid), pl. 7,
fig. 6 (sold.); 1913-14, p. 253, Malacca.

Type: No. 279.

Winged, sold., work., ergatoid.

Borneo, Malacca.

Indo-Malayan.

Nasutitermes retus (Kemner).

Eutermes retus Kemner 1931, pp. 43-45, sold., work., fig. 15 (sold.), Amboin.

Sold., work.

Isl. Amboina.

Papuan.

Nasutitermes rippertii (Rambur).

Termes rippertii Rambur 1842, p. 308 (im.), Havana, Cuba.

?*Termes destructor* Perty 1830, p. 127, pl. 25, fig. 9, Brazil?

Termes Rippertii Walker 1853, p. 520, Jamaica.

<*Termes (Eutermes) Rippertii* Hagen 1858, p. 218 (im.), pl. 2, fig. 13, pl. 3, fig. 32 (im.)
(several species included), loc.

<*Termes Rippertii* Hagen 1858a, p. 31, im.

Termes Rippertii Hagen 1860a, p. 118, im., sold., work., Cuba.

Eutermes Ripperti Holmgren 1910b, p. 323.

Nasutitermes ripperti Banks 1919, p. 483, im., p. 482, im., sold., pl. 2, fig. 15 (sold.), loc.,
syn.

Type: Selys Longchamps coll., Brussels.

Eutermes (Eutermes) bahamensis Holmgren 1910b, p. 290 (sold.), fig. 61, Bahamas,
Isle de Providence.

Eutermes (Eutermes) cubanus Holmgren 1910b, p. 291 (sold. and work.), fig. 62
(sold.), Cuba.

Winged, sold., work.

Cuba, Jamaica, Bahamas (New
Providence, Dry Key, Andros
Isle, Mangrove Key).

Neotropical.

Nasutitermes roboratus (Silvestri).

Eutermes roboratus Silvestri 1914, p. 430, sold., work., fig. v, sold., Lower Burma: Moulmein.

Sold., work.

Burma.

Indo-Malayan.

Nasutitermes robustus (Holmgren).

Eutermes robustus Holmgren 1906, p. 587, sold., work., figs. O¹ (sold.), P¹ (work.), Peru:
Llinquipata, Chaqueimayo, Carabaya; 1910b, p. 283,
sold., work., fig. 56 (sold.), Peru: Chaqueimayo.

Sold., work.

Peru.

Neotropical.

Nasutitermes rotundatus (Holmgren).

Eutermes rotundatus Holmgren 1906, p. 589, sold., work., fig. Q 1 (sold.), Peru: Llinqui-
pata, Chaqueimayo (Prov. de Carabaya; 1910b, p. 285,
sold., work., fig. 58 (sold.), Chaqueimayo.

Nasutitermes (Nasutitermes) rotundatus Snyder 1926, p. 28, sold., work., Rio Frio, Colombia; 1926d, p. 32, Bolivia (not Snyder 1925b, p. 162, Costa Rica: Colombiana).

Sold., work.

Peru; Bolivia; Colombia.

Neotropical.

Nasutitermes rotundus Light and Wilson.

Nasutitermes (Nasutitermes) rotundus Light and Wilson 1936, pp. 904-905, fig. 18 (sold.), Cotabato Coast, Mindanao.

Sold.

Philippines.

Indo-Malayan.

Nasutitermes rufirostris (Hill).

Eutermes rufirostris Hill 1927a, pp. 24-25, pl. 1, figs. 19-21, sold., work., New Britain: Bai near Rabaul; 1942, pp. 265-266, figs. 170-171 (sold.), syn., loc.

Holotype: sold.; morphotype: work., Nat. Mus., Melbourne.

Sold., work.

New Britain.

Papuan.

Nasutitermes salebrithorax (Sjöstedt).

Eutermes salebrithorax Sjöstedt 1904, pp. 89-90, im., sold., work., Madagascar: Fort Dauphin; 1926, p. 316, loc., syn.

Winged, sold., work.

Madagascar, Seychelles (Isl.
Silhouette).

Malagasy.

Nasutitermes saleierensis (Kemner).

Eutermes saleierensis Kemner 1934, pp. 141-143, figs. 38-39 (im., sold.), Saleier Isl. west point of Celebes, also Isl. Djampaea southward.

Winged, sold.

Saleier, Djampaea Isls., Celebes.

Indo-Malayan.

Nasutitermes sanctae-anae (Holmgren).

Eutermes arenarius subsp. *proximus* var. "a" Silvestri 1903, p. 85, sold., work., S. Ana (Misiones), Argentina.

Eutermes (Eutermes) Sanctae-Anae Holmgren 1910b, p. 246, sold., work.

Sold., work.

Argentina.

Neotropical.

Nasutitermes sanctae-crucis Snyder.

Nasutitermes (Subulitermes) sanctae-crucis Snyder 1925g, p. 442, winged, sold., Graciosa Bay, Santa Cruz Arch.

Eutermes sanctae-crucis Hill 1942, pp. 266-268, figs. 172-174 (im., sold.).

Type: sold., M.C.Z., No. 15296; morphotype: winged;
paratype: U.S.N.M.

Winged, sold.

Santa Cruz Archipelago.

Papuan.

Nasutitermes sandakanensis (Oshima).

Eutermes (*Eutermes*) *sandakanensis* Oshima 1914b, p. 577, pl. 10, fig. 8, sold., work., Sandakan, Borneo.

Sold., work.
Borneo.

Indo-Malayan.

Nasutitermes santschii Emerson.

Nasutitermes (*Nasutitermes*) *santschii* Emerson 1928, p. 484, fig. 39 (im., sold.), Congo: Stanleyville.

Holotype: queen (A.M.N.H.); morphotype: sold. (A.M.N.H.).

Eutermes maculiventris var. *pusilla* Sjöstedt 1926, pp. 297, 320, nasutus, Stanleyville (name preoccupied); 1926b, p. 155, sold., Belg. Congo: Mauda (Uélé).

Winged, sold.
Congo.

Ethiopian.

Nasutitermes schoutedeni (Sjöstedt).

Eutermes (*Eutermes*) *Schoutedeni* Sjöstedt 1924a, p. 40, nasutus, Congo: Basongo; 1926, pp. 314-315, pl. II, figs. K 1-2 (nasutus).

Sold., work.
Congo.

Ethiopian.

Nasutitermes silvestrii (Holmgren).

Eutermes (*Eutermes*) *Silvestrii* Holmgren 1910b, p. 281 (im., sold., work.), fig. 55a (im.), fig. 55b-c (sold.), Paraguay: Paraguari; Argentina: Resistencia (Chaco).

Eutermes arenarius subsp. *fulviceps* var. *Silvestri* 1903, p. 89, im., sold., work., pl. 4, fig. 177 (sold.).

Winged, sold., work.
Paraguay, Argentina.

Neotropical.

Nasutitermes simaluris Oshima.

Nasutitermes *simaluris* Oshima 1923, pp. 15-16, figs. 11-12, sold., work., Sinabang, Simalur, Sumatra.

Sold., work.
Sumatra.

Indo-Malayan.

Nasutitermes similis Emerson.

Nasutitermes (*N.*) *guayanae* (in part) Emerson 1925, p. 308 (sold.), p. 376, im., sold., fig. 54 (im., sold.).

Nasutitermes (*Nasutitermes*) *similis* Emerson 1935, pp. 389-390, figs. 10-11, im., sold.. Kartabo, Brit. Guiana.

Im., sold., work.
Brit. Guiana.

Neotropical.

Nasutitermes simulans Light and Wilson.

Nasutitermes (*Nasutitermes*) *simulans* Light and Wilson 1936, pp. 493-494, fig. 11, sold., Malanipa Isl., Mindanao.

Sold.
Philippines.

Indo-Malayan.

Nasutitermes smithi (Hill).

Eutermes smithi Hill 1942, pp. 300-302, figs. 218-220 (im., sold.), im., sold., work., North Terr.: Johnston's Lagoon (45 miles north of Newcastle Waters, thence northward along overland telegraph route to Birdum).

Holotype: sold.; morphotype: winged, work., C.S.I.R. coll.

Winged, sold., work.

No. Terr., Australia.

Australian.

Nasutitermes? strelnicovi (John).

Eutermes strelnicovi John 1920, pp. 222-223, fig. 3 (sold.), winged, sold., Brazil: Matto Grosso.

Winged, sold.

Brazil.

Neotropical.

Nasutitermes surinamensis (Holmgren).

Eutermes (Eutermes) surinamensis Holmgren 1910b, p. 251, sold., work., fig. 33 (sold.), Surinam: Ephrata, pp. 183, 190-192, variation.

Nasutitermes ephratae (part) Banks 1918, p. 666 (loc.), Brit. Guiana.

Nasutitermes (Nasutitermes) surinamensis Emerson 1925, pp. 385-386, fig. 57a-d, im., sold., Surinam: Ephrata; Snyder 1926d, p. 33, Bolivia.

Winged, sold., work.

Dutch and Brit. Guiana, Bolivia.

Neotropical.

Nasutitermes takasagoensis (Oshima).

Eutermes takasagoensis Oshima 1912, p. 86, pl. 1, figs. 4, 12, pl. 2, figs. 1, 23; Nawa 1911b, p. 415, pl. 21, figs. 5-8.

Eutermes (Eutermes) takasagoensis Oshima 1913, p. 279, syn., loc., Formosa: Botel-Tobago Isl., Loochoo Arch., Ishigakijima, Christmas Isl.; Hozawa 1915, p. 120, im., ergatoid queen, figs. 29-32, syn., Formosa, Christmas Isl.

Nasutitermes takasagoensis Light and Wilson 1936, p. 492 (syst.).

Eutermes (Eutermes) piciceps Holmgren 1912a, p. 132, im., sold., work., Formosa; 1913b, p. 186, im., sold., work., pl. 7, fig. 20 (sold.).

Winged, ergatoid queen, sold., work.

Formosa, Christmas Isl.

Indo-Malayan.

Nasutitermes tatarendae (Holmgren).

Eutermes (Eutermes) Tatarendae Holmgren 1910b, p. 250, sold., work., fig. 32 (sold.), Bolivia: Tatarenda.

Sold., work.

Bolivia.

Neotropical.

Nasutitermes taylori Light and Wilson.

Nasutitermes (Nasutitermes) taylori Light and Wilson 1936, pp. 506-508, fig. 20, alate, sold., Catayan Isl., Mindanao.

Winged, sold.

Philippines.

Indo-Malayan.

Nasutitermes timoriensis (Holmgren).

Eutermes (*Eutermes*) *timoriensis* Holmgren 1913b, p. 187, sold., work., pl. 7, fig. 18 (sold.),
Timor.

Sold., work.

Timor (Dutch E. Indies).

Indo-Malayan:

Nasutitermes tipuanicus (Holmgren).

Eutermes (*Eutermes*) *tipuanicus* Holmgren 1910b, p. 281, sold., work., Bolivia: Tipuani.
Type: Mus. Hamburg.

Sold., work.

Bolivia.

Neotropical.

Nasutitermes torquatus (Sjöstedt).

Eutermes (*Eutermes*) *torquatus* Sjöstedt 1924c, p. 494, nasutus, Belg. Congo: Stanleyville.

Eutermes *torquatus* Sjöstedt 1926, p. 321, pl. II, fig. L 1-2 (sold.).

Nasutitermes (*Nasutitermes*) *torquatus* Emerson 1928, p. 481, fig. 36, winged, sold., region
of Stanleyville.

Winged, sold., work.

Belg. Congo.

Ethiopian.

Nasutitermes torresi (Hill).

Eutermes *torresi* Hill 1942, pp. 303-305, figs. 223-225 (im., sold.), im., sold., work., Torres
Strait: Thursday Isl.

Holotype: sold.; morphotype: winged, work., C.S.I.R.
coll.

Winged, sold., work.

Thursday Isl.

Papuan.

Nasutitermes 13-articulatus (*tredecimarticulatus*) (Holmgren).

Eutermes (*Eutermes*) *13-articulatus* Holmgren 1910b, p. 256, queen, sold., work., fig. 37
(queen), Ecuador.

Type: Mus. Berlin.

Queen, sold., work.

Ecuador.

Neotropical.

Nasutitermes triodiae (Froggatt).

Eutermes *triodiae* Froggatt 1897, p. 745, sold., work. (imago is *Termes*), West. Australia
(Hall's Creek); Hill 1942, pp. 269-273, figs. 175-176
(sold.), im., sold., work., syn., loc.

Eutermes *pyriformis* Froggatt 1897, p. 750, fig. 10, sold., work., No. Terr.

Eutermes (*Eutermes*) *pyriformis* Desneux 1904c, p. 44.

Eutermes *pyriformis* Mjöberg 1920, p. 37, fig. 23 (sold.).

Eutermes *nigerrimus* Mjöberg 1920, pp. 37-38, figs. 13-17, pl. 4, fig. 2, im., sold., work.,
W. Australia.

Eutermes *nigerrimus* var. *queenslandicus* Mjöberg 1920, p. 43, Queensland.

Eutermes *palmerstoni* Hill 1922a, pp. 148-151, queen, sold., work., No. Terr.

Holotype: sold.; morphotype: work.; and
morphotype: im., C.S.I.R. coll.

Winged, queen, sold., work.

W. Australia, No. Terr.,

Queensland, Torres Strait:

Banks Isl., Mulgrave Isl.

Australian.

Nasutitermes ueleensis (Sjöstedt).

Eutermes (*Eutermes*) *ueleensis* Sjöstedt 1924c, p. 494, *nasutus*, Belg. Congo, Haut Uélé: Moto; 1926, p. 317, *nasutus*, work.

Sold., work.

Congo.

Ethiopian.

Nasutitermes usambarensis (Sjöstedt).

Eutermes usambarensis Sjöstedt 1904, p. 103, *nasutus*, work., E. Africa: Usambara; 1926, p. 322.

Sold., work.

E. Africa: Usambara.

Ethiopian.

Nasutitermes voeltzkowi (Wasmann).

Eutermes mauritianus Wasmann 1910a, p. 125, sold., work., Isl. Mauritius.
Type: Oxford (Hopes coll.).

Eutermes Voeltzkowi Wasmann 1911, p. 128, syn.; 1911a, p. 167, syn.

Eutermes voeltzkovi Holmgren 1911, p. 550, *mauritianus* preoccupied by *mauricianus* Rambur 1842; Sjöstedt 1926, p. 311, syn., loc.

Eutermes mauritianus subsp. *minor* Wasmann 1910a, p. 125, sold., work., Mauritius.

Nasutitermes (*Nasutitermes*) *voeltzkowi* subsp. *wasmanni* Emerson 1928, p. 416.

Sold., work.

Isl. Mauritius.

Malagasy.

Nasutitermes walkeri (Hill).

Eutermes walkeri Hill 1942, pp. 305-307, figs. 226-227 (sold.), im., sold., work., Sydney, Queensland, New Zealand: Hawks Bay, introduced.
Holotype: sold.; morphotype: winged, work., C.S.I.R. coll.

Winged, sold., work.

N. S. Wales, Queensland, New Zealand.

Australian.

Nasutitermes wheeleri Emerson.

Nasutitermes (*Nasutitermes*) *wheeleri* Emerson 1925, pp. 391-392, fig. 60 (sold.), winged nymph, sold., Kartabo, Brit. Guiana.
Holotype: sold., N. Y. Zool. Soc.; paratypes: A.M.N.H., U.S.N.M.

Winged nymph, sold.

Brit. Guiana.

Neotropical.

ROTUNDITERMES

Genus *Rotunditermes* Holmgren.

Generotype: *Rotunditermes rotundiceps* (Holmgren).

=Subgenus *Rotunditermes* (*Eutermes*) Holmgren 1910b, pp. 208, 218; 1912, pp. 59-61, 64.
=Genus *Rotunditermes* Light 1930a, p. 16.

Rotunditermes rotundiceps (Holmgren).

Eutermes rotundiceps Holmgren 1906, p. 591, im., sold., work., fig. S 1 (im.), T 1 (sold.), Peru: Chiquimayo (Carabaya).

Eutermes (Rotunditermes) rotundiceps Holmgren 1910b, p. 301, im., sold., work., fig. 70a (im.), b, c (sold.); 1912, p. 67, fig. 44 (sold.), pl. 3, fig. 15 (sold.), fig. 16 (im.).

Winged, sold., work.

Peru. Neotropical.

HAVILANDITERMES

Genus **Havilanditermes** Light.

Generotype: **Havilanditermes atripennis** (Haviland).

=Subgenus **Havilanditermes (Nasutitermes)** Light 1930a, pp. 46-49.

Havilanditermes atripennis (Haviland).

Termes atripennis Haviland 1898, p. 423, im., sold., work., Borneo: Sarawak.

Type: No. 427.

Eutermes atripennis Holmgren 1912, p. 67, fig. 39, pl. 3, fig. 2 (sold.); 1913b, p. 164, im., sold., work.¹⁻², pl. 7, fig. 24 (sold.).

Nasutitermes (Havilanditermes) atripennis Light 1930a, pp. 46-49, pl. 6, figs. 1-2, pl. 7, figs. 2-3, pl. 8, figs. 2, 10, 13, sold., work. (subgenus based on sold., work.).

Nasutitermes (Havilanditermes) atripennis Light and Wilson 1936, pp. 479-480, fig. 7 (sold.).

Eutermes (Eutermes) duplex Holmgren 1913-14, pp. 254-256, pl. 7, fig. 16, sold.¹⁻², work., Central Sumatra.

Eutermes duplex John 1925, p. 393, loc., Sumatra.

Winged, sold.¹⁻², work.¹⁻³

Borneo, Sumatra.

Indo-Malayan.

TUMULITERMES

Genus **Tumulitermes** Holmgren.

Generotype: **Tumulitermes tumuli** (Froggatt).

=Subgenus **Tumulitermes (Eutermes)** Holmgren 1912, pp. 59-61, 64.

Tumulitermes apiocephalus (Silvestri).

Eutermes apiocephalus Silvestri 1909, p. 306, pl. 21, figs. 196-200, nymph, sold., work., W. Australia.

Eutermes apiocephalus Hill 1925a, pp. 216-217, pl. 24, figs. 17-20, winged, queen, S. W. Australia; 1942, pp. 205-207, im., sold., work., figs. 101-103 (im., sold.), syn., loc., W. Australia, N. S. Wales.

Morphotype: winged, Nat. Mus., Melbourne.

Eutermes (Tumulitermes) aagaardi Mjöberg 1920, p. 55, sold., work., figs. 18a, 27 (sold.), W. Australia.

Winged, queen, sold., work.

W. Australia, Queensland, N. S.

Wales.

Australian.

Tumulitermes comatus (Hill).

Eutermes comatus Hill 1942, pp. 281-282, figs. 189-190, sold., work., Queensland: Magnetic Isl.

Holotype: sold.; morphotype: work., C.S.I.R. coll.

Sold., work.

Queensland, W. Australia.

Australian.

Tumulitermes curtus (Hill).

Eutermes curtus Hill 1942, pp. 282-284, figs. 191-192 (sold.), sold., work., Queensland: Mareeba.

Holotype: sold.; morphotype: work., C.S.I.R. coll.

Sold., work.

Queensland.

Australian.

Tumulitermes dalbiensis (Hill).

Eutermes dalbiensis Hill 1942, pp. 284-285, figs. 193-194 (sold.), sold., work., Queensland: Dalby.

Holotype: sold.; morphotype: work., C.S.I.R. coll.

Sold., work.

Queensland.

Australian.

Tumulitermes hastilis (Froggatt).

Eutermes hastilis Froggatt 1897, p. 751, im., sold., work., pl. 35, fig. 7, Queensland: Mackay.

Termes (Eutermes) hastilis Desneux 1904e, p. 42 (syn.).

Eutermes hastilis Mjöberg 1920, pp. 34, 36, sold.; Hill 1942, pp. 227-231, figs. 123-125 (im., sold.), syn., loc.

Hololectotype: winged; morpholectotype: sold., work., Hill coll.

Eutermes fieldi Hill 1923 (in part, imago), pp. 43-46, figs. 8-10, Central Australia.

Winged, sold., work.

Queensland, No. Terr., W. Australia.

Australian.

Tumulitermes kershawi (Hill).

Eutermes kershawi Hill 1942, pp. 288-289, figs. 200-201 (sold.), sold., work., W. Australia: Forrest.

Holotype: sold.; morphotype: work., Nat. Mus., Melbourne.

Sold., work.

W. Australia, N. S. Wales.

Australian.

Tumulitermes marcidus (Hill).

Eutermes marcidus Hill 1942, pp. 290-291, figs. 202-203 (sold.), queen, sold., work., Torres Strait: Banks Isl., Queensland: Cape York.

Holotype: sold.; morphotype: dealated adult, work., C.S.I.R. coll.

Queen, sold., work.

Torres Strait; Cape York,
Queensland.

Australian.

Tumulitermes mareebensis (Hill).

Eutermes (Tumulitermes) apiocephalus Mjöberg 1920, p. 57 (sold.), pl. 2, fig. 8 (sold.), Queensland.

- Eutermes mareebensis** Hill 1922a, pp. 151-152, figs. 17-20, sold., work., Mareeba, No. Queensland; 1929, pp. 90-92, pl. 14, figs. 7-8, text fig. 1b, winged, N. Queensland; 1942, pp. 239-242, figs. 137-139 (im., sold.), syn., loc.
 Holotype: winged; morphotype: sold.¹, work., Nat. Mus., Melbourne; morphotype: sold.², C.S.I.R. coll.
- Winged, sold.¹⁻², work. Queensland. Australian.
- Tumulitermes nichollsi** (Hill).
Eutermes nichollsi Hill 1942, pp. 291-293, figs. 204-205 (sold.), sold., work., W. Australia: Yalgoo.
 Holotype: sold.; morphotype: work., C.S.I.R. coll.
- Sold., work. W. Australia. Australian.
- Tumulitermes pastinator** (Hill).
Eutermes pastinator Hill 1915, p. 100, pl. 19, figs. 6-7, winged, sold., work., No. Terr.; 1942, pp. 253-257, figs. 155-157 (im., sold.), syn., loc.
 Holotype: sold.; morphotype: winged and work., Nat. Mus., Melbourne.
- Eutermes Tyriei** Mjöberg 1920, p. 59, fig. 29a-b (sold.), pl. 3, fig. 1 (nest), sold., work., Queensland.
- Eutermes tribulis** Hill (in part) 1923, p. 46, figs. 17-21, queen, sold., work., Central Australia; queen not *pastinator*.
- Winged, sold., work. No. Terr., Queensland, W. Australia. Australian.
- Tumulitermes peracutus** (Hill).
Eutermes peracutus Hill 1925a, pp. 219-221, pl. 24, figs. 25-26, sold., work., W. Australia; 1942, pp. 257-259, figs. 158-159 (sold.), syn., loc.
 Holotype: sold.¹; morphotype: sold.², work., Nat. Mus., Melbourne.
- Sold.¹⁻², work. W. Australia, N. S. Wales. Australian.
- Tumulitermes petilus** (Hill).
Eutermes petilus Hill 1942, pp. 294-296, figs. 208-211 (sold.¹⁻²), sold.¹⁻², work., W. Australia: Tammin.
 Holotype: sold.¹; morphotype: sold.², work., C.S.I.R. coll.
- Sold.¹⁻², work. W. Australia. Australian.
- Tumulitermes pulleinei** (Mjöberg).
Eutermes (Trinervitermes) Pulleinei Mjöberg 1920, p. 57, pl. 2, fig. 10, text figs. 21b, 26a, 28, sold.¹⁻², work., Queensland: Cedar Creek.
Eutermes pulleinei Hill 1942, pp. 263-265 (sold.¹⁻²), syn., loc.
 Cotypes: Nat. Hist. Mus., Stockholm.
- Sold.¹⁻², work. Queensland. Australian.

Tumulitermes recalvus (Hill).

Eutermes recalvus Hill 1942, pp. 297-299, figs. 214-217 (sold.¹⁻²), sold., work., Queensland: Homestead, loc.
Holotype: sold.¹; morphotype: sold.², work., C.S.I.R. coll.

Sold.¹⁻², work.

Queensland, N. S. Wales.

Australian.

Tumulitermes subaquilus (Hill).

Eutermes subaquilus Hill 1942, pp. 302-303, figs. 221-222 (sold.), sold., work., W. Australia: Narrogin.
Holotype: sold.; morphotype: work., Nat. Mus., Melbourne.

Sold., work.

W. Australia.

Australian.

Tumulitermes tumuli (Froggatt).

Eutermes tumuli Froggatt 1897, pp. 747-749, pl. 35, fig. 9, winged, sold., work. (winged = *Termes kalgoorliensis* (Hill)), W. and Central Australia, Kalgoorlie (W. Australia).

Termes (Eutermes) tumuli Desneux 1904e, p. 46, syn.

Eutermes tumuli Silvestri 1909, p. 307, pl. 21, figs. 201-202; Mjöberg 1920, pp. 36, 55, sold.

Eutermes (Tumulitermes) tumuli Holmgren 1912, p. 64, pl. 3, fig. 12 (im.), fig. 13 (sold.).

Eutermes tumuli Hill 1925a, p. 221, sold.; 1928, p. 45, sold. only; 1942, pp. 273-277, figs. 177-181 (im., sold.¹⁻²), im., sold., work., syn., loc.

Hololectotype: sold.¹; morpholectotype: work.; morphotype: winged and sold.², C.S.I.R. coll.

Winged, sold.¹⁻², work.

W., So. and Central Australia.

Australian.

Tumulitermes westraliensis (Hill).

Eutermes westraliensis Hill 1921a, p. 454, figs. 51-56, sold., work., W. Australia: Gosnells; 1925a, p. 217, pl. 24, figs. 21-24, winged; 1942, pp. 277-279, figs. 182-185 (im., sold.), syn., loc.

Holotype: winged; morphotype: sold., work., Nat. Mus., Melbourne.

Winged, sold., work.

W. Australia.

Australian.

OCCASITERMES

Genus *Occasitermes* Holmgren.

Generotype: *Occasitermes occasus* (Silvestri).

=Subgenus *Occasitermes* (*Eutermes*) Holmgren 1912, pp. 59-60, 64.

Occasitermes occasus (Silvestri).

Eutermes occasus Silvestri 1909, p. 307, pl. 21, figs. 203-220, winged, sold., work., W. Australia: Collie.

Eutermes (Occasitermes) occasus Holmgren 1912, p. 64, pl. 3, fig. 7 (im.), fig. 17 (sold.).

Eutermes occasus Mjöberg 1920, p. 36, sold.

Winged, sold., work.

W. Australia.

Australian.

PARVITERMES

Genus *Parvitermes* Emerson, n. gen.

Generitype: *Parvitermes brooksi* (Snyder).

<Subgenus *Tenuirostritermes* Snyder 1924d, p. 131; 1925e, p. 106; 1926d, p. 43; Hare 1931,
pp. 597, 602, 606.

<Genus *Constrictotermes* Banks 1919, pp. 489, 487.

<Subgenus *Agnathotermes* Snyder 1926d, pp. 41-42, syn.; Emerson 1928, p. 407.

Parvitermes brooksi (Snyder).

Nasutitermes (Tenuirostritermes) brooksi Snyder 1925e, pp. 105-106, figs. 1-2, sold., Cuba:
Soledad (Cienfuegos).

Type: sold., M.C.Z. No. 15067; paratype: sold., U.S.N.M.

Sold.

Cuba.

Neotropical.

Parvitermes discolor (Banks).

Constrictotermes discolor Banks 1919, p. 489, pl. 2, figs. 20, 27 (sold.), Porto Rico: Ad-
juntas.

Type: sold., A.M.N.H.; paratype: sold., M.C.Z. No.
10084.

Sold.

Puerto Rico.

Neotropical.

Parvitermes flaveolus (Banks).

Constrictotermes flaveolus Banks 1919, p. 488, pl. 2, figs. 16, 26 (sold.), Haiti: Petionville.
Type: sold., M.C.Z. No. 10083.

Sold.

Haiti.

Neotropical.

?*Parvitermes laticephalus* (Snyder).

Nasutitermes (Tenuirostritermes) laticephalus Snyder 1926d, p. 43, pl. 3, figs. 7-8, sold.,
Bolivia: Covendo.

Type: sold., U.S.N.M. No. 27661.

Nasutitermes (Tenuirostritermes) laticeps Snyder 1926d, pl. 3, figs. 7-8, sold. (misspelling).

Sold.

Bolivia.

Neotropical.

Parvitermes pallidiceps (Banks).

Constrictotermes pallidiceps Banks 1919, p. 487, pl. 2, figs. 14, 22 (sold.), Haiti: Port au
Prince.

Nasutitermes (Agnathotermes) pallidiceps Snyder 1926d, p. 42, syn.

Type: sold., M.C.Z. No. 10081.

Sold.

Haiti.

Neotropical.

Parvitermes wolcotti (Snyder).

Nasutitermes (Tenuirostritermes) wolcotti Snyder 1924d, pp. 131-132, figs. 1-2, sold., Porto
Rico: Boqueron.

Type: sold., U.S.N.M. No. 26757.

Sold.

Puerto Rico.

Neotropical.

OBTUSITERMES

Genus *Obtusitermes* Snyder.

Generitype: *Obtusitermes panamae* (Snyder).

=Subgenus *Obtusitermes* (*Nasutitermes*) Snyder 1924, p. 20.

><Subgenus *Agnathotermes* Snyder 1926d, pp. 41-42.

Obtusitermes aequalis (Snyder).

Nasutitermes (*Obtusitermes*) *aequalis* Snyder 1924, p. 22, sold.¹, work., Cuba: Camaguey.
Type: sold., U.S.N.M. No. 26489.

Nasutitermes (*Agnathotermes*) *aequalis* Snyder 1926d, p. 42, syn.

Sold.¹

Cuba.

Neotropical.

Obtusitermes panamae (Snyder).

Nasutitermes (*Obtusitermes*) *biforma* Snyder 1924, pp. 20-22, pl. 1, figs. 1-4, sold.¹⁻², Quipo,
Rep. Panama.

Type: sold., U.S.N.M. No. 26369.

Nasutitermes (*Obtusitermes*) *biformis* Snyder 1924e, p. 196; 1925, pp. 190-191, 193, dealated
adult, Barro Colorado Isl., C. Z.

Nasutitermes (*Obtusitermes*) *panamae* Snyder 1925d, p. 89 (*biformis* preoccupied, changed
to *panamae*); 1926, p. 28, sold., work., Rio Frio,
Colombia.

Dealated, sold.¹⁻², work.

Panama; Canal Zone; Colombia.

Neotropical.

DIVERSITERMES

Genus *Diversitermes* Holmgren.

Generitype: *Diversitermes diversimilis* (Silvestri).

>Subgenus *Diversitermes* (*Eutermes*) Holmgren 1912, pp. 59-61, 64.

<Subgenus *Constrictotermes* (*Eutermes*) Holmgren 1910b, pp. 208, 216, 218.

>Subgenus *Diversitermes* Snyder 1926d; Emerson 1928, p. 407; Hare 1931, pp. 595, 597,
600, 602, 606.

Diversitermes castaniceps (Holmgren).

Eutermes (*Constrictotermes*) *castaniceps* Holmgren 1910b, p. 306, im., sold.¹⁻³, work.,
Brazil: Blumenau.
Type: Mus. Berlin.

Eutermes (*Diversitermes*) *castaniceps* Holmgren 1912, p. 64.

Nasutitermes (*Diversitermes*) *castaniceps* Snyder 1926d, p. 39, Bolivia.

Eutermes castaniceps John 1920, p. 231, fig. 2, sold., Paraguay: Alto Parana.

Winged, sold.¹⁻³, work.

Brazil, Bolivia, Paraguay.

Neotropical.

Diversitermes diversimilis (Silvestri).

Eutermes diversimilis Silvestri 1901, p. 7, im., Paraguay: Paraguari; 1903, p. 90, im.,
sold.¹⁻², work., fig. 24 (wings), pl. 4, figs. 183-184
(im.), figs. 185-186 (sold.¹), figs. 187-188 (sold.²),
fig. 189, work.

Termes (Eutermes) diversimilis Desneux 1904e, p. 42, syn., loc.
Eutermes (Constrictotermes) diversimilis Holmgren 1910b, p. 303, im., sold.¹⁻³, work., fig. 71a (im.), b-g (sold.¹⁻³).

Eutermes (Diversitermes) diversimilis Holmgren 1912, p. 64, figs. 18-19, sold.¹⁻², im.

Nasutitermes (Diversitermes) diversimilis Snyder 1926d, p. 39, loc.

Winged, sold.¹⁻³, work.

Paraguay, Brazil, Bolivia, Argentina.

Neotropical.

Diversitermes melanocephalus (Snyder).

Nasutitermes (Diversitermes) melanocephalus Snyder 1926d, p. 35, queen, sold.¹⁻³, figs. 5-6, Rosario, Bolivia.

Type: queen, U.S.N.M. No. 27658.

Queen, sold.¹⁻³, work.

Bolivia.

Neotropical.

Diversitermes uniformis (Snyder).

Nasutitermes (Velocitermes) uniformis Snyder 1926d, p. 39, winged, sold.¹⁻², pl. 3, figs. 9-10 (sold.¹), 11-12 (sold.²), Rosario, Bolivia.

Type: winged male, U.S.N.M. No. 27659; morphotype: sold.

Winged, sold.¹⁻²

Bolivia.

Neotropical.

Diversitermes velox (Holmgren).

Termes velox Holmgren 1906, p. 595, sold.¹⁻², work., fig. V 1 (sold.¹), Bolivia: Mojos (Caupolicán) var. Peru: Chaquimayo (Carabaya).

Eutermes (Constrictotermes) velox Holmgren 1910b, p. 309, sold.¹⁻², fig. 73a-x (sold.¹⁻²).

Eutermes (Velocitermes) velox Holmgren 1912, pp. 65, 67, fig. 42, pl. 3, fig. 27a-b (sold.¹⁻²).

Nasutitermes (Diversitermes) velox Hare 1931, p. 594, sold.¹⁻², work., p. 596, pl. 3 (sold.), Urucum de Corumbá, Matto Grosso, Brazil.

Cotype: sold., work., M.C.Z. No. 19101.

Sold.¹⁻³, work.

Bolivia, Peru, Brazil.

Neotropical.

BULBITERMES

Genus **Bulbitermes** Emerson, n. gen.

Generitype: **Bulbitermes constrictus** (Haviland).

<Genus **Termes** (section with *T. singaporiensis* for type) Haviland 1898, pp. 379, 426.

<Subgenus **Eutermes (Eutermes)** Holmgren 1912, pp. 59, 62; 1913-14, p. 256 (*constrictus* group).

<Genus **Eutermes** Kemner 1934, p. 122.

Bulbitermes borneensis (Haviland).

Termes borneensis Haviland 1898, p. 426, im., sold., work., Borneo: Sarawak.

Type: No. 272.

Eutermes (Eutermes) borneensis Holmgren 1913b, p. 175, im., sold., work.

Winged, sold., work.

Borneo.

Indo-Malayan.

Bulbitermes constrictiformis (Holmgren).

Eutermes (Eutermes) constrictiformis Holmgren 1913-14, pp. 259-260, im., sold., work.¹⁻²,
Sumatra, Malacca.

Eutermes (Eutermes) latinasus Holmgren 1913-14, p. 260, sold., work.¹⁻², pl. 7, fig. 20
(sold.), Bandar Baroe, Central Sumatra.

Winged, sold., work.¹⁻²

Sumatra, Malacca.

Indo-Malayan.

Bulbitermes constrictoides (Holmgren).

Eutermes (Eutermes) constrictoides Holmgren 1913b, p. 164, sold., descr. in key; 1913-14,
pp. 257-258, sold., work.¹⁻², Sumatra; John 1925, pp. 393-394, loc.

Eutermes constrictoides Kemner 1934, p. 131.

Sold.¹⁻², work.

Sumatra, Java.

Indo-Malayan.

Bulbitermes constrictus (Haviland).

Termes constrictus Haviland 1898, p. 421, Borneo: Sarawak.

Type: No. 292.

Eutermes (Eutermes) constrictus Holmgren 1913b, p. 172, im., sold., work., pl. 7, fig. 12
(sold.).

Winged, sold., work.

Borneo.

Indo-Malayan.

Bulbitermes flavicans (Holmgren).

Eutermes (Eutermes) flavicans Holmgren 1913b, p. 173, sold., work., pl. 7, fig. 11 (sold.),
Borneo (Sarawak); 1913-14, pp. 261-262, sold., work.,
Malacca; John 1925, p. 394, loc.

Sold., work.

Borneo, Malacca.

Indo-Malayan.

Bulbitermes gedéensis (Kemner).

Eutermes gedéensis Kemner 1934, pp. 135-137, fig. 34, sold., W. Java: Tjibodas.

Sold.

Java.

Indo-Malayan.

Bulbitermes germanus (Haviland).

Termes germanus Haviland 1898, p. 430, im., sold., work., Malay Pen.: Singapore, Bukit
Timah.

Type: No. 20.

Eutermes (Eutermes) germanus Holmgren 1913b, p. 180, im., sold., work.; John 1925,
pp. 396-397, pls. 22, 26, queen, sold., work., loc.

Im., queen, sold., work.

Malay Peninsula.

Indo-Malayan.

Bulbitermes kraepelini (Holmgren).

Eutermes (Eutermes) kraepelini Holmgren 1913b, p. 174, sold., work., pl. 7, fig. 14 (sold.),
Singapore, Mus. Hamburg; 1913-14, p. 262, imago-
queen, sold., work., Sumatra; John 1925, p. 394, loc.

Im.-queen, sold., work.

Singapore, Sumatra.

Indo-Malayan.

Bulbitermes nasutus (Holmgren).

Eutermes (Eutermes) nasutus Holmgren 1913-14, pp. 258-259, sold., work.¹⁻², Sumatra.

Sold., work.¹⁻²

Sumatra.

Indo-Malayan.

Bulbitermes neopusillus Snyder and Emerson, new name.

Eutermes (Eutermes) pusillus Holmgren 1913-14, pp. 256-257, sold., work.¹⁻², Java; pre-occupied by *Termes (Eutermes) pusillus* Heer 1849, p. 35, fossil now *Glyptotermes*; John 1925, p. 393, loc.

Nasutitermes (Nasutitermes) pusillus ? Light 1937, pp. 23-24, im., sold., Java: Depok.

Winged, sold., work.¹⁻²

Java, Sumatra.

Indo-Malayan.

Bulbitermes perpusillus (John).

Eutermes (Eutermes) pusillus form *perpusillus* John 1925, p. 393, sold., Singapore, Bukit Timah.

Sold.

Malay Peninsula.

Indo-Malayan.

Bulbitermes rosae (Kemner).

Eutermes Rosae Kemner 1934, pp. 137-138, fig. 35 (sold.), Java: near Buitenzorg.

Sold.

Java.

Indo-Malayan.

Bulbitermes salakensis (Kemner).

Eutermes salakensis Kemner 1934, pp. 132-133, fig. 32/1 (im.), 32/2-5 (sold.), West Java.

Winged, sold.

Java.

Indo-Malayan.

Bulbitermes sarawakensis (Haviland).

Termes sarawakensis Haviland 1898, p. 429, im., sold., work., Borneo: Sarawak.

Type: No. 265.

Eutermes (Eutermes) sarawakensis Holmgren 1913b, p. 177, im., sold., work., pl. 7, fig. 19 (sold.) ; 1913-14, p. 264, sold., work., Malacca; John 1925, pp. 385-386, pls. 20, 14-16, winged, queen, sold., work., loc.

Winged, queen, sold., work.

Borneo, Malacca, Sumatra.

Indo-Malayan.

Bulbitermes singaporiensis (Haviland).

Termes singaporiensis Haviland 1898, p. 429, im., sold., work., Malay Pen.: Singapore.

Type: No. 98.

?**Eutermes singaporiensis** Wasmann 1902b, p. 137, loc. ? Ceylon: Trincomali, Kanthalay-See.

Eutermes (Eutermes) singaporiensis Holmgren 1913b, p. 179, im., sold., work., loc.; 1913-14, p. 264; John 1925, p. 396, pls. 21, 18, queen, sold., work., loc.

Winged, queen, sold.¹⁻², work.

Singapore, Sumatra, Borneo,

Ceylon.

Indo-Malayan.

Bulbitermes subulatus (Holmgren).

Eutermes (*Eutermes*) *subulatus* Holmgren 1913-14, p. 261, sold., work.¹⁻², Sumatra; John 1925, p. 394, W. and Central Sumatra.

Sold., work.

Sumatra.

Indo-Malayan.

Bulbitermes vicinus (Kemner).

Eutermes vicinus Kemner 1934, pp. 133-135, fig. 33 (im.), im., sold., Depok near Buitenzorg, Java.

Winged, sold.

Java. Indo-Malayan.

COARCTOTERMES

Genus **Coarctotermes** Holmgren.

Generitype: *Coarctotermes clepsydra* (Sjöstedt).

>Subgenus **Coarctotermes** (*Eutermes*) Holmgren 1912, pp. 59-61, 65 (p. 61 in key misspelled *Coarctatotermes*).

>Genus **Coarctotermes** Fuller 1922, p. 117.

>Genus **Coarctotermes** Sjöstedt 1926, p. 354.

Coarctotermes clepsydra (Sjöstedt).

Eutermes clepsydra Sjöstedt 1904, p. 108, nasutus, work.¹⁻², Madagascar: Fianarantsoa u. Bara-Land.

Eutermes (*Coarctotermes*) *clepsydra* Holmgren 1912, p. 65, pl. 3, fig. 11 (sold.).

Coarctotermes clepsydra Sjöstedt 1926, p. 356, fig. 78 (sold.), syn., loc.

Neotenes, sold., work.¹⁻²

Madagascar.

Malagasy.

Coarctotermes coarctatus (Sjöstedt).

Eutermes coarctatus Sjöstedt 1902b, p. 304, sold., work., Brit. Central Africa: Zomba.

Type: Mus. Cambridge and Stockholm.

Eutermes (*Coarctotermes*) *coarctatus* Holmgren 1912, p. 65.

Coarctotermes coarctatus Fuller 1922, p. 118, imago, Bulawayo, Rhodesia; Sjöstedt 1926, pp. 355-356, fig. 79 (sold.), pl. 11, fig. O 1-2 (sold.), syn., loc.

Winged, sold.², work.

Nyassaland: Zomba; S. W.

Africa: Kalkfeld; Rhodesia:

Bulawayo.

Ethiopian.

Coarctotermes contractus (Sjöstedt).

Eutermes contractus Sjöstedt 1913a, p. 384, nasutus¹⁻², work., S. E. Congo: Welgelegen (Katanga).

Type: Mus. Tervueren and Stockholm.

Coarctotermes contractus Fuller 1922, p. 117, im., Transvaal: DeWildt and Warmbaths, Bulawayo; Sjöstedt 1926, pp. 356-357, syn., loc.

Winged, queen, nasutus¹⁻², work.

Congo; Transvaal, So. Africa.

Ethiopian.

Coarctotermes doriae (Silvestri).

Eutermes Doriae Silvestri 1912, p. 242, nymph, sold., work., fig. 14 (sold.), Isl. Fernando Po: Basile.

Eutermes (Hospitalitermes) Doriae Holmgren 1912, p. 65.

Coarctotermes Doriae Sjöstedt 1926, p. 358, syn., loc.

King, sold., work.

Fernando Po; Cameroon: Victoria; Gold Coast: Aburi.

Ethiopian.

Coarctotermes mallyi (Fuller).

Tenuirostritermes mallyi Fuller 1922, p. 115, im., sold., work.¹⁻², Cape: Malmsbury.

Eutermes Mallyi Sjöstedt 1926, p. 310, syn., loc.

Winged, sold., work.¹⁻²

South Africa.

Ethiopian.

Coarctotermes suffuscus (Emerson).

Nasutitermes (Coarctotermes) suffuscus Emerson 1928, p. 496, fig. 45 (sold.), Congo: near Yakuluku.

Holotype: sold., A.M.N.H.

Coarctotermes coarctatus Sjöstedt 1926b, p. 160, imago, Congo.

Winged, sold., work.

Belg. Congo.

Ethiopian.

Coarctotermes tenebricus (Silvestri).

Eutermes tenebricus Silvestri 1914-15, p. 44, figs. 241-249, im., sold., work.¹⁻², French Guinea: Kakoulima.

Coarctotermes tenebricus Sjöstedt 1926, p. 355, queen, sold., work.¹⁻², syn., loc.

Queen (im.), sold., work.¹⁻²

Fr. Guinea, So. Nigeria: Okemehi.

Ethiopian.

VELOCITERMES

Genus **Velocitermes** Holmgren.

Generotype: **Velocitermes heteropterus** (Silvestri).

<Subgenus **Velocitermes** (**Eutermes**) Holmgren 1912, pp. 59-61, 65.

<Subgenus **Constrictotermes** (**Eutermes**) Holmgren 1910b, pp. 208, 218.

<Genus **Constrictotermes** Banks 1919, p. 487.

>Subgenus **Uniformitermes** (**Nasutitermes**) Snyder 1925, pp. 191-192; Emerson 1928, p. 407; Hare 1937, p. 477.

>Subgenus **Velocitermes** Snyder 1926d, p. 39.

><Subgenus **Velocitermes** Emerson 1928, p. 407; Hare 1937, p. 477.

Velocitermes antillarum (Holmgren).

Eutermes (Constrictotermes) Antillarum Holmgren 1910b, p. 310, im., sold., work., fig. 74a, im., b, c (sold.), San Domingo.

Eutermes (Velocitermes) Antillarum Holmgren 1912, p. 65.

Constrictotermes antillarum Banks 1919, p. 487, Haiti: Diquini.

Winged, sold., work.

San Domingo, Haiti.

Neotropical.

Velocitermes barrocoloradensis (Snyder).

Nasutitermes (Uniformitermes) barrocoloradensis Snyder 1925, pp. 191-192, 193, fig. 8
 (sold.¹⁻²), Barro Colorado Isl., C. Z., Panama.
 Type: major sold., U.S.N.M. No. 27270; morphotype:
 minor sold.

Sold.¹⁻², work.

Canal Zone.

Neotropical.

Velocitermes beebei (Emerson).

Nasutitermes (Velocitermes) beebei Emerson 1925, pp. 415-416, fig. 73, im., sold.¹⁻², Kartabo,
 Brit. Guiana.
 Holotype: sold.¹; morphotypes: sold.² and winged, N. Y.
 Zool. Soc.

Winged, sold.¹⁻², work.

Brit. Guiana.

Neotropical.

Velocitermes heteropterus (Silvestri).

Eutermes heteropterus Silvestri 1901, p. 7, im., Paraguay: Tacurù Pucù, Villa Rica;
 Coxipò; 1903, p. 93, im., sold.¹⁻², work., fig. 26 (wings),
 pl. 4, figs. 197-198 (im.), figs. 199-200 (sold.¹), 201-
 202 (sold.²), 203 (work.), Paraguay, Brazil.

Termes (Eutermes) heteropterus Desneux 1904e, p. 42 (syn.).

Eutermes (Constrictotermes) heteropterus Holmgren 1910b, p. 307, im., sold., work., fig. 72a
 (im.), b, c (sold.).

Eutermes (Velocitermes) heteropterus Holmgren 1912, p. 65, pl. 3, fig. 26 (im.).

Eutermes heteropterus John 1920, p. 232, Brazil: Matto Grosso.

Winged, sold.¹⁻², work.

Paraguay, Brazil: Coxipò
 (Cuyabà).

Neotropical.

Velocitermes toussainti (Banks).

Constrictotermes toussainti Banks 1919, p. 488 (sold.), pl. 2, figs. 19, 24 (sold.), Haiti:
 Milot.
 Type: sold., M.C.Z. No. 10082.

Sold.

Haiti.

Neotropical.

TENUIROSTRITERMES

(Thin beak)
 Genus *Tenuirostritermes* Holmgren.

Generotype: *Tenuirostritermes tenuirostris* (Desneux).

=Subgenus *Tenuirostritermes* (*Eutermes*) Holmgren 1912, pp. 59-61, 65.

<Subgenus *Constrictotermes* (*Eutermes*) Holmgren 1910b, pp. 208, 218.

<Genus *Constrictotermes* Banks (and Snyder) 1920, pp. 69, 82.

=Genus *Tenuirostritermes* Fuller 1922, p. 115.

?Genus (*Nasmannia auropunctata* Roger).

Tenuirostritermes briciae (Snyder).

Constrictotermes (Tenuirostritermes) briciae Snyder 1922, pp. 27-28, pl. 3, figs. 12-13, sold.,
 Lombardia, Spanish Honduras.
 Type: sold., U.S.N.M. No. 24576.

Sold., work.

Spanish Honduras.

Neotropical.

Tenuirostritermes cinereus (Buckley).

Termes cinereus Buckley 1863, p. 213, nasutus, work., San Saba County, Texas.

Eutermes (Constrictotermes) cinereus Holmgren 1910b, p. 315.

Eutermes (Tenuirostritermes) cinereus Holmgren 1912, p. 65.

Constrictotermes cinereus Banks (and Snyder) 1920, pp. 73-75, fig. 58, 1, queen, 59 (dist.).

Eutermes nigriceps Schwarz 1896, p. 40 (biol.).

Type: lost.

Texas.

Nearctic.

Tenuirostritermes incisus (Snyder).

Constrictotermes (Tenuirostritermes) incisus Snyder 1922, pp. 25-27, pl. 3, figs. 10-11, sold., San Pedro, Spanish Honduras.

Type: sold., U.S.N.M. No. 24575.

Sold.

Spanish Honduras.

Neotropical.

Tenuirostritermes tenuirostris (Desneux).

Termes tenuirostris Desneux 1904c, p. 288, sold., work., Sierra du Nayarit, Etat de Jalisco, Mex.

Termes (Eutermes) tenuirostris Desneux 1904e, p. 45 (syn.), pl. 2, fig. 11.

Termes tenuirostris Desneux 1906, p. 341, im., Texas, Fort Davis.

Eutermes (Constrictotermes) tenuirostris Holmgren 1910b, pp. 219, 312, im., sold., work., fig. 75a (im.), b, c (sold.), Texas and Arizona only.

Eutermes (Constrictotermes) nigriceps Holmgren 1910b, p. 211, im., p. 219, sold., p. 313, im., sold., work., fig. 76 (sold.), Arizona.

Eutermes (Tenuirostritermes) tenuirostris Holmgren 1912, p. 65, Arizona and Mexico only. Type not extant.

Eutermes (Tenuirostritermes) nigriceps Holmgren 1912, p. 65, pl. 3, fig. 25 (sold.), Arizona.

Constrictotermes tenuirostris Banks (and Snyder) 1920, p. 71, im., sold., p. 82, syn., figs. 54-2-3 (sold.), 55 (im.), 56 (dist.), 57 (work.), pl. 1, fig. 6, pl. 8, fig. 6, Ariz., Tex.

?**Nasutitermes (Tenuirostritermes) tenuirostris** Snyder 1925b, p. 162, Guatemala.

Constrictotermes tenuirostris Handlirsch 1930 (fossil bibliog.), fig. 906, im., winged.

Eutermes (Constrictotermes) tenuirostris Handlirsch 1930 (fossil bibliog.), fig. 896, sold.

Nasutitermes (Tenuirostritermes) tenuirostris Hare 1931, pp. 596-597, sold., pl. 3d, Texas.

?**Nasutitermes (Tenuirostritermes) tenuirostris** Light 1933, p. 131, im., fig. MP (sold.), Mexico: La Vinta, near Guadalajara.

Nasutitermes (Tenuirostritermes) cinereus Light 1934, p. 159, sold., Arizona only.

Tenuirostritermes tenuirostris Seevers 1939, pp. 427, 430, termitophiles, Arizona.

Type: sold. and work., Mus. Paris, Mus. Vienna.

Winged, sold., work.

Mexico, Texas, Arizona, [?Guatemala].

Nearctic, ?Neotropical.

CEYLONITERMES

Genus **Ceylonitermes** Holmgren.

Generotype: **Ceylonitermes escherichi** (Holmgren).

=Subgenus **Ceylonitermes (Eutermes)** Holmgren 1912, pp. 59-61, 64.

=Genus **Ceylonitermes** Light 1930a, p. 16.

Ceylonitermes escherichi (Holmgren).

Eutermes Escherichi Holmgren 1911c, p. 199, sold., Ceylon: Peradeniya.

Eutermes (Ceylonitermes) Escherichi Holmgren 1912, p. 64, pl. 3, fig. 14 (sold.); 1913b, p. 189, sold., work., pl. 7, fig. 10 (sold.).

Sold., work.

Ceylon.

Indo-Malayan.

GRALLATOTERMES

Genus **Grallatotermes** Holmgren.

Generotype: **Grallatotermes grallator** (Desneux).

=Subgenus **Grallatotermes (Eutermes)** Holmgren 1912, pp. 59-62, 65.

=Genus **Grallatotermes** Light 1930a, pp. 16-17, 19, 40.

Grallatotermes admirabilis Light.

Grallatotermes admirabilis Light 1930a, pp. 41-46, pl. 6, figs. 3, 4, 7, pl. 7, figs. 5-8, pl. 8, figs. 1, 4, 6, 7, 14, im., sold., work., Horns of Negros, Negros.

Type: Light coll.; paratype: U.S.N.M.

Grallatotermes admirabilis Light and Wilson 1936, pp. 477-478, fig. 5 (sold.).

Winged, sold., work.

Philippines (Negros).

Indo-Malayan.

Grallatotermes grallator (Desneux).

Termes (Eutermes) grallator Desneux 1905, p. 374, sold., work., fig. 4 (sold.), New Guinea: Graget Isl.

Eutermes grallator Holmgren 1911b, p. 463, remarks.

Eutermes (Grallatotermes) grallator Holmgren 1912, p. 65.

Sold., work.

New Guinea.

Papuan.

Grallatotermes grallatoriformis (Holmgren, K. and N.).

Eutermes (Grallatotermes) grallatoriformis Holmgren, K. and N. 1917, p. 163, sold., work., Anamalai Hills, etc., South Kanara.

Sold., work.

India.

Indo-Malayan.

Grallatotermes splendidus Light and Wilson.

Grallatotermes splendidus Light and Wilson 1936, pp. 478-479, figs. 5-6, sold., near Lake Casili, Luzon.

Sold.

Philippines (Luzon).

Indo-Malayan.

Grallatotermes weyeri Kemner.

Grallatotermes weyeri Kemner 1931, pp. 46-50, dealated, sold., work., fig. 16 (sold.), Amboina and Saporoea.

Sold., work.

Amboina and Saporoea.

Papuan.

LACESSITITERMES

Genus **Lacessititermes** Holmgren.

Generitype: **Lacessititermes lacessitus** (Haviland).

=Subgenus **Lacessititermes** (**Eutermes**) Holmgren 1912, pp. 59-62, 65.

=Genus **Lacessititermes** Light 1930a, pp. 16-17, 19, 50.

Lacessititermes albipes (Haviland).

Termes albipes Haviland 1898, p. 435, im., sold., work., Borneo: Sarawak.

Type: No. 363.

Eutermes (**Lacessititermes**) **albipes** Holmgren 1913b, p. 203, pl. 7, fig. 41 (sold.).

Winged, sold., work.

Borneo.

Indo-Malayan.

Lacessititermes atrior (Holmgren).

Eutermes (**Lacessititermes**) **atrior** Holmgren 1912, p. 65, pl. 3, fig. 28 (im.), Borneo, Java; 1913b, p. 204, im., sold., work., pl. 7, fig. 41 (sold.), Borneo: Bukit Timah, Java; 1913-14, p. 266, Malacca. [Java records probably *batavus* Kemner.]

Winged, sold., work.

Borneo, Malacca.

Indo-Malayan.

Lacessititermes batavus Kemner.

Lacessititermes batavus Kemner 1934, pp. 148-153, fig. 41 (im.), fig. 42, substitute reproductive form [as figured by Snyder in 1924 (biol.)], fig. 43 (sold.), W. Java: Depok.

Eutermes (**Lacessititermes**) **atrior** Holmgren 1913, p. 204, Java records.

Lacessititermes atrior (misspelled *Lacessitermes*) Snyder 1924 (biol.), pl. 3, figs. 6-10 (reproductive form).

Eutermes (**Lacessititermes**) **sordidus** John 1925, pp. 401-402, im., queen, sold., work., Java.

Winged, substitute reprod., sold., work.

Java.

Indo-Malayan.

Lacessititermes breviarticulatus (Holmgren).

Eutermes (**Lacessititermes**) **breviarticulatus** Holmgren 1913b, p. 199, im., sold., Borneo.

Winged, sold.

Borneo.

Indo-Malayan.

Lacessititermes cuphus (Silvestri).

Eutermes (**Lacessititermes**) **cuphus** Silvestri, in Bathellier 1927, pp. 177-179, sold., work., Indo-China: Cana region of Nhatrang. [Not described by Silvestri.]

Sold., work.

Indo-China.

Indo-Malayan.

Lacessititermes filicornis (Haviland).

Termes filicornis Haviland 1898, p. 433, im., sold., work., Borneo (Sarawak).

Type: No. 312.

Eutermes (*Lacessititermes*) filicornis Holmgren 1913b, p. 202, im., sold., work., pl. 7, fig. 34
(sold.).

Winged, sold., work.

Borneo.

Indo-Malayan.

Lacessititermes holmgreni Light and Wilson.

Lacessititermes holmgreni Light and Wilson 1936, pp. 469-471, alate, sold., fig. 3, Dinagat Isl., Surigao Prov.

Winged, sold.

Philippines.

Indo-Malayan.

Lacessititermes jacobsoni Kemner.Lacessititermes jacobsoni Kemner 1930, pp. 310-316, figs. 11-16, adult, sold.¹⁻², work.¹⁻³, Fort de Kock, Sumatra.Winged, sold.¹⁻², work.¹⁻³

Sumatra.

Indo-Malayan.

Lacessititermes laborator (Haviland).

Termes laborator Haviland 1898, p. 432, im. (dealated), sold., work., Malay Peninsula: Malacca.

Type: No. 535.

Eutermes (*Lacessititermes*) laborator Holmgren 1913b, p. 200, im., sold., work., pl. 7, fig. 36 (sold.); 1913-14, p. 266, Sumatra; John 1925, pp. 400-401, pls. 16, 6, 21, 19-20, winged, queen, sold., work., loc. (Sumatra).

Winged, queen, sold., work.

Malay Pen. (Malacca), Sumatra.

Indo-Malayan.

Lacessititermes lacessitiformis (Holmgren).Eutermes (*Lacessititermes*) lacessitiformis Holmgren 1913b, p. 198, im., sold., work., Borneo: Sarawak.

Winged, sold., work.

Borneo.

Indo-Malayan.

Lacessititermes lacessitus (Haviland).

Termes lacessitus Haviland 1898, p. 433, im. (queen), sold., work., Malay Pen.: Singapore. Type: No. 102.

Eutermes (*Lacessititermes*) lacessitus Holmgren 1912, p. 65, pl. 3, fig. 30 (sold.), Malacca; 1913b, p. 197, im., sold., work., pl. 7, fig. 28 (sold.).

Winged, sold., work.

Malay Pen.: Singapore, Malacca.

Indo-Malayan.

Lacessititermes palawanensis (Light).

Nasutitermes (*Lacessititermes*) *palawanensis* Light 1930a, pp. 50-53, pl. 6, figs. 5-6; pl. 7,
figs. 1, 4; pl. 8, figs. 3, 8, 9, 11-12, im., sold., work.,
Iwahig, Palawan.

Type: Light coll.

Lacessititermes palawanensis Light and Wilson 1936, pp. 467-469, fig. 2 (im., sold.).

Winged, sold., work.

Philippines.

Indo-Malayan.

Lacessititermes piliferus (Holmgren).

Eutermes (*Lacessititermes*) *piliferus* Holmgren 1913b, p. 206, sold., work., Borneo.

Sold., work.

Borneo.

Indo-Malayan.

Lacessititermes ransoneti (Holmgren).

Eutermes (*Lacessititermes*) *ransoneti* Holmgren 1913b, p. 201, im., sold., work., pl. 7, fig. 32,
sold., Malay Pen.: Singapore, Mus. Vienna.

Winged, sold., work.

Malay Peninsula.

Indo-Malayan.

Lacessititermes sordidus (Haviland).

Termes *sordidus* Haviland 1898, p. 434, im., sold., work., Borneo: Sarawak.

Type: No. 261.

Eutermes (*Lacessititermes*) *sordidus* Holmgren 1913b, p. 205, im., sold., work., pl. 7, fig. 30
(sold.); John 1925, pp. 401-402, pls. 21, 17, loc. (not
Java).

Winged, sold., work.

Borneo.

Indo-Malayan.

LONGIPEDITERMES**Genus Longipeditermes** Holmgren.

Generotype: *Longipeditermes longipes* (Haviland).

=Subgenus **Longipeditermes** (Eutermes) Holmgren 1912, pp. 59-62, 65.

Longipeditermes longipes (Haviland).

Termes *longipes* Haviland 1898, p. 439, queen, sold.¹⁻², work., Malay Pen.: Perak, Borneo:
Sarawak.

Eutermes *longipes* Wasmann 1902b, p. 131, subsp. of *monoceros*.

Eutermes (*Longipeditermes*) *longipes* Holmgren 1912, p. 67, fig. 40 (sold.), pl. 3, figs. 31a-b
(sold.¹⁻²), loc.; 1913b, p. 215, im., sold., work., pl. 7,
figs. 30a-b (sold.¹⁻²); John 1925, p. 406, sold., work.,
loc. [Wasmann 1902b incorrectly believed this species
a subsp. of *Hospitalitermes monoceros*.]

Winged, sold., work.

Malay Pen.: Perak, Malacca;

Borneo: Sarawak and Marudi.

Indo-Malayan.

CONSTRICOTERMES

Genus **Constrictotermes** Holmgren.

Generitype: **Constrictotermes cyphergaster** (Silvestri).

=Subgenus **Constrictotermes** (**Eutermes**) Holmgren 1910b, pp. 208, 218; 1912, pp. 59-62, 65.
<Genus **Constrictotermes** Snyder 1922, p. 24.

Constrictotermes cavifrons (Holmgren).

Eutermes (**Constrictotermes**) **cavifrons** Holmgren 1910b, p. 318, sold., work., fig. 78 (sold.),
Surinam; 1912, pp. 65, 67, fig. 43, sold. mandible.

Type: Holmgren coll.

Nasutitermes (**Constrictotermes**) **cavifrons** Emerson 1925, pp. 417-419, fig. 74 (im.), sold.,
Brit. Guiana; Snyder 1926d, p. 44, Bolivia.

Winged, sold., work.

Dutch and Brit. Guiana, Bolivia.

Neotropical.

Constrictotermes cyphergaster (Silvestri).

Eutermes cyphergaster Silvestri 1901, p. 7, im., Brazil: Coxipò, Cuyabà, Urucùm, Corumbà;
1903, pp. 91-92, im., sold., work., fig. 25 (wings), pl. 4,
figs. 190-191 (im.), 192-194 (sold.), 195-196 (work.)
[misspelled *cyphergarster*, *cyphergarter*].

Termes (**Eutermes**) **cyphergaster** Desneux 1904e, p. 41 (syn.).

Eutermes (**Constrictotermes**) **cyphergaster** Holmgren 1910b, p. 316, im., sold., work., fig.
77a (im.), b-c (sold.), loc.; 1912, p. 65, pl. 3, fig. 22
(sold.), fig. 23 (im.), loc.

Nasutitermes (**Constrictotermes**) **cyphergaster** Snyder 1926d, pp. 44-45 (redescription),
Brazil.

Termes opacus Hagen 1858, p. 197, "arbeiter-nasutus," pl. 1, fig. 19 (sold.).

Termes reinhardhii Sörensen ms. 1884, Rio Grande, Brazil [winged and nasuti in
M.C.Z. with Sörensen's described species under the
ms. name *reinhardhii*].

Winged, sold., work.

Brazil, Paraguay, Bolivia.

Neotropical.

Constrictotermes latinotus (Holmgren).

Eutermes (**Constrictotermes**) **latinotus** Holmgren 1910b, p. 318, im., work., Ecuador.
Type: Mus. Berlin.

Winged, work.

Ecuador.

Neotropical.

HOSPITALITERMES

Genus **Hospitalitermes** Holmgren.

Generitype: **Hospitalitermes hospitalis** (Haviland).

=Subgenus **Hospitalitermes** (**Eutermes**) Holmgren 1912, pp. 59-62, 66.

=Genus **Hospitalitermes** Oshima 1923, p. 18.

=Genus **Hospitalitermes** Kemner 1930, p. 317; Light 1930a, pp. 16, 17, 19.

Hospitalitermes bicolor (Haviland).

Termes bicolor Haviland 1898, p. 439, sold., work., Malay Pen.: Singapore, Pulo Brani.

Eutermes (Hospitalitermes) bicolor Holmgren 1913b, p. 209, sold., work., loc., pl. 7, fig. 42 (sold.) (not Java); John 1925, pp. 402-403, winged, sold., work., loc. E. Sumatra (not Java).

Winged, sold., work.
Malay Peninsula, Sumatra.

Indo-Malayan.

Hospitalitermes birmanicus (Snyder).

Nasutitermes (Hospitalitermes) birmanicus Snyder 1934a, pp. 15-16, fig. 8 (sold.), Hsipaw, Burma.

Cotypes: sold., Brit. Mus., U.S.N.M. No. 50170, and For. Res. Inst., Dehra Dun.

Sold.
Burma.

Indo-Malayan.

Hospitalitermes butteli (Holmgren).

Eutermes (Hospitalitermes) butteli Holmgren 1913-14, pp. 267-269, sold., work.¹⁻², Sumatra; John 1925, p. 405.

Sold., work.¹⁻²
Sumatra.

Indo-Malayan.

Hospitalitermes diurnus Kemner.

Hospitalitermes diurnus Kemner 1934, pp. 154-157, fig. 44 (im.), fig. 45 (sold.), Semarang, middle Java.

Winged, sold.
Java.

Indo-Malayan.

Hospitalitermes ferrugineus (John).

Eutermes (Hospitalitermes) ferrugineus John 1925, pp. 404-405, sold., work., E. Sumatra: Siak, Sungai Pinang.

Sold., work.
Sumatra.

Indo-Malayan.

Hospitalitermes flaviventris (Wasmann).

Eutermes flaviventris Wasmann 1902b, p. 131, sold., work., pl. 4, fig. 9 (sold.), Malay Pen.: Berhentian Tingi (Malacca).

Termes (Eutermes) flaviventris Desneux 1904e, p. 42 (syn.).

Eutermes (Hospitalitermes) flaviventris Holmgren 1913b, p. 215, sold., work., pl. 7, fig. 31 (sold.).

Hospitalitermes flaviventris Oshima 1923, pp. 19-21, sold., work., Sinabang, Simalur, Sumatra.

Sold., work.
Malay Peninsula, Sumatra.

Indo-Malayan.

Hospitalitermes flavoantennaris Oshima.

Hospitalitermes flavoantennaris Oshima 1923, pp. 18-19, figs. 15-16, sold., work., Sinabang, Simalur, Sumatra.

Sold., work.
Sumatra.

Indo-Malayan.

Hospitalitermes grassii Ghidini.

Hospitalitermes Grassii Ghidini 1937a, p. 319, figs. 3-4 (sold.), sold., work., Fort de Kock, Sumatra.

Sold., work.

Sumatra.

Indo-Malayan.

Hospitalitermes hospitalis (Haviland).

Termes hospitalis Haviland 1898, p. 437, pl. 25, figs. 83-86, im., sold., work., Borneo: Sarawak, Malay Pen.: Singapore.

Type: No. 304.

Eutermes monoceros subsp. **hospitalis** Wasmann 1902b, p. 131, sold.

Termes (Eutermes) monoceros subsp. **hospitalis** Desneux 1904e, p. 43 (syn.).

Eutermes (Hospitalitermes) hospitalis Holmgren 1912, p. 67, fig. 41, sold. mand., pl. 3, fig. 24 (im.), fig. 29 (sold.), Malacca, Borneo; 1913b, p. 212, im., sold., work., pl. 7, fig. 38 (sold.); 1913-14, p. 267, Sumatra, Malacca, Borneo; Oshima 1920a, p. 500, sold., work.¹⁻², pl. 3, fig. 9, pl. 4, fig. 12 (sold.), Philippines: Luzon, San Francisco del Monte (near Manila); John 1925, pp. 403-404, winged, queen, sold., work., loc.

Winged, queen, sold., work.¹⁻²

Borneo, Malay Pen., Sumatra,

Philippines.

Indo-Malayan.

Hospitalitermes hospitalis, form **hospitaloides** (Holmgren).

Eutermes (Hospitalitermes) hospitalis forma Hospitaloides Holmgren 1913b, p. 213, sold., work., Borneo: Miri Hills.

Sold., work.

Borneo.

Indo-Malayan.

Hospitalitermes jepsoni (Snyder).

Nasutitermes (Hospitalitermes) jepsoni Snyder 1934a, p. 16, sold., Kaing, R. Pyinmana, Burma.

Cotypes: sold., Brit. Mus., For. Res. Inst., Dehra Dun, and U.S.N.M. No. 50171.

Sold.

Burma.

Indo-Malayan.

Hospitalitermes lividiceps (Holmgren).

Eutermes (Hospitalitermes) lividiceps Holmgren 1913b, p. 209, sold., work., pl. 7, fig. 35 (sold.), S. E. Borneo: Tandjong, Mus. Hamburg.

Sold., work.

Borneo.

Indo-Malayan.

Hospitalitermes luzonensis (Oshima).

Eutermes (Hospitalitermes) hospitalis Oshima 1916, p. 360, pl. 2, figs. 12-14, sold., work.¹⁻³, Philippines: Laguna, Sarai, near Paete.

Eutermes (Hospitalitermes) luzonensis Oshima 1917a, p. 223 (sold.), Luzon, Balintauac (near Manila), corrects misidentification; 1920a, p. 501.

Eutermes (Hospitalitermes) saraiensis Oshima 1916, p. 359, sold., work., Laguna.

Hospitalitermes luzonensis Light and Wilson 1936, p. 474, fig. 4 (im., sold.).

Winged, sold., work.¹⁻²

Philippines.

Indo-Malayan.

Hospitalitermes madrasi (Snyder).

Nasutitermes (Hospitalitermes) madrasi Snyder 1934a, pp. 16-17, sold., North Vellore, Madras, India.

Cotypes: sold., Brit. Mus., For. Res. Inst., Dehra Dun, and U.S.N.M. No. 50172.

Sold.

India.

Indo-Malayan.

Hospitalitermes medioflavus (Holmgren).

Eutermes (Hospitalitermes) hospitalis forma *medioflavus* Holmgren 1913b, p. 213, sold., work., pl. 7, fig. 37 (sold.), Malay Pen.; 1913-14, p. 267, Sumatra, Malacca; John 1925, p. 404, sold., work., loc.

Hospitalitermes medioflavus Kemner 1930, pp. 317-320, figs. 17-19 (sold.), sold., work., Harau-Kloof, west coast of Sumatra.

Sold., work.

Sumatra, Malacca, Singapore.

Indo-Malayan.

Hospitalitermes moluccanus Ahmad.

Hospitalitermes moluccanus Ahmad 1947, p. 5, fig. 5 (sold.), Dutch E. Indies: Waigu Isl. Type: A.M.N.H.; paratypes: U.S.N.M.

Sold., work.

Dutch E. Indies.

Indo-Malayan.

Hospitalitermes monoceros (Koenig).

Termes monoceros Koenig 1779, p. 25, pl. 1, figs. 10-11, sold., work., Ceylon; Hagen 1858, p. 229, sold., work., "Tranquebar"; 1858a, p. 32; 1858b, p. 471; 1860a, p. 113, im., sold., work., Ceylon, near Candy.

Termes (Eutermes) monoceros Desneux 1915, p. 9, Ceylon: Nietner.

Eutermes monoceros Wasmann 1902b, p. 129, discussion.

Eutermes monoceros "i sp." Wasmann 1902b, pp. 129-131, sold., work., pl. 4, fig. 8 (sold.), Ceylon: Anuradhapura, Nalanda, Weligama.

Eutermes (Hospitalitermes) monoceros Holmgren 1913b, p. 214, im., sold., work., pl. 7, fig. 40 (sold.), Ceylon; John 1925, p. 405, im., sold., work., Ceylon: Peradeniya.

Type: im., sold., work., Selys Longchamps coll., Brussels.

Winged, sold., work.

Ceylon.

Indo-Malayan.

Hospitalitermes nemorosus Ghidini.

Hospitalitermes nemorosus Ghidini 1937a, p. 324, sold., work., fig. 4 (sold.), Sumatra: Batangpalupulapulz (W. Coast).

Sold., work.

Sumatra.

Indo-Malayan.

Hospitalitermes papuanus Ahmad.

Hospitalitermes papuanus Ahmad 1947, pp. 4-5, fig. 4 (sold.), Papua: Strickland River.
Type: A.M.N.H.; paratypes: U.S.N.M.

Sold., work.

Papua.

Papuan.

Hospitalitermes rufus (Haviland).

Termes rufus Haviland 1898, p. 438, sold., work., Borneo: Sarawak.
Type: No. 115.

Eutermes (Hospitalitermes) rufus Holmgren 1913b, p. 208, sold., work., pl. 7, fig. 43
(sold.), Malay Pen.: Perak; John 1925, p. 402, loc.,
Malay Pen.: Johore, Segamat.

Sold., work.

Borneo, Malay Peninsula.

Indo-Malayan.

Hospitalitermes schmidti Ahmad.

Hospitalitermes schmidti Ahmad 1947, pp. 3-4, fig. 3 (sold.), Lembeh Isl. north of Celebes.
Type: A.M.N.H.; paratypes: U.S.N.M.

Sold., work.

Lembeh Isl.

Indo-Malayan.

Hospitalitermes umbrinus (Haviland).

Termes umbrinus Haviland 1898, p. 437, im., sold., work., Borneo: Sarawak.
Type: No. 258.

Eutermes (Hospitalitermes) umbrinus Holmgren 1913b, p. 210, pl. 7, fig. 33 (sold.), im.,
sold., work.

Winged, sold., work.

Borneo.

Indo-Malayan.

Hospitalitermes umbrinus, form **sharpí** (Holmgren).

Eutermes (Hospitalitermes) umbrinus forma Sharpí Holmgren 1913b, p. 211, sold., work.,
Malay Pen.

Eutermes umbrinus Wasmann 1902b, p. 131, Malay Pen.: Singapore, Malacca, Sungai
Ugong, Berhentian Tingi.

Eutermes (Hospitalitermes) umbrinus forma sharpí Holmgren 1913-14, p. 267, Sumatra,
Malacca; John 1925, p. 403, winged, sold., work.,
Malay Pen.: Johore, Singapore; E. Sumatra; Java:
Depok.

Winged, sold., work.

Malay Pen., Sumatra, Java.

Indo-Malayan.

TRINERVITERMES

Genus **Trinervitermes** Holmgren.

Generotype: **Trinervitermes trinervius** (Rambur).

=Subgenus **Trinervitermes** (**Eutermes**) Holmgren 1912, pp. 59-61, 64.

=Genus **Trinervitermes** Fuller 1922, p. 107.

=Genus **Trinervitermes** Sjöstedt 1926, p. 325.

Trinervitermes abassus Fuller.

Trinervitermes abassus Fuller 1922, p. 114, im., Namaqualand: Abassus on Orange Riv., So. Africa.

Trinervitermes Abassus Sjöstedt 1926, p. 354.

Winged.

So. Africa.

Ethiopian.

Trinervitermes agricola (Sjöstedt).

Eutermes agricola Sjöstedt 1913a, p. 380, sold.¹⁻², work., Belg. Congo: Mufungwa.

Trinervitermes agricola Sjöstedt 1926, pp. 329-330, im., sold.¹ A and B form, sold.², work., syn., loc.

Type: Mus. Tervueren and Stockholm.

Winged, sold.¹⁻², work.

S. E. Congo: Mufungwa (Katanga), Luluabourg.

Ethiopian.

Trinervitermes auriterrae Sjöstedt.

Trinervitermes auriterrae Sjöstedt 1926a, p. 3, sold.¹⁻², Gold Coast: Keta. Imp. Bur. Ent., Brit. Mus. and Mus. Stockholm.

Sold.¹⁻²

Gold Coast.

Ethiopian.

Trinervitermes bettonianus (Sjöstedt).

Eutermes bettonianus Sjöstedt 1905, p. 19, im., Brit. E. Africa: Athi Riv.; 1907, p. 246, im., sold.¹⁻², work.¹⁻², Congo: Mukimbungu.

Type: Mus. London and Stockholm.

Eutermes (Trinervitermes) bettonianus Holmgren 1912, p. 64; 1913d, pp. 348, 350, sold.¹⁻².

Trinervitermes bettonianus Sjöstedt 1926, p. 332, syn., loc.

Nasutitermes (Trinervitermes) bettonianus Emerson 1928, p. 492, fig. 44a, b (sold.), Belg. Congo: Thysville.

Eutermes brutus Sjöstedt 1911d, p. 12, sold.¹⁻², Congo: Mukimbungu.

Eutermes (Trinervitermes) brutus Holmgren 1912, p. 65.

Trinervitermes brutus Sjöstedt 1926, p. 331.

Winged, sold.¹⁻², work.¹⁻²

Fr. Equatorial Africa, Belg.

Congo, Angola, Kenya, Tanganyika ("Dutch E. Africa"):

Kihuhui, Rhodesia.

Ethiopian.

Trinervitermes bettonianus, sulciceps (Emerson).

Nasutitermes (Trinervitermes) bettonianus sulciceps Emerson 1928, p. 493, figs. 44c, d (sold.), sold.¹⁻², Garamba, Belg. Congo.

Holotype: sold.¹; morphotype: sold.², A.M.N.H.

Sold.¹⁻²

Congo.

Ethiopian.

Trinervitermes biformis (Wasmann).

Eutermes biformis Wasmann 1902b, p. 133, im., sold.¹⁻², work., pl. 4, fig. 10 (sold.¹⁻²), Ceylon: Bandarawella, India: Khandala (near Bombay).

Eutermes (Trinervitermes) biformis Holmgren 1913b, p. 194; Holmgren, K. and N. 1917,
p. 162, loc.

Winged, sold., work.

Ceylon, India.

Indo-Malayan.

Trinervitermes bouvieri Sjöstedt.

Trinervitermes Bouvieri Sjöstedt 1926, pp. 331-332, winged, Belg. Congo: Maniema, Kindu.
Mus. Paris and Stockholm.

Winged.

Congo.

Ethiopian.

Trinervitermes carbo (Sjöstedt).

Eutermes (Trinervitermes) carbo Sjöstedt 1924a, p. 42, im., Belg. Congo: Luluabourg.

Trinervitermes carbo Sjöstedt 1926, pp. 351-352, im., queen, sold.¹ A, B form, sold.², work.¹⁻²,
syn., loc.

Winged, sold.¹⁻², work.¹⁻²

Congo.

Ethiopian.

Trinervitermes carbonarius Sjöstedt.

Trinervitermes carbonarius Sjöstedt 1926b, pp. 158-160, sold.¹⁻², work., Belg. Congo: Haut
Uélé, Mauda. Mus. Tervueren and Stockholm.

Nasutitermes (Trinervitermes) carbonarius Emerson 1928, p. 488, figs. 41-42 (winged and
sold.), sold.¹⁻², im., sold.¹⁻², work., Belg. Congo: Faradje.

Winged, sold.¹⁻², work.

Congo.

Ethiopian.

Trinervitermes crassinasus (Sjöstedt).

Eutermes crassinasus Sjöstedt 1914a, p. 6, sold.¹⁻², work.¹⁻², fig. 3 (sold.¹), Zambesi: Villa
Fontes.

Trinervitermes crassinasus Sjöstedt 1926, p. 326.

Sold.¹⁻², work.¹⁻²

Mozambique (Port. E. Africa):

Zambesi.

Ethiopian.

Trinervitermes dispar (Sjöstedt).

Eutermes dispar Sjöstedt 1902b, p. 303, sold.¹⁻², work., Nyassaland: Zomba.

Eutermes (Trinervitermes) dispar Holmgren 1913d, pp. 341, 349, 350, sold.¹⁻².

Trinervitermes dispar Fuller 1922, p. 108, im., sold., work.; Sjöstedt 1926, p. 328, syn., loc.
Winged, sold.¹⁻², work.

So. Africa: Nyassaland, S. W.

Africa: Okahandja.

Ethiopian.

Trinervitermes disparatus (Silvestri), no description by Silvestri.

Eutermes (Trinervitermes) disparatus Silvestri, in Bathelier 1927, pp. 175-177, sold.¹⁻²,
work., Indo-China: Canda pris de Nhatrang.

Sold.¹⁻², work.

Indo-China.

Indo-Malayan.

Trinervitermes ebenerianus Sjöstedt.

Trinervitermes ebenerianus Sjöstedt 1926d, pp. 73-74, 76, sold.¹⁻², work.¹⁻², Egypt. Sudan: Tanguru; 1926, pp. 339-340, Senegal: Thiès; 1926b, p. 158, fig. 2 (sold.); 1926c, p. 246, winged, Gold Coast: Accra; Congo.

Winged, sold.¹⁻², work.¹⁻²

Egypt, Senegal, Gold Coast,
Congo.

Ethiopian.

Trinervitermes eldirensis Ghidini.

Trinervitermes eldirensis Ghidini 1941, pp. 33-34, sold.¹⁻², work.¹, Ethiopia: El Dire.

Sold.¹⁻², work.

Ethiopia.

Ethiopian.

Trinervitermes erythreae (Holmgren).

Eutermes (Trinervitermes) Erythreae Holmgren 1913d, pp. 345, 348, 360, sold.¹⁻², work.,
Erythrea, Abyssinia.

Trinervitermes Erythreae Sjöstedt 1926, p. 327.

Sold.¹⁻², work.¹

Eritrea, Abyssinia.

Ethiopian.

Trinervitermes fuscus Fuller.

Trinervitermes fuscus Fuller 1922, p. 113, im., sold., So. Africa: Warmbaths, Pienaar River Rail, DeWildt (the Bushveld Basin); Sjöstedt 1926, p. 353.

Winged, sold.

So. Africa.

Ethiopian.

Trinervitermes gemellus (Sjöstedt).

Eutermes gemellus Sjöstedt 1902b, p. 303, sold.¹⁻², work.¹⁻², So. Africa.

Eutermes (Trinervitermes) gemellus Holmgren 1913d, pp. 348-350, sold.¹⁻².

Trinervitermes gemellus Fuller 1922, p. 110, im., sold., work., So. Africa; Sjöstedt 1926, p. 327, syn., loc.

Winged, sold.¹⁻², work.

So. Africa, Nyassaland, Tanganjika.

Ethiopian.

Trinervitermes gemellus, subsp. **thomseni** Fuller.

Trinervitermes gemellus subsp. **thomseni** Fuller 1922, p. 111, im., So. Africa: Pearston, Somerset West.

Trinervitermes gemellus subsp. **Thomseni** Sjöstedt 1926, p. 327, im., loc.

Winged.

So. Africa.

Ethiopian.

Trinervitermes gemellus, form **kalaharicus** (Holmgren).

Eutermes trinervius Silvestri 1908, p. 81, sold.¹⁻², work.¹, Kalahari: Kooa, Sekgoma-Khakhea, Namaqualand: Steinkopf.

Eutermes (Trinervitermes) kalaharicus Holmgren 1913d, pp. 346, 348, 350, sold.¹⁻², work.¹⁻².

Trinervitermes gemellus form *kalaharicus* Fuller 1922, p. 110, im., work., So. Africa.

Trinervitermes gemellus forma *kalaharica* Sjöstedt 1926, p. 327, syn., loc.

Winged, sold.¹⁻², work.¹⁻²

Kalahari, Namaqualand, So.
Africa.

Ethiopian.

Trinervitermes geminatus (Wasmann).

Eutermes geminatus Wasmann 1897, p. 170, sold.¹⁻², work., pl. 11, figs. 16, 17, 21, Gold Coast.

Eutermes (*Trinervitermes*) *geminatus* Holmgren 1913d, pp. 349-351, sold.¹⁻².

Trinervitermes geminatus Sjöstedt 1926, p. 343, syn., loc.

Sold.¹⁻², work.

Gold Coast, Middle Nigeria,
Upper Senegal.

Ethiopian.

Trinervitermes gratiosus (Sjöstedt).

Eutermes (*Trinervitermes*) *gratiosus* Sjöstedt 1924a, p. 42, sold.¹, Belg. Congo: Lulua-bourg.

Trinervitermes gratiosus Sjöstedt 1926, pp. 349-351, fig. 77 (sold.), im., sold.¹⁻², work.¹⁻²

Winged, sold.¹⁻², work.¹⁻²

Congo.

Ethiopian.

Trinervitermes grootfonteensis (Sjöstedt).

Eutermes grootfonteensis Sjöstedt 1914b, p. 86, sold.¹⁻², work.¹⁻², pl. 2, figs. 2, 5 (sold.¹), S. W. Africa: Grootfontein.

Trinervitermes grootfonteensis Sjöstedt 1926, p. 330.

Sold.¹⁻², work.¹⁻²

S. W. Africa.

Ethiopian.

Trinervitermes grossus (Sjöstedt).

Eutermes (*Trinervitermes*) *grossus* Sjöstedt 1924c, p. 493, sold.¹, Atlantic coast of Sahara.

Trinervitermes grossus Sjöstedt 1926, p. 342, sold.¹⁻², sold.¹ form A, B.

Sold.¹⁻²

Atlantic coast of Sahara.

Ethiopian.

Trinervitermes havilandi Fuller.

Termites trinervius Haviland 1898, p. 421, im., queen, sold.¹⁻², Natal.

Eutermes trinervius Fuller 1915, in part, p. 402, Natal, Transvaal, Cape Colony.

Eutermes (*Trinervitermes*) *trinervius* Hegh 1922, p. 67, etc.

Trinervitermes havilandi Fuller 1922, p. 113, Haviland Rail.

Eutermes (*Trinervitermes*) *messor* n. nom. Sjöstedt 1924b, p. 257, female *Eutermes trinervius* Haviland.

Trinervitermes Havilandi Sjöstedt 1926, pp. 344-345, fig. 73, 1-2 (sold.), syn., loc.

Nasutitermes (*Trinervitermes*) *messor* Emerson 1928, p. 416 (syn.).

Winged, queen, sold.¹⁻², work.

Cape Colony, Natal, Transvaal,

Damara: Outjo, Belg. Congo.

Ethiopian.

Trinervitermes heimi (Wasmann).

Eutermes heimi Wasmann 1902b, pp. 133, 135, im., sold.¹⁻², work., India: Wallon (Ahmednager distr.).

Eutermes (Trinervitermes) heimi Holmgren 1913b, p. 195, im., sold.¹⁻², work., pl. 7, fig. 25 (im.), figs. 26-27 (sold.¹⁻²); Holmgren, K. and N. 1917, p. 163, loc., So. India.

Winged, sold.¹⁻², work.

So. India.

Indo-Malayan.

Trinervitermes hentschelianus (Sjöstedt).

Eutermes hentschelianus Sjöstedt 1914b, p. 88, pl. 2, figs. 4, 7 (sold.¹), sold.¹⁻², work.¹⁻², S. W. Africa: Otjosondyombo; 1926, p. 344. Types: Mus. Hamburg and Stockholm.

Sold.¹⁻², work.¹⁻²

S. W. Africa.

Ethiopian.

Trinervitermes hilli Snyder and Emerson, new name.

Eutermes (Trinervitermes) bulbiceps Holmgren 1913d, p. 339, sold.¹, Natal: Pinetown (preoccupied by *Eutermes (Eutermes)*, now *Nasutitermes bulbiceps* Holmgren 1913b, p. 160, Malacca.)

Trinervitermes bulbiceps Sjöstedt 1926, pp. 342-343, sold.¹, work.¹⁻², syn., loc.

Sold.¹, work.¹⁻²

South Africa: Natal, Transvaal.

Ethiopian.

Trinervitermes ibidanicus Sjöstedt.

Trinervitermes ibidanicus Sjöstedt 1926, pp. 347-348, fig. 75 (sold.), sold.¹⁻², work¹, Nigeria: Ibidan; 1926a, p. 5, sold., Gold Coast (Atititi).

Eutermes trinervius Silvestri 1914-15, p. 37 (var. from Nigeria only).

Sold.¹⁻², work.¹

Nigeria, Gold Coast.

Ethiopian.

Trinervitermes indicus (Snyder).

Nasutitermes (Trinervitermes) indicus Snyder 1934a, pp. 12-14, sold.¹⁻², fig. 7, C. Kalyanpur, U. P., India.

Cotypes: sold.¹, Brit. Mus., For. Res. Inst., Dehra Dun and U.S.N.M. No. 50168; comorphotypes: sold.², as above.

Sold.¹⁻²

India.

Indo-Malayan.

Trinervitermes katangensis (Sjöstedt).

Eutermes katangensis Sjöstedt 1913a, p. 382, sold.¹⁻², work., Belg. Congo: Elizabethville (Katanga), Sankisia, Welgelegen; 1926, pp. 328-329, fig. 72: 2 (sold.).

Sold.¹⁻², work.

Congo.

Ethiopian.

Trinervitermes kulloensis (Sjöstedt).Eutermes *kulloensis* Sjöstedt 1912, p. 13, im., Eritrea: M'Kullo, Maggio.*Trinervitermes kulloensis* Sjöstedt 1926, p. 328, im., sold.¹⁻², work.¹⁻².

Type: Mus. Genoa and Stockholm.

Winged, sold.¹⁻², work.¹⁻²

Eritrea.

Ethiopian.

Trinervitermes kurumanensis Fuller.*Trinervitermes kurumanensis* Fuller 1922, p. 113, winged, sold., Bechuanaland: Kuruman; Sjöstedt 1926, p. 353.

Winged, sold.

Bechuanaland, So. Africa.

Ethiopian.

Trinervitermes longinotus (Snyder).*Nasutitermes* (*Trinervitermes*) *longinotus* Snyder 1934a, pp. 14-15, Poona, Bombay.

Cotypes: winged, Brit. Mus., For. Res. Inst., Dehra Dun, and U.S.N.M. No. 50169.

Winged.

India: Bombay.

Indo-Malayan.

Trinervitermes loubetsiensis (Sjöstedt).*Eutermes* (*Trinervitermes*) *loubetsiensis* Sjöstedt 1924c, p. 496, sold., Fr. Equatorial Africa: Loubetsi.*Trinervitermes loubetsiensis* Sjöstedt 1926, pp. 333-334, sold.¹⁻², work.¹⁻².Sold.¹⁻², work.¹⁻²

Fr. Equatorial Africa.

Ethiopian.

Trinervitermes lutzi (Emerson).*Nasutitermes* (*Trinervitermes*) *lutzi* Emerson 1928, p. 494, sold.¹⁻², Belg. Congo: Niangara. Holotype: sold.¹; morphotype: sold.², A.M.N.H.Sold.¹⁻²

Congo.

Ethiopian.

Trinervitermes maudanicus Sjöstedt.*Trinervitermes maudanicus* Sjöstedt 1926b, pp. 156-158, fig. 1 (sold.), sold.¹⁻², work.¹, Belg. Congo: Haut Uélé.

Types: Mus. Tervueren and Stockholm.

Sold.¹⁻², work.¹

Congo.

Ethiopian.

Trinervitermes nigeriensis Sjöstedt.*Trinervitermes nigeriensis* Sjöstedt 1926, pp. 332-333, winged, Bassin du Moyen-Niger: Belia, Mus. Paris and Stockholm.

Winged.

Moyen-Niger Basin.

Ethiopian.

Trinervitermes occidentalis (Sjöstedt).

Eutermes occidentalis Sjöstedt 1904, p. 93, im., Port. Guinea: Bissau.

Termes (Eutermes) occidentalis Desneux 1904e, p. 44, Sierra Leone.

Eutermes (Trinervitermes) occidentalis Holmgren 1912, p. 64, Sierra Leone.

Trinervitermes occidentalis Sjöstedt 1926, p. 332.

Winged.

Port. Guinea, Sierra Leone.

Ethiopian.

Trinervitermes oeconomus (Trägårdh).

Eutermes oeconomus Trägårdh 1904, p. 23, fig. 3, pl. I, fig. 3, sold.¹⁻², Sudan: Kaka.

Eutermes (Trinervitermes) oeconomus Holmgren 1913d, pp. 349, 351, sold.¹⁻².

Trinervitermes oeconomus Sjöstedt 1926, p. 349, fig. 76 (sold.), syn., loc.; 1926c, p. 246, queen, Gold Coast: Accra.

Type: Mus. Stockholm.

Sold.¹ A and B form, sold.²,
work.¹⁻²

Egypt, Sudan, Belg. Congo,
Gold Coast.

Ethiopian.

Trinervitermes pius (Sjöstedt).

Eutermes pius Sjöstedt 1911d, pp. 16-17, sold., Cameroon: Victoria.

Eutermes (Trinervitermes) pius Holmgren 1913d, p. 350.

Trinervitermes pius Sjöstedt 1926, p. 338.

Sold.¹

Cameroon.

Ethiopian.

Trinervitermes posselensis (Sjöstedt).

Eutermes posselensis Sjöstedt 1914c, p. 94, sold.¹⁻², work., Fr. Equatorial Africa: Fort Possel.

Trinervitermes posselensis Sjöstedt 1926, p. 348.

Sold.¹⁻², work.

Fr. Equatorial Africa.

Ethiopian.

Trinervitermes pretoriensis Fuller.

Trinervitermes pretoriensis Fuller 1922, im., sold.¹, So. Africa, Pretoria: Meukelneuk Hill; Sjöstedt 1926, pp. 353-354.

Winged, sold.¹

So. Africa.

Ethiopian.

Trinervitermes rapulum (Sjöstedt).

Eutermes rapulum Sjöstedt 1904, p. 99, sold.¹⁻², work.¹⁻², Usambara: Tanga.

Eutermes (Trinervitermes) rapulum Holmgren 1913d, pp. 349, 351.

Trinervitermes rapulum Sjöstedt 1926, p. 348, syn., loc.

Sold.¹⁻², work.¹⁻²

Tanganyika, Abyssinia.

Ethiopian.

Trinervitermes rhodesiensis (Sjöstedt).

Eutermes rhodesiensis Sjöstedt 1911b, p. 186, sold.¹⁻², work.¹⁻², Rhodesia: Salisbury.

Eutermes (Trinervitermes) rhodesiensis Holmgren 1913d, p. 351.

Trinervitermes rhodesiensis Sjöstedt 1926, p. 346, fig. 73: 3 (sold.).

Sold.¹⁻², work.¹⁻²

Rhodesia.

Ethiopian.

Trinervitermes roseni (Holmgren).

Eutermes (Trinervitermes) Roseni Holmgren 1913d, pp. 344, 348, 350, sold.¹⁻², work.¹⁻², Rhodesia.

Trinervitermes Roseni Sjöstedt 1926, p. 336 (syn.).

Nasutitermes (Trinervitermes) roseni Emerson 1928, p. 490, fig. 43 (sold.¹⁻²), syn., Belg. Congo and St. Antonio, Angola.

Eutermes (Trinervitermes) diplacodes Sjöstedt 1924a, p. 41, sold.¹, Belg. Congo: Boma, Banana and Moanda.

Trinervitermes diplacodes Sjöstedt 1926, pp. 336-338, fig. 71 (sold.¹⁻²), syn., loc. [im. is a Termitinae], sold.¹⁻², work.¹⁻².

Eutermes (Trinervitermes) munericus Sjöstedt 1924a, p. 42, sold.¹, Belg. Congo: Boma.

Trinervitermes munericus Sjöstedt 1926, pp. 334-336, im., sold.¹⁻², work.¹⁻², syn., loc.

Winged, sold.¹⁻², work.¹⁻²

Rhodesia, Angola, Congo.

Ethiopian.

Trinervitermes rubidus (Hagen).

?*Termes rubidus* Hagen 1859, p. 199, sold., work., Ceylon: Colombo.

Termes rubidus Hagen 1860a, p. 117, sold., work., Ceylon: near Colombo.

Eutermes rubidus Holmgren 1911c, p. 201, im., pl. 3, fig. O 1-2, Ceylon: Seenigoda Est., Madras (Mus. Cambridge).

Eutermes (Trinervitermes) rubidus Holmgren 1913b, p. 192, im., sold.¹⁻², work., Ceylon; John 1925, p. 400, Peradeniya.

Type: sold.¹, Selys Longchamps coll., Brussels.

Winged, sold.¹⁻², work.

Ceylon, India.

Indo-Malayan.

Trinervitermes ruficeps (Holmgren).

Eutermes (Trinervitermes) ruficeps Holmgren 1913d, pp. 343-344, sold.¹⁻², work.¹⁻², pp. 348-350, Amani, Mus. Stuttgart; Sjöstedt 1926, p. 327.

Sold.¹⁻², work.¹⁻²

Tanganyika: Amani.

Ethiopian.

Trinervitermes rufonasalis (Sjöstedt).

Eutermes rufonasalis Sjöstedt 1913a, p. 383, sold.¹⁻², work., Belg. Congo: Katanga, Sankisia.

Trinervitermes rufonasalis Sjöstedt 1926, p. 334, syn., loc.

Sold.¹⁻², work.

Congo, S. W. Africa: Windhuk

and Farm Paulinenhof, south

on Auas-Gebirge about 36 km.

east of Windhuk.

Ethiopian.

Trinervitermes schubotzianus (Sjöstedt).

Eutermes schubotzianus Sjöstedt 1914c, p. 93, sold.¹⁻², work.¹⁻², Fr. Equatorial Africa: Fort Crampel.

Trinervitermes schubotzianus Sjöstedt 1926, p. 353.

Sold.¹⁻², work.¹⁻²

Fr. Equatorial Africa.

Ethiopian.

Trinervitermes segelli (Sjöstedt).

Eutermes segelli Sjöstedt 1907a, p. 26, sold.¹⁻², work.¹⁻², Kilimandjaro-Meru.

Trinervitermes segelli Sjöstedt 1926, p. 326, syn., loc. in Tanganyika.

Sold.¹⁻², work.¹⁻²

Tanganyika.

Ethiopian.

Trinervitermes somaliensis (Sjöstedt).

Eutermes somaliensis Sjöstedt 1912, p. 15, im., South Somaliland: Bardera.

Trinervitermes somaliensis Sjöstedt 1926, p. 345, syn., loc.

Type: Mus. Genoa and Stockholm.

Winged.

Somaliland.

Ethiopian.

Trinervitermes sudanicus (Sjöstedt).

Eutermes sudanicus Sjöstedt 1904, p. 77, im., French Sudan: Toukoto.

Trinervitermes sudanicus Sjöstedt 1926, p. 338.

Winged.

Fr. Sudan.

Ethiopian.

Trinervitermes suspensus (Silvestri).

Eutermes suspensus Silvestri 1914-15, p. 41, fig. 22, 1-2, im., sold.¹⁻², work.¹⁻², Fr. Guinea: Kakoulima, Camayenne, Kindia (Mamou?); Senegal: Thiès; Dahomey: Cotonou.

Trinervitermes suspensus Sjöstedt 1926, p. 329, im., queen, sold.¹⁻², work.¹⁻², syn., loc.

Winged, queen, sold.¹⁻², work.¹⁻²

Fr. Guinea, Senegal, Dahomey.

Ethiopian.

Trinervitermes tchadensis (Sjöstedt).

Eutermes tchadensis Sjöstedt 1911d, p. 14, sold.¹⁻², Tchari-Tchad.

Eutermes (*Trinervitermes*) *tchadensis* Holmgren 1913d, pp. 348, 351.

Trinervitermes tchadensis Sjöstedt 1926, p. 353, syn., loc.

Sold.¹⁻²

Fr. Equatorial Africa: Lake
Chad.

Ethiopian.

Trinervitermes terricola (Trägårdh).

Eutermes terricola Trägårdh 1904, p. 31, sold.¹, Sudan: Kaka.

Eutermes (*Trinervitermes*) *terricola* Holmgren 1913d, p. 349.

Trinervitermes terricola Sjöstedt 1926, pp. 326-327, im., sold.¹⁻², syn., loc.

Winged, sold.¹⁻²

Egypt. Sudan; Eritrea.

Ethiopian.

Trinervitermes thermarum Fuller.

Trinervitermes thermarum Fuller 1922, p. 114, im., Transvaal: Warmbaths (Bushveld Basin); Sjöstedt 1926, p. 354.

Winged.

So. Africa.

Ethiopian.

Trinervitermes togoensis (Sjöstedt).**Eutermes togoensis** Sjöstedt 1899, p. 37, im., Togo: Ho, Bismarckburg.**Eutermes (Eutermes) togoensis** Holmgren 1912, p. 62.**Trinervitermes togoensis** Sjöstedt 1926, p. 331, syn., loc.

Winged.

Togo.

Ethiopian.

Trinervitermes trinerviformis (Holmgren).**Eutermes (Trinervitermes) trinerviformis** Holmgren 1913d, pp. 336, 349, 351, sold.¹⁻², work.¹⁻², Natal: Pinetown, Pietermaritzburg, Zulu-land: "Junction" of Mfolosi.**Trinervitermes trinerviformis** Fuller 1922, p. 111, syn., loc. So. Africa (syn. incorrect).**Trinervitermes trinerviformis** Sjöstedt 1926, syn., loc.**Eutermes (Trinervitermes) dubius** Holmgren 1913d, pp. 339, 349, 351, sold¹⁻², work¹⁻², Natal: Avoca.**Trinervitermes dubius** Fuller 1922, p. 111, sold., work., So. Africa, loc. places in synonymy with *Trinervitermes trinerviformis*; Sjöstedt 1926, p. 348, disagrees with Fuller's syn.*Termes trinervius* (in part) Fuller 1915.Sold.¹⁻², work.¹⁻²

So. Africa.

Ethiopian.

Trinervitermes trinervius (Rambur).**Termes trinervius** Rambur 1842, p. 308, im., Senegal.**?Termes trinervius** Walker 1853, p. 520, im., Tripoli.**?Termes (Eutermes) trinervius** Hagen 1858a, p. 30.**Eutermes Holmgreni** von Rosen 1912, p. 224, sold.¹⁻², work.¹⁻³, Liberia.**Eutermes (Trinervitermes) Holmgreni** Holmgren 1913d, pp. 349, 351, sold.¹⁻², Liberia.**Eutermes trinervius** Silvestri 1914-15, p. 37, fig. 21, im., sold.¹⁻², work.¹⁻², syn., loc.**Trinervitermes trinervius** Fuller 1922, p. 107, all castes, So. Africa; Sjöstedt 1926, pp. 340-342, im., sold.¹⁻², work.¹⁻³, syn., loc. (syn. not correct).
Type: im., Selys Longchamps coll., Brussels.**Eutermes mobilis** Sjöstedt 1904, p. 91, im., Fr. Sudan: Alahina.**Eutermes (Trinervitermes) mobilis** Holmgren 1912, p. 65; Hegh 1922, pp. 466, 693.**Trinervitermes mobilis** Sjöstedt 1926, pp. 292, 353, im.Winged, sold.¹⁻², work.¹⁻³

Senegal, Fr. Guinea, Liberia,

River Niger: Balandougou,

So. Africa, Fr. Sudan; var.

Dalomey: Cotonou, var. So.

Nigeria: Ibadan.

Ethiopian.

Trinervitermes trinervoides (Sjöstedt).**Eutermes trinervoides** Sjöstedt 1911b, p. 187, sold.¹⁻².**Eutermes (Trinervitermes) trinervoides** Holmgren 1912, p. 65.**Eutermes trinervoides** Sjöstedt 1913, pp. 720-721, im., sold.¹⁻², work., Kapland: Laingsburg.**Eutermes trinervoides** Sjöstedt 1914b, p. 87, S. W. Africa: Neudamm, Okahandja.

Trinervitermes trinervoides Fuller 1922, p. 110, all castes, So. Africa: De Vlakte, Willowmore, Shaw Park, Bathurst; Sjöstedt 1926, pp. 346-347, syn., loc.

Eutermes (Trinervitermes) auriceps Holmgren 1913d, pp. 338, 349, 351, sold.¹⁻², work.¹⁻², Natal: Pinetown; Zululand: Lake Sibayi (not same species); Hegh 1922, pp. 466, 470, 693.

Winged, sold.¹⁻², work.¹⁻²

So. W. and So. Africa.

Ethiopian.

Trinervitermes umzinduzii Fuller.

Trinervitermes umzinduzii Fuller 1922, p. 114, im., sold.¹, Natal: Pietermaritzburg.

Trinervitermes Umzinduzii Sjöstedt 1926, p. 353.

Winged, sold.

So. Africa.

Ethiopian.

Trinervitermes zuluensis (Holmgren).

Eutermes (Trinervitermes) dispar f. *zuluensis* and *disparioides* Holmgren 1913d, pp. 340-343.

Eutermes (Trinervitermes) dispar f. *zuluensis* Holmgren 1913d, pp. 340, 348, 350, im., sold.¹⁻², work.¹⁻², Zululand: Mfolosi Drift, Mkosi.

Trinervitermes zuluensis Fuller 1922, p. 113, all castes, loc. So. Africa.

Eutermes (Trinervitermes) dispar f. *disparioides* Holmgren 1913d, pp. 342, 348, 350, sold.¹⁻², work.¹⁻², Zululand: Mhlazinga, Umfolosi Drift, Kosi Bay.

Winged, sold.¹⁻², work.¹⁻²

So. Africa.

Ethiopian.

PARACORNITERMES

Genus **Paracornitermes** Emerson, n. gen.

Generitype: **Paracornitermes laticephalus** (Silvestri).

<Genus **Cornitermes** Silvestri 1901, p. 4; 1903, p. 52.

<Subgenus **Termes** Desneux 1904e, pp. 32, 35.

<Genus **Cornitermes** Holmgren 1912, pp. 45, 49.

<Subgenus **Labiotermes** Holmgren 1912, p. 50.

Paracornitermes laticephalus (Silvestri).

Cornitermes laticephalus Silvestri 1901, p. 5, sold., work., Brazil: Coxipó (Cuyabá); 1903, p. 61, sold., work., pl. 3, fig. 107 (sold.).

Termes (Termes) laticephalus Desneux 1904e, p. 37, syn.

Cornitermes (Labiotermes) laticephalus Holmgren 1912, p. 50, Matto Grosso.

Sold., work.

Brazil.

Neotropical.

Paracornitermes orthocephalus (Silvestri).

Cornitermes orthocephalus Silvestri 1901, p. 5, sold., work., Brazil: Coxipó (Cuyabá); 1903, p. 60, sold., work., pl. 3, fig. 106 (sold.).

Termes (Termes) orthocephalus Desneux 1904e, p. 38.

Cornitermes (Labiotermes) orthocephalus Holmgren 1912, p. 50, Matto Grosso.

Sold., work.

Brazil.

Neotropical.

LABIOTERMES

Genus *Labiotermes* Holmgren.

Generitype: *Labiotermes labralis* (Holmgren).

<Genus *Cornitermes* Silvestri 1901, p. 4.

<Genus *Cornitermes* Silvestri 1903, p. 52.

<Subgenus *Termes* Desneux 1904e, pp. 32, 35.

<Subgenus *Labiotermes* (*Cornitermes*) Holmgren 1912, p. 50.

<Genus *Labiotermes* Sjöstedt 1926, p. 150.

Labiotermes labralis (Holmgren).

Cornitermes labralis Holmgren 1906, p. 553, im., sold.¹⁻², work., figs. N (im.), O (sold.), P (work.), Peru: Chaquimayo.

Cornitermes (*Labiotermes*) *labralis* Holmgren 1912, pp. 50-51, fig. 22 (sold. mand.), Peru; Snyder 1926d, p. 20, Bolivia.

Winged, sold.¹⁻², work.

Peru: Chaquimayo (Tal des Rio San Gaban, Prov. de Carabaya), Bolivia.

Neotropical.

Labiotermes labralis, subsp. *boreus* (Emerson).

Cornitermes (*Labiotermes*) *labralis* *boreus* Emerson 1925, p. 311, sold., p. 363, im., sold., fig. 47, Brit. Guiana: Kartabo; Adamson 1937, p. 25.

Holotype: im., A.M.N.H.; morphotype: sold.; paratype: im., sold., A.M.N.H.

Winged, sold.

Brit. Guiana, Trinidad (St. Joseph).

Neotropical.

Labiotermes longilabius (Silvestri).

Cornitermes longilabius Silvestri 1901, p. 5, im., Brazil: Coxipó (Cuyabá); 1903, p. 59, im., sold., work., fig. 13 (wings), pl. 3, figs. 103 (im.), 104 (sold.), 105 (work.), Brazil: Coxipó (Cuyabá), Corumbá.

Termes (*Termes*) *longilabius* Desneux 1904e, p. 37, syn.

Cornitermes (*Labiotermes*) *longilabius* Holmgren 1912, p. 49, fig. 21 (im. mand.), p. 50, Matto Grosso.

Winged, sold., work.

Brazil.

Neotropical.

ARMITERMES

Genus *Armitermes* Wasmann.

Generitype: *Armitermes armiger* (Motschulsky).

<Genus *Termes* (*Eutermes*) Hagen 1858, pp. 107, 186.

<Genus *Termes* (*Eutermes*) (misspelled *Entermes*) Hagen 1858a, pp. 16, 26.

=Subgenus *Armitermes* Wasmann 1897, p. 151, designates type.

<Genus *Armitermes* Silvestri 1901, p. 6.

<Genus *Armitermes* Silvestri 1903, p. 73.

<Genus *Termes* Desneux 1904e, pp. 26, 28.

<Genus *Armitermes* Holmgren 1906, p. 567.

<Genus *Armitermes* Holmgren 1912, pp. 53, 45.

=Subgenus *Armitermes* Holmgren 1912, pp. 54, 55-57.

<Genus *Armitermes* Banks 1919, p. 479.

Armitermes armiger (Motschulsky).Termes *armigera* Motschulsky 1855, p. 10, sold., Obispo, Panama.*Termes (Eutermes) armiger* Hagen 1858, p. 228 (sold.), pl. 1, fig. 1 (sold.).*Termes armiger* Hagen 1858a, p. 32, im.*Armitermes armigera* Banks 1918, p. 662, pl. 51, fig. 4 (sold. mand.), figs. 10, 13 (sold.).

Panama: Obispo; ?im., Paraiso (U.S.N.M.).

Paratype: sold., M.C.Z. (Hagen coll.).

Winged, sold., work.

Panama.

Neotropical.

Armitermes benjamini Snyder.*Armitermes (Armitermes) benjamini* Snyder 1926d, p. 21, sold., Bolivia: Cachuela Esperanza (Beni Riv.).

Type: sold., U.S.N.M. No. 27649.

Sold, work.

Bolivia.

Neotropical.

Armitermes chagresi Snyder.*Armitermes (Armitermes) chagresi* Snyder 1925, pp. 187-188, 193, fig. 6 (sold.), sold., work., Barro Colorado Isl., C. Z., Panama; 1926, p. 28, sold., work., Hamburg Farm, Costa Rica; 1926a, p. 14, winged, sold., work., Barro Colorado Isl., C. Z.

Type: sold., U.S.N.M. No. 27357.

Winged, sold., work.

Panama, Costa Rica.

Neotropical.

Armitermes euamignathus Silvestri.*Armitermes euamignathus* Silvestri 1901, p. 6, im., Paraguay, Matto Grosso.*Armitermes euhamignathus* Silvestri 1903, p. 76, im., sold., work., fig. 19 (wings), pp. 217-218, changes spelling, pl. 3, figs. 133 (im.), 134 (sold.), 135-137 (neoteinic king and queen), Matto Grosso: Coxipò, Cuyabà, Paraguay: Asunción, Villa Rica, Tacurú Pucú.*Termes (Eutermes) euhamignathus* Desneux 1904e, p. 42, Brazil, Paraguay.*Armitermes euhamignathus* Holmgren 1912, pp. 55, 57, fig. 34 (sold. mand.).*Armitermes euhamignathus* John 1920, p. 227, Rio Monday, Paraguay.*Armitermes (Armitermes) euhamignathus* Emerson 1925, pp. 367-368, syn. incorrect.*Armitermes (Armitermes) euhamignathus* Snyder 1926d, p. 24, Bolivia.

Winged, neotenes, sold., work.

Paraguay, Brazil, Bolivia.

Neotropical.

Armitermes festivellus Silvestri.*Armitermes festivellus* Silvestri 1903, p. 75, im., sold., work., fig. 18 (wings), pl. 3, fig. 131 (im.), fig. 132 (sold.), Brazil: Cuyabà.*Termes (Eutermes) festivellus* Desneux 1904e, p. 42, syn.*Armitermes (Armitermes) festivellus* Holmgren 1912, p. 53, syn., fig. 27 (im. mand.), pp. 55, 57, fig. 31 (sold. mand.); Snyder 1926d, p. 25, Bolivia.

Winged, sold., work.

Brazil, Bolivia.

Neotropical.

Armitermes grandidens Emerson.

Armitermes (Armitermes) grandidens Emerson 1925, pp. 373-374, fig. 52, sold., Brit. Guiana: Kartabo.
Holotype: N. Y. Zool. Soc.

Sold.

Brit. Guiana.

Neotropical.

Armitermes heterotypus Silvestri.

Armitermes heterotypus Silvestri 1901, p. 6, sold., work., Paraguay: Tacurù Pucù; 1903, p. 74, pl. 3, fig. 130 (sold.).

Termes (Eutermes) heterotypus Desneux 1904e, p. 42, syn.***Armitermes (Armitermes) heterotypus*** Holmgren 1912, pp. 55, 57, fig. 30 (sold. mand.).

Sold., work.

Paraguay.

Neotropical.

Armitermes holmgreni Snyder.***Armitermes (Armitermes) holmgreni*** Snyder 1926d, p. 22, queen, sold., Ivon, Bolivia.

Type: queen (dealated), U.S.N.M. No. 27650.

Termes albibus Hagen 1858 (in part, sold.), p. 225 [im.], sold., sold. only; Brazil: Santarem.

Type: im., Hagen coll., M.C.Z., not identified.

Armitermes (Armitermes) albibus Emerson 1925, pp. 309, 367-369, fig. 49, im., sold., Santarem, Brazil, syn. incorrect; Snyder 1926d, p. 24, sold., work., Bolivia: Ixiamas.

Armitermes heyeri Wheeler ms. 1936, pp. 210, 233-234, biol., Brazil.

Queen, sold., work.

Bolivia, Brazil, Matto Grosso,

Brit. Guiana, Trinidad.

Neotropical.

Armitermes intermedius Snyder.

Armitermes intermedius Snyder 1922, pp. 23-24, pl. 1, fig. 3 (sold.), Ceiba, Spanish Honduras.

Type: sold., U.S.N.M. No. 24572.

Sold.

Honduras.

Neotropical.

Armitermes manni Snyder.

Armitermes (Armitermes) manni Snyder 1926d, p. 23, sold., Bolivia: Cachuela Esperanza (Beni River).

Type: sold., U.S.N.M. No. 27651.

Sold.

Bolivia.

Neotropical.

Armitermes minutus Emerson.

Armitermes (Armitermes) minutus Emerson 1925, pp. 374-375, fig. 53, imago (king), sold., Brit. Guiana: Kartabo.

Holotype: sold.; morphotype: king, N. Y. Zool. Soc.

Dealated male (king), sold.

Brit. Guiana.

Neotropical.

***Armitermes neotenicus* Holmgren.**

***Armitermes neotenicus* Holmgren** 1906, p. 571, im., sold., work., neotenic queen, fig. A 1 (im.), fig. B (sold.), fig. C (work.), fig. D (neotenic queen), Bolivia: San Fermin (Tal des Rio Tambo-pata, Prov. des Caupolicana), Peru: Llinquipata, Chaqueimayo (Prov. Carabaya).

***Armitermes (Armitermes) neotenicus* Holmgren** 1912, pp. 55, 57, fig. 33 (sold., mand.).

Cotypes: sold., neotenic queens, M.C.Z. No. 10105, from Peru.

***Armitermes neotenicus* Handlirsch** 1930 (fossil bibliog.), fig. 886, sect. sold. head.

***Armitermes (Armitermes) percussions* Emerson** 1925, pp. 369-371, fig. 50, im., sold., Brit. Guiana: Kartabo.

Winged, neotenic queen, sold.,
work.

Bolivia, Peru, Brit. Guiana.

Neotropical.

***Armitermes peruanus* Holmgren.**

***Armitermes peruanus* Holmgren** 1906, p. 569, sold., work., fig. 2, Peru: Llinquipata, Chaqueimayo; 1912, pl. 2, figs. 11-12 (sold.), pp. 55, 57, fig. 32 (sold. mand.).

Cotype: sold., M.C.Z. No. 10106, from Peru.

Sold., work.

Peru.

Neotropical.

***Armitermes silvestrii* Emerson, n. sp.**

***Armitermes albidus* Silvestri** 1901, p. 7, loc., Brazil: Coxipò, Cuyabà; 1903, p. 79, sold., work., pl. 3, fig. 40 (sold.).

Sold., work.

Brazil.

Neotropical.

***Armitermes teevani* Emerson.**

***Armitermes (Armiternes) teevani* Emerson** 1925, pp. 371-372, fig. 51, im., sold., Brit. Guiana: Kartabo; Snyder 1926d, p. 25, Bolivia.
Holotype: winged; morphotype: sold., N. Y. Zool. Soc.

Winged, sold.

Brit. Guiana, Bolivia.

Neotropical.

CURVITERMESGenus ***Curvitermes* Holmgren.**

Generitype: *Curvitermes odontognathus* (Silvestri).

<Genus ***Armitermes* Silvestri** 1901, p. 6.

<Genus ***Armitermes* Silvestri** 1903, p. 73.

<Genus ***Termes* Desneux** 1904e, pp. 26, 28.

=Subgenus ***Curvitermes (Armitermes)* Holmgren** 1912, p. 55.

***Curvitermes minor* (Silvestri).**

***Armitermes odontognathus* subsp. *minor* Silvestri** 1901, p. 6, sold., work., Brazil: Coxipò (Cuyabà); 1903, p. 78, sold., work.

***Termes (Eutermes) odontognathus* subsp. *minor* Desneux** 1904e, p. 44, syn.

***Armitermes (Curvitermes) minor* Holmgren** 1912, p. 55, Matto Grosso.

Sold., work.

Brazil.

Neotropical.

Curvitermes odontognathus (Silvestri).

Armitermes odontognathus Silvestri 1901, p. 6, sold., work., Brazil: Cuyabà; 1903, p. 77, sold., work., pl. 3, figs. 138-139 (sold.), Coxipò, Cuyabà.

Termes (Eutermes) odontognathus Desneux 1904e, p. 44, syn.

Armitermes odontognathus Holmgren 1906, p. 567, im., sold., work., fig. X (im.), fig. Y (sold.), Bolivia: (Caupolicán) Mojos.

Armitermes (Curvitermes) odontognathus Holmgren 1912, p. 53, fig. 28 (im. mand.), pp. 55, 57, fig. 35 (sold. mand.), pl. 2, fig. 16 (sold.), Matto Grosso, Bolivia; Snyder 1926d, p. 25, Bolivia.

Winged, sold., work.

Brazil, Bolivia.

Neotropical.

ANGULARITERMES

Genus **Angularitermes** Emerson.

Generitype: **Angularitermes nasutissimus** (Emerson).

=Subgenus **Angularitermes (Nasutitermes)** Emerson 1925, p. 419.

Angularitermes nasutissimus (Emerson).

Nasutitermes (Angularitermes) nasutissimus Emerson 1925, pp. 419-420, fig. 75, im., sold., Brit. Guiana: Kartabo.

Winged, sold.

Brit. Guiana.

Neotropical.

MIMEUTERMES

(Mimic)
Genus **Mimeutermes** Silvestri.

Generitype: **Mimeutermes giffardi** (Silvestri).

Genus **Mimeutermes** Silvestri 1914-15, p. 47.

Genus **Mimeutermes** Sjöstedt 1926, p. 359.

Mimeutermes giffardi Silvestri.

Mimeutermes Giffardi Silvestri 1914-15, p. 48, im., sold., work., fig. 25 (im.), fig. 26 (sold., work.), Fr. Guinea: Camayenne, Gold Coast: Aburi; Sjöstedt 1926, pp. 359-360, fig. 81, 1-2 (sold.), syn., loc.

Winged, sold., work.

Fr. Guinea, Gold Coast.

Ethiopian.

Mimeutermes sorex Silvestri.

Mimeutermes sorex Silvestri 1914-15, p. 48, sold., work., fig. 27 (sold., work.), Fr. Guinea: Mamou; Sjöstedt 1926, p. 360, fig. 81, 3-4 (sold.), syn., loc.

Sold., work.

Fr. Guinea.

Ethiopian.

SUBULITERMES

Genus **Subulitermes** Holmgren.

Generitype: **Subulitermes microsoma** (Silvestri).

<Subgenus **Subulitermes (Eutermes)** Holmgren 1910b, pp. 208, 18 (includes *N. longirostratus*).

<Subgenus **Subulitermes (Eutermes)** Holmgren 1912, pp. 59, 64 (includes *N. horni*).

=Genus **Subulitermes** Fuller 1921, pp. 19, 21, 27.

<Genus **Subulitermes** Kemner 1931, p. 33.

<Genus **Eutermes** Hill 1942, pp. 8, 9, 12, 13, 14, 202.

Subulitermes aciculatus (Haviland).

Termites aciculatus Haviland 1898, p. 426, sold., work., Borneo: Sarawak.
Type: No. 447.

Eutermes (Subulitermes) aciculatus Holmgren 1913b, p. 156, sold., work., Borneo: Sarawak, Marudi; John 1925, p. 392, loc.

Sold., work.

Borneo, Sumatra, Singapore.

Indo-Malayan.

Subulitermes angusticeps (Snyder).

Nasutitermes (Subulitermes) angusticeps Snyder 1926, p. 33, sold., Bolivia: Espia.
Type: sold., U.S.N.M. No. 27655.

Sold.

Bolivia.

Neotropical.

Subulitermes baileyi (Emerson).

Nasutitermes (Subulitermes) baileyi Emerson 1925, pp. 398-399, fig. 64e-h, im., sold.,
Brit. Guiana: Kartabo.
Holotype: winged; morphotype: sold., N. Y. Zool. Soc.

Winged, sold.

Brit. Guiana.

Neotropical.

Subulitermes dilucidus (Hill).

Eutermes dilucidus Hill 1942, pp. 285-287, figs. 195-198, dealated, sold., work., Queensland:
Doongul State Forest near Aramara.
Holotype: dealated; morphotype: sold. and work.,
C.S.I.R. coll.

Dealated, sold., work.

Queensland.

Australian.

Subulitermes greavesi (Hill).

Eutermes greavesi Hill 1942, pp. 287-288, p. 199, alate, sold., work., Queensland: Gadgarra
(Atherton Tableland).
Holotype: winged, C.S.I.R. coll.

Winged, sold., work.

Queensland.

Australian.

?Subulitermes hainesi Fuller.

Subulitermes hainesi Fuller 1922, p. 115, sold., work., Steinkopf, Wolfdoon, Kenhardt, So.
Africa.

Eutermes Hainesi Sjöstedt 1926, p. 310, syn., loc.

Sold., work.

So. Africa.

Ethiopian.

Subulitermes hantanae (Holmgren).

Eutermes hantanae Holmgren 1911c, p. 198, pl. 3, fig. P 1-2 (sold.), Ceylon: Hantana.
Eutermes (Subulitermes) Hantanae Holmgren 1913b, p. 155, sold., work., pl. 7, fig. 3
(sold.).

Sold., work.

Ceylon.

Indo-Malayan.

Subulitermes inaniformis (Holmgren).

Eutermes (Subulitermes) inaniformis Holmgren 1912, p. 64, pl. 3, fig. 10 (sold.), East Indies; 1913b, p. 154, im., sold., work., pl. 7, fig. 1 (sold.), "Hinterindien."

Winged, sold., work., queen.

East Indies, "Hinterindien."

Indo-Malayan.

Subulitermes inanis (Haviland).

Termes inanis Haviland 1898, p. 425, nymph, sold., work., Malay Pen.: Perak.

Type: No. 121.

Eutermes (Subulitermes) inanis Holmgren 1913b, p. 154, sold., work., pl. 7, fig. 2 (sold.).

?**Eutermes inanis** Green 1913, p. 14, Ceylon.

Eutermes (Subulitermes) inaniformis John 1925, p. 391, biol. (im. is *Capritermes medius*), Sumatra: Siak; Singapore, Bukit, Tinak.

Sold., work.

Malay Peninsula, Sumatra,
[Ceylon?].

Indo-Malayan.

Subulitermes javanellus Kemner.

Subulitermes javanellus Kemner 1934, p. 120, fig. 27 (sold.), Java: Buitenzorg.

Sold.

Java. Indo-Malayan.

Subulitermes kirbyi (Snyder).

Nasutitermes (Subulitermes) kirbyi Snyder 1926a, pp. 14-15, sold., Barro Colorado Isl., C. Z., Panama.

Type: sold., U.S.N.M. No. 28730.

Sold.

Panama (C. Z.).

Neotropical.

Subulitermes kotuae (Bugnion).

Eutermes Kotuae Bugnion 1914b, p. 193, im., sold., work., pl. 12 (sold.), pl. 13 (sold., work.), pl. 14 (im.), Ceylon: Kotua.

Winged, sold., work.

Ceylon.

Indo-Malayan.

Subulitermes leucops (Holmgren).

Eutermes (Subulitermes) leucops Holmgren 1913-14, pp. 252-253, sold., work., Sumatra, Malacca.

Sold., work.

Sumatra, Malacca.

Indo-Malayan.

Subulitermes microsoma (Silvestri).

Eutermes debilis Silvestri 1901, p. 7, Argentina, Paraguay, Matto Grosso.

Eutermes microsoma Silvestri 1903, p. 94, im., sold., work., fig. 27 (wings), pl. 4, figs. 204-205 (im.), figs. 206-207 (sold.), places *Termes debilis* (Hag.) in syn., Argentina: Posados, Paraguay: Tacurù Pucù, Brazil: Coxipò, Cuyabà, Urucum (Corumbà); Desneux 1904e, p. 41, places this sp. in syn. with *Termes (Eutermes) debilis* Heer, Brazil, Argentina; Holmgren 1906, pl. 601, sold., work., loc. Bolivia: Mojos (Caupolicán), Peru: (Carabaya), Chaquimayo.

Eutermes (Subulitermes) microsoma Holmgren 1910b, p. 298, im., sold., work., fig. 68a (im.), b-c (sold.), in addition to records Silvestri 1903, Brazil: Blumenau (Sta. Catharina), Bolivia: Mojos; 1912, p. 64, pl. 3, fig. 9 (im.).

Winged, sold., work.

Argentina, Paraguay, Brazil,
Bolivia, Peru.

Neotropical.

Subulitermes occultus (Hill).

Mirotermes occultus Hill 1927a, pp. 112-113, pl. 4, figs. 147-149 (im.), pl. 6, fig. 215 (wings).

Eutermes occultus Hill 1942, pp. 245-248, figs. 144-149, im., sold., work., No. Terr.: Koolpinyah, Stapleton.

Holotype: winged; morphotype: sold., work., Nat. Mus. Melbourne.

Winged, sold., work.

No. Terr.: Koolpinyah, Stapleton.

Australian.

Subulitermes oculatissimus (Emerson).

Nasutitermes (Subulitermes) oculatissimus Emerson 1925, pp. 400-402, fig. 65, im., sold., Brit. Guiana: Kartabo.

Holotype: winged; morphotype: sold., N. Y. Zool. Soc.

Winged, sold.

Brit. Guiana.

Neotropical.

Subulitermes osborni (Emerson).

Nasutitermes (Subulitermes) osborni Emerson 1925, pp. 404-405, fig. 67, queen imago, sold., Brit. Guiana: Cow Isl.

Holotype: queen; morphotype: sold., N. Y. Zool. Soc.

Queen, sold.

Brit. Guiana.

Neotropical.

Subulitermes parvillus (Silvestri).

Eutermes parvillus Silvestri 1923b, pp. 307-309, pl. 11 (winged, sold.), winged, sold., work., Brit. Guiana: Kartabo.

Nasutitermes (Subulitermes) parvillus Emerson 1925, pp. 399-400, fig. 64a-d, im., sold.

Winged, sold., work.

Brit. Guiana.

Neotropical.

Subulitermes perlevis (Hill).

Eutermes perlevis Hill 1942, pp. 293-294, figs. 206-207, sold., No. Terr.: 34 miles south of Port Darwin.

Holotype: sold., C.S.I.R. coll.

Sold.

No. Territory.

Australian.

Subulitermes rariplius (Emerson).

Nasutitermes (Subulitermes) rariplius Emerson 1925, pp. 402-403, fig. 66, queen, sold.,
Brit. Guiana: Kartabo.

Holotype: queen; morphotype: sold., N. Y. Zool. Soc.

Queen, sold.

Brit. Guiana.

Neotropical.

Subulitermes snyderi (Emerson).

Nasutitermes (Subulitermes) snyderi Emerson 1925, pp. 405-407, fig. 68, im., sold., Brit.
Guiana: Kartabo.

Holotype: winged; morphotype: sold., N. Y. Zool. Soc.

Winged, sold.

Brit. Guiana.

Neotropical.

Subulitermes thompsonae (Emerson).

Eutermes (Subulitermes) incola Holmgren 1910b, p. 299, sold., Peru: Chaqueimayo.

Nasutitermes (Subulitermes) thompsonae Emerson 1925, p. 299.

Sold.

Peru. Neotropical.

Subulitermes undecimus Kemner.

Subulitermes undecimus Kemner 1931, pp. 33-38, winged, sold., work., fig. 11 (winged),
fig. 12 (sold.), Amboina.

Winged, sold.

Amboina.

Papuan.

Subulitermes zeteki (Snyder).

Nasutitermes (Subulitermes) zeteki Snyder 1924c, p. 32, sold., Summit, C. Z., Panama.

Type: sold., U.S.N.M. No. 25766.

Sold.

Panama (C. Z.).

Neotropical.

CONVEXITERMES

Genus **Convexitermes** Holmgren.

Generitype: **Convexitermes convexifrons** (Holmgren).

=Subgenus **Convexitermes** (**Eutermes**) Holmgren 1910b, pp. 208, 18; 1912, pp. 59-60, 64.
><Subgenus **Agnathotermes** (**Nasutitermes**) Snyder 1926d, p. 41.

Convexitermes clevelandi (Snyder).

Nasutitermes (Convexitermes) clevelandi Snyder 1926a, pp. 15-16, soldier. Panama: Canal
Zone, Barro Colorado Island.

Cotypes: soldiers, U.S.N.M. No. 28731.

Sold., work.

Panama.

Neotropical.

Convexitermes convexifrons (Holmgren).

Eutermes convexifrons Holmgren 1906, p. 602, im., sold., work., figs. A 2 (im.), B 2 (sold.),
C 2 (work.), Peru: Chaqueimayo (Carabaya); 1910b,
p. 295, im., sold., fig. 66a (im.), b-c (sold.).

Eutermes (Convexitermes) convexifrons Holmgren 1912, p. 64, pl. 3, fig. 8 (im.), fig. 6 (sold.).

Winged, sold., work.

Peru.

Neotropical.

Convexitermes glaber (Snyder).

Nasutitermes (Agnathotermes) glaber Snyder 1926d, p. 42, sold., Bolivia: Cachuela Esperanza (Beni Riv.).
Type: sold., U.S.N.M. No. 27660.

Sold.

Bolivia.

Neotropical.

Convexitermes kartaboensis (Emerson).

Nasutitermes (Convexitermes) kartaboensis Emerson 1925, pp. 409-411, fig. 70 (im., sold.), Brit. Guiana: Kartabo.
Holotype: winged; morphotype: sold., N. Y. Zool. Soc.

Winged, sold.

Brit. Guiana.

Neotropical.

Convexitermes manni (Emerson).

Nasutitermes (Convexitermes) manni Emerson 1925, pp. 412-414, fig. 72, im., sold., Brit. Guiana: Kartabo.
Holotype: sold.; morphotype: winged, N. Y. Zool. Soc.

Winged, sold.

Brit. Guiana.

Neotropical.

Convexitermes mazaruniensis (Emerson).

Nasutitermes (Convexitermes) mazaruniensis Emerson 1925, pp. 411-412, fig. 71, im., sold., Brit. Guiana: Kartabo.
Holotype: winged; morphotype: sold., N. Y. Zool. Soc.

Winged, sold.

Brit. Guiana.

Neotropical.

Convexitermes nigricornis (Holmgren).

Eutermes nigricornis Holmgren 1906, p. 600, sold., work., fig. V 1 (sold.), fig. Z (work.), Peru: Chiquimayo (Carabaya).
Eutermes (Convexitermes) nigricornis Holmgren 1910b, pp. 218, 297, sold., work., fig. 67 (sold.).

Winged, sold.

Peru.

Neotropical.

Convexitermes nigricornis, subsp. *junceus* Emerson, n. subsp.

Nasutitermes (Convexitermes) nigricornis Emerson 1925, p. 309, sold., pp. 407-409, fig. 69 (im., sold.), Brit. Guiana: Kartabo.
Holotype: sold.; morphotype: queen; paratypes; A.M.N.H.

Im. (queen), sold.

Brit. Guiana.

Neotropical.

Convexitermes pallidus (Snyder).

Nasutitermes (Convexitermes) pallidus Snyder 1926d, p. 34, sold., Ivon, Bolivia.
Type: sold., U.S.N.M. No. 27656.

Sold.

Bolivia.

Neotropical.

EUTERMELLUS

Genus **Eutermellus** Silvestri.

Generitype: **Eutermellus convergens** (Silvestri).

=Genus **Eutermellus** Silvestri 1912, p. 243.

=Subgenus **Eutermellus (Eutermes)** Holmgren 1912, pp. 59-60, 64.

=Genus **Eutermellus** Sjöstedt 1926, p. 358.

<Subgenus **Coarctotermes** Holmgren 1912, pp. 59-61, 65.

Eutermellus bipartitus (Sjöstedt).

Eutermes bipartitus Sjöstedt 1911, p. 168, im., sold.¹⁻², work., fig. (sold.), Belg. Congo: Mukimbungu.

Eutermes (Coarctotermes) bipartitus Holmgren 1912, p. 65.

Eutermellus bipartitus Sjöstedt 1926, p. 305 and 358, im., sold.¹⁻², work., fig. 80 (sold.), pl. 11, P 1-2 (sold.), syn., loc. Places *convergens* in syn., incorrect.

Winged, sold.¹⁻², work.

Belg. Congo.

Ethiopian.

Eutermellus convergens Silvestri.

Eutermellus convergens Silvestri 1912, p. 245, im., sold., work., fig. 15, im., sold., work., Isl. Fernando Po: Basile; 1914-15, p. 46, Gold Coast: Aburi.

Eutermes (Eutermellus) convergens Holmgren 1912, p. 64.

Eutermellus convergens Sjöstedt 1926, pp. 358-359, syn. incorrect.

Subs. (neosteinic) queen, sold.,
work.

Fernando Po, Gold Coast.

Ethiopian.

FORAMINITERMES GROUP

Foraminitermes-Reihe Holmgren 1912, pp. 125, 9.

FORAMINITERMES

(Hole)

Genus **Foraminitermes** Holmgren.

Generitype: **Foraminitermes tubifrons** Holmgren.

=Genus **Foraminitermes** Holmgren 1912, p. 125.

Foraminitermes tubifrons Holmgren.

Foraminitermes tubifrons Holmgren 1912, p. 125, im., pl. 4, figs. 34-35 (im.), Cameroon.

Winged.

Cameroon.

Ethiopian.

NOT IDENTIFIED AS TO SPECIES

KALOTERMITIDAE

Kalotermes banksi Holmgren ms., nom. nudum.

Calotermes (Calotermes) Banksi Holmgren ms. 1911a, p. 53, America.

Kalotermes californicus Holmgren ms., nom. nudum.

Calotermes (Calotermes) californicus Holmgren ms. 1911a, p. 53, America.

Kalotermes equatorianus Holmgren ms., nom. nudum.

Calotermes (Calotermes) equatorianus Holmgren ms. 1911a, p. 53, America.

Kalotermes smeathmani Fr. Müller ms., nom. nudum.

Calotermes Smeathmani Fr. Müller ms. 1873, p. 341.

Neotermes chacoensis (Holmgren) ms., nom. nudum.

Calotermes (Neotermes) chacoensis Holmgren ms. 1911a, p. 54, America.

Neotermes haitiensis (Holmgren) ms., nom. nudum.

Calotermes (Neotermes) haitiensis Holmgren ms. 1911a, p. 54, Haiti.

Neotermes nigriæ (Holmgren) ms., nom. nudum.

Calotermes (Neotermes) nigriæ Holmgren ms. 1911a, p. 54, Africa.

Rugitermes paranaensis (Holmgren) ms., nom. nudum.

Calotermes (Rugitermes) paranaensis Holmgren 1911a, p. 54, America.

Cryptotermes brachygnathus Kemner ms., nom. nudum.

Calotermes (Cryptotermes) brachygnathus Jepson 1929, 1930 (econ.), Ceylon: Puttalam.

Cryptotermes ceylonicus (Kemner) ms., nom. nudum.

Calotermes (Cryptotermes) ceylonicus Jepson 1929, 1930 (econ.), Ceylon: Chilaw, Pera-deniya, Kalutara.

Cryptotermes cubanus (Holmgren) ms., nom. nudum.

Calotermes (Cryptotermes) cubanus Holmgren ms. 1911, p. 549, imago, Cuba.

Cryptotermes tectus (Kemner) ms., nom. nudum.

Calotermes (Cryptotermes) tectus Jepson 1929, 1930 (econ.), Ceylon: Colombo.

Cryptotermes lignarius (Kemner) ms., nom. nudum.

Calotermes (Cryptotermes) lignarius Jepson 1929, 1930 (econ.), Ceylon: Hakgala.

Cryptotermes venezolanus (Holmgren) ms.

Calotermes (Cryptotermes) venezolanus Holmgren ms. 1911a, p. 55, America.

Cryptotermes sp. (Holmgren).

Calotermes (Cryptotermes) sp. Holmgren 1911, p. 549, sold.

Cryptotermes spp. (Hill).

Calotermes (*Cryptotermes*) spp. Hill 1927, p. 13, winged, Tutuila Isl., Samoa; winged, Vavan Isl., Tonga.

Glyptotermes ceylonicus, var. *cylindricus* (Kemner) ms., nom. nudum.

Calotermes (*Glyptotermes*) *ceylonicus*, var. *cylindricus* Jepson 1929, 1930 (econ.), Ceylon: Elpitiya.

Glyptotermes jepsoni (Kemner) ms., nom. nudum.

Calotermes (*Glyptotermes*) *jepsoni* Jepson 1929, 1930 (econ.), Ceylon: Maskeliya, Punaluoya.

Glyptotermes sp. Kemner.

Glyptotermes sp. Kemner 1930, p. 301, adult, Fort de Kock.

Glyptotermes sp. (Light).

Kalotermes (*Glyptotermes*) sp. Light 1932d, pp. 4-5, im., Society Isls., Moorea.

HODOTERMITIDAE

Zootermopsis sp. (Light).

Termopsis sp. Light 1933, p. 83, Lower California.

RHINOTERMITIDAE

Coptotermes exiguum Kemner ms.

Coptotermes exiguum Jepson 1929, 1930 (econ.), Ceylon.

Coptotermes sp. (near *acinaciformis* Frogg.) Hill.

Coptotermes sp. (near *acinaciformis* Frogg.) Hill 1925, p. 89, winged, sold., Victoria, Australia.

Schedorhinotermes, n. sp.

Rhinotermes (*Schedorhinotermes*) *translucens* or *brevialatus* or *longirostris* Holmgren 1913-14, p. 240, im., sold., work., Sumatra only (two species involved).

Schedorhinotermes sp. (Oshima).

Rhinotermes (*Schedorhinotermes*) *longirostris* Oshima 1916, p. 352, sold., work., Philippines: Luzon; 1920a, p. 493; Light 1921, p. 250; 1930a, p. 20 (syn.).

TERMITIDAE

Anoplotermes, n. sp.

Anoplotermes (*Anoplotermes*) *pacificus* Snyder 1926d, p. 45, im., Bolivia: Rosario.

Anoplotermes sp. Snyder.

Anoplotermes sp. Snyder 1925b, p. 162, workers, Costa Rica: El Coyolar.

Anoplotermes spp. Adamson.

Anoplotermes spp. Adamson 1940, pp. 14-15, biol., 10 species, Trinidad.

Speculitermes sp. (Snyder).

Anoplotermes (**Speculitermes**) sp. Snyder 1925b, p. 162, workers, Colombia: Rio Frio.

Speculitermes sp. (Snyder).

Anoplotermes (**Speculitermes**) sp. Snyder 1926d, p. 58, workers, Bolivia: Cachuela Esperanza.

Amitermes sp. Holmgren.

Hamitermes (**Hamitermes**) sp. Holmgren 1913-14, pp. 272-273, Sumatra.

Hoplognathotermes sp. Fuller.

Hoplognathotermes sp. Fuller 1922, p. 106, So. Africa: Vrysburg (only So. African record).

Cubitermes ?sp. (Smeathman).

Termes mordax Smeathman.

Termes mordax Smeathman 1781, p. 141, pl. 10, figs. 10-13; pl. 9 (im.), biol., Sierra Leone.

Termes mordax Fabricius 1781, p. 397; 1787, p. 248; 1793, p. 91.

Termes mordax Hagen 1858, p. 215, im.

Termes mordax Hagen 1858a, p. 30, im.

Termes mordax Hagen 1860, p. 110.

Termes mordax Sjöstedt 1900a, p. 172, im.

Type lost.

Cubitermes mordax Sjöstedt 1926, p. 218 (discuss.).

Mirotermes (?*Basidentitermes*) ?sp. (Sjöstedt).

Eutermes gestroanus Sjöstedt 1912, p. 12, im., Abyssinia: Scioa, Gherba.

Type: Mus. Genoa.

?*Eutermes gestroanus* Sjöstedt 1926, p. 325, *Trinervitermes* (near *Orthotermes manusetus* Sjöstedt).

Mirotermes (?*Basidentitermes*) *gestroanus* Emerson 1928, p. 535 (discuss.).

Microtermes sp. Holmgren.

Microtermes sp. Holmgren 1913-14, p. 275, winged, Sumatra.

Syntermes sp. Reichensperger.

Syntermes sp. Reichensperger 1936, p. 230 (biol.), Santa Cruz, Goyaz, Brazil.

Syntermes sp. Emerson.

Syntermes sp. Emerson 1945, p. 470, dealates, Guarany, São Paulo, Brazil.

Syntermes sp. Emerson.

Syntermes sp. Emerson 1945, p. 470, wings, workers, Urucum, Matto Grosso, Brazil.

Syntermes sp. Emerson.

Syntermes sp. Emerson 1945, p. 470, near *grandis*, imagos, Lassance, Minas Geraes, Brazil.

Syntermes sp. Emerson.

Syntermes sp. Emerson 1945, p. 470, sold. in M.C.Z., Marucú, probably new, but in poor condition.

Syntermes sp. Emerson.

Syntermes sp. Emerson 1945, p. 470, workers only, Villavicencio, Meta, Colombia.

Syntermes sp. Emerson.

Syntermes sp. Emerson 1945, p. 470, workers only, Madeira Mamore, Peru.

Nasutitermes n. sp.

Nasutitermes (Nasutitermes) brasiliensis Snyder 1926d, p. 31, sold., work., Bolivia: Ixiamas.

Nasutitermes n. sp.

Nasutitermes (Nasutitermes) macrocephalus Snyder 1926d, p. 32, Bolivia and Brazil.

Nasutitermes ?sp. (Holmgren).

Eutermes obscurus Holmgren 1906, p. 580, sold., work., fig. K 1 (sold.), fig. L 1 (work.), part, Peru: Chiquimayo (Carabaya); also see *Nasutitermes lighti* Snyder and Emerson.

Nasutitermes ?sp. (Silvestri).

Eutermes Rippertii Silvestri 1934, fig. 19 (sold.).

Trinervitermes sp. Ghidini.

Trinervitermes sp. Ghidini 1939, p. 193, winged, Ethiopia: Neghelli.

Subulitermes spp. Adamson.

Subulitermes spp. Adamson 1940, p. 14 (biol.), four species, Trinidad.

NOT CLASSIFIED

Listed alphabetically

Termes albidus Hagen 1858, p. 225, im. only, pl. 3, fig. 34 (im.), Brazil: Santarem; 1858a, p. 32, im.

?**Termes australis** Walker 1853, p. 525, im. only, Adelaide, So. Australia.

Termes australis Hagen 1858, p. 173, im.; 1858a, p. 23, im.

Termes australis Froggatt 1897, p. 738, im., pl. 35, fig. 1 (wing); 1905a, p. 33, im.

?**Coptotermes australis** Bugnion and Popoff 1910, p. 121, syn.

Coptotermes australis Holmgren 1911a, p. 73.

Termes (Coptotermes) australis Desneux 1904e, p. 34.

?**Coptotermes australis** Hill 1926b, p. 194, p. 203, discuss., syn.

Termes australis Hill 1942, p. 10, unique type, damaged, not determinable, Brit. Mus.

Leucotermes barretti Hill.

Leucotermes barretti Hill 1927a, pp. 58-59, im., sold., work., Queensland: Rockhampton.
Types: Nat. Mus. Victoria.

Leucotermes barretti Hill 1942, p. 10, indeterminable.

Heterotermes barretti Hill 1942, p. 121, type not referable to this genus, now indeterminable.

Calotermes (?*Procryptotermes*) *braueri* Holmgren 1910a, p. 136, Australia (no description but credited to Froggatt).

Eutermes Burmeisteri Tscherwinsky 1901, Brazil.

Termes (**Eutermes**) *Burmeisteri* Desneux 1904e, p. 41, syn.

Eutermes camerunensis Sjöstedt.

Eutermes camerunensis Sjöstedt 1899, p. 37, im., Cameroon.

?**Eutermes camerunensis** Sjöstedt 1926, pp. 324-325 (near *Microcerotermes sikorae*).

Eutermes canariensis Tscherwinsky.

Eutermes canariensis Tscherwinsky 1901, p. 133, Iles Canaries.

Termes (**Eutermes**) *canariensis* Desneux, 1904e, p. 41, syn.

Eutermes canariensis Grassé 1938, p. 291 (remarks).

Termes cornutus Hagen 1858, p. 165 (Bates ms.), im., sold., Brazil: Santarem (placed in synonymy with *T. cumulans*).

Termes destructor Gmelin 1800, p. 693, sold., biol., America, India, Africa.

Termes devastans Kollar.

Termes devastans Kollar 1832, p. 13, pl. 1, fig. 8, Brazil.

Termes devastans Hagen 1858, p. 229, worker, Brazil: Rio de Janeiro.

Termes devastans Hagen 1858a, p. 32, loc., Brazil.

Termes devastans Silvestri 1903, p. 108 (not identifiable).

Trinervitermes diplacodes Sjöstedt 1926, p. 293, im., p. 336, im., Belg. Congo: Lemba.

Eutermes fenerivensis Sjöstedt.

Eutermes fenerivensis Sjöstedt 1914, p. 11, im., Madagascar: Fenerive.

?**Eutermes fenerivensis** Sjöstedt 1926, p. 324.

Termes ferruginosus Latreille.

Termes ferruginosus Latreille 1804, p. 63, im., Indies; 1805, p. 70, imago, East Indies.

Termes ferruginosus Hagen 1858, p. 138, im. (from Latreille), East Indies.

Termes ferruginosus Hagen 1858a, p. 20, im., East Indies.

Termes ferruginosus Hagen 1858b, p. 471 (doubtfully in syn. *T. monoceros*).

Termes flavicollis Walker.

Termes flavicollis Walker 1853, p. 502 (only descriptions without localities, not counting 1 or 3), im., sold.

Calotermes flavicollis Dudley 1890a, p. 106, discuss., Panama (suggests introduction from Suez Canal).

Termes flavipes Walker 1853, p. 515.

Coptotermes Hartmanni Holmgren 1911a, p. 74 (not described), So. America.

Eutermes inquilinus Fr. Müller 1873, p. 348, king, queen, sold., work., ?Argentina.

Termes Mauricianus Rambur 1842, p. 305, im., Isle of France; Hagen 1858, p. 220, im.
Type: Oxford, Hope coll.

?*Eutermes mauricianus* Sjöstedt 1926, p. 324, syn., Mauritius.

Calotermes milesnasitermes Dudley 1890a, p. 118, Panama (exhibit) (probably a typographical error).

Eutermes mitis Sjöstedt 1902, p. 40, im., Madagascar.

Eutermes mitis Holmgren 1913d, p. 335 ? *Trinervitermes*.

?*Eutermes mitis* Sjöstedt 1926, p. 323, Madagascar [no species *Trinervitermes* present].

Termes modestus Hagen 1860a, p. 104, nymph, Borneo.

Termes Mülleri v. Ihering 1887, p. 3, Brazil: Rio Grande (near *T. Lespesii*).

Eutermes Nasonowi Tscherwinsky 1901, Madagascar.

Termes (Eutermes) Nasonowi Desneux 1904e, p. 43, syn.

Termes nigricans Rambur 1842, pp. 305, 308?, im., Brazil.

Type: im., Selys Longchamps coll., Brussels.

Termes nigricans Walker 1853, p. 519, loc.

Termes nigricans Hagen 1858, p. 162, im., Brazil.

Termes nigricans Hagen 1858a, p. 22, im., Brazil.

Termes nigricans Desneux 1915, p. 9.

?*Termes destructor* Fabricius 1793, p. 89.

?*Termes céphalotes* Rambur 1842, p. 309, sold., Brazil.

Termes trinervius Hagen 1862, p. 85, queen?

Termes pallidipennis Blanchard 1847, p. 216, Névroptères, pl. 28, fig. 1, male im., Bolivia :
Prov. de Santa Cruz de la Sierra; Hagen 1858, p. 165,
places in syn. with *T. cumulans*.

Termes Perrieri Desneux.

Termes Perrieri Heigh 1922, p. 290 (nest), Madagascar.

Termes Perrieri Emerson 1928, p. 469, discus.

Eutermes receptus Sjöstedt 1913a, p. 387, im., Belg. Congo: Kasai, Kondué.

Type: Mus. Tervueren.

Mirotermes (Cubitermes) receptus Heigh 1922, pp. 499, 609.

?*Eutermes receptus* Sjöstedt 1926, p. 324, syn.

Eutermes Rippertii var. *Iheringi* Tscherwinsky 1901, Brazil; Desneux 1904e, p. 44 (doubtfully refers this var. to *ripperti*).

Eutermes rippertii var. **pontis** Holmgren 1906, p. 575 (no adequate characters given), Peru: Puente Progresso (Tal des Rio San Gaban, Prov. Carabaya).

Eutermes rippertii var. **tuichensis** Holmgren 1906, p. 575, sold., work., Bolivia: Tuiche (does not conform to *E. tuichensis* Holmgren 1910b, p. 232).

Termes saltans Dudley and Beaumont 1890, p. 172, Panama.

Calotermes? sp. Hill 1926c, p. 22, nymphs, New Caledonia: Noumea.

Calotermes (Cryptotermes)? sp. Hill 1926c, p. 22, winged, Fiji: Viti Levu.

Eutermes sp. (prope *ripperti* Ramb.) Wasmann 1902b, p. 139, sold., work. (no descr.), Cocos Islands (between Galápagos and Costa Rica).

Eutermes sp. John 1920, pp. 228-229, winged, Paraguay: Rio Monday.

Eutermes sp. Kemner 1930, p. 310, imago, Fort de Kock.

Termes strenuus Hagen 1860a, p. 105, im., Mexico: Vera Cruz.

Termes (Eutermes) **strenuus** Desneux 1904e, p. 45 (syn.).

Constrictotermes strenuus Banks (and Snyder) 1920, p. 73.

Type: imago, Hagen coll., M.C.Z., Selys Longchamps coll., Brussels.

Hamitermes subfuscus Martynov 1937, p. 118, fig. 18 (wings), (fossil bibliography).

Termes testaceus Walker 1853, p. 513, im., sold., Honduras.

Termes testaceus? Hagen 1860a, p. 123, Paramaribo.

Eutermes tribulus Hill 1923, pp. 46-48, figs. 17-21, queen, sold., work., Central Australia: Tennant Creek; 1942, pp. 253-254, 257, syn. (sold. is *pastinator*; queen not identifiable).

Eutermes tripolitanus Sjöstedt 1912, p. 16, im., Tripoli: Berek.

Types: Mus. Genova and Stockholm.

?**Trinervitermes tripolitanus** Sjöstedt 1926, p. 331, im.

Trinervitermes tripolitanus Ghidini 1938, p. 223, Libia (does not query genus).

Termes viarum Smeathman 1781, p. 189, Sierra Leone: Kamaranka (Camerankoes Riv.).

Hodotermes viarum Hagen 1858, p. 93.

Hodotermes viarum Hagen 1858a, p. 14 (larva), No. 6; Sjöstedt 1900a, p. 27.

Hodotermes viarum Holmgren 1911a, p. 43.

NOT TERMITES, OR OF DOUBTFUL POSITION

Hodotermes japonicus Hagen 1868, p. 399.
(An earwig.)

Termes fatidicum Linnaeus 1756, p. 610.
(Psocid?)

Termes pulsatorium Linnaeus 1756, p. 610.
(Psocid?)

FOSSIL TERMITES

URALOTERMITIDAE

?Family URALOTERMITIDAE Zalessky.

Type genus: *Uralotermes* Zalessky.

?Family URALOTERMITIDAE Zalessky 1939, pp. 53, 80.

URALOTERMES

Genus *Uralotermes* Zalessky.

Generotype: *Uralotermes permianum* Zalessky.

Genus *Uralotermes* Zalessky 1937, p. 848, fig. 3 (wing).

?*Uralotermes permianus* Zalessky 1937, pp. 847-848, wing, Middle Permian; 1939, pp. 53, 81,
fig. 30 (wing), Permian: Oust-Kichen ravin de Zouviero, Valley of River Sylva, Urals, Russia (is a
blattoid?).

MASTOTERMITIDAE

Genus <i>Mastotermes</i> Froggatt	Eocene, Oligocene, Miocene, living.
Genus <i>Pliotermes</i> Pongrácz	Miocene.
Genus <i>Diatermes</i> Martynov	Oligocene.
Genus <i>Miotermes</i> von Rosen	Miocene.

Mastotermitid sp.

Termite near *Mastotermes* Lima 1944, pp. 291-292, 1 pl., wings, Tertiary basin of Fonseca,
Oligocene: Brazil (more primitive than *Mastotermes*).

Wings.

Pliocene.

MASTOTERMES

Mastotermes anglicus von Rosen.

<i>Mastotermes anglicus</i> von Rosen 1913, pp. 321, 322, pl. 27, figs. 5-8 (wings), Middle Oligo-	cene: Isle of Wight, "Insect Limestone," Gurnard Bay.
Type: Brit. Mus.	

Mastotermes anglicus Cockerell 1915, pp. 471, 481, Lower or Middle Oligocene.

Mastotermes anglicus Snyder 1925, chart, Middle Oligocene.

Mastotermes anglicus Martynov 1927, pp. 90, 95, 124.

Mastotermes anglicus Pongrácz 1928, pp. 108, 112.

Mastotermes anglicus Statz 1939, table 4, Middle Oligocene.

Mastotermes anglicus Pongrácz 1931, p. 106, remarks, Oligocene.

Wings.

Oligocene.

Mastotermes batheri von Rosen.

Mastotermes Batheri von Rosen 1913, p. 321, pl. 28, fig. 9 (hind wing), Middle Oligocene: Isle of Wight, "Insect Limestone," Gurnard Bay, England.

Type: Brit. Mus.

Mastotermes batheri Snyder 1925, chart.

Mastotermes batheri Pongrácz 1928, p. 108.

Mastotermes batheri Statz 1939, table 4.

Hind wing.

Oligocene.

Mastotermes(?) bournemouthensis von Rosen.

Mastotermes bournemouthensis von Rosen 1913, p. 320, pl. 26, figs. 3-4 (wings), Upper Eocene (Bartonian): Bagshot Beds, Bournemouth (Hampshire), England.

Type: Brit. Mus.

Mastotermes bournemouthensis Snyder 1925, chart.

Mastotermes bournemouthensis Pongrácz 1926, pl. 3b (wing), pl. 5 (evolutionary tree); 1928, p. 108; 1931, p. 106.

Mastotermes bournemouthensis Statz 1939, table 4.

Wings.

Eocene.

Mastotermes croaticus von Rosen.

Mastotermes croaticus von Rosen 1913, p. 324, pl. 28, fig. 10 (hind wing), Lower Miocene: Radoboj, Croatia.

Mastotermes croaticus Snyder 1925, chart.

Mastotermes croaticus Pongrácz 1926, p. 26, pl. 3c (wing), pl. 5 (evolutionary tree); 1928, pp. 101-102, 108, 112-113.

Mastotermes croaticus Handlirsch 1930, fig. 905 (p. 855).

Mastotermes croaticus Pongrácz 1931, p. 106, remarks.

Mastotermes croaticus Statz 1939, table 4.

Hind wing.

Miocene.

Mastotermes haidingeri (Heer).

Termes (**Termopsis**) **Haidingeri** Heer 1849, p. 26, Lower Miocene: Radoboj, Croatia.

Termes (**Termopsis**) **Haidingeri** Goldenberg 1854, pl. 5, fig. 1.

Termopsis Haidingeri Giebel 1856, p. 293.

Hodotermes Haidingeri Hagen 1858, p. 98, imago entire; 1858a, p. 15, im.

(**Termopsis**) **Haidingeri** Handlirsch 1908, p. 698, Lower Miocene: Radoboj, Croatia.

Termes Haidingeri von Rosen 1913, p. 323, Radoboj, Croatia.

Mastotermes Haidingeri Snyder 1925, chart.

Mastotermes Haidingeri Pongrácz 1928, pp. 102-108, figs. 2-3 (winged).

Mastotermes haidingeri Emerson 1933, p. 191.

Mastotermes haidingeri Statz 1939, table 4.

Winged.

Miocene.

Mastotermes heeri (Göppert).

Termopsis Heerii Göppert 1855, p. 7, wing, Upper Oligocene: Schossnitz in Schlesien.

Termopsis Heeriana Göppert 1855, pl. 26, fig. 53.

Mastotermes heeri and **heerianus** Snyder 1925, chart.

- Mastotermes?* *heeri* Emerson 1933, p. 191.
Termopsis heeri Statz 1939, table 4.
Hodotermes heerianus Assmann 1870, p. 45, pl. 1, fig. 7.
 Wing (outer portion). Oligocene.
- Mastotermes minor* Pongrácz.
Mastotermes minor Pongrácz 1928, pp. 105, 108, figs. 2-4 (wing), Lower Miocene: "Altere Mediteran Stufe," Radoboj, Croatia.
Mastotermes minor Statz 1939, table 4.
 Wing. Miocene.
- Mastotermes vetustus* Pongrácz.
Mastotermes vetustus Pongrácz 1928, pp. 106, 108, fig. 5 (wings), Lower Miocene: Radoboj of Croatia.
Mastotermes vetustus Statz 1939, table 4.
 Wings. Miocene.
- Mastotermes wheeleri* Collins.
Mastotermes wheeleri Collins 1925, pp. 406-410, figs. 1-7, fig. 2 (forewing), Lower Eocene (Middle-Wilcox age), W. Tennessee, U. S. A.
Mastotermes wheeleri Statz 1939, table 4, Upper Eocene.
 Type: wing, U.S.N.M.
 Wing. Eocene.
- PLIOTERMES**
- Genus *Pliotermes* Pongrácz.
 Generotype: *Pliotermes hungaricus* Pongrácz.
Genus Pliotermes Pongrácz 1917, p. 28; 1926, p. 26; 1928, pp. 107, 112; 1931, p. 106.
Genus Pliotermes Statz 1939, p. 32.
Genus Pliotermes Emerson 1942, p. 10.
- Pliotermes hungaricus* Pongrácz.
Pliotermes hungaricus Pongrácz 1917, p. 28, fig. 1 (wing), fig. 2 (wing), Lower Miocene: Radoboj, Croatia; 1926, p. 27, pl. 3a (wing), pl. 5 (evolutionary tree Mastotermitidae); 1928, pp. 107-108, 113; 1931, p. 106.
Pliotermes hungaricus Statz 1939, table 4.
 Wing. Miocene.
- DIATERMES**
- Genus *Diatermes* Martynov.
 Generotype: *Diatermes sibericus* Martynov.
Genus Diatermes Martynov 1929, p. 178, Mastotermitidae.
Genus Diatermes Emerson 1942, p. 10.
- Diatermes sibericus* Martynov.
Diatermes sibericus Martynov 1929, p. 179, fig. 3, pl. 1, fig. 1 (wing), Siberia: Tertiary.
Diatermes sibericus Statz 1939, table 4, Upper Oligocene of Siberia: Mount Ashutar (Saison district).
 Wing. Oligocene.

MIOTERMES

Genus Miotermes von Rosen.

Generitype: *Miotermes procerus* (Heer).

Genus Miotermes von Rosen 1913, p. 325.

Genus Miotermes Pongrácz 1926, p. 25; 1928, p. 101.

Genus Miotermes Statz 1939, p. 32, table 4.

Genus Miotermes Emerson 1942, p. 10.

=Subgenus *Termopsis* Heer 1849, p. 23.

=Genus *Hodotermes* Hagen 1858, p. 81; 1858a, p. 13.

=Genus *Termopsis* Cockerell 1916, p. 138.

=Genus *Termopsis* Banks (and Snyder) 1920, pp. 8, 9, 11, 77.

=Genus *Termopsis* Snyder 1925, p. 157.

Miotermes insignis (Heer).

Termopsis insignis Heer 1849, p. 29, pl. 3, fig. 1, im., Upper Miocene of Baden: Oeningen.

Termes insignis Giebel 1852, p. 638.

Termopsis insignis Giebel 1856, p. 293.

Hodotermes insignis Hagen 1858, p. 100, im.; 1858a, p. 15, im.

(*Termopsis*) *insignis* Handlirsch 1908, p. 698.

Miotermes insignis Emerson 1933, p. 191.

Miotermes insignis Statz 1939, table 4.

Imago.

Miocene.

Miotermes procerus (Heer).

Termopsis procerus Heer 1849, p. 23, pl. 2, fig. 5, Tertiary beds of Radoboj, Croatia.

Termes procerus Giebel 1852, p. 638.

Termopsis procerus Giebel 1856, p. 292.

Hodotermes procerus Hagen 1858, p. 97, im.; 1858a, p. 15, im.

Termopsis procerus Handlirsch 1908, p. 698, Lower Miocene: Radoboj, Croatia.

Miotermes procerus von Rosen 1913, p. 326, Lower Miocene: Radoboj, Croatia.

Miotermes randeckensis Pongrácz 1926, pl. 4d (winged), pl. 5 (evolutionary tree); 1928, pp. 101, 108; 1931, p. 106.

Miotermes randeckensis Emerson 1933, p. 191.

Imago.

Miocene.

Miotermes randeckensis von Rosen.

Miotermes randeckensis von Rosen 1913, p. 326, pl. 29, fig. 14 (head and pronotum imago), Upper Miocene of Würtemberg: Randeck.

Miotermes randeckensis Snyder 1925, chart.

Miotermes randeckensis Statz 1939.

Imago.

Miocene.

Miotermes spectabilis (Heer).

Termopsis spectabilis Heer 1849, p. 28, pl. 2, fig. 6, im., Upper Miocene: Oeningen in Baden.

Termes spectabilis Giebel 1852, p. 638.

Termopsis spectabilis Giebel 1856, p. 293.

Hodotermes spectabilis Hagen 1858, p. 99, im., Oeningen in marl; 1858a, p. 15, im.

(*Termopsis*) *spectabilis* Handlirsch 1908, p. 698, Upper Miocene: Oeningen in Baden.

Miotermes spectabilis von Rosen 1913, p. 327, Upper Miocene.

Miotermes spectabilis Snyder 1925.

Miotermes spectabilis Emerson 1933, p. 191.

Miotermes spectabilis Statz 1939, table 4, Upper Miocene of Baden: Oeningen.

Imago.

Miocene.

KALOTERMITIDAE

Subfamily ELECTROTERMITINAE.

Type genus: *Electrotermes* von Rosen.

=Subfamily ELECTROTERMITINAE Emerson 1942, pp. 9-10.

<Tribe CALOTERMITINI Statz 1939, pl. 4.

Genus <i>Eotermes</i> Statz	Oligocene.
Genus <i>Proelectrotermes</i> von Rosen	Eocene.
Genus <i>Prokalotermes</i> Emerson	Miocene.
Genus <i>Electrotermes</i> von Rosen	Eocene.

Subfamily KALOTERMITINAE Froggatt.

Genus <i>Kalotermes</i> Hagen	Oligocene, Miocene, Pleistocene, living.
Genus <i>Neotermes</i> Holmgren	Pleistocene, living.
Genus <i>Cryptotermes</i> Banks	Pleistocene, living.
Genus <i>Glyptotermes</i> Froggatt	Pleistocene, living.

Subfamily ELECTROTERMITINAE Emerson

EOTERMES

=Genus *Eotermes* Statz 1939, pp. 13-14, in family Termitidae.

Subfamily CALOTERMITINAE, tribe TERMOPSINI.

Generitype: *Eotermes grandaeva* Statz.

=Genus *Eotermes* Emerson 1942, pp. 9-10 (in Electrotermitinae?).

Subfamily ELECTROTERMITINAE.

Eotermes grandaeva Statz.

Eotermes grandaeva Statz 1939, p. 13, im., pl. 6, figs. 23-25, p. 35, table 4, Upper Middle Oligocene of Germany: Rott on Siebengebirge.

Imago.

Oligocene.

PROELECTROTERMES

Genus *Proelectrotermes* von Rosen.

Generitype: *Proelectrotermes berendtii* (Pictet).

=Subgenus *Proelectrotermes* (*Calotermes*) von Rosen 1913, p. 331.

=Genus *Kalotermes* Hagen 1854, p. 223.

=Gruppe *Kalotermes* Pictet and Hagen 1856, p. 49.

=Genus *Kalotermes* Hagen 1862, p. 58.

=Genus *Kalotermes* Banks (and Snyder) 1920, p. 9.

=Genus *Proelectrotermes* Emerson 1942, pp. 9-10.

Proelectrotermes berendtii (Pictet).

Kalotermes Berendtii Pictet in Hagen 1854, pp. 222-224, im.

Termes Berendtii Pictet, in Berendt 1856, p. 49, pl. 5, fig. 2, Upper Eocene: Baltic amber of E. Prussia.

Termes (Kalotermes) Berendtii Hagen in Berendt 1856, p. 49.

Calotermes Berendtii Hagen 1858, p. 50, im.; 1858a, p. 7, im.; 1860a, p. 100, remarks.

(**Calotermes**) **Berendtii** Handlirsch 1908, p. 697, Lower Oligocene: Baltic amber.

(**Calotermes**) sp. Handlirsch 1908, p. 697.

Termes (Larva) Berendt 1856, pl. 5, fig. 1.

Termes Bremii Hagen, in Berendt 1856, p. 53, Lower Oligocene: Baltic amber.

Calotermes (Proelectrotermes) Berendtii von Rosen 1913, p. 331, pl. 30, fig. 19 (winged adult), Baltic amber, Upper Eocene or Lower Oligocene.

Proelectrotermes berendtii Statz 1939, Upper Eocene or Lower Oligocene.

Type: Berendt's coll. in Danzig.

Winged.

Eocene or Oligocene.

PROKALOTERMES

Genus **Prokalotermes** Emerson.

Generitype: **Prokalotermes hageni** (Scudder).

Genus **Prokalotermes** Emerson 1933, p. 189; 1942, pp. 9-10.

Prokalotermes hageni (Scudder).

Parotermes hageni Scudder 1890, p. 110, pl. 12, fig. 2, im., Miocene: Florissant, Colo.

Parotermes Hageni Handlirsch 1908, p. 698.

Prokalotermes hageni Emerson 1933, p. 189, im.

Calotermes hageni Statz 1939.

Parotermes fodinae Scudder 1890, p. 112, pl. 12, figs. 3, 22, im., Miocene: Florissant, Colo.

Parotermes Fodinae Handlirsch 1908, p. 698.

Kalotermes fodinae Snyder 1925.

Calotermes fodinae Statz 1939, Upper Miocene.

Winged.

Miocene.

ELECTROTERMES

Genus **Electrotermes** von Rosen.

Generitype: **Electrotermes affinis** (Hagen).

=Subgenus **Electrotermes (Calotermes)** von Rosen 1913, p. 331, pl. 28, fig. 12 (forewing).

=Genus **Kalotermes** Hagen 1854, p. 223.

=Gruppe **Kalotermes** Pictet and Hagen 1856, p. 49.

=Genus **Kalotermes** Hagen 1862, p. 58.

=Genus **Electrotermes** Emerson 1942, pp. 9-10.

Electrotermes affinis (Hagen).

Kalotermes affinis Hagen 1854, p. 222, im., East Prussian amber.

Termes affinis Hagen, in Berendt 1856, p. 50, pl. 5, fig. 5.

Termes obscurus Pictet, in Berendt 1856, p. 50.

?[*Termopsis Girardi* Giebel 1856, p. 294; Hagen 1858, p. 54, syn.].

Calotermes affinis Hagen 1858, p. 53, im., p. 54, syn.; 1858a, p. 8, im.; 1860a, p. 100.

(**Calotermes**) **affinis** Handlirsch 1908, p. 697.

Calotermes (Electrotermes) affinis von Rosen 1913, p. 331, pl. 28, fig. 12.

Electrotermes affinis Statz 1939, Upper Eocene amber of East Prussia.

Imago.

Eocene or Oligocene.

Electrotermes girardi (Giebel).

Termopsis Girardi Giebel 1856, p. 294, Lower Oligocene: Baltic amber.

Terme Girardi Schlectendal 1888, p. 491.

(*Termopsis*) *Girardi* Handlirsch 1908, p. 697, syn.

Calotermes (*Electrotermes*) *Girardi* von Rosen 1913, p. 335, pl. 29, fig. 16 (mid. leg); pl. 30, figs. 20-21 (winged).

Electrotermes girardi Snyder 1925.

Electrotermes girardi Emerson 1933, p. 191.

Winged.

Eocene or Oligocene.

Subfamily KALOTERMITINAE Froggatt.

KALOTERMES

Genus *Kalotermes* Hagen, sens. lat.

Kalotermes bosniaskii Handlirsch.

(*Calotermes*) *Bosniaskii* Handlirsch 1908, p. 699, im., Upper Miocene: Gabbro, Italy.

Kalotermes bosniaskii Snyder 1925, chart.

Imago.

Miocene.

Kalotermes erythrops von Rosen.

Calotermes (*Calotermes*) *erythrops* von Rosen 1913, p. 333, im., no description, gum copal, E. Africa.

Imago.

Pleistocene.

Kalotermes oeningensis von Rosen.

Calotermes oeningensis von Rosen 1913, p. 326, wing portion, Miocene: Randeck.

Calotermes oeningensis Statz 1939, (Upper Miocene) Germany: Oeningen (Baden).

Wing.

Miocene.

Kalotermes piacentinii (Piton and Théobald).

Termopsis Piacentinii Piton and Théobald 1937, pp. 80-81, im., fig. 4, im., Eocene of France: Menat (Puy de Dôme); 1940, pp. 144-145.

Termopsis Piacentinii Statz 1939, table 4.

Holotype: Ech. No. 3, Coll. Piacentini.

Imago.

Eocene.

Kalotermes resinatus von Rosen.

Calotermes (*Calotermes*) *resinatus* von Rosen 1913, p. 333, im., no description, gum copal, Gold Coast.

Imago.

Pleistocene.

Kalotermes rhenanus Hagen.

Calotermes rhenanus Hagen 1863, p. 250, pl. 44, figs. 1-2 (im.), Rott on Siebengebirge, Rheinlande.

(*Calotermes*) *rhenanus* Handlirsch 1908, p. 698 (two different species), Upper Oligocene: Rott; von Rosen 1913, p. 323.

Calotermes rhenanus Statz 1939, pp. 3-4, p. 35, im., pl. 8, figs. 34-35; 1941, figs. 5, 6 (im.), Upper Middle Oligocene: Rott.

Imago.

Oligocene.

Kalotermes sp. Scudder.

Calotermes sp. Scudder 1895, p. 119, Oeningen in Baden.

(**Calotermes**) sp. Handlirsch 1908, p. 699, Upper Miocene: Oeningen.

Miocene.

Kalotermes sp. Handlirsch.

Calotermes sp. Handlirsch 1908, p. 1098, no description, copal, Benin, Guinea.

Type: Naturhist. Mus., Vienna.

Pleistocene.

Kalotermes sp. von Rosen.

Calotermes (**Calotermes**) sp. von Rosen 1913, p. 333, im., no description except all tarsi without pulvilli, gum copal, former German E. Africa.

Imago. Pleistocene.

Kalotermes sp. Zeuner.

Calotermes sp. Zeuner 1938, p. 117, fig. 6 (hind wing), Lower Miocene Hydrobienkalk of Germany, Biebrich near Mainz.

Wing. Miocene.

NEOTERMES

Genus **Neotermes** Holmgren, sens. lat.

Neotermes grassei Piton.

Neotermes grassei Piton 1940, pp. 144-145, fig. 21 (wing), Eocene of France: Menat (Puy de Dôme).

Holotype: Ech. No. 807, coll. Piton.

Eocene.

Neotermes sp. (von Rosen).

Calotermes (**Neotermes**) sp. = **Neotermes pallidicollis** Sjöstedt ? von Rosen 1913, p. 333, im., gum copal, E. Africa.

Imago. Pleistocene.

CRYPTOTERMES

Genus **Cryptotermes** Banks.

Cryptotermes batheri (von Rosen).

Calotermes (**Cryptotermes**) **Batheri** von Rosen 1913, p. 333, im., no description, gum copal, E. Africa.

Imago. Pleistocene.

GLYPTOTERMES

Genus **Glyptotermes** Froggatt, sens. lat.

Glyptotermes pusillus (Heer).

Termes (**Eutermes**) **pusillus** Heer 1849, p. 35, pl. 3, fig. 7, im., ?Baltic amber.

Termes **pusillus** Giebel 1852, p. 638.

Termes (**Eutermes**) **pusillus** Giebel 1856, p. 295.

- Termes diaphanus* Giebel 1856, p. 296.
Termes punctatus Giebel 1856, p. 296.
Termes punctatus Handlirsch 1908, p. 699 (not *pusillus*).
Calotermes pusillus Hagen 1858, p. 65, im., copal (probably from So. America); 1858a, p. 9, im., Gummi Animé, America.
(*Eutermes*) *pusillus* Handlirsch 1908, pp. 699, 1098 ?Baltic amber (subfamily Termitinae), syn.
Calotermes (Glyptotermes) pusillus von Rosen 1913, p. 333, im., gum copal: Gold Coast, E. Africa, Zanzibar.
?(*Calotermes*) *diaphanus* Handlirsch 1908, p. 697, Lower Oligocene: Baltic amber.
Imago. Oligocene.

HODOTERMITIDAE

Subfamily TERMOPSINAЕ Holmgren.

Genus <i>Termopsis</i> Heer	Eocene.
Genus <i>Archotermopsis</i> Desneux	Eocene, living.
Genus <i>Parotermes</i> Scudder	Miocene.
Genus <i>Zootermopsis</i> Emerson	Miocene, living.

Subfamily HODOTERMITINAЕ Holmgren.

Genus <i>Ulmeriella</i> Meunier	Oligocene, Miocene.
---------------------------------------	---------------------

Subfamily TERMOPSINAЕ Holmgren.

TERMOPSIS

Genus *Termopsis* Heer.

Generotype: *Termopsis bremii* (Heer).

- <Subgenus *Termopsis* (*Termes*) Heer 1849, p. 23.
<Genus *Termopsis* Hagen 1853, p. 480, no species; 1854, p. 222; 1858, pp. 74-81; 1862, p. 58; 1874, pp. 571-573.
<Genus *Termopsis* Girard 1879, p. 270.
<Genus *Termopsis* Froggatt 1896, pp. 517, 535.
=Genus *Xestotermopsis* von Rosen 1913, p. 330.
<Genus *Termopsis* Bugnion 1914, p. 174 (biol.).
<Genus *Termopsis* Cockerell 1916, p. 138.
<Genus *Termopsis* Imms 1919, p. 136.
<Genus *Termopsis* Banks (and Snyder) 1920, pp. 8, 9, 11, 77.
<Genus *Termopsis* Snyder 1925, p. 157.
<Genus *Termopsis* Pongrácz 1926, pp. 25, 27, pl. 5.
=Genus *Termopsis* Emerson 1933, p. 169, syn.
=Genus *Xestotermopsis* Statz 1939, pp. 37-38.
Genus? *Termopsis* Statz 1939, pp. 38, 39 (discuss.), pl. 4, Termopsinae.
=Genus *Termopsis* Emerson 1942, p. 10.

Termopsis bremii Heer.

Termopsis Bremii Heer 1849, p. 31, pl. 3, fig. 2, im., E. Prussia Baltic amber.

Termopsis Bremii Hagen, in Berendt 1856, p. 51, pl. 5, fig. 3.

Termes Pictetii Berendt ms. 1856, p. 51, pl. 5, fig. 3.

Termes granulicollis Pictet in Berendt ms. 1856, p. 51.

- Termes Bremii** Giebel 1852, p. 638, Bernstein.
Termopsis Bremii Giebel 1856, p. 294.
Termopsis Bremii Hagen 1858, p. 78, im., work.?; 1858a, p. 12, im.; 1860a, p. 102, remarks.
(*Termopsis*) **Bremii** Handlirsch 1908, p. 697, Lower Oligocene: Baltic amber.
Xestotermopsis Bremii von Rosen 1913, p. 330, pl. 29, fig. 13 (forewing), fig. 17 (winged im.), Oligocene: Baltic amber.
Termopsis Bremii Pongrácz 1917, p. 34.
Termopsis bremii Pongrácz 1926, p. 27.
Xestotermopsis Bremii Pongrácz 1928, p. 109, fig. 7 (wings).
Termopsis bremii Emerson 1933, pp. 169-171, figs. 1-4 (im.).
Xestotermopsis bremii Statz 1939, p. 37, Upper Eocene: amber of E. Prussia.
Termes (Termopsis) deciduus Hagen, in Berendt 1856, p. 52, wings, amber of E. Prussia.
Termopsis? deciduus Hagen 1858, p. 80; 1858a, p. 13.
(*Termopsis*) **decidua** Handlirsch 1908, p. 697, Lower Oligocene: Baltic amber.
Termes gracilicornis Pictet 1854, p. 370, E. Prussian amber.
Termopsis gracilicornis Hagen 1854, p. 222.
Termes (Termopsis) gracilicornis Pictet and Hagen, in Berendt 1856, p. 53, pl. 5, fig. 4.
Termopsis gracilicornis Hagen 1858, p. 80, im.; 1858a, p. 12, im.
(*Termopsis*) **gracilicornis** Handlirsch 1908, p. 697, Lower Oligocene: Baltic amber.
(*Calotermes*) sp. of Berendt Handlirsch 1908, p. 697, Lower Oligocene: Baltic amber.
Termes (Larva) Berendt 1856, pl. 5, fig. 1.
Termes Bremii Hagen, in Berendt 1856, p. 53. Upper Eocene.
Winged. Upper Eocene.
- Termopsis gracilipennis** Théobald.
Termopsis gracilipennis Théobald 1937, p. 162, fig., im., Oligocene of France.
Imago. Oligocene.
- Termopsis mallászzi** Pongrácz.
Termopsis mallászzi Pongrácz 1928, pp. 91-194, fig. 8 (wings).
Termopsis? mallászzi Emerson 1933, p. 190.
Termopsis mallászzi Statz 1939, Middle Eocene of Hungary, Tomba near Piski.
Wings. Eocene.
- Termopsis transylvanica** Pongrácz.
Termopsis transylvanica Pongrácz 1928, pp. 91-194.
Termopsis? transylvanica Emerson 1933, p. 190.
Termopsis transylvanica Statz 1939, Middle Miocene of Hungary, Tomba near Piski.
Wing. Middle Miocene.

ARCHOTERMOPSIS

- Genus **Archotermopsis** Desneux.
<Genus **Termopsis** Desneux 1904e, p. 12; Bugnion 1914, p. 174.
=Subgenus **Archotermopsis** Desneux 1904e, p. 13.
=Genus **Archotermopsis** Holmgren 1911, pp. 35, 36.
=Genus **Archotermopsis** von Rosen 1913, p. 330; Imms 1919; Emerson 1926, p. 92; 1928, p. 405; 1933, pp. 168, 172-173; 1942, pp. 4, 7-11; Snyder 1934a, pp. 24, 27; Martynov 1937, pp. 87-116.

Archotermopsis tornquisti von Rosen.

Archotermopsis tornquisti von Rosen 1913, p. 330, pl. 29, fig. 18 (dealed adult), Baltic amber, Upper Eocene or Lower Oligocene.

Archotermopsis tornquisti Snyder 1925, chart.

Archotermopsis tornquisti Emerson 1933, pp. 177-178, im.

Archotermopsis tornquisti Statz 1939, table 4, Upper Eocene: amber of E. Prussia.

Winged. Oligocene or Eocene.

PAROTERMES

Genus *Parotermes* Scudder.

Generotype: *Parotermes insignis* Scudder.

<Genus *Parotermes* Scudder 1883, p. 135.

Genus *Parotermes* Zittel 1885, p. 773.

Genus *Parotermes* Scudder 1890, p. 106.

Genus *Parotermes* Froggatt 1896, pp. 517, 535.

Genus *Parotermes* Cockerell 1909, p. 78 (generotype designated); 1913, p. 6.

Genus *Parotermes* Holmgren 1911a, pp. 5, 7 (not termites).

=Genus *Parotermes* von Rosen 1913, p. 327.

<Genus *Parotermes* Snyder 1925, p. 159, chart.

Genus *Parotermes* Emerson 1933, p. 171, figs. 5-7 (im.); 1942, p. 11.

Parotermes insignis Scudder.

Parotermes insignis Scudder 1883, p. 137, im., Miocene: Florissant, Colo.

Parotermes insignis Zittel 1885, p. 773, im., fig. 974 (wing).

Parotermes insignis Scudder 1890, p. 108, pl. 12, figs. 13-14.

Parotermes insignis Handlirsch 1908, p. 698, Miocene: Florissant, Colo.

Imago.

Miocene.

ZOOTERMOPSIS

Genus *Zootermopsis* Emerson.

Generotype: *Zootermopsis angusticollis* (Hagen).

<Genus *Termopsis* Hagen 1858, p. 74; 1858a, p. 12; 1861; 1874, pp. 571, 573.

<Genus *Termopsis* Girard 1879, p. 270.

Genus *Termopsis* Froggatt 1896, pp. 517, 535.

Genus *Termopsis* Wasmann 1897, p. 149.

Genus *Termopsis* Haviland 1898, pp. 371, 372.

=Subgenus *Termopsis* Desneux 1904e, p. 14.

=Genus *Termopsis* Holmgren 1911a, pp. 35, 37.

=Genus *Termopsis* von Rosen 1913, p. 330.

<Genus *Termopsis* Bugnion 1914, p. 174 (biol.).

Genus *Termopsis* Imms 1919, p. 136.

Genus *Termopsis* Banks (and Snyder) 1920, pp. 8, 9, 11, 77.

Genus *Termopsis* Snyder 1925, p. 157.

Genus *Termopsis* Pongrácz 1926, pl. 5.

=Genus *Termopsis* Emerson 1928, p. 405; 1933, pp. 182-187, figs. 27-39 (im., sold.), syn. *Termopsis* living.

Zootermopsis? *coloradensis* (Scudder).

Hodotermes? *coloradensis* Scudder 1883, p. 142, im., Miocene: Florissant, Colo.; 1890, p. 113, pl. 12, fig. 6.

Type: M.C.Z. No. 281; metatype: forewing, U.S.N.M.

- (*Hodotermes*) *coloradensis* Handlirsch 1908, p. 698.
Hodotermes coloradensis Cockerell 1908, p. 118, text fig.
Parotermes scudderii Cockerell 1913, p. 8.
Miotermes coloradensis von Rosen 1913, p. 325.
Miotermes coloradensis Snyder 1925, p. 155, chart (closer to *Termopsis*).
Parotermes? *scudderii* Snyder 1925, p. 159, chart.
Zootermopsis? *coloradensis* Emerson 1933, pp. 187-188, fig. 40 (forewing).
Miotermes coloradensis Statz 1939, Upper Miocene: Florissant, Colo.
Winged. Miocene.

Subfamily HODOTERMITINAE Holmgren.

ULMERIELLA

Genus *Ulmeriella* Meunier.

Generitype: *Ulmeriella bauckhoni* Meunier.

Genus *Ulmeriella* Meunier 1920, pl. I, fig. I.

Genus *Ulmeriella* Cockerell and Snyder 1925, p. 22; 1925a, p. 86.

Genus *Ulmeriella* Fuller 1925, p. 4.

Genus *Ulmeriella* Statz 1939, pp. 14, 34-37, pl. 4, Termopsinae.

Genus *Ulmeriella* Emerson 1942, pp. 9-II.

Ulmeriella bauckhoni Meunier.

Ulmeriella bauckhoni Meunier 1920, p. 728, pl. I, fig. I (wing), described as caddis fly (Trichoptera), Oligocene of Germany: Rott on Siebengebirge.

Ulmeriella bauckhoni Snyder 1925, chart, Upper Oligocene.

Ulmeriella bauckhoni Statz 1930, p. 13, im., fig. 3, Upper Middle Oligocene; 1939, pp. 3-5, pl. 6, fig. 26 (im.), figs. 27-29 (head, prothorax and wings), syn., table 4, Termopsini; 1941, figs. 1, 2 (im.), Calotermitiden.

Calotermes sophiae Statz 1930, p. 13, fig., Tertiary: Rott on Siebengebirge Mts.; 1939, p. 5, syn.

Wing.

Oligocene.

Ulmeriella cockerelli Martynov.

Ulmeriella cockerelli Martynov 1929, p. 175, fig., Tertiary: Siberia, Ashutar, Saisan district.

Ulmeriella cockerelli Statz 1939, pp. 5, 34, pl. I, fig. 5 (wing), Upper Oligocene: Mount Ashutar, Irtysch in Saisan distr. of So. Siberia.

Wing.

Oligocene.

Ulmeriella martynovi Zeuner.

Ulmeriella martynovi Zeuner 1938, p. 113, im., figs. 2-5, Fam. Mastotermidae, Lower Miocene: Hydrobienkalk of Biebrich near Mainz.

Imago.

Lower Miocene.

Ulmeriella rottensis (Statz).

Calotermes rottensis Statz 1930, p. 12, fig. 2 (im.), Upper Middle Oligocene of Germany: Rott on Siebengebirge.

Ulmeriella bauckhoni Cockerell and Snyder 1925, p. 21, im., pl. 1, figs. 1-2 (wing), fam. Kalotermidae, Oligocene (Aquitanian) of Germany: Rott.

Plesiotype: wing, U.S.N.M.

Ulmeriella (?Macrohodotermes) bauckhoni Cockerell and Snyder 1925a, p. 86.

Ulmeriella rottensis Statz 1939, pp. 3-5, syn., p. 16, im., table 4, Termopsini, pl. 7, figs. 30-32 (im.), pl. 8, fig. 33; 1941, fig. 3 (head), figs. 4, 7 (im.), wings, Calotermitiden.

"*Phryganiden flügel*" Meunier 1920, p. 803, fig. 1.

Ulmeriella bauckhoni Fuller 1925, p. 4, compared to *Hodotermes*.

Hodotermes bauckhoni Emerson 1933, pp. 190-191.

Imago.

Oligocene.

Ulmeriella sp. (von Rosen).

Hodotermes sp. von Rosen 1913, p. 323, head, pronotum, wings, probably *U. bauckhoni* or *rottensis*, Upper Oligocene: Rott on Siebengebirge.

Hodotermes sp. Snyder 1925, chart.

Ulmeriella sp. Statz 1939, p. 37, Upper Middle Oligocene of Germany.

Imago.

Oligocene.

RHINOTERMITIDAE

Subfamily HETEROTERMITINAE Froggatt.

Genus *Heterotermes* Froggatt Miocene, living.

Genus *Reticulitermes* Holmgren Eocene, ?Oligocene, Miocene, living.

Subfamily STYLOTERMITINAE Holmgren.

Genus *Parastylotermes* Snyder and Emerson, n.

gen. Miocene.

Subfamily COPTOTERMITINAE Holmgren.

Genus *Coptotermes* Wasmann Pleistocene, living.

Subfamily RHINOTERMITINAE Froggatt.

Genus *Rhinotermes* Hagen Pleistocene, living.

Subfamily HETEROTERMITINAE Froggatt.

HETEROTERMES

Genus *Heterotermes* Froggatt, sens. lat.

Heterotermes hartungi (Heer).

Termes Hartungi Heer 1865, p. 368, fig. 230, im., Radoboj and Oeningen.

Termes Hartungi Hagen 1858, p. 181, im.

(*Termes*) *Hartungi* Handlirsch 1908, p. 700, Lower Miocene: Radoboj in Croatia.

Leucotermes Hartungi von Rosen 1913, p. 326, Upper Miocene: Oeningen.

Leucotermes Hartungi Pongrácz 1931, p. 106, Miocene.

Leucotermes Hartungi Statz 1939, Upper Miocene of Croatia.

Imago.

Miocene.

RETICULITERMES

Genus *Reticulitermes* Holmgren, sens. lat.

Reticulitermes antiquus (Germar).

Hemerobius antiquus Germar 1813, p. 16, im., E. Prussian amber.

Termes fossile Ouchakoff 1838, p. 37, pl. 1, figs. 1-2; 1840, p. 218, pl. 1, B.

Eutermes antiquus Hagen 1854, pp. 222-225, im.

Termes antiquus Giebel 1856, p. 296.

Maresa plebeja Giebel 1856, p. 298.

Termes (obscurus) moestus Giebel 1856, pp. 297, 497.

Termes (Eutermes) antiquus Hagen, in Berendt 1856, p. 54, pl. 5, fig. 6 (im.).

Termes antiquus Hagen 1858, p. 180, Baltic amber; 1858a, p. 24, im.; 1860a, p. 107, nymph.

Termes gracilis Pictet ms.

Hemerobites antiquus Schlechtendal 1888, p. 489.

(*Eutermes*) *antiquus* Handlirsch 1908, p. 699, syn., Lower Oligocene: Baltic amber.

(*Eutermes*) *gracilis* Handlirsch 1908, p. 699, syn., Lower Oligocene: Baltic amber.

[(*Termes*) *Giebeli* Handlirsch 1908, p. 700, Lower Oligocene: Baltic amber, remarks.]

Maressa fossilis Handlirsch 1908, p. 700, Lower Oligocene: Baltic amber.

Leucotermes (Reticulitermes) antiquus von Rosen 1913, p. 331, pl. 30, fig. 22 (im.), Lower Oligocene: Baltic amber.

Eutermes gracilis Pongrácz 1926, p. 25, pl. 4 (wing), pl. 5 (evolutionary tree).

C. (probably typographical error) *antiquus* Pongrácz 1931, p. 100 (remarks), Oligocene.

Leucotermes antiquus Statz 1939, p. 33, Upper Eocene amber of E. Prussia.

Imago.

Upper Eocene.

Reticulitermes borussicus (von Rosen).

Leucotermes (Reticulitermes) borussicus von Rosen 1913, p. 331, im., Lower Oligocene or Upper Eocene: Baltic amber.

Leucotermes borussicus Statz 1939, p. 33, Upper Eocene of E. Prussia.

Imago.

Oligocene or Eocene.

Reticulitermes creedei Snyder.

Reticulitermes creedei Snyder 1938, pp. 109-110, wing, Miocene: Creede: Colorado.
Type: M.C.Z.

Wing.

Miocene.

Reticulitermes fossarum (Scudder).

Eutermes fossarum Scudder 1883, p. 143, im., Tertiary: Florissant, Colo.; 1890, p. 115, pl. 12, fig. 20.

(*Eutermes*) *fossarum* Handlirsch 1908, p. 700, Miocene: Florissant, Colo.

Nasutitermes (Tenuirostritermes) fossarum Snyder 1925, p. 161.

Reticulitermes fossarum Emerson 1933, p. 192, syn.; Statz 1939, table 4.

Eutermes meadi Scudder 1883, p. 144, im., Tertiary: Florissant, Colo.; 1890, pl. 12, figs. 12 and 17.

(*Eutermes*) *meadi* Handlirsch 1908, p. 700, Miocene: Florissant, Colo.

Leucotermes? meadi von Rosen 1913, p. 327, near L. Hartung.

? *meadi* Snyder 1925, p. 160, doubtful position.

Reticulitermes meadi Emerson 1933, p. 192, syn.; Statz 1939, table 4, Upper Miocene of Colorado: Florissant.

Imago.

Miocene.

Reticulitermes minimus (Snyder).

Leucotermes (*Reticulitermes*) *minimus* Snyder 1928, pp. 515-517, fig. 1 (winged), Baltic amber.

Holotype: winged, U.S.N.M. No. 41546.

Reticulitermes minimus Statz 1939, Upper Eocene: amber of E. Prussia.

Winged.

Oligocene or Eocene.

Subfamily STYLOTERMITINAE Holmgren.

PARASTYLOTERMES

Genus **Parastylotermes** Snyder and Emerson, n. gen.

Generitype: *Parastylotermes washingtonensis* (Snyder).

Parastylotermes robustus (von Rosen).

Leucotermes (*Reticulotermites*) *robustus* von Rosen 1913, p. 331, im., Baltic amber, Lower Oligocene or Upper Eocene (subgen. misspelled).

Leucotermes (*Reticulitermes*) *robustus* Snyder 1925 (chart).

Leucotermes robustus Statz 1939, Upper Eocene amber of E. Prussia.

Imago.

Oligocene or Eocene.

Parastylotermes washingtonensis (Snyder).

Stylotermes washingtonensis Snyder 1931, in Carpenter 1931, p. 317, pl. 1, fig. 5 (wing), Miocene: Latah of Washington; Statz 1939, Upper Miocene of Washington; Zalesky 1939, pp. 58, 81, wing, fig. 31 II.

Holotype: M.C.Z.

Wing.

Miocene.

Subfamily COPTOTERMITINAE Holmgren.

COPTOTERMES

Genus **Coptotermes** Wasmann.

Coptotermes spp. von Rosen.

Coptotermes spp. von Rosen 1913, p. 333, pl. 30, fig. 24, im., no descriptions, 3-4 spp., gum copal, Africa.

Winged.

Pleistocene.

Subfamily RHINOTERMITINAE Froggatt.

SCHEDORHINOTERMES

Genus **Schedorhinotermes** Silvestri.

Schedorhinotermes sp. (von Rosen).

Rhinotermes sp. von Rosen 1913, p. 333 (no description), [is *Rhinotermes lamanianus* Sjöstedt?], gum copal, Africa: Zanzibar.

Caste?

Pleistocene.

TERMITIDAE

Subfamily AMITERMITINAE Kemner.

Genus *Microcerotermes* Silvestri ?Oligocene, Pleistocene, living.

Subfamily TERMITINAE Sjöstedt.

Genus *Termes* Linnaeus Pleistocene, living.

Subfamily MACROTERMITINAE Kemner.

Genus *Macrotermes* Holmgren Pleistocene, living.Genus *Odontotermes* Holmgren Pleistocene, living.Genus *Microtermes* Wasmann Pleistocene, living.

Subfamily NASUTITERMITINAE Hare.

Genus *Trinervitermes* Holmgren Pleistocene, living.

Subfamily AMITERMITINAE Kemner.

MICROCEROTERMES

?Genus *Microcerotermes* Silvestri (sens. lat.).*Microcerotermes debilis* (Heer).*Termes (Eutermes) debilis* Heer 1849, p. 35, pl. 3, fig. 6 (winged im.), gum copal, Africa.*Termes debilis* Giebel 1852, p. 638; 1856, p. 295.*Termes (Eutermes) debilis* Hagen 1858, p. 205, fossil only, copal.*(Eutermes) debilis* Handlirsch 1908, p. 700, ?Lower Oligocene: Baltic amber; p. 1098, ?copal, Africa.*Microcerotermes debilis* Snyder 1925, chart, Pleistocene: gum copal, Africa.

Type: Berlin Mus., Germany.

Winged.

Pleistocene.

Microcerotermes latinotus von Rosen.*Microcerotermes latinotus* von Rosen 1913, p. 333, im., no description, gum copal, E. Africa.

Imago. Pleistocene.

Microcerotermes sp. von Rosen.*Microcerotermes* sp. von Rosen 1913, p. 333, worker, no description, gum copal, E. Africa.

Worker. Pleistocene.

Subfamily TERMITINAE Sjöstedt.

TERMES

Genus *Termes* Linnaeus.*Termes resinatus* (von Rosen).*Mirotermes resinatus* von Rosen 1913, p. 333, im., no description but pl. 31, fig. 27, gum copal, E. Africa.

Imago.

Pleistocene.

Termes sp. (von Rosen).

Mirotermes sp. von Rosen 1913, p. 333, im., no description, gum copal, E. Africa.

Imago.

Pleistocene.

Subfamily MACROTERMITINAE Kemner.

MACROTERMES

Genus *Macrotermes* Holmgren.

Macrotermes amicus (von Rosen).

Termes (Termes) amicus von Rosen 1913, p. 333, sold.², work., pl. 31, fig. 25 (sold.), no description, gum copal, E. Africa.

Sold.², work.

Pleistocene.

?*Macrotermes* sp. (von Rosen).

Termes (Termes) sp. = Goliath Sjöstedt? von Rosen 1913, p. 333, sold.¹, gum copal, E. Africa.

Sold.¹

Pleistocene.

?*Macrotermes pristinus* (Charpentier).

Termes pristinus Charpentier 1843, p. 409, pl. 23, figs. 2-4 (im.), Radoboj, Croatia.

Termes (Eutermes) pristinus Heer 1849, p. 32, pl. 3, fig. 3.

Termes pristinus Giebel 1856, p. 294.

Termes pristinus Hagen 1858, p. 161, im.; 1858a, p. 22, im.

(*Eutermes*) *pristinus* Handlirsch 1908, p. 701, Lower Miocene: Radoboj in Croatia.

Odontotermes? *pristinus* von Rosen 1913, p. 332, Radoboj.

Imago.

Miocene.

ODONTOTERMES

Genus *Odontotermes* Holmgren (sens. lat.).

Odontotermes spp. von Rosen.

Odontotermes spp. von Rosen 1913, p. 333, im., 2 species, no description, gum copal, Gold Coast and former German E. Africa.

Odontotermes spp. Snyder 1925, chart.

Imago.

Pleistocene.

MICROTERMES

Genus *Microtermes* Wasmann (sens. lat.).

Microtermes sp.? von Rosen.

Microtermes sp. von Rosen 1913, p. 333, im., no description, gum copal, E. Africa.

Imago.

Pleistocene.

Subfamily NASUTITERMITINAE Hare.

TRINERVITERMES

Genus *Trinervitermes* Holmgren (sens. lat.).

Trinervitermes handlirschi (von Rosen).

Eutermes (*Trinervitermes*) *handlirschi* von Rosen 1913, p. 333, form not given, no description, gum copal, Gold Coast.

Caste?

Pleistocene.

Trinervitermes sp. (von Rosen).

Eutermes (*Trinervitermes*) sp. von Rosen 1913, p. 333, pl. 31, fig. 26, worker, no description, gum copal, Zanzibar.

Worker.

Pleistocene.

FOSSIL TERMITES OF UNCERTAIN OR DOUBTFUL POSITION

“*Termes*” *adustus* Statz 1939, p. 20, im., table 4, Termitini, pl. 10, figs. 47-48 (left forewing), Middle Oligocene, Germany: Rott on Siebengebirge.

“*Termes*” *aethiops* Statz 1939, p. 19, im., table 4, Termitini, pl. 9, figs. 39-40 (im.); 1941, fig. 9 (im.), Upper Middle Oligocene: Rott on Siebengebirge, Germany.

“*Termes*” *atomus* Statz 1939, p. 21, im., table 4, Termitini, p. 40, pl. 10, figs. 49-50 (left forewing), Upper Oligocene of Germany: Rott on Siebengebirge.

“*Termes*” *blandus* Statz 1939, p. 19, im., table 4, Termitini, p. 40, pl. 9, figs. 41-42 (im.), Upper Oligocene of Germany: Rott on Siebengebirge.

Termes *Buchii* Heer 1865, pp. 360, 368, Oeningen in Baden, Germany, Upper Miocene.

(*Termes*) *Buchi* Handlirsch 1908, p. 702, loc., syn.

Termes *Buchii* von Rosen 1913, p. 326, im.

Termes *buchii* Snyder 1925, chart in Termitidae.

Termes? *buchi* Statz 1939, pl. 4, Upper Miocene.

“*Termes*” *cocinnus* Statz 1939, p. 20, im., table 4, Termitini, pl. 10, figs. 43-44 (im. left forewing); 1941, fig. 10 (wing), Upper Oligocene of Germany: Rott on Siebengebirge.

“*Termes*” *contractulus* Statz 1939, p. 20, im., Termitini, pl. 10, figs. 45-46 (wings), Upper Oligocene of Germany: Rott on Siebengebirge.

Termes (*Eutermes*) *croaticus* Heer 1849, p. 34, pl. 3, fig. 5.

Termes *croaticus* Giebel 1852, p. 638; 1856, p. 295.

Termes *croaticus* Hagen 1858, p. 205 (im.).

Termes *croaticus* Hagen 1858a, p. 28 (im.).

(*Eutermes*) *croaticus* Handlirsch 1908, p. 700, Lower Miocene: Radoboj in Croatia.

Termes *croaticus* von Rosen 1913, p. 326.

Eutermes *croaticus* von Rosen 1913, p. 332.

Termes *croaticus* Snyder 1925; Statz 1939.

Miocene.

Eutermes (s. l.) **Fraasi** von Rosen 1913, p. 327, wing portion, Upper Miocene of Germany: Randeck, Wurtemburg.

Type: Stuttgart Naturalienkabinett.

Eutermes fraasi Statz 1939, Upper Miocene.

Wing.

Miocene.

Termes giganteus Heer, in lit., im., Radoboj (Miocene).

Termes giganteus Hagen 1858, p. 159.

"**Termes**" **holmgreni** Statz 1939, p. 18, im., Termitini, pl. 8, fig. 36 (im.), pl. 9, figs. 37-38 (left mandible, right forewing); 1941, fig. 8 (im.), Upper Oligocene of Germany: Rott on Siebengebirge [mandibles indicate Rhinotermitidae].

Imago.

Oligocene.

Termes (Eutermes) obscurus Heer 1849, p. 33, pl. 3, fig. 4, im., Radoboj in Croatia.

Termes obscurus Giebel 1856, p. 295.

Termes obscurus Hagen 1858, p. 204, im.; 1858a, p. 28, im.

(**Eutermes**) **obscurus** Handlirsch 1908, p. 700, Lower Miocene: Radoboj, Croatia.

Termes obscurus von Rosen 1913, p. 326.

Eutermes obscurus von Rosen 1913, p. 332.

Termes obscurus Statz 1939.

Imago.

Miocene.

Termes Rutoti Meunier 1900, pp. 76-80, fig. 1, young or nymph, remarkable leg.

(**Termes**) **Rutoti** Handlirsch 1908, p. 701, Lower Oligocene: Baltic amber, Brabant.

Nymph.

Oligocene.

Termopsis? **swinhoei** Cockerell 1916, p. 138, im., fig. 4, Miocene: Burma amber ("Burmite").

Type: British Mus.

Termopsis **swinhoei** Snyder 1925, p. 157, Lower Miocene.

Termopsis? **swinhoei** Emerson 1933, p. 190, Burmese amber.

Hodotermes tristis Cockerell 1917, p. 329, wing only, Burmese amber; Emerson 1933, p. 190.

Termes sp. Schlotheim 1820, p. 43.

(**Termes**) Handlirsch 1908, p. 701, Lower Oligocene: Baltic amber.

Termes sp. Guérin 1825, p. 580.

(**Termes**) Handlirsch 1908, p. 701, Lower Oligocene: Baltic amber.

Termes sp. Burmeister 1831, p. 1100.

(**Termes**) Handlirsch 1908, p. 701, Lower Oligocene: Baltic amber.

Termes sp. Smith 1868, p. 184, pl. fig. 9.

(**Termes**) Handlirsch 1908, p. 701, Lower Oligocene: Baltic amber.

Termes? sp. Woodward 1879, p. 344.

(*Termes?*) Handlirsch 1908, p. 701, Lower Oligocene: Isle of Wight, Gurnet Bay (Bembridge limestone).

Eutermes? sp. Scudder 1881, p. 219, Florissant, Colo.

(*Eutermes?*) sp. Handlirsch 1908, p. 700, Miocene: Florissant, Colo., No. Amer.

Termes (7 species) Schöberlin 1888, p. 51, Oeningen in Baden.

(*Termes*) (7 species) Handlirsch 1908, p. 702, Upper Miocene: Oeningen in Baden.

Termes sp. Förster 1888, p. 164, Sundgauer Tertiärs; 1890, p. 103, Brunstatt in Elsass.

(*Termes*) Handlirsch 1908, p. 702, Middle Oligocene: Brunstatt in Elsass.

Eutermes sp. Scudder 1890, p. 116, worker, Florissant, Colo.

(*Eutermes*) sp. Handlirsch 1908, p. 700, Miocene: Florissant, Colo., No. Amer.

Termes sp. Scudder 1895, p. 119, Oeningen in Baden.

(*Termes*) sp. Handlirsch 1908, p. 701, Upper Miocene: Oeningen in Baden.

Termes sp. Statz 1939, table 4, Middle Eocene of Germany: Geiseltal (Halle).

FOSSILS NOT TERMITES

Termes contusus Scudder 1878, p. 300, Carboniferous of Illinois, insect of uncertain position.

Acanthodictyon decheni (Goldenberg).

Termes (Eutermopsis) decheni Goldenberg 1854, p. 29, iron clay stone near Fredrichsthal.

Acanthodictyon decheni Handlirsch 1908, p. 73.

Elcana geinitzi (Heer).

Clathrotermes geinitzi Heer 1865, p. 85; Geinitz 1883, p. 31, Lias of Mecklenburg, not a termite; in Handlirsch 1906, pp. 413-421, 13 species of *Clathrotermes* Heer 1865-1880 referred to *Elcana* Giebel 1856, Orthoptera, Locustoidea—Lower and Upper Lias.

Termes? grandaevus Brodie 1845, pp. 33, 119, pl. 2, fig. 5 (wingless imago).

Termes grandaevus Giebel 1856, p. 295.

Termes grandaevus Hagen 1858, pp. 181, 297; 1858a, p. 25, im., syn., England.

(*Termes? grandaevus*) Handlirsch 1906, p. 650, Vale of Wardour, England. Purbeck, Malm.

Flata Haidingeri Giebel 1856, p. 375, pl. 2, fig. 6; [pl. 9, fig. 9 (winged near *T. antiquus*)].

Philonthus Kneri Giebel 1856, p. 72, pl. 2, fig. 2.

Prognatha crassa Giebel 1856, p. 73, pl. 2, fig. 3.

Meloë Hoernesii Giebel 1856, p. 106, pl. 2, fig. 12.

Termes (Calotermes) Hageni Goldenberg 1854, p. 37, pl. 6, fig. 8; 1873, p. 12, pl. 2, fig. 7 (nec 7b); Handlirsch 1906, p. 342, Rheinlande, Altenwald (Germany), Mittleres Obercarbon. (An arachnid.)

(Palaeodictyopteron) *Hageni* Handlirsch 1906, p. 62, pl. 8, fig. 15, order Palaeodictyoptera.
Termes Hageni pp. Goldenberg 1873, p. 12, pl. 2, fig. 7b (wing), Altenwald, Germany,
 Mittleres Obercarbon.

Termes Hassencampi Heer, in Hassencamp 1860, p. 79.
 (Termes) *Hassencampi* Handlirsch 1907, p. 702, Middle Oligocene: Sieblos, Bayern (of
 uncertain position).
Termes Hassencampi von Rosen 1913, p. 323 (Phryganidae?).

Stilbocrocis heeri (Goldenberg).

Termes (Eutermopsis) Heerii Goldenberg 1854, p. 29, pl. 4, fig. 5, coal slates near Alten-
 wald.

Termes (Eutermopsis) affinis Goldenberg 1854, p. 29, coals of Rhine.

Termes (Eutermopsis) formosus Goldenberg 1854, p. 29, iron clay near Altenwald.

Eutermopsis Heeri Giebel 1856, pp. 297-298, coal of Gersweiler.

Calotermes ? Heeri Hagen 1858, p. 73, im., coal slates near Altenwald; 1858a, p. 11, wings.

Stilbocrocis Heeri Handlirsch 1906, p. 74, pl. 9, figs. 24-25 (wings), Palaeodictyoptera, coal
 slates near Altenwald, Mitleres Obercarbon.

Wings.

Carboniferous.

Termes heros Hagen 1862a, pp. 107, 114, pl. 15, fig. 1.

Mesotermes heros Haase 1890, p. 12.

?*Mesotermes heros* Handlirsch 1906, p. 613, Eichstätt, Solnhofen in Bayern Lithogr. Kalk.
 Malm [not a termite].

Termes laxa Goldenberg 1877, p. 17, Palaeodictyoptera, fam. Dictyoneuridae.

Termes lithophilus Hagen 1862a, p. 115; Haase 1890, p. 2, Lithogr. Kalk. Bayern [not a
 termite].

Termes longitudinalis Scudder ms., in Lacoë 1883, p. 15, coal measures, Mazon Creek,
 Grundy County, Ill.
 Type: coll. of R. D. Lacoë [not a termite].

Termes (Mixotermes) lugauensis Sterzel 1881, pp. 271-276, wing, figs. 3, 4, 5, Carboniferous
 of Lugau (allied to *Calotermes*) [not a termite].
 [Genus *Mixotermes* Sterzel 1878-80, Frogatt 1896,
 p. 517, Holmgren 1911a, pp. 5, 7.]

Elcana maculata (Heer).

Calotermes maculatus Heer 1865, p. 86, pl. 7, fig. 7.

Elcana maculata Handlirsch 1906, p. 418, Lower Lias, Schambelen, Switzerland. Orthoptera:
 Locustoidea.

Elcana obtecta (Heer).

Calotermes obtectus Heer 1865, p. 86.

Elcana obtecta Handlirsch 1906, p. 413, Lower Lias, Schambelen, Aargau, Switzerland.
 Orthoptera: Lucustoidea.

Termes Peccanae Massalongo 1856, p. 19, pl. 2, figs. 5, 6.

(**Termes**) **Peccanae** Handlirsch 1907, p. 701, Middle Eocene: Monte Bolca, Italy, of uncertain position.

Termes Peccanae von Rosen 1913, p. 319, not a termite.

Permoteropsis pectinata Martynov 1937, pp. 83-150, Permian of Sheimo-Gora, Arkhangelsk distr. Protoblattoidea.

Elcana plagiata (Heer).

Termes plagiatus Heer, in lit.

Termes plagiatus Hagen 1858, p. 181, im., Lias of Schambelen.

Calotermes plagiatus Heer 1865, p. 86, pl. 7, fig. 6.

Elcana plagiata Handlirsch 1906, p. 415, Lower Lias, Schambelen, Aargau, Switzerland.
Orthoptera: Locustoidea.

Permoteropsis roseni Martynov 1937, pp. 83-150, Permian of Sheimo-Gora, Arkhangelsk distr. Protoblattoidea.

Elcana spp. (Heer).

Clathrotermes spp. Heer 1865-80, 13 species.

Elcana spp. Giebel 1856, p. 258 (Orthoptera, Locustidae, Elcanidae).

Elcana spp. Handlirsch 1906, pp. 413-421, Lower and Upper Lias; 13 species referred to
Orthoptera: Locustoidea.

Elcana troglodytes (Heer).

Termes troglodytes Heer, in lit.

Termes troglodytes Hagen 1858, p. 181, im., Lias of Schambelen.

Calotermes troglodytes Heer 1865, p. 86.

Elcana troglodytes Handlirsch 1906, p. 419, Lower Lias, Schambelen, Aargau, Switzerland.
Orthoptera: Locustoidea.

DESCRIPTIONS OF NEW GENERA

LIVING TERMITES

Genus DOLICHRHINOTERMES Snyder and Emerson, new genus

Generotype.—*Rhinotermes (Rhinotermes) longilabius* Emerson.

Diagnosis.—Imago with the third article of the antenna distinctly shorter than the first article. Major soldier with the labrum narrower than its length. Minor soldier with the opening of the frontal gland at the front of the head but not on a conspicuous prolongation of the head, and the sides of the head straight or convex from above.

Comparisons with closely related genera of the Rhinotermitidae: *Rhinotermes* with the third article of the antenna of the imago longer than, or about as long as, the first article; labrum of the major soldier wider than its length; frontal gland opening of the minor soldier similar. *Acorhinotermes* with a similar imago; major soldier presumably absent; minor soldier with the opening of the frontal gland on a forward projection of the head and the sides of the head from above conspicuously concave both in back of and in front of the widest portion.

See page 98 for included species.

Genus ACORHINOTERMES Emerson, new genus

Generotype.—*Rhinotermes (Rhinotermes) subfusciceps* Emerson.

Diagnosis.—Imago with the third article of the antenna distinctly shorter than the first article. Major soldier unknown and presumed to be absent. Minor soldier with the opening of the frontal gland on a forward projection of the head, sides of head from above conspicuously concave both in back of and in front of the widest portion.

Comparisons with closely related genera of the Rhinotermitidae: See comparisons under the genus *Dolichorhinotermes*. Although the *A. subfusciceps* queen is specifically distinct from the imagoes of *Dolichorhinotermes* in its size and proportions of head and pronotum, no distinctions of generic value have been discovered. The worker mandibles are identical in their dentation with those of *Dolichorhinotermes* and *Rhinotermes*. The absence of the major soldier and the shape of the head of the minor soldier together with the position of the opening of the frontal gland seem to be good generic distinctions. This genus represents the most specialized of the genera of the Rhinotermitidae and doubtless arose from stock similar to *Dolichorhinotermes*.

See page 99 for included species.

Genus DENTISPICOTERMES Emerson, new genus

Generotype.—*Capritermes globicephalus* Silvestri.

Diagnosis.—Soldier with slender snapping mandibles with a distinct tooth in the middle of the inside edge, a distinct clawlike tip, and a marked angle where

the cutting edge of the tip joins the inside edge of the cylindrical mandible. The soldier head from above is a little longer than wide.

Comparison with a closely related genus of Termitinae (Termitidae) : *Termes* with similar soldier mandibles, but without the median tooth on the inner edge. The details of structure cannot be obtained from Silvestri's description (1901) or drawing (1903, fig. 125), but specimens of what appear to be a new species of this genus have a short cone in a vertical position on the front of the head instead of a forward-pointing cone as in *Termes*.

See page 177 for included species.

Genus PLANICAPRITERMES Emerson, new genus

Generitype.—*Capritermes (Neocapritermes) planiceps* Emerson.

Diagnosis.—Imago-worker mandibles with each apical tooth about the same size as the first marginal tooth and the notch between the first and second marginal teeth of the right mandible is about equal to a right angle. The soldier mandibles are markedly asymmetrical and function for snapping. The soldier head is flat and prolonged posteriorly into two lateral lobes and a small median lobe.

Comparison with a closely related genus of the Termitinae (Termitidae) : *Neocapritermes* close in the dentation of the imago-worker mandible. These two genera are distinct from all other genera with asymmetrical soldier mandibles in the proportionate sizes of the apical tooth and the first marginal tooth of each imago-worker mandible. *Neocapritermes* does not have the flattened soldier head with the posterior lobes.

See page 202 for included species.

Genus PROCORNITERMES Emerson, new genus

Generitype.—*Termes striatus* Hagen.

Diagnosis.—Dentation of imago-worker mandible close to that of *Cornitermes* with the apical tooth of each mandible about equal to the first marginal tooth. Tibial spurs of imago $3:2:2$ or $2:2:2$. Soldier close to *Cornitermes* but with each lateral point of labrum, when present, forming an angle of 70° or greater, and 4 to 7 spines on the inner edge of the foretibia, each spine about as long as the apical spurs.

Comparisons with closely related genera of the Nasutitermitinae (Termitidae) : *Cornitermes* soldier has a row of more than 10 spines on the inner edge of the foretibia, each spine shorter than the apical spurs. *Triacitermes* soldier close, but the labrum has 3 sharp points, each lateral point forming an angle of about 45° and the median point forming an angle of 90° or a little less.

See page 260 for included species.

Genus TRIACITERMES Emerson, new genus

Generotype.—*Cornitermes triacifer* Silvestri.

Diagnosis.—Imago mandibular dentation similar to that of *Procornitermes* and *Cornitermes* with the apical tooth of each mandible about equal in size to the first marginal tooth. Soldier close to *Procornitermes*, but the labrum has 3 sharp points, each lateral point forming an angle of about 45° and the median point forming an angle of 90° or a little less. Each mandible with a small angular notch in an otherwise relatively even and continuous inner cutting edge. Spines of foretibia similar to those of *Procornitermes*.

Comparisons with closely related genera of Nasutitermitinae (Termitidae): See discussion under *Procornitermes*.

See page 263 for included species

Genus PARVITERMES Emerson, new genus

Generotype.—*Nasutitermes (Tenuirostritermes) brooksi* Snyder.

Tentatively included species.—*Nasutitermes (Tenuirostritermes) laticephalus* Snyder 1926d, p. 43, pl. 3, figs. 7, 8 (soldier). Covendo, Bolivia. This species may belong to *Velocitermes*, and further collecting may reveal that the soldier is dimorphic.

Diagnosis.—The imago-worker mandibles each have the apical tooth about the same size as the first marginal tooth. Imago with fontanelle shape like a forked slit. Soldier size very small compared to most nasute genera. Frontal projection (nasus) slender and fairly cylindrical. Soldier mandibles either with or without apical points. Head slightly constricted, lateral margin from above a little concave in back of the antennae bases. Vertex in profile not elevated much above the general line of the frontal projection and the hump at the base of the projection. The soldier is monomorphic or very slightly dimorphic. The soldier head has numerous hairs. The hind tibia of the soldier is not longer than the head, and the abdominal tergites are hairy.

Comparisons with closely related genera of the Nasutitermitinae (Termitidae): *Velocitermes* imago-worker mandible very close in dentation. *Tenuirostritermes* left imago-worker mandible has a long cutting edge. *Constrictotermes*, *Hospitalitermes*, *Lacessititermes* and *Longipeditermes* with the apical tooth of each imago-worker mandible smaller than the first marginal tooth. *Tumulitermes* imago without a forked fontanelle. *Trinervitermes*, *Longipeditermes*, *Velocitermes*, *Diversitermes* and *Obtusitermes* have markedly dimorphic or trimorphic soldiers. *Rotunditermes*, *Havilanditermes* and *Nasutitermes* have monomorphic soldiers without a constricted head. *Longipeditermes*, *Hospitalitermes*, *Lacessititermes*, *Grallatotermes* and *Constrictotermes* have the hind tibia of the soldier longer than the head. *Bulbitermes* soldiers have no hump at the base of the frontal projection (nasus) and the vertex of the head is elevated above the line of the nasus. *Ceylonitermes* soldiers have a third antennal article about three times as long as wide or longer. *Tumulitermes* soldiers very close. Except for

the lack of the forked fontanelle, this Australian genus has no easily distinguished character to separate it from *Parvitermes*. *Coarctotermes* soldiers are larger and have a more constricted head. *Hirtitermes* has a weakly toothed soldier mandible. *Diversitermes* has bristles on the soldier head and the abdominal tergites.

See page 305 for included species.

Genus BULBITERMES Emerson, new genus

Generotype.—*Termes constrictus* Haviland.

Diagnosis.—Imago-worker mandibles closely similar in dentation to *Nasutitermes* and *Grallatotermes*. The apical tooth of each mandible about equal to, or slightly smaller than, the first marginal tooth. Fontanelle of imago forked and rather wide, similar to that in *Havilanditermes*. Wing membrane hairy. Soldier monomorphic with a conical frontal projection. Mandibles reduced as in other nasute soldiers, but with points. Head constricted behind the bases of the antennae. Antennal articles not markedly elongated. Anterior tergites of the abdomen with few or no bristles and short hairs practically absent.

Comparisons with closely related genera of the Nasutitermitinae (Termitidae): *Constrictotermes* and *Hospitalitermes* have a conspicuously smaller apical tooth in each imago-worker mandible. *Longipeditermes*, *Lacessitermes* and *Ceylonitermes* have a proportionately smaller apical tooth in each imago-worker mandible. *Tenuirostritermes* has a longer imago-worker mandible. *Coarctotermes* wing membrane is hairy only near the edge. *Grallatotermes* soldier hind tibiae are longer than the head. The antennal articles of the soldiers of *Hospitalitermes*, *Longipeditermes*, and *Constrictotermes* are elongated. *Havilanditermes* soldier is close, but the head is not constricted. The soldier of *Ceylonitermes* has a cylindrical frontal projection (nasus). *Coarctotermes* has a stronger constriction in the soldier head. *Parvitermes* soldiers have hairy heads and abdominal tergites, and the head constriction is much less conspicuous.

See page 307 for included species.

Genus PARACORNITERMES Emerson, new genus

Generotype.—*Cornitermes laticephalus* Silvestri.

Diagnosis.—Imago-worker mandibles with the apical tooth distinctly larger than the first marginal tooth and with an undulating cutting edge between the marginal teeth of the left mandible. Soldier head with a short frontal tube. Soldier mandibles short and massive with a distinctly double-pointed tooth on the right mandible. Soldier labrum large with rounded sides.

Comparison with closely related genera of the Nasutitermitinae (Termitidae): Imago-worker mandibles similar in dentation to those of *Labiotermes*. The frontal tube of the soldier is larger than that of *Syntermes* and shorter than those of *Procornitermes*, *Triacitermes* and *Cornitermes*. *Labiotermes* is close but the soldier mandibles have a distinctly different dentation.

See page 333 for included species.

FOSSIL TERMITES

Genus PARASTYLOTERMES Snyder and Emerson, new genus

Generitype.—*Stylotermes washingtonensis* Snyder.

Diagnosis.—Pilosity of wings similar to *Stylotermes*. Wing membrane and veins practically without hairs or bristles except on the scale (1 bristle seen near the scale on the coastal margin of the wing of *P. robustus* (von Rosen)). Media closer to cubitus, and cubitus has about twice as many primary branches (about 20) in *Stylotermes fletcheri* as in *P. robustus*. *P. washingtonensis* has about 13 primary branches in the cubitus. Wing texture similar, but the wing is proportionately shorter and wider in *P. robustus* than in *P. washingtonensis*. Tibial spurs of *P. robustus* 2:2:2 (3:2:2 in *Stylotermes fletcheri*). Measurements of *P. robustus*: head width 1.53 mm., width of pronotum 1.08 mm., length of forewing 9.40 mm., length of forewing from suture 8.27 mm., width of forewing 3.17 mm.

Comparison with other genera of the Rhinotermitidae: *Heterotermes*, *Coptotermes*, and *Termitogeton* have numerous hairs on the wings. *Psammotermes*, *Heterotermes*, and *Reticulitermes* have proportionately smaller eyes. *Psammotermes* sometimes (not always) lacks the media in the forewing. *Heterotermes* has inconspicuous or reduced ocelli. *Reticulitermes* has a proportionately narrower head, smaller ocelli, smaller forewing scales, and no hairs on the wing membrane and veins. *Termitogeton* has a straighter posterior margin of the head, a narrower pronotum with an anterior median point, and the cubitus is reduced or practically absent beyond the suture. *Prorhinotermes*, *Parrhinotermes*, *Schedorhinotermes*, *Rhinotermes*, *Dolichorhinotermes*, and *Acorhinotermes* have a prominent or projecting postclypeus and the wing membranes and veins are without hairs in the known imagoes.

See page 366 for included species.

INDEX TO SPECIES *

(Listed alphabetically; genera arranged systematically)

aagaardi	
Eutermes (T.), see <i>Tumulitermes</i>	
<i>apicephalus</i>	
abassas	
<i>Trinervitermes</i>	
abbreviatus	
<i>Anoplotermes (A.) cingulatus, subsp.</i> , see <i>Anoplotermes</i>	
<i>Termes (Eutermes) cingulatus, subsp.</i> , see <i>Anoplotermes</i>	
<i>Anoplotermes</i>	
<i>Capritermes obtusus, var.</i>	
aburiensis	
<i>Neoterms</i>	
<i>Apicotermes</i>	
<i>Procubitermes, see Noditermes</i>	
<i>Noditermes</i>	
abyssinicus	
<i>Eutermes, see Firmitermes</i>	
<i>Firmitermes</i>	
acajutlae	
<i>Eutermes (E.), see Nasutitermes nigri-</i>	
<i>ceps</i>	
acanthothorax	
<i>Termes, see Acanthotermes</i>	
<i>Acanthotermes</i>	
acerbus	
<i>Eutermes, see Microcerotermes</i>	
<i>Microcerotermes</i>	
aciculatus	
<i>Termes, see Subulitermes</i>	
<i>Eutermes (S.), see Subulitermes</i>	
<i>Subulitermes</i>	
acignathus	
<i>Cornitermes</i>	
<i>Termes, see Cornitermes</i>	
acinaciformis	
<i>Termes, see Coptotermes</i>	
<i>Termes (Eutermes), see Coptotermes</i>	
<i>Coptotermes</i>	
acrognathus	
<i>Amitermes (Gnathamitermes), see</i>	
<i>Gnathamitermes perplexus</i>	
actuosus	
<i>Schedorhinotermes intermedius, subsp.</i>	
<i>aculeosus</i>	
<i>Syntermes</i>	
<i>acutidens</i>	
<i>Euchilotermes tensus, var., see Euchilo-</i>	
<i>termes acutidens</i>	
<i>Euchilotermes</i>	
<i>Odontotermes (O.) sudanensis, var.</i>	
<i>acutifrons</i>	
<i>Procubitermes, see Unguitermes</i>	
<i>Unguitermes</i>	
<i>acutinasus</i>	
<i>Mirotermes (Mirotermes), see Termes</i>	
<i>fatalis</i>	
<i>acutus</i>	
<i>Amitermes (Gnathamitermes), see</i>	
<i>Gnathamitermes perplexus</i>	
<i>Eutermes, see Nasutitermes</i>	
<i>Nasutitermes</i>	
<i>adamsoni</i>	
<i>Calotermes, see Porotermes</i>	
<i>Porotermes (P.), see Porotermes</i>	
<i>Porotermes</i>	
<i>admirabilus</i>	
<i>Grallatotermes</i>	
<i>Nasutitermes (Grallatotermes), see</i>	
<i>Grallatotermes</i>	
<i>aduncus</i>	
<i>Orthognathotermes</i>	
<i>Nasutitermes (N.), see Nasutitermes</i>	
<i>Nasutitermes</i>	
<i>adustus</i>	
<i>Termes (fossil), of doubtful position</i>	
<i>aemulus</i>	
<i>Cubitermes</i>	
<i>Mirotermes (Cubitermes), see Cubi-</i>	
<i>termes</i>	
<i>aequalis</i>	
<i>Termes, see Parrhinotermes</i>	
<i>Parrhinotermes</i>	
<i>Nasutitermes (Obtusitermes), see Ob-</i>	
<i>tusitermes</i>	
<i>Nasutitermes (Agnathotermes), see Ob-</i>	
<i>tusitermes</i>	
<i>Obtusitermes</i>	

* Generities for new genera are designated in bold-face capitals.

aethiopicus	
Kalotermes (Epicalotermes), see Kalotermes	
Kalotermes	
Eutermes, see Reticulitermes	
Leucotermes, see Reticulitermes	
Heterotermes, see Reticulitermes	
Reticulitermes	
aethiops	
Eutermes (Eutermes), see Nasutitermes	
Nasutitermes	
Termes (fossil), of doubtful position	
affinis	
Eutermopsis (fossil), see fossil, not a termite	
Kalotermes (fossil), see Electrotermes	
Termes, see Electrotermes	
Electrotermes (fossil)	
Kalotermes (Glyptotermes), see Glyptotermes brevicornis	
Termes, see Odontotermes (O.) nilensis	
africanus	
Stolotermes	
agilis	
Calotermes, see Neotermes	
Neotermes	
Termes, see Odontotermes (O.)	
Odontotermes, see Odontotermes (O.)	
Odontotermes (O.)	
agricola	
Eutermes, see Trinervitermes	
Nasutitermes, see Trinervitermes	
Trinervitermes	
ahngarianus	
Hodotermes, see Anacanthotermes	
Hodotermes (Anacanthotermes), see Anacanthotermes	
Anacanthotermes	
akengensis	
Termes (Termes), see Odontotermes (O.)	
Odontotermes (O.)	
albidus	
Termes, see Microcerotermes arboreus	
Termes, see Armitermes holmgreni	
Armitermes (A.), imago not identified, soldier, see Armitermes holmgreni	
Armitermes, see Armitermes silvestrii	
Termes, see not classified	
	albinotus
	Microtermes
	albipes
	Calotermes (Cryptotermes), see Cryptotermes
	Cryptotermes
	Termes, see Lacessititermes
	Eutermes (L.), see Lacessititermes
	Lacessititermes
	alboniger
	Microtermes, see Pseudomicrotermes
	Pseudomicrotermes
	albopartitus
	Termes, see Microtermes
	Microtermes
	albotarsalis
	Eutermes, see Crenetermes
	Termes, see Crenetermes
	Eutermes (Crenetermes), see Crenetermes
	Crenetermes
	albus
	Eutermes haitiensis, form, see Nasutitermes costalis
	algoasinensis
	Microcerotermes
	alicensis
	Hamitermes, see Termes harrisii
	Mirotermes, see Termes harrisii
	alienus
	Capritermes (Neocapritermes), see Neocapritermes opacus
	allenii
	Mirotermes, see Termes cheeli
	allocerus
	Psammotermes
	alluaudanus
	Termes (Microtermes), see Microtermes
	Microtermes
	almorensis
	Glyptotermes
	Termes (Cyclotermes), see Odontotermes (O.)
	Odontotermes (O.)
	alticola
	Eutermes (Eutermes), see Nasutitermes
	Nasutitermes
	aluco
	Termes, see Odontotermes (O.) grassei
	Eutermes, see Microtermes

Termes (*Eutermes*), see *Microtermes*
Microtermes
amabilis
Calotermes (*Porotermes*), see *Poro-*
termes planiceps
Porotermes, see *Porotermes planiceps*
amanicus
Odontotermes, see *Odontotermes* (O.)
Termes, see *Odontotermes* (O.)
Odontotermes (O.)
amaniensis
Odontotermes, see *Odontotermes* (O.)
anceps, var.
Termes, see *Odontotermes* (O.) *anceps*,
var.
amanii
Eutermes (*Coptotermes*), see *Copto-*
termes
Coptotermes
amaralii
Mirotermes, see *Termes*
Termes
amboinensis
Coptotermes
Schedorhinotermes, see *Schedorhino-*
termes brachyceps
Microcerotermes
Eutermes (E.), see *Nasutitermes*
Nasutitermes
americanus
Termes, see *Cornitermes cumulans*
amicus von Rosen, fossil
Termes (*Termes*), see *Macrotermes*
Macrotermes
amicus
Basidentitermes
amifer
Hamitermes hamifer, see *Amitermes*
amifer
Termes (*Eutermes*), see *Amitermes*
Amitermes
amphidon
Ancistrotermes
ampla
Macrotermes mülleri, var., see *Macro-*
termes mülleri
amplus
Neoterms
Hoplotermes
Termes, see *Macrotermes mülleri*

Termes (*Macrotermes*), see *Macrotermes*
mülleri
anamalaiensis
Nasutitermes (*Rotunditermes*), see
Nasutitermes
Nasutitermes
anamallensis
Odontotermes (O.)
anandi
Microtermes, see *M. obesi*
anatruncatus
Mirotermes (*Cubitermes*), see *Cubi-*
termes
Cubitermes
anceps
Termes, see *Odontotermes* (O.)
Odontotermes (O.)
andamanensis
Kalotermes (*Neotermes*), see *Neotermes*
Neotermes
angherianus
Hodotermes, see *Anacanthotermes*
ahngerianus
anglicus von Rosen, fossil
Mastotermes
angulatus
Schedorhinotermes lamanianus, var.
angustatus
Apicotermes
Termes, see *Odontotermes* (O.)
Odontotermes (O.)
angusticeps
Capritermes (*Neocapritermes*), see *Neo-*
capritermes
Neocapritermes
Macrotermes gilvus, form
Nasutitermes (*Subulitermes*), see *Subu-*
litteres
Subulitermes
angusticollis
Termopsis, see *Zootermopsis*
Zootermopsis
angustignathus
Capritermes (*Capritermes*), see *Pseudo-*
capritermes
Pseudocapritermes
angustipennis
Termes, see *Odontotermes* (O.)
Odontotermes, see *Odontotermes* (O.)
Odontotermes (O.)

- angustoculus
Neotermes, see *Neotermes castaneus*
- angustus
Kalotermites (*Glyptotermes*), see *Glyptotermes*
- Glyptotermes*
- annamensis
Termes, see *Globitermes sulphureus*
- Termes* (*Eutermes*), see *Globitermes sulphureus*
- Hamitermes* (*Globitermes*), see *Globitermes sulphureus*
- annandalei
Microcerotermes
- Termes*, see *Macrotermes*
- Macrotermes*
- antennalis
Cubitermes
- anticus
Termes, see *Neotermes castaneus*
- antillarum
Eutermes (*Constrictotermes*), see *Velocitermes*
- Eutermes* (*Velocitermes*), see *Velocitermes*
- Constrictotermes*, see *Velocitermes*
- Velocitermes*
- antiquus Germar, fossil
Hemerobites or *Hemerobius*, see *Reticulitermes*
- Eutermes*, see *Reticulitermes*
- Termes*, see *Reticulitermes*
- Termes* (*obscurus*) *moestus*, Giebel), see *Reticulitermes*
- Leucotermes* (*Reticulitermes*), see *Reticulitermes*
- Reticulitermes*
- antiquus Giebel, fossil
Termes, see *Reticulitermes*
- Termes* (*Giebeli* Handlirsch), see *Reticulitermes*
- Reticulitermes*
- antiquus pp. Hagen in Berendt
Termes, see *Reticulitermes*
- Eutermes* (*gracilis* Pic.), see *Reticulitermes*, fossil
- apioccephalus
Eutermes, see *Tumulitermes*
- Eutermes* (*Tumulitermes*), see *Tumulitermes*
- Eutermes (*Tumulitermes*) (*Mjöberg* 1920), see *Tumulitermes mareebensis*
- Tumulitermes
- apollo
Termes, see *Odontotermes* (O.)
- Odontotermes*, see *Odontotermes* (O.)
- Odontotermes* (O.)
- appellans
Capritermes (*Pericapritermes*), see *Pericapritermes*
- Pericapritermes*
- approximatus
Kalotermites
- Capritermes* (C.), see *Capritermes buitenzorgi*
- apricitatis
Microcerotermes
- aquaticus
Termes, see *Odontotermes* (O.)
- Odontotermes* (*Cyclotermes*), see *Odontotermes* (O.)
- Odontotermes* (O.)
- aquilinus
Eutermes (E.), see *Nasutitermes*
- Nasutitermes*
- arboreus
Anoplotermes (*Speculitermes*), see *Speculitermes*
- Speculitermes*
- Eutermes*, see *Microcerotermes*
- Microcerotermes*
- Nasutitermes*
- arboricola
Eutermes, see *Procubitermes*
- Cubitermes* (*Eutermes*), see *Procubitermes*
- Mirotermes* (*Cubitermes*), see *Procubitermes*
- Eutermes* (*Cubitermes*), see *Procubitermes*
- Procubitermes*
- arboris (see *Microcerotermes arboreus*)
- arborum
Termes, see *Nasutitermes arboreus*
- Eutermes* (*Eutermes*), see *Nasutitermes arboreus*
- Termes* (*Eutermes*), see *Nasutitermes arboreus*
- Eutermes*, see *Nasutitermes arboreus*

- Eutermes, see *Nasutitermes ekundensis*
Nasutitermes, see *Nasutitermes arboreus arcuans*
Calyptotermes (*Cryptotermes*), see *Cryptotermes*
Cryptotermes
arcuata *Euchilotermes tensus*, var.
arda *Termes*, see *Reticulitermes lucifugus*
Termes, see *Cubitermes atrox*
arenarius *Termes*, see *Nasutitermes*
Eutermes (*Eutermes*), see *Nasutitermes*
Nasutitermes
Eutermes (*Silvestri* 1901), see *Nasutitermes kemneri*
Eutermes (E.) (*Holmgren* 1910b), see
Nasutitermes kemneri
arenincola *Reticulitermes*
argutus *Mirotermes*, see *Termes kraepelini*
arizonensis *Kaloterme*
Amitermes (A.) (soldier, in part), see
Gnathamitermes perplexus
Amitermes (A.) (winged), see *Amitermes wheeleri*
Amitermes (A.) (winged), see *Amitermes parvulus*
armigera = *armiger* *Termes*, see *Armitermes armiger*
Termes (*Eutermes*), see *Armitermes armiger*
Armitermes (A.), see *Armitermes armiger*
arthuri-muelleri *Kaloterme* (*Neotermes*), see *Rugitermes*
Rugitermes
artocarpi *Kaloterme* (*Neotermes*), see *Neotermes*
Neotermes
artocarporum *Caloterme*, see *Neotermes artocarpi*
aruensis *Eutermes*, see *Nasutitermes*
Nasutitermes
- asperatum
Kaloterme (*Calcaritermes*), see *Glyptotermes asperatus*
Glyptotermes asperatus
assamensis
Reticulitermes, see *R. chinensis*
Odontotermes (*Cyclotermes*), see *Odontotermes* (O.)
Odontotermes (O.)
assmuthi
Kaloterme (*Neotermes*), see *Neotermes*
Neotermes
Eurytermes
Termes (*Eutermes*) (*Desneux*), see
Eurytermes
Eurytermes assmuthi (*Holmgren*
1911c), see *Eurytermes ceylonicus*
Odontotermes (O.)
assuanensis
Psammotermes
ater *Termes*, see *Anoplotermes*
Eutermes, see *Anoplotermes*
Anoplotermes morio, subsp., see *Anoplotermes*
Anoplotermes (A.), see *Anoplotermes*
Anoplotermes
athertoni *Kaloterme* (*Metaneotermes*), see *Rugitermes*
Rugitermes
athii *Kaloterme*, see *Neotermes meruensis*
atlanticus *Hamitermes*, see *Amitermes*
Amitermes
atomus *Termes* (fossil), of doubtful position
atratus *Caloterme* (*Cryptotermes*), see *Kaloterme*
Kaloterme
atriceps *Eutermes cayennae*, form, see *Nasutitermes costalis*
Nasutitermes (N.) *cayennae*, form, see
Nasutitermes costalis
atrior *Eutermes* (*Lacessititermes*), see *Lacessititermes*

- Nasutitermes (*Lacessititermes*), see
Lacessititermes
Lacessititermes
- atripennis
 Termes, see *Havilanditermes*
Eutermes (E.), see *Havilanditermes*
Nasutitermes (N.), see *Havilanditermes*
Havilanditermes
- atrox
 Termes, see *Cubitermes*
Termes (*Eutermes*), see *Cubitermes*
Mirotermes (*Tuberculitermes*) ?, see
Cubitermes
Cubitermes
- atypus
Procapritermes
- audax
Globitermes
- aurantiacoides
Eutermes, see *Nasutitermes proximus*
Nasutitermes, see *Nasutitermes proximus*
- aurantiacus
Nasutitermes (N.), see *Microcerotermes arboreus*
Eutermes, see *Nasutitermes jaraguae*
Nasutitermes, see *Nasutitermes jaraguae*
Nasutitermes (N.), see *Nasutitermes minor*
- aureus
Leucotermes, see *Heterotermes*
Reticulitermes, see *Heterotermes*
Heterotermes
- auriceps
Calotermes, see *Neotermes camerunensis*
Eutermes, see *Trinervitermes trinervoides*
Eutermes (*Trinervitermes*), see *Trinervitermes trinervoides*
- auriterrae
Trinervitermes
- aurivillii
Hodotermes (H.), see *Microhodotermes viator*
Eutermes, see *Basidentitermes*
Termes (*Eutermes*), see *Basidentitermes*
Mirotermes (*Basidentitermes*), see *Basidentitermes*
Basidentitermes
- Gnathotermes, see *Macrotermes malaccensis*
europunctata
?Nasmannia, see *Tenuirostritermes*
- aurora
 Termes, see *Odontotermes* (O.)
Odontotermes, see *Odontotermes* (O.)
Odontotermes (O.)
- australicus
Stolotermes
Parrhinotermes, see *P. queenslandicus*
- australis
 Termes, see *Neotermes insularis*
Termes, see *Kalotermes convexus*
Termes, see *Neotermes insularis*
Termes, see *Coptotermes acinaciformis*
Termes, see *Coptotermes flavus*
Termes, see *Coptotermes frenchi*
Termes, see not classified
Coptotermes, see not classified
Schedorhinotermes lamanianus, var.
Schedorhinotermes putorius, subsp.
- azarelli
 Termes, see *Macrotermes*
Macrotermes (M.), see *Macrotermes*
Macrotermes
- baculi
 Eutermes, see *Termes*
Mirotermes (M.), see *Termes*
Termes
- baculiformis
Mirotermes, see *Termes*
Eutermes (*Mirotermes*), see *Termes*
Mirotermes (M.), see *Termes*
Termes
- badius
 Termes, see *Odontotermes* (O.)
Odontotermes (O.)
 Termes, see *Odontotermes* (O.) *bequaerti*
 Termes, see *Odontotermes* (O.) *transvaalensis*
- baeckmannianus
Hodotermes, see *Anacanthotermes*
Anacanthotermes
- bahamensis
 Eutermes, see *Nasutitermes rippertii*
- baileyi
Nasutitermes (*Subulitermes*), see *Subulitermes*
Subulitermes

balintauacensis	batavus
Eutermes (Eutermes), see Nasutitermes	Lacessititermes
Nasutitermes	batheri von Rosen, fossil
bangalorensis	Mastotermes
Odontotermes (<i>Cyclotermes</i>), see Odon-	Calotermes (<i>Cryptotermes</i>), see Crypto-
totermes (O.)	termes
Odontotermes, see Odontotermes (O.)	Cryptotermes
Odontotermes (O.)	bauckhoni Meunier, fossil
banksi Holmgren ms.	Calotermes, see <i>Ulmeriella</i>
Calotermes (C.), see Kalotermes not	Hodotermes, see <i>Ulmeriella</i>
identified to species	<i>Ulmeriella</i> , fossil
banksi	beaumonti
Kalotermes	Amitermes (A.), see Amitermes
Anoplotermes (<i>Anoplotermes</i>), see Ano-	Amitermes
plotermes	bechuanai
Anoplotermes	Hamitermes, see Amitermes
Mirotermes (<i>Cubitermes</i>), see Cubi-	Amitermes
termes	beebei
Cubitermes	Nasutitermes (<i>Velocitermes</i>), see Velo-
Nasutitermes (Nasutitermes), see Nasu-	citermes
titermes	<i>Velocitermes</i>
Nasutitermes	beesoni
banksiae	Kalotermes
Calotermes, see Kalotermes	Microcerotermes
Kalotermes	bellahuniensis
banksiensis	Odontotermes (<i>Cyclotermes</i>), see Odon-
Mirotermes, see <i>Termes cheeli</i>	totermes (O.)
Mirotermes (M.), see <i>Termes cheeli</i>	Odontotermes (O.)
barbertoni	belli
Microcerotermes	Termes, see Amitermes
barbouri	Hamitermes (H.), see Amitermes
Kalotermes (<i>Glyptotermes</i>), see Glyp-	Amitermes
totermes angustus	bellicosii
barneyi	Mirotermes (<i>Promirotermes</i>), see Pro-
Macrotermes	mirotermes
barretoi	Promirotermes
Kalotermes, see Kalotermes	bellicosus
Kalotermes	Termes, see Macrotermes
barrettii Hill	Termes (nec. Smeathman, Hagen), see
Leucotermes, see not classified	Macrotermes <i>natalensis</i>
Heterotermes, see not classified	Amplitermes, see Macrotermes
barrocotoradensis	Bellicositermes, see Macrotermes
Nasutitermes (<i>Uniformitermes</i>), see	Macrotermes (<i>Bellicositermes</i>), see
Velocitermes	Macrotermes
Velocitermes	Macrotermes
basidens	Termes (Joly), see Odontotermes (O.)
Termes, see Amphidotermes	obesus
Hamitermes, see Amphidotermes	bellicosus (in part Hagen)
Amphidotermes	Termes, see Macrotermes

bengalensis	bidentatus
Kalotermes (<i>Cryptotermes</i>), see <i>Cryptotermes</i>	Rhinoterme (<i>Schedorhinotermes</i>), see <i>Schedorhinotermes</i>
Cryptotermes	<i>Schedorhinotermes</i>
Odontotermes (<i>Cyclotermes</i>), see <i>Odontotermes</i> (O.) <i>bangalorensis</i>	<i>Procubitermes</i> , see <i>Unguitermes</i>
benjamini	<i>Unguitermes</i>
Nasutitermes (N.), see <i>Nasutitermes</i>	biforma
Nasutitermes	Nasutitermes (<i>Obtusitermes</i>), see <i>Obtusitermes panamae</i>
Armitermes	biformis
bequaerti	Nasutitermes (<i>Obtusitermes</i>), see <i>Obtusitermes panamae</i>
Kalotermes (<i>Kalotermes</i>), see <i>Kalotermes</i>	Eutermes, see <i>Trinervitermes</i>
Kalotermes	Termes (<i>Eutermes</i>), see <i>Trinervitermes</i>
Anoplotermes	Eutermes (<i>Trinervitermes</i>), see <i>Trinervitermes</i>
Termes (<i>Termes</i>), see <i>Odontotermes</i> (O.)	Trinervitermes
Odontotermes (O.)	billitoni
Nasutitermes (<i>Nasutitermes</i>), see <i>Nasutitermes</i>	Odontotermes, see <i>Odontotermes</i> (O.) <i>sundaicus</i> , f. <i>esuriens</i>
Nasutitermes	Odontotermes (O.), see <i>Odontotermes</i> (O.) <i>sundaicus</i> , f. <i>esuriens</i>
bequaertianus	bilobatodes
Schedorhinotermes <i>lamanianus</i> , var.	Mirotermes (<i>Cubitermes</i>), see <i>Cubitermes</i>
Eutermes, see <i>Microcerotermes</i>	Cubitermes
Microcerotermes	bilobatus
berendtii	Kalotermes (<i>Glyptotermes</i>), see <i>Glyptotermes</i>
Termes (<i>Calotermes</i>), fossil, see <i>Proelectrotermes</i>	Glyptotermes
Termes, see <i>Proelectrotermes</i>	Termes, see <i>Cubitermes</i>
Calotermes, see <i>Proelectrotermes</i>	Eutermes, see <i>Cubitermes</i>
Proelectrotermes, fossil	Eutermes, see <i>Cubitermes</i> <i>glebae</i> , C. <i>pseudoduplex</i> , C. <i>sankurensis</i>
beroi	Mirotermes (<i>Cubitermes</i>), see <i>Cubitermes</i>
Microcerotermes, see <i>Microcerotermes</i>	Cubitermes
bettonianus	bipartitus
Eutermes, see <i>Trinervitermes</i>	Eutermes, see <i>Eutermellus</i>
Eutermes (<i>Trinervitermes</i>), see <i>Trinervitermes</i>	Eutermes (<i>Coarctotermes</i>), see <i>Eutermellus</i>
Nasutitermes (<i>Trinervitermes</i>), see <i>Trinervitermes</i>	Eutermellus
Trinervitermes	birmanicus
bicolor	Amitermes (<i>Globitermes</i>), see <i>Globitermes</i> <i>audax</i>
Kalotermes (<i>Rugitermes</i>), see <i>Rugitermes</i>	Nasutitermes (<i>Hospitalitermes</i>), see <i>Hospitalitermes</i>
Rugitermes	Hospitalitermes
Termes, see <i>Hospitalitermes</i>	
Termes (Eutermes), see <i>Hospitalitermes</i>	
Eutermes (<i>Hospitalitermes</i>), see <i>Hospitalitermes</i>	

biroi	bomaensis
<i>Termes (Eutermes)</i> , see <i>Microcerotermes</i>	<i>Odontotermes</i> , see <i>Odontotermes (O.)</i>
<i>Microcerotermes</i>	<i>Termes</i> , see <i>Odontotermes (O.)</i>
bisulcatus	<i>Odontotermes</i> , see <i>Odontotermes (O.)</i>
<i>Eutermes (Cubitermes)</i> , see <i>Cubitermes</i>	boranicus
<i>Mirotermes (Cubitermes)</i> , see <i>Cubi-</i>	<i>Termes</i> , see <i>Odontotermes (O.)</i>
<i>termes</i>	<i>Odontotermes (O.)</i>
<i>Cubitermes</i>	boreus
bivalens	<i>Microcerotermes</i>
<i>Basidentitermes</i> , see <i>Basidentitermes</i>	<i>Microcerotermes</i> , see <i>Microcerotermes</i>
<i>mactus</i>	<i>cavus</i>
<i>Mirotermes (Basidentitermes)</i> , see	<i>Cornitermes labralis</i> , subsp.
<i>Basidentitermes mactus</i>	borneensis
<i>Eutermes (Eutermes)</i> , see <i>Nasutitermes</i>	<i>Kalotermes (Glyptotermes)</i> , see <i>Glypto-</i>
<i>Eutermes rippertii</i> , var., see <i>Nasuti-</i>	<i>termes</i>
<i>termes</i>	<i>Glyptotermes</i>
<i>Nasutitermes</i>	<i>Macrotermes gilvus</i> , var.
blandus	<i>Termes</i> , see <i>Bulbitermes</i>
<i>Termes</i> , fossil of doubtful position	<i>Eutermes (Eutermes)</i> , see <i>Bulbitermes</i>
bloemfonteinsis	<i>Bulbitermes</i>
<i>Hodotermes</i> , see <i>Hodotermes mossambi-</i>	bornensis
<i>cus</i>	<i>Coptotermes</i>
bodkini	borussicus von Rosen, fossil
<i>Capritermes (Neocapritermes)</i> , see <i>Neo-</i>	<i>Leucotermes (Reticulitermes)</i> , see <i>Re-</i>
<i>capritermes</i>	<i>ticulitermes</i>
<i>Neocapritermes</i>	<i>Reticulitermes</i> , fossil
<i>Neocapritermes modestior</i> , var., see <i>Neo-</i>	bosei
<i>capritermes bodkini</i>	<i>Kalotermes (Neotermes)</i> , see <i>Neotermes</i>
boengiensis	<i>Neotermes</i>
<i>Eutermes</i> , see <i>Nasutitermes</i> ?	bosniaskii Handlirsch, fossil
<i>Nasutitermes</i>	<i>Calotermes</i> , see <i>Kalotermes</i>
boetonensis	<i>Kalotermes</i> , fossil
<i>Coptotermes</i>	bottegoanus
<i>Odontotermes (O.)</i>	<i>Termes</i> , see <i>Odontotermes (O.)</i>
boetoni	<i>Odontotermes</i> , see <i>Odontotermes (O.)</i>
<i>Eutermes (Tumulitermes)</i> , see <i>Nasuti-</i>	<i>Odontotermes (O.)</i>
<i>termes</i>	bournemouthensis von Rosen, fossil
<i>Nasutitermes</i>	<i>Mastotermes</i> , fossil
bogoriensis	bouvieri
<i>Termes</i> , see <i>Odontotermes (O.)</i>	<i>Termes</i> , see <i>Microcerotermes</i>
<i>Odontotermes (O.)</i>	<i>Termes (Eutermes)</i> , see <i>Microcerotermes</i>
bolivianus	<i>Hamitermes (Hamitermes)</i> , see <i>Micro-</i>
<i>Anoplotermes</i>	<i>cerotermes</i>
<i>Mirotermes (Mirotermes)</i> , see <i>Termes</i>	<i>Microcerotermes</i>
<i>Termes</i>	<i>Trinervitermes</i>
<i>Syntermes</i> , see <i>Syntermes peruanus</i>	brachycephala
<i>Cornitermes</i>	<i>Calotermes monticola</i> , form, see <i>Kalo-</i>
<i>Eutermes (Eutermes)</i> , see <i>Nasutitermes</i>	<i>termes monticola</i> , form
<i>Nasutitermes</i>	<i>Kalotermes monticola</i> , form

brachyceps	brevialatus
Schedorhinotermes	Termes, see Schedorhinotermes
brachygynathus	Rhinotermes, see Schedorhinotermes
Kalotermes (Cryptotermes), see Cryptotermes not identified to species	Rhinotermes (Schedorhinotermes), see Schedorhinotermes
Cryptotermes	Schedorhinotermes
Eutermes, see Microcerotermes	Rhinotermes (Schedorhinotermes), see Schedorhinotermes holmgreni and medioobscurus
Microcerotermes	Rhinotermes (Schedorhinotermes), see Schedorhinotermes javanicus
Capritermes	Rhinotermes (Schedorhinotermes), f. medioobscurus, see Schedorhinotermes medioobscurus
braini	breviarticulatus
Hodotermes (Hodotermes), see Hodotermes mossambicus	Kalotermes (Cryptotermes), see Cryptotermes
Macrohodotermes, see Hodotermes mossambicus	Cryptotermes
brasilia	Eutermes (Lacessititermes), see Lacessititermes
Termes e Brasilia (Westwood), see Syntermes dirus	Lacessititermes
brasiliensis	brevicaudatus
Syntermes, see Syntermes molestus	Kalotermes (Glyptotermes), see Glyptotermes
Eutermes, see Nasutitermes fulviceps	Glyptotermes
Nasutitermes (Nasutitermes), see Nasutitermes fulviceps	breviceps
braueri	Eutermes (Cubitermes), see Cubitermes
Calotermes (Procryptotermes), see not classified	Mirotermes (Cubitermes), see Cubitermes
braunsi	Cubitermes
Calotermes, see Kalotermes durbanensis	brevicollis
Hamitermes, see Amitermes	Kalotermes (Cryptotermes), see Calcaritermes
Amitermes	Calcaritermes
Mirotermes (Mirotermes), see Angulitermes	brevicorniger
Angulitermes	Amitermes, see Synhamitermes
braziliensis	Hamitermes, see Synhamitermes
Capritermes (Neocapritermes), see Neocapritermes	Termes (Eutermes), see Synhamitermes
Neocapritermes	Hamitermes (Synhamitermes), see Synhamitermes
Syntermes, see Syntermes molestus	brevicornis
Nasutitermes (Nasutitermes) Snyder, see Nasutitermes, n. sp.	Kalotermes (Glyptotermes), see Glyptotermes
brenli	Glyptotermes
Schedorhinotermes intermedius, subsp.	Nasutitermes (N.), see Nasutitermes
bremi, Hagen in Berendt, fossil	Nasutitermes
Termes, see Proelectrotermes berendtii	Spinitermes, see Spinitermes brevicornutus
Calotermes, see Proelectrotermes berendtii	
bremii Heer	
Termopsis, fossil	
Termes, see Termopsis	
Xestotermopsis, see Termopsis	

- Termes (Eutermes)** (Desneux 1904e),
see **Termes**
- Termes**
- Mirotermes (Mirotermes)**, see **Termes**
- brevicornutus**
- Termes (Eutermes)**, see **Spinitermes**
- Mirotermes (Spinitermes)**, see **Spini-
termes**
- Spinitermes**
- brevimalatus**
- Syntermes**
- brevinasus**
- Eutermes cayennae**, form, see **Nasuti-
termes costalis**
- Nasutitermes (Nasutitermes) cayennae**,
form, see **Nasutitermes costalis**
- brevinotus**
- Kaloterms (Neotermes)**, see **Neotermes**
- Neotermes**
- Thoracotermes**
- breviculatus**
- Eutermes (Eutermes)**, see **Nasutitermes**
- Nasutitermes**
- brevior**
- Termes biroi**, subsp., see **Microcerotermes
biroi**
- Mirotermes (Cubitermes) natalensis**,
form, see **Procubitermes natalensis**,
form
- brevipilosus**
- Cylindrotermes**
- Orthognathotermes**
- brevipilus**
- Anoplotermes (Anoplotermes)**, see **An-
oplotermes**
- Anoplotermes**
- Nasutitermes (Nasutitermes)**, see **Nasu-
titermes**
- Nasutitermes**
- brevirostris**
- Eutermes (Grallatotermes)**, see **Nasu-
titermes**
- Nasutitermes**
- brevis**
- Termes**, see **Cryptotermes**
- Kaloterms (Cryptotermes)**, see **Cryp-
totermes**
- Cryptotermes**
- briciae**
- Constrictotermes (Tenuirostritermes)**,
see **Tenuirostritermes**
- Tenuirostritermes**
- BROOKSI**
- Nasutitermes (Tenuirostritermes)**, see
Parvitermes
- Parvitermes**
- broomensis**
- Mirotermes (Mirotermes)**, see **Termes**
- Termes**
- brouni**
- Caloterms**, see **Kaloterms**
- Kaloterms**
- brunneicornis**
- Hodotermes (Stolotermes)**, see **Stolo-
termes**
- Stolotermes**
- brunneus**
- Termes**, see **Odontotermes (O.)**
- Odontotermes (Cyclotermes)**, see **Odon-
totermes (O.)**
- Odontotermes (O.)**
- Nasutitermes (Nasutitermes)**, see **Nasu-
titermes**
- Nasutitermes**
- brutus**
- Eutermes**, see **Trinervitermes bettonia-
nus**
- Eutermes (Trinervitermes)**, see **Triner-
vitermes bettonianus**
- buchholzi**
- Termes**, see **Odontotermes (O.)**
- Odontotermes**, see **Odontotermes (O.)**
- Odontotermes (O.)**
- buchi**
- Termes (Caloterms)**, see fossil not a
termite
- buchii Heer**, fossil
- Termes**, see fossil of doubtful position
- bugnioni**
- Eutermes**, see **Microcerotermes**
- Microcerotermes**
- buitenzorgi**
- ¹Odontotermes (O.) javanicus**, form, see
Odontotermes (O.) sundaicus
- buitenzorgi**
- Cryptotermes**, see **C. cyanocephalus**
- Capritermes (Capritermes)**, see **Capri-
termes**

Capritermes	Odontotermes, see Odontotermes (O.)
Eutermes (Eutermes), see Nasutitermes acutus	Odontotermes (O.)
Subulitermes, see Nasutitermes acutus	californicus
bulbiceps	Calotermes (Calotermes), see Kalo- termes not identified to species
Eutermes (Eutermes), see Nasutitermes	Amitermes (Amitermes) (soldier), see Amitermes wheeleri
Nasutitermes	Amitermes (Amitermes) (winged), see Amitermes pallidus
Eutermes (Trinervitermes), see Triner- vitermes hilli	calvus
bulbifrons	Microtermes
Cubitermes	Syntermes
burmanicus	cameroni
Microcerotermes	Microcerotermes
burmeisteri	camerunensis
Eutermes, see not classified	Kaloterme (Neotermes), see Neotermes
Termes (Eutermes), see not classified	Neoterme
busuanga	Microtermes, see Ancistrotermes crucifer
Nasutitermes (N.), see Nasutitermes	Eutermes, see not classified
Nasutitermes	Termes, see not classified
butteli	campbelli
Rhinotermes (Schedorhinotermes), see Schedorhinotermes	Kaloterme (Cryptotermes), see Crypto- termes domesticus
Schedorhinotermes	canalensis
Odontotermes (Odontotermes)	Calotermes (Procryptotermes), see Pro- cryptotermes
Eutermes (Hospitalitermes), see Hospi- talitermes	Calotermes (Cryptotermes), see Pro- cryptotermes
Hospitalitermes	Procryptotermes
buttel-reepeni	canaliculatus
Calotermes (Glyptotermes), see Glypto- termes	Eutermes, see Nasutitermes laticeps
Glyptotermes	Eutermes (Eutermes), see Nasutitermes laticeps
Parrhinotermes	Termes (Eutermes), see Nasutitermes laticeps
Labritermes	canalifrons
buxtoni	Termes (?), see Prorhinotermes
Cryptotermes, see Cryptotermes domes- ticus	Termes (Termes), see Prorhinotermes
bycanistes	Procoptotermes, see Prorhinotermes
Eutermes, see Tuberculitermes	Arrhinotermes, see Prorhinotermes
Mirotermes (Tuberculitermes), see Tuberculitermes	Prorhinotermes
Tuberculitermes	Paratermes, see Prorhinotermes
caesareus	Paratermes, see Prorhinotermes japoni- cus
Eutermes, see Cubitermes	canariensis
Mirotermes, see Cubitermes	Eutermes, see not classified
Cubitermes	Termes (Eutermes), see not classified
caffer	canellae
Termes, see Odontotermes (O.) angus- tatus	Calotermes, see Glyptotermes
caffrariae	Glyptotermes
Termes, see Odontotermes (O.)	

- capense, see capensis**
Termes (Retzius 1783)
- capensis**
Mirotermes, see Termes winifredae
Mirotermes (Mirotermes), see Termes winifredae
Termes (Latreille 1805), see Macrotermes bellicosus
Termes (Termes), see Odontotermes (O.)
Odontotermes, see Odontotermes (O.)
Odontotermes (O.)
Termes (nec de Geer, Hagen), see Odontotermes (O.) caffrariae
- capicola**
Hamitermes (Amitermes) hastatus, var., see Amitermes
Hamitermes, see Amitermes
Amitermes
- capito**
Hamitermes, see Amitermes
Amitermes
- capricornis**
Eutermes, see Capritermes
Termes (Eutermes), see Capritermes
Capritermes (Capritermes), see Capritermes
Capritermes
- carbo**
Eutermes (Trinervitermes), see Trinervitermes
Trinervitermes
- carbonarius**
Termes, see Macrotermes
Termes (Macrotermes), see Macrotermes
Macrotermes
Nasutitermes (Trinervitermes), see Trinervitermes
Trinervitermes
- carboniceps**
Termes, see Macrotermes
Amplitermes, see Macrotermes
Bellicositermes, see Macrotermes
Macrotermes
- cardini**
Leucotermes, see Heterotermes
Heterotermes
- carnarvonensis**
Eutermes, see Nasutitermes
Nasutitermes
- castaneiceps**
Calotermes, see Kalotermes
Neotermes, see Kalotermes
Kalotermes
- castaneus**
Termes, see Neotermes
Kalotermes (Neotermes), see Neotermes
Neotermes
Termes (Walker), see Zootermopsis angusticollis
Eutermes, see Nasutitermes
Nasutitermes (N.), see Nasutitermes
Nasutitermes
- castaniceps**
Eutermes (Constrictotermes), see Diversitermes
Eutermes (Diversitermes), see Diversitermes
Nasutitermes (Diversitermes), see Diversitermes
Diversitermes
- caudomunitus**
Glyptotermes
- cavifrons**
Cryptotermes
Kalotermes (Cryptotermes), see Cryptotermes
Eutermes (Constrictotermes), see Constrictotermes
Nasutitermes (Constrictotermes), see Constrictotermes
Constrictotermes
- cavithorax**
Microtermes, see Ancistrotermes
Termes, see Ancistrotermes
Ancistrotermes, see Ancistrotermes amphidon
Ancistrotermes
- cavithorax Wasmann**
Termes, see Ancistrotermes wasmanni
- cavus**
Microcerotermes
- cayennae**
Eutermes, see Nasutitermes costalis
Nasutitermes (Nasutitermes), see Nasutitermes costalis
- cayutuensis**
Calotermes chilensis, var., see Neotermes chilensis, var.
Neotermes chilensis, var.

celebensis

- Rhinotermes (*Schedorhinotermes*), see *Schedorhinotermes*
- Schedorhinotermes*
- Microcerotermes*
- Odontotermes* (O.) *dives*, form, see *Odontotermes* (O.) *holmgreni*
- Odontotermes* (O.)
- Eutermes, see *Nasutitermes*
- Nasutitermes*

centraliensis

- Eutermes, see *Nasutitermes*
- Nasutitermes*

centralis

- Capritermes* (*Neocapritermes*), see *Neocapritermes*

cephalotes

- Termes, see *Syntermes dirus*

cephalotis

- Termes (Rambur), see *Termes nigricans*, not classified

ceylonicus

- Calotermes* (*Cryptotermes*), see *Cryptotermes* not identified to species

Cryptotermes

- Kalotermes* (*Glyptotermes*), see *Glyptotermes*

Glyptotermes

- Leucotermes*, see *Heterotermes*

*Heterotermes**Coptotermes**Eurytermes*

- Hamitermes* (*Synhamitermes*), see *Synhamitermes*

Synhamitermes

- Mirotermes* (*Mirotermes*), see *Termes lighti*

- Capritermes* (*Capritermes*), see *Capritermes*

Capritermes

- Capritermes* (Holmgren 1911C in Escherich (part)), see *Capritermes distinctus*

- Termes, see *Odontotermes* (O.)

- Termes, see *Odontotermes* (O.) *assmuthi*

Odontotermes (O.)

- Eutermes, see *Nasutitermes*

Nasutitermes

ceyloniellus

- Eutermes, see *Eurytermes ceylonicus*
- chacoensis* Holmgren ms.

- Calotermes* (*Neotermes*), see *Neotermes* not identified to species

chagresi

- Armitermes* (*Armitermes*), see *Armitermes*

Armitermes

championi

- Microcerotermes*

chapini

- Nasutitermes* (*Nasutitermes*), see *Nasutitermes*

Nasutitermes

chapmani

- Kalotermes* (*Glyptotermes*), see *Glyptotermes*

Glyptotermes

- Nasutitermes* (N.), see *Nasutitermes*

Nasutitermes

chaquimayensis

- Termes, see *Syntermes chaquimayensis*, form

- Syntermes chaquimayensis*, see *Syntermes chaquimayensis*, form

- Syntermes chaquimayensis*, form

- Eutermes, see *Nasutitermes*

- Nasutitermes* (*Nasutitermes*), see *Nasutitermes*

Nasutitermes

cheeli

- Mirotermes* (*Mirotermes*), see *Termes*
- Termes

chiasognathus

- Eutermes, see *Pericapridermes*

- Termes (Eutermes), see *Pericapridermes*

- Capritermes* (*Capritermes*), see *Pericapridermes*

Pericapridermes

chilensis

- Termes, see *Neotermes*

- Porotermes*, see *Neotermes*

- Kalotermes* (*Neotermes*), see *Neotermes*

Neotermes

chinensis

- Reticulitermes*

choanensis

- Microcerotermes*

- Mirotermes (*Procubitermes*), see *Procubitermes*
- christiernsonii
Termes, see ? *Cornitermes cumulans*
- chryseus
Kalotermes (Kalotermes) oldfieldi, var.,
see *Kalotermes condonensis*
- chrysopleura
Eutermes, see *Nasutitermes*
Termes (Eutermes), see *Nasutitermes*
Nasutitermes
- cinereus
Termes, see *Tenuirostritermes*
Eutermes (*Constrictotermes*), see
Tenuirostritermes
Eutermes (*Tenuirostritermes*), see
Tenuirostritermes
Constrictotermes, see *Tenuirostritermes*
Nasutitermes (Tenuirostritermes), see
Tenuirostritermes tenuirostris
Tenuirostritermes
- cingulatus
Termes, see *Anoplotermes*
Termes (Eutermes), see *Anoplotermes*
Anoplotermes (Anoplotermes), see *Ano-*
plotermes
Anoplotermes
Capritermes, see *Neocapritermes an-*
gusticeps
Termes, see *Neocapritermes opacus*
Capritermes, see *Neocapritermes opacus*
- claripennis
Calotermes (Glyptotermes), see *Glypto-*
termes brevicornis
Reticulitermes, see *Reticulitermes*
flavipes
- clarki
Leucotermes, see *Heterotermes platy-*
cephalus
Leucotermes (winged), see *Amitermes*
obesus
Hamitermes (Drepanotermes), see *Dre-*
panotermes
Drepanotermes
- classicus
Termes, see *Odontotermes (O.)*
Odontotermes (O.)
- clearei
Kalotermes (Neotermes), see *Neotermes*
holmgreni
- clepsydra
Eutermes, see *Coarctotermes*
Eutermes (Coarctotermes), see *Coarcto-*
termes
Termes (Eutermes), see *Coarctotermes*
Coarctotermes
- clevelandi
Kalotermes (Kalotermes), see *Kalo-*
termes immigrans
Nasutitermes (Convexitermes), see *Con-*
vexitermes
Convexitermes
- clypeatus
Anoplotermes (Anoplotermes), see *Ano-*
plotermes
Anoplotermes
- coachellae
Amitermes
- coalescens
Eutermes, see *Nasutitermes*
Nasutitermes
- coarctatus
Eutermes, see *Coarctotermes*
Termes (Eutermes), see *Coarctotermes*
Eutermes (*Coarctotermes*), see *Coarcto-*
termes
Coarctotermes
- cocinus, fossil
Termes (of doubtful position)
- cockerelli
Ulmeriella, fossil
- colimae
Nasutitermes
- collinsi
Microcerotermes
- colombianus
Syntermes, see *Syntermes parallelus*
- colonus
Hamitermes (Hamitermes), see *Ami-*
termes
Amitermes
- coloradensis Cockerell, fossil
Hodotermes, see *Zootermopsis*
Parotermes, see *Zootermopsis*
Miotermes, see *Zootermopsis*
Zootermopsis, fossil

- coloradensis Scudder
Hodotermes (?), see *Zootermopsis*
Zootermopsis, fossil
columbianus
Eutermes (*Eutermes*) *guayanae*, form,
 see *Nasutitermes columbianus*
Nasutitermes (*Nasutitermes*) *guayanae*,
 form, see *Nasutitermes*
Nasutitermes
columnnar
Termes, see *Amitermes foreli*
columnaris
Termes, see *Amitermes foreli*
comatus
Eutermes, see *Tumulitermes*
Tumulitermes
comis
Termes
Termes (*Eutermes*), see *Termes*
Mirotermes (*Mirotermes*), see *Termes*
comorensis
Eutermes, see *Nasutitermes*
Nasutitermes
comprehensa
Microtermes congoensis, var.
comstockae
Nasutitermes (*Nasutitermes*), see *Nasutitermes*
comstocki
Mirotermes (*Cubitermes*), see *Cubitermes*
Cubitermes
concilians
Anoplotermes (*Anoplotermes*), see *Anoplotermes*
Anoplotermes
condonensis
Calotermes (*Calotermes*), see *Kalotermitess*
Kalotermitess
confinis
Pericapritermes urgens, var.
confusus
Amitermes (*Amitermes*), see *Gnathamitermes perplexus*
congoensis
Mirotermes (*Cubitermes*), see *Cubitermes*
Cubitermes
- Odontotermes*, see *Odontotermes* (O.)
sjöstedti
Termes, see *Odontotermes* (O.) *sjöstedti*
Termes, see *Microtermes*
Microtermes
conjenii
Mirotermes (*Cubitermes*), see *Cubitermes*
Cubitermes
connectens
Mirocapritermes
connexus
Neotermes
constricticeps
Nasutitermes (N.), see *Nasutitermes*
Nasutitermes
constrictiformis
Eutermes (*Eutermes*), see *Bulbitermes*
Bulbitermes
constrictoides
Eutermes (*Eutermes*), see *Bulbitermes*
Bulbitermes
CONSTRICHTUS
Termes, see *Bulbitermes*
Eutermes (*Eutermes*), see *Bulbitermes*
Bulbitermes
contracticornis
Kalotermitess (*Kalotermitess*), see *Glyptotermes*
Kalotermitess (*Neotermes*), see *Glyptotermes*
Kalotermitess (*Glyptotermes*), see *Glyptotermes*
Glyptotermes
contractulus Statz, fossil
Termes, fossil of doubtful position
contractus
Eutermes, see *Coarctotermes*
Eutermes (*Eutermes*), see *Coarctotermes*
Coarctotermes, see *Nasutitermes profestus*
Coarctotermes
contusus Scudder, fossil
Termes, not a termite
convergens
Eutermes (*Eutermellus*), see *Eutermellus*
Eutermellus

- convexifrons**
 Eutermes, see Convexitermes
 Eutermes (*Convexitermes*), see *Convexitermes*
- Convexitermes**
- convexinotatus**
 Leucotermes, see Heterotermes
 Heterotermes
- convexus**
 Termes, see Kalotermes
 Calotermes, see Kalotermes
 Calotermes, see Kalotermes hilli
 Calotermes (*Cryptotermes*), see Kalotermes hilli
 Calotermes, see Porotermes adamsoni
 Bellicositermes, see Macrotermes
 Macrotermes
- convulsionarius**
 Termes, see Macrotermes estherae
 Hodotermes, see Macrotermes estherae
 Termes (*Hodotermes*), see Macrotermes estherae
- coorgensis**
 Calotermes (*Glyptotermes*), see Glyptotermes
 Glyptotermes
- copelandi**
 Termes (Termes), see Macrotermes gilvus, form philippensis
 Termes (*Macrotermes*), see Macrotermes gilvus, form philippensis
- cordatus**
 Pericapritermes
- cordofanus**
 Termes, see Odontotermes (O.) smethmani
- corniceps**
 Kalotermes (*Glyptotermes*), see Procryptotermes
 Kalotermes (*Calcaritermes*), see Procryptotermes
 Procryptotermes
- corniferus**
 Eutermes, see Ceratotermes
 Cornitermes (*Labiotermes*), see Ceratotermes
 Ceratotermes
- cornigera**, see corniger
 Termes, see Nasutitermes corniger
 Nasutitermes, see Nasutitermes corniger
- Nasutitermes** (*Nasutitermes*), see Nasutitermes corniger
- cornutella**
 Capritermes longirostris, var., see Capritermes incola, var.
 Capritermes incola, var.
- cornutus**
 Rostrotermes
 Cornitermes (*Cornitermes*), see Procornitermes
 Termes (syn. *Cornitermes cumulans*), see not classified
- corporaali**
 Eutermes, see Nasutitermes
 Nasutitermes
- corticicola**, see corticola Bates?
 Termes, see Heterotermes tenuis
 Termes, see Microcerotermes exiguis
- costalis**
 Eutermes (Eutermes), see Nasutitermes
 Nasutitermes (*Nasutitermes*), see Nasutitermes
- costaricensis**
 Kalotermes (*Rugitermes*), see Rugitermes
 Rugitermes
 Cornitermes (*Cornitermes*) acignathus, var., see C. walkeri
 Eutermes (Eutermes), see Nasutitermes corniger
 Nasutitermes (*Nasutitermes*), see Nasutitermes corniger
- costatus**
 Termes (Rambur), see Syntermes dirus
 Termes (Walker 1853), see Syntermes grandis
- coxipoensis**
 Eutermes (Eutermes), see Nasutitermes
 Nasutitermes
- crassa**
 Prognatha, see Termes grandaevis, fossil, not a termite
- crassicornis**
 Calotermes (*Cryptotermes*), see Cryptotermes
 Cryptotermes
 Eutermes, see Nasutitermes
 Nasutitermes

- crassinasus
 Eutermes, see *Trinervitermes*
 Trinervitermes
- crassus
 Coptotermes
 Microceroterpes
 Nasutitermes (*Nasutitermes*), see *Nasutitermes*
 Nasutitermes
 Nasutitermes
 creedei Snyder
 Reticulitermes, fossil
- creolina
 Nasutitermes (soldier), see *Nasutitermes nigriceps*
 Nasutitermes (imago), see *Nasutitermes ephratae*
- crinitus
 Leucotermes, see *Heterotermes*
 Heterotermes
- cristifrons
 Cubitermes, see *Noditermes*
 Mirotermes (*Cubitermes*), see *Noditermes*
 Noditermes
- croaticus Heer
 Termes, fossil of doubtful position
 Eutermes, fossil of doubtful position
- croaticus von Rosen
 Mastotermes, fossil
- crucifer
 Termes, see *Ancistrotermes*
 Microtermes, see *Ancistrotermes*
 Ancistrotermes
 Termes, see *Ancistrotermes latinotus*
 Termes (*Ancistrotermes*), see *Ancistrotermes latinotus*
 Termes (*Microtermes*), see *Ancistrotermes latinotus*
- cryptodon
 Amitermes
- cryptops
 Calotermes
 Calotermes (*Neotermes*), see *Neotermes*
 Neotermes
- cubanus
 Kalotermes
 Calotermes (*Cryptotermes*), see *Cryptotermes* not identified to species
 Eutermes, see *Nasutitermes rippertii*
- cubicephalus
 Eutermes (*Cubitermes*), see *Cubitermes*
 Mirotermes (*Cubitermes*), see *Cubitermes*
- cubiciceps
 Cubitermes
- culaciensis
 Eutermes (*Rotunditermes*), see *Nasutitermes*
 Nasutitermes
- culturarum
 Odontotermes, see *Odontotermes* (O.)
 Termes, see *Odontotermes* (O.)
 Termes (*Termes*), see *Odontotermes* (O.)
 Odontotermes (O.)
- cumulans
 Termes, see *Cornitermes*
 Termes (*Cornitermes*), see *Cornitermes*
 Cornitermes (*Cornitermes*), see *Cornitermes*
 Cornitermes, see *Cornitermes silvestrii*
 Cornitermes, see *Cornitermes snyderi*
 Cornitermes
- cuphus
 Eutermes (*Lacessititermes*), see *Lacessititermes*
 Lacessititermes
- curta
 Cubitermes bilobatus, form
- curtatus
 Mirotermes (*Cubitermes*), see *Cubitermes*
 Cubitermes
- curticeps
 Pesudocanthotermes
- curtus
 Eutermes, see *Tumulitermes*
 Tumulitermes
- curvatus
 Procubitermes, see *Noditermes*
 Noditermes
- curvignathus
 Coptotermes
 Microtermes anandi, form, see *Microtermes obesi*

curvithorax	Termes, see <i>Microcerotermes arboreus</i>
Calotermes (<i>Calotermes</i>), see <i>Kalotermae immigrans</i>	Eutermes, see <i>Subulitermes microsoma debilis</i> Heer, fossil
cyclops	Termes (<i>Eutermes</i>), see <i>Speculitermes</i>
<i>Anoplotermes</i> (<i>Speculitermes</i>), see <i>Speculitermes</i>	Termes, see <i>Microcerotermes</i>
<i>Speculitermes</i>	(<i>Eutermes</i>), see <i>Microcerotermes</i>
<i>Speculitermes</i>	<i>Microcerotermes</i> , fossil
cylindriceps	dechenii
Termes (<i>Eutermes</i>), see <i>Microcerotermes</i>	Termes (<i>Eutermopsis</i>), fossil, see fossil not a termite, <i>Acanthodictyon</i>
<i>Microcerotermes</i>	decidua Hagen, see <i>deciduus</i> , fossil
cylindricus	Termes (<i>Termopsis</i>), see <i>Termopsis brevii</i>
<i>Glyptotermes ceylonicus</i> , var., Kemner ms., see <i>Glyptotermes</i> not identified to species	deciduus Hagen, fossil
cynocephalus	Termopsis, see <i>Termopsis brevii</i>
<i>Kalotermes</i> (<i>Cryptotermes</i>), see <i>Cryptotermes</i>	decumanus
<i>Cryptotermes</i>	Termes, see <i>Syntermes grandis</i>
cyphergaster	dehraduni
Eutermes, see <i>Constrictotermes</i>	Termes (<i>Termes</i>), see <i>Odontotermes</i>
Termes (<i>Eutermes</i>), see <i>Constrictotermes</i>	(O.)
<i>Eutermes</i> (<i>Constrictotermes</i>), see <i>Constrictotermes</i>	<i>Odontotermes</i> (O.)
<i>Nasutitermes</i> (<i>Constrictotermes</i>), see <i>Constrictotermes</i>	dehraensis
<i>Constrictotermes</i>	<i>Mirotermes</i> , see <i>Termes</i>
dalbergiae	Termes
<i>Kalotermes</i> (<i>Neotermes</i>), see <i>Neotermes</i>	dendrophilus
<i>Neotermes</i>	Termes (<i>Eutermes</i>) <i>rippertii</i> , subsp., see <i>Nasutitermes</i>
dalbiensis	Eutermes (<i>Eutermes</i>), see <i>Nasutitermes</i>
Eutermes, see <i>Tumulitermes</i>	Nasutitermes
<i>Tumulitermes</i>	dentatus
daliensis	Cryptotermes, see <i>Cryptotermes domesticus</i>
<i>Drepanotermes</i> , see <i>Drepanotermes</i>	Calotermes, see <i>Glyptotermes</i>
<i>rubriceps</i>	Calotermes (<i>Glyptotermes</i>), see <i>Glyptotermes</i>
darwini	Termes, see <i>Amiatermes</i>
<i>Kalotermes</i> (<i>Cryptotermes</i>), see <i>Cryptotermes</i>	Termes (<i>Eutermes</i>), see <i>Amiatermes</i>
<i>brevis</i>	Hamitermes (<i>Hamitermes</i>), see <i>Amiatermes</i>
<i>Hamitermes</i> , see <i>Amiatermes</i>	Amiatermes
<i>Amiatermes</i>	denticulatus
darwiniensis	Odontotermes (<i>Cyclotermes</i>), see <i>Odontotermes</i>
<i>Mastotermes</i>	(O.)
debilicornis	Odontotermes (O.)
Eutermes, see <i>Microcerotermes</i>	dentosus
<i>Microcerotermes</i>	Hamitermes, see <i>Amiatermes</i>
debilis	Amiatermes
Eutermes, see <i>Microcerotermes arboreus</i>	depauperata
	<i>Microtermes subhyalinus</i> , var.

depilis	
<i>Hamitermes (Globitermes) globosus</i> , form, see <i>Globitermes globosus</i> , form	
<i>Globitermes globosus</i> , form	
depokensis	
<i>Microcerotermes</i>	
depressifrons	
<i>Mirotermes (Orthotermes)</i> , see <i>Ortho-</i> <i>termes</i>	
<i>Orthotermes</i>	
derosus	
<i>Rhinotermes (Schedorhinotermes) inter-</i> <i>medius</i> , subsp., see <i>Schedorhino-</i> <i>termes intermedius</i> , subsp.	
<i>Schedorhinotermes intermedius</i> , subsp.	
deschenii Goldenberg	
<i>Eutermopsis</i> , see <i>Mastotermes heerii</i> , fossil	
desertorum	
<i>Eutermes</i> , see <i>Amitermes</i>	
<i>Termes (Eutermes)</i> , see <i>Amitermes</i>	
<i>Hamitermes (Hamitermes)</i> , see <i>Ami-</i> <i>termes</i>	
<i>Amitermes</i>	
desneuxi	
<i>Kalotermes (Neotermes)</i> , see <i>Neotermes</i>	
<i>Neotermes</i>	
destructator	
<i>Termes (Hagen 1858)</i> , see <i>Cubitermes</i> <i>fungifaber</i>	
<i>Termes (DeGeer 1778)</i> , see <i>Termes</i> <i>fatalis</i>	
<i>Odontotermes</i> , see <i>Odontotermes (O.)</i> <i>latericius</i>	
<i>Odontotermes</i> , see <i>Odontotermes (O.)</i> <i>vulgaris</i>	
<i>Odontotermes</i> , see <i>Odontotermes (O.)</i> <i>zulunatalensis</i>	
<i>Termes</i> , see <i>Odontotermes (O.)</i> <i>smeath-</i> <i>mani</i>	
<i>Odontotermes</i> , see <i>Odontotermes (O.)</i> <i>smeathmani</i>	
<i>Termes (Perty)</i> , see <i>Nasutitermes rip-</i> <i>pertii</i>	
<i>Termes (Fabricius)</i> , see <i>Termes nigri-</i> <i>cans</i> , see not classified	
<i>Termes (Gmelin)</i> , see not classified	
deuqueti	
<i>Calotermes (Neotermes)</i> , see <i>Neotermes</i> <i>insularis</i>	
	devastans
	<i>Termes</i> , see not classified
	diabolus
	<i>Eutermes</i> , see <i>Nasutitermes</i>
	<i>Nasutitermes</i>
	diana
	<i>Termes</i> , see <i>Odontotermes (O.)</i>
	<i>Odontotermes</i> , see <i>Odontotermes (O.)</i>
	<i>Odontotermes (O.)</i>
	diaphanus Giebel
	<i>Termes</i> , see <i>Glyptotermes pusillus</i> , fossil
	<i>Calotermes</i> , see <i>Glyptotermes pusillus</i> , fossil
	dilatatus
	<i>Calotermes</i> , see <i>Glyptotermes</i>
	<i>Calotermes (Glyptotermes)</i> , see <i>Glypto-</i> <i>termes</i>
	<i>Glyptotermes</i>
	dilucidus
	<i>Eutermes</i> , see <i>Subulitermes</i>
	<i>Subulitermes</i>
	dimorphus
	<i>Rhinotermes</i> , see <i>Schedorhinotermes</i>
	<i>Rhinotermes (Schedorhinotermes)</i> , see <i>Schedorhinotermes</i>
	<i>Schedorhinotermes</i>
	diplacodes
	<i>Eutermes (Trinervitermes)</i> , see <i>Trinervi-</i> <i>termes roseni</i> (soldier); <i>Trinervi-</i> <i>termes</i> , imago, see <i>Trinervitermes</i> , not classified
	dirus
	<i>Termes</i> , see <i>Syntermes</i>
	<i>Syntermes</i>
	<i>Termes</i> , see <i>Syntermes peruanus</i>
	<i>Termes</i> , see <i>Syntermes silvestrii</i>
	<i>Termes</i> , see <i>Syntermes snyderi</i>
	<i>Syntermes</i> , see <i>Syntermes snyderi</i>
	discolor
	<i>Constrictotermes</i> , see <i>Parvitermes</i>
	<i>Nasutitermes (Tenuirostritermes)</i> , see <i>Parvitermes</i>
	<i>Parvitermes</i>
	dispar
	<i>Calotermes</i> , see <i>Kalotermes</i>
	<i>Kalotermes</i>
	<i>Eutermes</i> , see <i>Trinervitermes</i>
	<i>Termes (Eutermes)</i> , see <i>Trinervitermes</i>

- Eutermes (*Trinervitermes*), see *Trinervitermes*
- Trinervitermes*
- disparatus*
- Eutermes (*Trinervitermes*), see *Trinervitermes*
- Trinervitermes*
- disparoides*
- Eutermes (*Trinervitermes*) *dispar*, form,
see *Trinervitermes zuluensis*
- distans*
- Anoplotermes*
- Termes, see *Microcerotermes*
- Termes (*Eutermes*), see *Microcerotermes*
- Termes (*Eutermes*), see *Microcerotermes celebensis*
- Microcerotermes*
- Microcerotermes*, see *Microcerotermes amboinensis*
- Microcerotermes*, see *Microcerotermes celebensis*
- Microcerotermes*, see *Microcerotermes depokensis*
- Odontotermes* (*Cyclotermes*), see *Odontotermes* (O.)
- Odontotermes* (O.)
- distinctus*
- Anoplotermes*
- Eutermes, see *Microcerotermes*
- Microcerotermes*
- Capritermes* (*Capritermes*), see *Capritermes*
- Capritermes*
- distortus*
- Capritermes*
- diurnus*
- Hospitalitermes
- divellens*
- Eutermes, see *Microtermes*
- Termes (*Eutermes*), see *Microtermes*
- Microtermes*
- diversana*
- Microtermes crucifer*, var., see *Ancistrotermes crucifer*, var.
- Ancistrotermes crucifer*, var.
- diversifrons*
- Basidentitermes*
- diversimilis*
- Eutermes, see *Diversitermes*
- Termes (*Eutermes*), see *Diversitermes*
- Eutermes* (*Constrictotermes*), see *Diversitermes*
- Eutermes* (*Diversitermes*), see *Diversitermes*
- Diversitermes*
- diversus*
- Microcerotermes*
- dives*
- Termes, see *Macrotermes gilvus*
- Termes, see *Odontotermes* (O.)
- Termes, see *Odontotermes* (O.) *sundaiicus*
- Odontotermes*, see *Odontotermes* (O.)
- sundaicus*
- Odontotermes*, see *Odontotermes* (O.)
- javanicus*
- Odontotermes*, see *Odontotermes* (O.)
- Odontotermes* (O.)
- dixoni*
- Eutermes, see *Nasutitermes*
- Nasutitermes*
- djampeensis*
- Odontotermes* (O.)
- djemberensis*
- Eutermes, see *Nasutitermes matangensis*
- doboenensis*
- Eutermes (*Eutermes*), see *Nasutitermes*
- Nasutitermes*
- dobonicus*
- Coptotermes*
- dolei*
- Kalotermes* (*Cryptotermes*), see *Cryptotermes*
- Cryptotermes*
- dolichocephalus*
- Capritermes*
- dolichognathus*
- Microcerotermes*
- domesticus*
- Kalotermes* (*Cryptotermes*), see *Cryptotermes*
- Cryptotermes*
- Calotermes* (*Sjöstedt* 1897a), see *Cryptotermes havilandi*
- domifaber*
- Eutermes (*Cubitermes*), see *Cubitermes*
- Mirotermes* (*Cubitermes*), see *Cubitermes*
- Cubitermes*

doriae	Kalotermes
Eutermes, see Coarctotermes	Microcerotermes
Eutermes (Hospitalitermes), see Coarctotermes	Macrotermes natalensis, form ebenerianus
Coarctotermes	Trinervitermes
dreghorni	ebeni
Coptotermes	Termes, see Odontotermes (O.)
dubius	Odontotermes, see Odontotermes (O.)
Calotermes (Glyptotermes), see Glyptotermes brevicornis	Odontotermes (O.)
Termes (Haviland), see Microcerotermes	ecuadorianus
Microcerotermes, see Microcerotermes distans	Eutermes (Eutermes) peruanus, form, see Nasutitermes ecuadorianus
Microtermes	Nasutitermes (Nasutitermes) peruanus, form, see Nasutitermes
Microtermes vadschaggae, var.	Nasutitermes
Ancistrotermes ?	edentatus
Termes, see Syntermes dirus	Eutermes, see Microcerotermes
Termes, see Cornitermes cumulans	Microcerotermes
Eutermes (Trinervitermes), see Trinervitermes trinerviformis	Microcerotermes, var. transiens, see Microcerotermes transiens
Trinervitermes, see Trinervitermes trinerviformis	egregius
ducis	Odontotermes, see Odontotermes (O.)
Eutermes, see Trichotermes	Termes, see Odontotermes (O.)
Trichotermes	Odontotermes (O.)
dudleyi	ehrhardti
Cryptotermes	Eutermes (Eutermes) rippertii, form, see Nasutitermes
Cryptotermes (Planocryptotermes), see Cryptotermes	Nasutitermes
Kalotermes (Cryptotermes), see Cryptotermes	ekundiensis
dulcis	Eutermes, see Nasutitermes
Eutermes, see Nasutitermes	Nasutitermes
Nasutitermes	eldirensis
dumisae	Trinervitermes
Microcerotermes	elegans
Mirotermes (Mirotermes), see Promirotermes	Microcerotermes
Promirotermes	elegantulus
duplex	Eutermes, see Nasutitermes
Termes (Eutermes), see Microcerotermes distans	Nasutitermes (Subulitermes), see Nasutitermes
Mirotermes (Cubitermes), see Cubitermes	Nasutitermes
Cubitermes	elevatus
Eutermes (Eutermes), see Havilanditermes atripennis	Kalotermes (Neotermes), see Neotermes castaneus
durbanensis	elgonensis
Calotermes, see Kalotermes	Termes, see Odontotermes (O.)
	Odontotermes (O.)
	elisae
	Termes, see Coptotermes
	Coptotermes

ellenriederi	erythraeus
Eutermes, see <i>Nasutitermes fulviceps</i>	Neotermes
elongata	erythraeae
Cubitermes	Eutermes (<i>Trinervitermes</i>), see <i>Trinervi-</i>
Cubitermes <i>fungifaber</i> , var.	<i>termes</i>
Cubitermes <i>sankurensis</i> , form	<i>Trinervitermes</i>
elongatus	erythrops von Rosen, fossil
Hamitermes, see <i>Amitermes</i>	Calotermetes (<i>Calotermetes</i>), see <i>Kalo-</i>
Amitermes	<i>termes</i>
elsenburgi	<i>Kalotermetes</i>
<i>Mirotermes</i> (<i>Mirotermes</i>), see <i>Anguli-</i>	escherichi
<i>termes</i>	Termes, see <i>Odontotermes</i> (O.)
<i>Mirotermes</i> (<i>Angulitermes</i>), see <i>Anguli-</i>	<i>Odontotermes</i> (<i>Cyclotermes</i>), see <i>Odon-</i>
<i>termes</i>	<i>totermes</i> (O.)
<i>Angulitermes</i>	<i>Odontotermes</i> , see <i>Odontotermes</i> (O.)
emarginicollis	<i>Odontotermes</i> (O.)
<i>Kalotermetes</i> (<i>Glyptotermes</i>), see <i>Cal-</i>	Eutermes (<i>Ceylonitermes</i>), see <i>Ceyloni-</i>
<i>caritermes</i>	<i>termes</i>
<i>Calcaritermes</i>	<i>Ceylonitermes</i>
emersoni	estherae
<i>Kalotermetes</i>	Termes, see <i>Macrotermes</i>
<i>Amitermes</i>	Termes (<i>Macrotermes</i>), see <i>Macrotermes</i>
<i>Syntermes chaquimayensis</i> , subsp.	<i>Macrotermes</i>
<i>Nasutitermes</i> (<i>Nasutitermes</i>), see <i>Nasu-</i>	esuriens
<i>titermes</i>	Termes (<i>Protermes</i>), see <i>Allodontermes</i>
<i>Nasutitermes</i>	<i>rhodesiensis</i>
ensifer	<i>Odontotermes</i> (O.) <i>sundaicus</i> , form
<i>Amitermes</i>	etiolatus
ephrratae	<i>Microtermes</i>
Eutermes, see <i>Nasutitermes</i>	euamignathus
<i>Nasutitermes</i> (<i>Nasutitermes</i>), see <i>Nasu-</i>	<i>Armitermes</i>
<i>titermes</i>	Termes (<i>Eutermes</i>), see <i>Armitermes</i>
<i>Nasutitermes</i> , see <i>Nasutitermes suri-</i>	<i>Armitermes</i> (<i>Armitermes</i>), see <i>Armili-</i>
<i>namensis</i>	<i>termes</i>
<i>Nasutitermes</i>	eucalypti
equatorianus Holmgren ms.	<i>Glyptotermes</i>
<i>Calotermetes</i> (<i>Calotermetes</i>), see <i>Kalo-</i>	<i>Calotermetes</i> (<i>Glyptotermes</i>), see <i>Glypto-</i>
<i>termes</i> not identified to species	<i>termes</i>
erithreensis	<i>Hamitermes</i> , see <i>Amitermes</i>
<i>Hodotermes</i>	<i>Amitermes</i>
<i>Hodotermes</i> (<i>Anacanthotermes</i>), see	<i>Eutermes</i> , see <i>Nasutitermes</i>
<i>Hodotermes</i>	<i>Nasutitermes</i>
erodens	eugnathus
Termes, see <i>Odontotermes</i> (O.)	<i>Eutermes</i> , see <i>Microcerotermes</i>
<i>Odontotermes</i> (<i>Cyclotermes</i>), see <i>Odon-</i>	<i>Microcerotermes</i>
<i>totermes</i> (O.)	euhamignathus
<i>Odontotermes</i> (O.)	<i>Armitermes</i> , see <i>Armitermes euamig-</i>
errabundus	<i>nathus</i>
Termes, see <i>Mastotermes darwiniensis</i>	

europae	Termes, see <i>Macrotermes gilvus</i>
Calotermes, see <i>Neoterms</i>	
<i>Neoterms</i>	
evansi	Termes, see <i>Odontotermes (O.) brunneus</i>
Termes (<i>T.</i>) <i>sjöstedti</i> , var., see <i>Odontotermes (O.) sjöstedti</i> , var.	Termes, see <i>Odontotermes (O.) capensis</i>
evuncifer	Termes, see <i>Odontotermes (O.) hageni</i>
<i>Hamitermes</i> , see <i>Amitermes</i>	Termes, see <i>Odontotermes (O.) koenigi</i>
<i>Hamitermes (Hamitermes)</i> , see <i>Amitermes</i>	<i>fatidicum</i>
<i>Eutermes (Hamitermes)</i> , see <i>Amitermes</i>	Termes (<i>Psocid?</i>), see not termites
<i>Amitermes</i>	
excellens	<i>fatalus</i>
<i>Hamitermes</i> , see <i>Amitermes</i>	<i>Kalotermes (Cryptotermes)</i> , see <i>Cryptotermes</i>
<i>Amitermes</i>	<i>Cryptotermes</i>
excisus	<i>faurei</i>
<i>Microcerotermes</i> , see <i>Microcerotermes turneri</i>	Hodotermes, see <i>Microhodotermes viator</i>
exiguus	<i>feaeae</i>
<i>Coptotermes Kemner ms.</i> , see <i>Coptotermes</i> not identified to species	Termes, see <i>Odontotermes (O.)</i>
<i>Termes (Eutermes)</i> , see <i>Microcerotermes</i>	<i>Odontotermes (O.)</i>
<i>Microcerotermes</i>	<i>Microtermes</i>
exilis	<i>feaeoides</i>
<i>Hamitermes</i> , see <i>Amitermes</i>	<i>Odontotermes (O.)</i>
<i>Amitermes</i>	<i>fenerivensis</i>
exitiosus	Eutermes, see not classified
<i>Eutermes</i> , see <i>Nasutitermes</i>	
<i>Nasutitermes</i>	<i>ferox</i>
expulsus	Termes, see <i>Heterotermes</i>
<i>Eutermes</i> , see <i>Nasutitermes</i>	Termes (<i>Leucotermes</i>), see <i>Heterotermes</i>
<i>Nasutitermes</i>	<i>Psalidotermes</i> , see <i>Heterotermes</i>
fairchildi	<i>Leucotermes</i> , see <i>Heterotermes</i>
<i>Kalotermes (Calcaritermes)</i> , see <i>Calcaritermes</i>	<i>Heterotermes</i>
<i>Calcaritermes</i>	<i>ferranti</i>
falciger	Eutermes, see <i>Nasutitermes</i>
Termes, see <i>Macrotermes bellicosus</i>	<i>Nasutitermes</i>
fallax	<i>ferrugineus</i>
<i>Odontotermes</i> , see <i>Odontotermes (O.)</i>	<i>Calotermes (Neoterms)</i> , see <i>Neoterms</i>
Termes, see <i>Odontotermes (O.)</i>	<i>Neoterms</i>
<i>Odontotermes (O.)</i>	Eutermes (<i>Hospitalitermes</i>), see <i>Hospitalitermes</i>
fatale	<i>Hospitalitermes</i>
Termes, see <i>Termes fatalis</i>	<i>ferruginosum</i>
Termes, see <i>Macrotermes bellicosus</i>	Termes, see <i>Termes ferruginosus</i> , see not classified
Termes (<i>Perty</i>), see <i>Syntermes dirus</i>	<i>ferruginosus</i>
fatalis	Termes, see not classified
Termes, see <i>Anoplotermes lateralis</i>	<i>festivellus</i>
Termes	<i>Armitermes</i>
Termes, see <i>Macrotermes bellicosus</i>	Termes (<i>Eutermes</i>), see <i>Armitermes</i>

Nasutitermes (Nasutitermes), see Nasutitermes	flavicollis
Nasutitermes	Termes, see Kalotermes
fidens	Eutermes, see Kalotermes
Termes, see Odontotermes (O.)	Calotermes, see Kalotermes
Odontotermes, see Odontotermes (O.)	Kalotermes
Odontotermes (O.)	Calotermes (Dudley), see not classified
fieldi	Termes, see Odontotermes (O.) smethmani
Eutermes (winged), see Tumulitermes hastilis; (soldier), see Nasutitermes eucalypti	Termes (Perty), see Syntermes dirus
filicornis	Termes (Walker), see not classified
Termes, see Lacessititermes	flavipes
Eutermes (Lacessititermes), see Lacessititermes	Termes, see Reticulitermes
Lacessititermes	Termes (Hagen), see Reticulitermes hesperus
finitimus	Termes, see Reticulitermes speratus
Mirotermes (Cubitermes), see Cubitermes	Termes (Leucotermes), see Reticulitermes speratus
Cubitermes	Leucotermes, see Reticulitermes
firmus	Reticulitermes
Calotermes (Neotermes), see Neotermes	Termes (Walker), see not classified
Neotermes	flaviventris
flammifrons	Eutermes, see Hospitalitermes
Termes, see Odontotermes (O.)	Termes (Eutermes), see Hospitalitermes
Cyclotermes, see Odontotermes (O.)	Eutermes (Hospitalitermes), see Hospitalitermes
Odontotermes (O.)	Hospitalitermes
flaveolus	flavoantennaris
Constrictotermes, see Parvitermes	Hospitalitermes
Nasutitermes (Tenuirostritermes), see Parvitermes	flavomaculatus
Parvitermes	Odontotermes (Cyclotermes), see Odontotermes (O.)
flavescens	Odontotermes (O.)
Calotermes (Neotermes), see Neotermes	flavus
fulvescens	Coptotermes Hill preoccupied, see Coptotermes frenchi
flavicans	Coptotermes, see Prorhinotermes
Eutermes, see Bulbitermes	Arrhinotermes, see Prorhinotermes
Bulbitermes	Prorhinotermes
flavicephalus	fletcheri
Coptotermes	Neotermes
flaviceps	Stylotermes
Leucotermes, see Reticulitermes	Eremotermes
Reticulitermes	Microcerotermes
flavicinctus	Mirotermes, see Termes
Kalotermes (Rugitermes), see Rugitermes	Termes
Rugitermes	Capritermes
flavicolle	Eutermes (Eutermes), see Nasutitermes
Termes, see Kalotermes flavicollis	Nasutitermes

Nasutitermes (N.), see Nasutitermes brunneus	fossile
fockianus	Termes, see Reticulitermes antiquus, fossil
Termes (Odontotermes), see Odontotermes (O.)	fossilis Ouchakoff
Termes, see Odontotermes (O.)	Maresa (plebeja, Giebel) ?, see Reticulitermes antiquus, fossil
Odontotermes (O.)	fraasi von Rosen, fossil
fodinae Scudder	Eutermes (s. lat.), see fossil of doubtful position
Parotermes or Kalotermes, see Prokalotermes hageni, fossil	frenchi
fontanellus	Coptotermes
Odontotermes, see Odontotermes (O.)	froggatti
Termes, see Odontotermes (O.)	Porotermes (Porotermes), see Porotermes adamsoni Froggatt
Odontotermes (O.)	Coptotermes, see Coptotermes grandiceps
foraminifer	Microcerotermes, see Microcerotermes brioi
Termes, see Homallotermes	Capritermes, see Termes
Termes (Eutermes), see Homallotermes	Mirotermes, see Termes
Capritermes (Capritermes), see Homallotermes	Mirotermes (Miro.), see Termes
Homallotermes	Termes
foreli	frontale
Amitermes	Termes, see Reticulitermes flavipes
Dentitermes, see Amitermes	frontalis
Termes (Eutermes), see Amitermes	Mirotermes (Mirotermes), see Angulitermes
Hamitermes (Hamitermes), see Amitermes	Angulitermes
formosae	fryeri
Calotermes (Cryptotermes), see Cryptotermes domesticus	Calotermes (Procryptotermes), see Procryptotermes
Coptotermes, see Coptotermes formosanus	Procryptotermes
formosana	fugax
Termes, see Odontotermes (O.) formosanus	Microcerotermes, see Microcerotermes serratus
formosanus	fukiensis
Coptotermes	Reticulitermes
Coptotermes, see Coptotermes vastator	fulleri
Termes, see Odontotermes (O.)	Termes (Termes), see Odontotermes (O.)
Odontotermes, see Odontotermes (O.)	Odontotermes (O.)
Odontotermes (Cyclotermes), see Odontotermes (O.)	Nasutitermes (Nasutitermes), see Nasutitermes
Odontotermes (O.)	Nasutitermes
formosus Goldenberg, fossil	fulvescens
Eutermopsis, see Mastotermes heerii (fossil)	Calotermes (Neotermes), see Neotermes
fossiliferum Scudder	Neotermes
Eutermes, see Reticulitermes, fossil	fulviceps
Reticulitermes, fossil	Eutermes arenarius, subsp., see Nasutitermes

<p>Termes (Eutermes), see <i>Nasutitermes</i></p> <p>Eutermes (Eutermes), see <i>Nasutitermes</i></p> <p>Nasutitermes</p> <p>Eutermes arenarius, subsp., var., see <i>Nasutitermes silvestrii</i></p> <p>fumigatus</p> <p>Eutermes, see <i>Nasutitermes</i></p> <p>Eutermes, see <i>Nasutitermes exitiosus</i></p> <p>Termes (Eutermes), see <i>Nasutitermes</i></p> <p>Nasutitermes</p> <p>fumipennis</p> <p>Termes, see <i>Nasutitermes</i></p> <p>Termes (Eutermes), see <i>Nasutitermes</i></p> <p>Eutermes (Eutermes), see <i>Nasutitermes</i></p> <p>Eutermes, see <i>Nasutitermes</i></p> <p>Nasutitermes</p> <p>fumosus</p> <p>Termes, see <i>Anoplotermes</i></p> <p>Termes (Eutermes), see <i>Anoplotermes</i></p> <p>Anoplotermes (Anoplotermes), see <i>Anoplotermes</i></p> <p>Anoplotermes</p> <p>fungifaber</p> <p>Eutermes, see <i>Cubitermes</i></p> <p>Eutermes (Cubitermes), see <i>Cubitermes</i></p> <p>minitabundus</p> <p>Termes (Eutermes), see <i>Cubitermes</i></p> <p>Mirotermes (Cubitermes), see <i>Cubi-</i> <i>termes</i></p> <p>Cubitermes</p> <p>fur</p> <p>Capritermes, see <i>Termes</i></p> <p>Mirotermes, see <i>Termes</i></p> <p>Termes (Eutermes), see <i>Termes</i></p> <p>Mirotermes (Mirotermes), see <i>Termes</i></p> <p>Termes</p> <p>furcatidens</p> <p>Hoplognathotermes</p> <p>fusca</p> <p>Perla, see <i>Coptotermes testaceus</i></p> <p>fuscipennis</p> <p>Termes, see <i>Nasutitermes</i></p> <p>Eutermes (Eutermes), see <i>Nasutitermes</i></p> <p>Nasutitermes</p> <p>Termes, see <i>Syntermes dirus</i></p> <p>fuscofemoralis</p> <p>Termes, see <i>Psammotermes</i></p> <p>Psammotermes</p> <p>Psammotermes, see <i>Psammotermes al-</i> <i>locerus</i></p>	<p>fuscotibialis</p> <p>Eutermes, see <i>Microcerotermes</i></p> <p>Microcerotermes</p> <p>Capritermes</p> <p>fuscum</p> <p>Termes, see <i>Syntermes grandis</i></p> <p>fuscus</p> <p>Glyptotermes</p> <p>Amitermes (Gnathamitermes), see <i>Gnathamitermes perplexus</i></p> <p>Trinervitermes</p> <p>gabonensis</p> <p>Termes, see <i>Macrotermes mülleri</i></p> <p>Termes (Macrotermes), see <i>Macrotermes mülleri</i></p> <p>Macrotermes (Macrotermes), see <i>Macrotermes mülleri</i></p> <p>gaigei</p> <p>Mirotermes (Cubitermes), see <i>Cubi-</i> <i>termes</i></p> <p>Cubitermes</p> <p>Nasutitermes (Nasutitermes), see <i>Nasu-</i> <i>titermes</i></p> <p>Nasutitermes</p> <p>galapagoensis</p> <p>Calotermes, see <i>Kalotermes</i></p> <p>Kalotermes</p> <p>gardneri</p> <p>Kalotermes (Neotermes), see <i>Neotermes</i></p> <p>Neotermes</p> <p>Nasutitermes (Subulitermes), see <i>Nasu-</i> <i>titermes</i></p> <p>Nasutitermes</p> <p>garthwaitei</p> <p>Capritermes</p> <p>gearyi</p> <p>Calotermes (Cryptotermes), see <i>Crypto-</i> <i>termes</i></p> <p>Cryptotermes</p> <p>gedéensis</p> <p>Termes, see <i>Bulbitermes</i></p> <p>Bulbitermes</p> <p>geinitzi Heer</p> <p>Clathrotermes, fossil not a termite</p> <p>gemellus</p> <p>Termes, see <i>Trinervitermes</i></p> <p>Termes (Eutermes), see <i>Trinervitermes</i></p> <p>Termes (Trinervitermes), see <i>Tri-</i> <i>nervitermes</i></p> <p>Trinervitermes</p>
---	---

- geminatus
 Eutermes, see *Trinervitermes*
 Eutermes (*Trinervitermes*), see *Trinervitermes*
 Trinervitermes
- germana
 Termes, see *Amitermes germanus*
 Termes, see *Odontotermes (O.) germanus*
- germanus
 Termes, see *Amitermes*
 Hamitermes, see *Amitermes*
 Hamitermes (H.), see *Amitermes*
 Amitermes
 Termes, see *Odontotermes (O.)*
 Odontotermes (O.)
 Termes, see *Bulbitermes*
 Eutermes (*Eutermes*), see *Bulbitermes*
 Bulbitermes
- gestri
 Calotermetes (*Neotermes*), see *Neotermes*
 Neotermes
- gestroanus
 Eutermes, see *Mirotermes (?Basidentitermes) sp. not identified*
 Mirotermes (?Basidentitermes), see *Mirotermes (?Basidentitermes) sp. not identified*
 Trinervitermes, see *Mirotermes (?Basidentitermes) sp., see not identified*
- gestroi
 Termes, see *Coptotermes*
 Coptotermes
 Coptotermes, see *Coptotermes curvignathus*
 Coptotermes, see *Coptotermes formosanus*
- gibbifrons
 Cubitermes
- giebeli Handlirsch
 (Termes), see *Reticulitermes antiquus, fossil*
- giffardii
 Allodontermes
 Mimeutermes
- giganteus
 Termes, see fossil of doubtful position
- gilvus
 Termes, see *Macrotermes*
- Termes (*Macrotermes*), see *Macrotermes*
 Macrotermes
 girardi Giebel
 Termopsis, see *Electrotermes, fossil*
 Electrotermes, fossil
- glaber
 Nasutitermes (Agnathotermes), see *Convexitermes*
 Convexitermes
- glabritergus
 Nasutitermes
- gladius
 Microcerotermes, see *Microcerotermes serratus*
- glebae
 Eutermes (*Cubitermes*), see *Cubitermes*
 Mirotermes (Cubitermes), see *Cubitermes*
 Cubitermes
- GLOBICEPHALUS
- Capritermes, see *Dentiscopoterms*
 Mirotermes, see *Dentiscopoterms*
 Termes (*Eutermes*), see *Dentiscopoterms*
 Orthognathotermes, see *Dentiscopoterms*
 Dentiscopoterms
- globiceps
 Protohamitermes
 Globitermes, see *Globitermes globosus*
 Eutermes, see *Nasutitermes*
 Nasutitermes
- globicola
 Microtermes
- globosus
 Termes, see *Globitermes*
 Termes (*Eutermes*), see *Globitermes*
 Hamitermes (Globitermes), see *Globitermes*
 Globitermes
- goliath
 Termes, see *Macrotermes*
 Amplitermes, see *Macrotermes*
 Bellicositermes, see *Macrotermes*
 Macrotermes
- gracilicornis Pictet
 Termes, see *Termopsis bremii*
 Termes (*Termopsis*), see *Termopsis bremii*
 Termopsis, see *Termopsis bremii, fossil*

gracilidens	Odontotermes (? <i>Cyclotermes</i>), see Odontotermes (O.)
<i>Neotermes</i> , see <i>Kalotermes</i>	
<i>Kalotermes</i>	
gracilignathus	Odontotermes (O.)
<i>Kalotermes</i> (<i>Neotermes</i>), see <i>Neotermes</i>	
<i>Neotermes</i>	
gracilipennis Théobald	grandidens
<i>Termopsis</i> , fossil	<i>Armitermes</i> (<i>Armitermes</i>), see <i>Armitermes</i>
gracilipes	<i>Armitermes</i>
<i>Mirotermes</i> , see <i>Promirotermes</i>	grandifons
<i>Promirotermes</i>	<i>Anoplotermes</i> (<i>Anoplotermes</i>), see <i>Anoplotermes</i>
gracilirostris	<i>Anoplotermes</i>
<i>Termes</i> (<i>Eutermes</i>), see <i>Nasutitermes</i>	<i>grandilabius</i>
<i>Eutermes</i> , see <i>Nasutitermes</i>	<i>Mirotermes</i> (<i>Ophiotermes</i>), see <i>Ophiotermes</i>
<i>Nasutitermes</i>	<i>Ophiotermes</i>
gracilis Pictet	grandis
<i>Eutermes</i> , see <i>Reticulitermes antiquus</i> , fossil	<i>Neotermes</i>
<i>Termes</i> , see <i>Reticulitermes antiquus</i> , fossil	<i>Porotermes</i> (<i>Porotermes</i>), see <i>Porotermes adamseni</i>
gracilis	<i>Amitermes</i> (<i>Gnathamitermes</i>), see <i>Gnathamitermes</i>
<i>Prorhinotermes</i>	<i>Gnathamitermes</i>
<i>Anoplotermes</i>	<i>Eutermes zuluensis</i> , form, see <i>Microcerotermes zuluensis</i> , form
<i>Microcerotermes</i>	<i>Microcerotermes zuluensis</i> , form, see <i>Microcerotermes zuluensis</i>
<i>Spinitermes</i> , see <i>Spinitermes nigro-</i> <i>stomus</i>	<i>Termes</i> , see <i>Syntermes</i>
<i>Mirotermes</i> , see <i>Spinitermes nigro-</i> <i>stomus</i>	<i>Syntermes</i>
<i>Eutermes</i> (<i>Eutermes</i>), see <i>Nasutitermes</i> <i>culasiensis</i>	<i>Termes</i> (Silvestri 1903), see <i>Syntermes obtusus</i>
<i>Nasutitermes</i> (N.), see <i>Nasutitermes</i> <i>culasiensis</i>	<i>Eutermes</i> (<i>Eutermes</i>), see <i>Nasutitermes guayanae</i>
grallator	<i>Nasutitermes</i> , see <i>Nasutitermes guayanae</i>
<i>Termes</i> (<i>Eutermes</i>), see <i>Grallatotermes</i>	<i>granulicollis</i> Pictet, fossil
<i>Eutermes</i> , see <i>Grallatotermes</i>	<i>Termes</i> , see <i>Termopsis bremii</i> Heer, fossil
<i>Eutermes</i> (<i>Grallatotermes</i>), see <i>Gralla-</i> <i>totermes</i>	<i>grassei</i> Piton
<i>Grallatotermes</i>	<i>Neotermes</i> , fossil
grallatoriformis	<i>grassei</i>
<i>Eutermes</i> , see <i>Grallatotermes</i>	<i>Odontotermes</i> (O.)
<i>Grallatotermes</i>	<i>grassii</i> Silvestri ms.
grandaeva Statz	<i>Calotermes</i> (<i>Cryptotermes</i>), see <i>Cryptotermes brevis</i>
<i>Eutermes</i> , fossil	<i>grassii</i>
grandaevus Brodie	<i>Hospitalitermes</i>
<i>Termes</i> , fossil, not a termite	<i>gratosus</i>
grandiceps	<i>Eutermes</i> (<i>Trinervitermes</i>), see <i>Trinervitermes</i>
<i>Coptotermes</i>	<i>Trinervitermes</i>
<i>Acanthotermes</i> , see <i>Pseudacanthotermes</i>	
<i>Pseudacanthotermes</i>	

- gratus**
Termes, see *Macrotermes*
Macrotermes
- gravelyi**
Capritermes
Odontotermes
- graveolus**
Eutermes, see *Nasutitermes*
Nasutitermes
- greavesi**
Eutermes, see *Subulitermes*
Subulitermes
- greeni**
Calotermes, see *Neotermes*
Calotermes (Neotermes), see *Neotermes*
Neotermes
Eutermes, see *Microcerotermes*
Microcerotermes
Capritermes
Eutermes (Eutermes) (Holmgren 1912),
 see *Nasutitermes lacustris*
- grootfonteinsis**
Eutermes (Trinervitermes), see *Trinervitermes*
Trinervitermes
- grossus**
Trinervitermes
- guatimalae**
Kalotermes (Calcaritermes), see *Calcaritermes*
Calcaritermes
Eutermes, see *Nasutitermes nigriceps*
Nasutitermes (N.), see *Nasutitermes nigriceps*
- guatimalae**
Termes, see *Neotermes castaneus*
- guayanae**
Eutermes (Eutermes), see *Nasutitermes*
Nasutitermes
Nasutitermes (N.), see *Nasutitermes similis*
- guianensis**
Kalotermes (Glyptotermes), see *Glyptotermes*
Glyptotermes
- guineensis**
Mirotermes (Tuberculitermes) bycanistes, var., see *Tuberculitermes bycanistes*, var.
- Tuberculitermes bycanistes**, var.
Termes crucifer, subsp., see *Ancistrotermes guineensis*
Ancistrotermes crucifer, var., see *Ancistrotermes guineensis*
Microtermes, see *Ancistrotermes guineensis*
Ancistrotermes
- gulosus**
Calotermes (Cryptotermes), see *Cryptotermes domesticus*
- gunni**
Hamitermes, see *Amitermes*
Amitermes
- gurdaspurensis**
Odontotermes (C.) obesus, form, see
Odontotermes (O.) obesus, form
Odontotermes (O.) obesus, form
- hageni** Scudder
Parotermes, see *Prokalotermes*
Calotermes, see *Prokalotermes*
Prokalotermes, fossil
- hageni** Goldenberg
Termes (Calotermes), not a termite
Termes, fossil, not a termite, an arachnid
- hageni** Handlirsch
Palaodictyopteron, fossil, not a termite
- hageni**
Kalotermes (Eucryptotermes), see *Eucryptotermes wheeleri*
Hodotermes viator, form, see *Microhodotermes viator*
Reticulitermes
Anoplotermes
Odontotermes (Cyclotermes), see *Odonototermes (O.)*
Odontotermes (O.)
Syntermes dirus, form, see *Syntermes dirus*
- haidingeri** Heer
Termes, see *Mastotermes*
Termes (Termopsis), see *Mastotermes*
Hodotermes, see *Mastotermes*
Termopsis, see *Mastotermes*
Mastotermes, fossil
Flata, syn. *Termes grandaevus* (fossil),
 not a termite
- hainanensis**
Termes, see *Odontotermes (O.)*

Odontotermes (*Cyclotermes*), see **Odon-**
totermes (O.)
Odontotermes (O.)
hainesi
Subulitermes
haitiensis
Calotermes (*Neotermes*), see *Neotermes*
 not identified to species
Eutermes (*Eutermes*), see *Nasutitermes*
costalis
Nasutitermes (*Nasutitermes*), see *Na-*
sutitermes costalis
hamatus
Hamitermes (*Euhamitermes*), see *Eu-*
hamitermes
Euhamitermes
Microcerotermes zuluensis, form, see
Microcerotermes
Microcerotermes
Cubitermes
hamifer
Hamitermes, see *Amitermes amifer*
handlirschi von Rosen
Eutermes (*Trinervitermes*), see *Tri-*
nervitermes, fossil
Trinervitermes, fossil
hantanae
Eutermes (*Subulitermes*), see *Subuli-*
termes
Subulitermes
harrisi
Mirotermes (*Mirotermes*), see *Termes*
Termes
hartmanni Holmgren ms.
Coptotermes, see not classified
hartmeyeri
Monodontermes, see *Amitermes*
Hamitermes (*Monodontermes*), see *Ami-*
termes
Hamitermes, see *Amitermes*
Amitermes
hartungi Heer
Termes, see *Heterotermes*
Leucotermes, see *Heterotermes*
Heterotermes, fossil
hassencampi Heer
 (Termes), fossil (not a termite, phry-
 ganid)
hastatus
Termes, see *Amitermes*

Eutermes, see *Amitermes*
Hamitermes, see *Amitermes*
Hamitermes (*Hamitermes*), see *Ami-*
termes
Amitermes
Hamitermes capicola, var., see *Ami-*
termes capicola, var.
hastilis
Eutermes, see *Tumulitermes*
Termes (*Eutermes*), see *Tumulitermes*
Tumulitermes
havilandii
Calotermes, see *Cryptotermes*
Calotermes (*Cryptotermes*), see *Crypto-*
termes
Cryptotermes
Calotermes, subsp., see *Cryptotermes*
parasitus
Hodotermes, see *Hodotermes mossambi-*
cus
Macrohodotermes, subsp., see *Hodo-*
termes mossambicus
Coptotermes
Eutermes, see *Microcerotermes*
Microcerotermes
Gnathotermes, see *Macrotermes malac-*
censis
Microtermes
Termes, see *Nasutitermes*
Termes (*Eutermes*), see *Nasutitermes*
Eutermes (*Eutermes*), see *Nasutitermes*
Nasutitermes
Eutermes (*Trinervitermes*), see *Tri-*
nervitermes
Trinervitermes
havilandicus
Mirotermes, see *Procubitermes*
Procubitermes
heeri Goppert
Termopsis, see *Mastotermes*, fossil
Mastotermes, fossil
herianus Assmann
Hodotermes, see *Mastotermes heeri*,
fossil
heiri Goldenberg, fossil
Termes (*Eutermopsis*), see fossil not a
 termite
Eutermopsis, see fossil not a termite
Calotermes, see fossil not a termite
Stilbocrocis, see fossil not a termite

heghi	
Cubitermes	<i>heterognathus</i>
heidelbergi	Hamitermes, see <i>Amitermes</i>
Mirotermes, see <i>Cubitermes pretorianus</i> , var.	Hamitermes (<i>Monodontermes</i>), see <i>Ami-</i>
heimi	termes
Arrhinotermes, see <i>Coptotermes</i>	<i>Amitermes</i>
Coptotermes	
Termes (Eutermes), see <i>Microcerotermes</i>	<i>heteronotus</i>
Microcerotermes	Capritermes (<i>Pericapritermes</i>), see
Eutermes (<i>Trinervitermes</i>), see <i>Tri-</i>	<i>Pericapritermes</i>
nervitermes	<i>Pericapritermes</i>
Trinervitermes	
hentschelianus	<i>heteropterus</i>
Eutermes, see <i>Trinervitermes</i>	Eutermes, see <i>Velocitermes</i>
Trinervitermes	Termes (Eutermes), see <i>Velocitermes</i>
herbertensis	Eutermes (<i>Constrictotermes</i>), see <i>Ve-</i>
Hamitermes, see <i>Amitermes</i>	locitermes
Amitermes	Eutermes (<i>Velocitermes</i>), see <i>Veloci-</i>
hermsi	termes
Cryptotermes, see <i>Cryptotermes domes-</i>	Velocitermes
ticus	
heros	<i>heterotypus</i>
Termes, see fossil not a termite	Armitermes
Mesotermes, see fossil not a termite	Termes (Eutermes), see <i>Armitermes</i>
herus	Armitermes (<i>Armitermes</i>), see <i>Armi-</i>
Termes, see <i>Macrotermes</i>	termes
Amplitermes, see <i>Macrotermes</i>	
Bellicositermes, see <i>Macrotermes</i>	<i>heyperi</i> ms.
Macrotermes	Armitermes, see <i>Armitermes holmgreni</i>
hesperus	
Reticulitermes	
heteraspis	<i>hilli</i>
Eutermes, see <i>Termes</i>	Kaloterms
Mirotermes, see <i>Termes</i>	Trinervitermes
Termes	
heterocera	<i>hillii</i>
Hamitermes evuncifer, var., see <i>Ami-</i>	Hamitermes, see <i>Ahamitermes</i>
termes evuncifer, var.	Ahamitermes
Amitermes unidentatus subsp. evuncifer,	
var., see <i>Amitermes evuncifer</i> , var.	<i>hirtellus</i>
Amitermes evuncifer var.	Neoterms
heterochilus	
Mirotermes, see <i>Procubitermes</i>	<i>hirticeps</i>
Procubitermes	Protermes
heterodon	
Eutermes, see <i>Synacanthotermes</i>	<i>hirtiventris</i>
Termes (Eutermes), see <i>Synacantho-</i>	Eutermes (<i>Hirtitermes</i>), see <i>Hirtitermes</i>
termes	Hirtitermes
Synacanthotermes	
	<i>hispaniolae</i>
	Mirotermes (<i>Mirotermes</i>), see <i>Termes</i>
	Termes
	<i>hispidus</i>
	Rhinotermes (<i>Rhinotermes</i>), see <i>Rhino-</i>
	termes
	Rhinotermes
	<i>hoernesi</i> Giebel, fossil
	Meloë, see <i>Termes grandaevus</i> , fossil not
	a termite

hoferi	hosei
Reticulitermes humilis, var., see Hetero- termes aureus	Termes, see Prohamitermes Prohamitermes
Reticulitermes, see Heterotermes aureus	
hollandae	hospes
Microtermes	Eutermes, see Termes Termes (Eutermes), see Termes Mirotermes, see Termes Mirotermes (Mirotermes), see Termes Termes
holmgreni	hospitalis
Kaloterme (Neotermes), see Neotermes Neotermes	Kaloterme (Glyptotermes), see Glypto- termes
Schedorhinotermes	Glyptotermes
Mirotermes (Promirotermes), see Pro- mirotermes	Termes, see Hospitalitermes Termes (Eutermes) monoceros, subsp., see Hospitalitermes
Promirotermes, var., see Promirotermes redundans	Eutermes monoceros, subsp., see Hospi- talitermes
Promirotermes	Eutermes (Hospitalitermes), see Hospi- talitermes
Odontotermes (O.)	Hospitalitermes
Nasutitermes, see Nasutitermes banksi	Eutermes (Hospitalitermes) Oshima, see Hospitalitermes luzonensis
Lacessititermes	hospitaloides
Eutermes, see Trinervitermes trinervius	Eutermes (Hospitalitermes) hospitalis, form, see Hospitalitermes hospi- talis, form
Eutermes (Trinervitermes), var., see Trinervitermes trinervius	Hospitalitermes hospitalis, form
Armitermes	howa
holmgreni Statz	Caloterme (Neotermes), see Neotermes Neotermes
Termes, fossil of doubtful position	howardi
hondurensis	Anoplotermes
Anoplotermes	hozawae
hongkonensis	Caloterme (Glyptotermes), see Glypto- termes fuscus
Coptotermes, see Coptotermes formo- sanus	hubbardi
hongkongensis	Kaloterme (Kaloterme), see Procrypt- otermes
Cryptotermes, see Coptotermes formo- sanus	Procryptotermes
hopkinsi	Nasutitermes
Capritermes (Neocapritermes), see Neo- capritermes talpa	humilis
horni	Reticulitermes, see Reticulitermes tibi- alis
Termes, see Odontotermes (O.)	hungaricus Pongrácz
Odontotermes, see Odontotermes (O.)	Pliotermes, fossil
Odontotermes (O.)	hutsoni
Eutermes inanis, subsp., see Nasuti- termes horni	Odontotermes horni, var., see Odonto- termes (O.) horni, var.
Termes (Eutermes) inanis, subsp., see Nasutitermes	Capritermes
Eutermes (Subulitermes) inanis, subsp. horni Wasmann, see Nasutitermes horni	
Eutermes (Eutermes), see Nasutitermes	
Nasutitermes	

<i>hyaloapex</i>	<i>inanis</i>
<i>Coptotermes</i>	<i>Termes</i> , see <i>Subulitermes</i>
<i>hybostoma</i>	<i>Eutermes</i> (<i>Subulitermes</i>), see <i>Subuli-</i>
<i>Psammotermes</i>	<i>termes</i>
<i>Psammotermes</i> , see <i>Psammotermes as-</i>	<i>Eutermes</i> (<i>Subulitermes</i>), see <i>Subuli-</i>
<i>suanensis</i>	<i>termes inanis</i>
<i>hypaenicus</i>	<i>Subulitermes</i>
<i>Microcerotermes</i>	<i>incertoides</i>
<i>hypogaeus</i>	<i>Microtermes</i>
<i>Allognathotermes</i>	<i>incertus</i>
<i>ibidanicus</i>	<i>Termes</i> , see <i>Microtermes</i>
<i>Trinervitermes</i>	<i>Termes</i> (<i>Eutermes</i>), see <i>Microtermes</i>
<i>iheringi</i>	<i>Microtermes</i>
<i>Anoplotermes</i> (<i>Anoplotermes</i>), see <i>An-</i>	<i>Termes</i> , see <i>Microtermes havilandii</i>
<i>oplotermes jheringi</i>	<i>Microtermes</i> (<i>Wasmann</i>), see <i>Micro-</i>
<i>Eutermes rippertii</i> , var., see not classi-	<i>termes incertoides</i>
fied	<i>Termes</i> (nec. <i>Hagen</i> , <i>Trägårdh</i>), see
<i>ilalazonatus</i>	<i>Microtermes trägårdhi</i>
<i>Microcerotermes</i>	
<i>immigrans</i>	<i>incisus</i>
<i>Kalotermes</i>	<i>Kalotermes</i>
<i>imminens</i>	<i>Mirotermes</i> (<i>Cubitermes</i>), see <i>Cubi-</i>
<i>Kalotermes</i> (<i>Calcaritermes</i>), see <i>Cal-</i>	<i>termes</i>
<i>caritermes</i>	<i>Cubitermes</i>
<i>Calcaritermes</i>	<i>Odontotermes</i> (<i>Cyclotermes</i>), see <i>Odon-</i>
<i>imperator</i>	<i>toptermes</i> (O.)
<i>Termes</i> , see <i>Macrotermes</i>	<i>Odontotermes</i> (O.)
<i>Termes</i> (<i>Macrotermes</i>), see <i>Macro-</i>	<i>Constrictotermes</i> (<i>Tenuirostritermes</i>),
<i>termes</i>	see <i>Tenuirostritermes</i>
<i>Macrotermes</i>	<i>Tenuirostritermes</i>
<i>impetus</i>	<i>inclusus</i>
<i>Eutermes</i> , see <i>Nasutitermes</i>	<i>Mirotermes</i> (<i>Cubitermes</i>) <i>bilobatus</i> ,
<i>Nasutitermes</i>	subsp., see <i>Cubitermes</i>
<i>implacidus</i>	<i>Cubitermes</i>
<i>Microcerotermes</i>	<i>incola</i>
<i>improbus</i>	<i>Eutermes</i> , see <i>Capritermes</i>
<i>Calotermes</i> , see <i>Kalotermes</i>	<i>Termes</i> (<i>Eutermes</i>), see <i>Capritermes</i>
<i>Kalotermes</i>	<i>Capritermes</i>
<i>inaequalis</i>	<i>Eutermes</i> (<i>Subulitermes</i>), see <i>Subuli-</i>
<i>Termes</i> , see <i>Parrhinotermes</i>	<i>termes thompsonae</i>
<i>Parrhinotermes</i>	<i>incurvus</i>
<i>inamurae</i>	<i>Eutermes</i> (<i>Eutermes</i>), see <i>Nasutitermes</i>
<i>Calotermes</i> , see <i>Kalotermes</i>	<i>Nasutitermes</i>
<i>Kalotermes</i>	<i>indecisus</i>
<i>inaniformis</i>	<i>Termes</i> , see <i>Cryptotermes brevis</i>
<i>Eutermes</i> (<i>Subulitermes</i>), see <i>Capri-</i>	<i>indicatus</i>
<i>termes nemorosus</i>	<i>Eremotermes</i>
<i>Eutermes</i> (<i>Subulitermes</i>), see <i>Subuli-</i>	<i>indicola</i>
<i>termes</i>	<i>Leucotermes</i> , see <i>Heterotermes</i>
<i>Subulitermes</i>	<i>Termes</i> (<i>Leucotermes</i>), see <i>Heterotermes</i>
	<i>Heterotermes</i>

Eutermes, see Nasutitermes	
Nasutitermes	
indicus	
Calotermes (Calotermes), see Kalotermes	insidians
Kalotermes	Syntermes
Hamitermes (Euhamitermes), see Eu-	insignis Heer
hamitermes	Termopsis, see Miotermes
Euhamitermes	Termes, see Miotermes
Nasutitermes (Trinervitermes), see	Hodotermes, see Miotermes
Trinervitermes	Miotermes, fossil
Trinervitermes	insignis Scudder
indistinctus	Parotermes
Anoplotermes (A.), see Anoplotermes	Termopsis, see Parotermes, fossil
Anoplotermes	insignitus
indoensis	Mirotermes, see Termes
Noditermes	Termes
Eutermes, see Nasutitermes	insitivus
Nasutitermes	Mirotermes, see Termes
indrapurensis	Termes
Odontotermes (O.)	insperatus
infera	Microtermes
Mirotermes (Promirotermes) holmgreni,	insulanus
var., see Promirotermes holmgreni,	Kalotermes (Glyptotermes) parvulus,
var.	subsp., see Glyptotermes
Promirotermes holmgreni, var.	Glyptotermes
infrequens	insularis
Mirotermes, see Termes	Termes, see Neotermes
Termes	Calotermes, see Neotermes
infumatus	Calotermes (Neotermes), see Neotermes
Cryptotermes, see Paraneotermes sim-	Neotermes
plicicornis	Leucotermes, see Heterotermes
Kalotermes (Cryptotermes), see Para-	Termes (Leucotermes), see Heterotermes
neotermes simplicicornis	Heterotermes
Amitermes (Gnathamitermes), see	Schedorhinotermes putorius, subsp.
Gnathamitermes perplexus	Eutermes (Eut.), see Nasutitermes ben-
infundibuli	jamini
Termes, see Allodontermes	Eutermes (Eutermes), see Nasutitermes
Allodontermes	corniger
infuscatus	?intacta
Eutermes, see Nasutitermes	Coptotermes
Nasutitermes	intactus Sjöstedt ms.
inopinatus	Eutermes, see Microcerotermes edentatus
Arrhinotermes, see Prorhinotermes	intercalatus
Prorhinotermes	Mirotermes, see Cubitermes
inquilinus	Cubitermes
Mirotermes, see Termes	intermedia or intermedius
Termes	Heterotermes, see Heterotermes aureus
Eutermes (Fr. Müller), see not classi-	Heterotermes paradoxus, subsp.
fied	Heterotermes

Amplitermes natalensis, form, see <i>Macrotermes natalensis</i> , form	jaraguae Eutermes, see <i>Nasutitermes</i>
Macrotermes natalensis, form	Nasutitermes
Microtermes havilandi, form	jarmuranus Mirotermes, see <i>Termes</i>
Nasutitermes	Termes
Armitermes	javanellus Subulitermes
interveniens	javanicus Cryptotermes (<i>Planocryptotermes</i>), see <i>Cryptotermes dudleyi</i>
Odontotermes, see <i>Odontotermes (O.)</i>	Cryptotermes, see <i>Cryptotermes dudleyi</i>
Termes, see <i>Odontotermes (O.)</i>	Coptotermes, see <i>Coptotermes havilandi</i>
Odontotermes (O.)	Schedorhinotermes
intrudens	Capritermes (<i>Capritermes</i>), see <i>Capritermes semarangi</i>
Coptotermes, see <i>Coptotermes formosanus</i>	Odontotermes (O.)
iratus	Eutermes, see <i>Nasutitermes</i>
Termes, see <i>Odontotermes (O.)</i>	Nasutitermes
Odontotermes (O.)	jeannelanus Calotermes, see <i>Procryptotermes</i>
iridipennis	Procryptotermes
Calotermes (<i>Glyptotermes</i>), see <i>Glyptotermes</i>	jeanneli Bellicositermes, see <i>Macrotermes</i>
Glyptotermes	Macrotermes
irregularis	jepsoni Kalotermes
Calotermes, see <i>Neotermes insularis</i>	Calotermes (<i>Glyptotermes</i>), see <i>Glyptotermes</i> not identified to species
isthmi	Nasutitermes (<i>Hospitalitermes</i>), see <i>Hospitalitermes</i>
Kalotermes (<i>Rugitermes</i>), see <i>Rugitermes panamae</i>	Hospitalitermes
itapociensis	jheringi Anoplotermes
Eutermes, see <i>Nasutitermes</i>	Anoplotermes (<i>Anoplotermes</i>), see <i>Anoplotermes</i>
Nasutitermes	johoricus Eutermes (<i>Nasutitermes</i>), see <i>Nasutitermes</i>
iturinensis	Nasutitermes
Macrotermes	jouteli Kalotermes
jacobsoni	Kalotermes (<i>Kalotermes</i>), see <i>Kalotermes</i>
Calotermes (<i>Cryptotermes</i>), see <i>Cryptotermes dudleyi</i>	jucundus Eutermes, see <i>Fastigitermes</i>
Microtermes pallidus, form, see <i>Microtermes jacobsoni</i>	Mirotermes (<i>Cubitermes</i>), see <i>Fastigitermes</i>
Microtermes	Fastigitermes
Nasutitermes	
Lacessititermes	
jaluiti	
Arrhinotermes, see <i>Prorhinotermes inopinatus</i>	
jangtsekiangensis	
Capritermes	
japonicus	
Hodotermopsis	
Hodotermes (Hagen 1868, 1869), an earwig, see not a termite	
Arrhinotermes, see <i>Prorhinotermes</i>	
Paratermes, see <i>Prorhinotermes</i>	
Prorhinotermes	

<i>juddi</i>	<i>Kalotermes</i> (<i>Glyptotermes</i>), see <i>Glyptotermes xantholabrum</i>	<i>kauderni</i>
<i>junceus</i>	<i>Convexitermes nigricornis</i> , subsp.	<i>Microtermes</i>
<i>kaewiengensis</i>	<i>Nasutitermes</i>	<i>Termes</i> (<i>Microtermes</i>), see <i>Microtermes</i>
<i>kalaharicus</i>	<i>Eutermes</i> , see <i>Nasutitermes</i>	<i>kaudernianus</i>
		<i>Eutermes</i> , see <i>Nasutitermes</i>
		<i>Nasutitermes</i>
<i>Trinervitermes gemellus</i> , form		<i>kellyi</i>
<i>kalgoorliensis</i>	<i>Eutermes</i> (<i>Trinervitermes</i>) <i>gemellus</i> , form, see <i>Trinervitermes gemellus</i> , form	<i>Hamitermes</i> , see <i>Amitermes</i>
	<i>Trinervitermes gemellus</i> , form	<i>Amitermes</i>
<i>kalshoveni</i>		<i>kemneri</i>
<i>Coptotermes</i>		<i>Mirotermes</i> , see <i>Cubitermes</i>
<i>Macrotermes gilvus</i> , form		<i>Cubitermes</i>
<i>kanehirae</i>		<i>Nasutitermes</i>
<i>Calotermes</i> (<i>Neotermes</i>), see <i>Neotermes</i>		<i>kenhardtii</i>
<i>Neotermes</i>		<i>Hamitermes</i> , see <i>Amitermes</i>
<i>Eutermes</i> (<i>Subulitermes</i>), see <i>Nasutitermes</i>		<i>Amitermes</i>
<i>Nasutitermes</i>		<i>kershawi</i>
<i>karawajevi</i>		<i>Eutermes</i> , see <i>Tumulitermes</i>
<i>Odontotermes</i> (O.)		<i>Tumulitermes</i>
<i>karnyi</i>		<i>ketelensis</i>
<i>Odontotermes</i> (O.)		<i>Neotermes</i>
<i>karrooensis</i>		<i>kibarensis</i>
<i>Hodotermes</i> , see <i>Hodotermes mossambicus</i>		<i>Termes</i> (<i>Odontotermes</i>), see <i>Odontotermes</i> (O.)
<i>Macrohodotermes</i> , see <i>Hodotermes mossambicus</i>		<i>Termes</i> , see <i>Odontotermes</i> (O.)
<i>kartaboensis</i>		<i>Odontotermes</i> (O.)
<i>Kalotermes</i> (<i>Neotermes</i>), see <i>Neotermes</i>		<i>kibonotensis</i>
<i>Neotermes</i>		<i>Tumulitermes</i> , see <i>Macrotermes</i>
<i>Nasutitermes</i> (<i>Convexitermes</i>), see <i>Convexitermes</i>		<i>Hepilitermes</i> , see <i>Macrotermes</i>
<i>Convexitermes</i>		<i>Macrotermes</i>
<i>kasaiensis</i>		<i>kilimandjaricus</i>
<i>Eutermes</i> , see <i>Microtermes</i>		<i>Eutermes</i> , see <i>Anoplotermes</i>
<i>Microtermes</i>		<i>Mirotermes</i> (<i>Cubitermes</i>), see <i>Anoplotermes</i>
<i>Microceroterpes</i> , see <i>Microtermes</i>		<i>Anoplotermes</i>
<i>katangensis</i>		<i>kimberleyensis</i>
<i>Megagnathotermes</i>		<i>Hamitermes</i> , see <i>Amitermes germanus</i>
<i>Eutermes</i> , see <i>Trinervitermes</i>		<i>Eutermes</i> , see <i>Nasutitermes</i>
<i>Trinervitermes</i>		<i>Nasutitermes</i>
		<i>kinoshitae</i>
		<i>Eutermes</i> (<i>Eutermes</i>), see <i>Nasutitermes</i>
		<i>Nasutitermes</i>
		<i>kirbyi</i>
		<i>Kalotermes</i> (<i>Rugitermes</i>), see <i>Rugitermes</i>
		<i>Rugitermes</i>
		<i>Nasutitermes</i> (<i>Subulitermes</i>), see <i>Subulitermes</i>
		<i>Subulitermes</i>

kisantuensis	Mirotermes (Mirotermes), see <i>Protocapritermes</i>
Apicotermes	<i>Protocapritermes</i>
klinckowstroemi	
Eutermes, see <i>Nasutitermes ephratae</i>	
knerii	
Philonthus, see <i>Termes grandaevus</i> , fossil not a termite	
koenigi	
Hodotermes (<i>Anacanthotermes</i>), see <i>Anacanthotermes viarum</i>	
Termes, see <i>Odontotermes</i> (O.)	
Odontotermes (<i>Cyclotermes</i>), see <i>Odontotermes</i> (O.)	
Odontotermes (O.)	
Termes, see <i>Odontotermes</i> (O.) <i>hageni</i>	
kohli	
Acanthotermes <i>spiniger</i> , subsp., see <i>Pseudacanthotermes spiniger</i>	
Nasutitermes (<i>Nasutitermes</i>), see <i>Nasutitermes</i>	
Nasutitermes	
konduensis	
Eutermes (Eutermes), see <i>Nasutitermes</i>	
Nasutitermes	
koshunensis	
Calotermes (<i>Neotermes</i>), see <i>Neotermes</i>	
Neotermes	
Calotermes (Oshima), see <i>Glyptotermes satsumaensis</i> Holmg.	
kotoensis	
Calotermes (<i>Cryptotermes</i>), see <i>Cryptotermes domesticus</i>	
kotuiae	
Eutermes, see <i>Subulitermes</i>	
Subulitermes	
kraepelini	
Mirotermes (Mirotermes), see <i>Termes</i>	
Termes	
Eutermes, see <i>Bulbitermes</i>	
Bulbitermes	
krakataui	
Arrhinotermes, see <i>Prorhinotermes</i>	
Prorhinotermes	
krisiformis	
Termes, see <i>Protocapritermes</i>	
Termes (Eutermes), see <i>Protocapritermes</i>	
Mirotermes (<i>Protocapritermes</i>), see <i>Protocapritermes</i>	
Mirotermes, see <i>Protocapritermes</i>	
	Mirotermes (Mirotermes), see <i>Protocapritermes</i>
	<i>Protocapritermes</i>
	kulloensis
	Eutermes, see <i>Trinervitermes</i>
	<i>Trinervitermes</i>
	kununensis
	Macrotermes <i>bellicosus</i> , form
	Amplitermes <i>bellicosus</i> , form, see <i>Macrotermes bellicosus</i> , form
	<i>Bellicositermes bellicosus</i> , form, see <i>Macrotermes bellicosus</i> , form
	kurumanensis
	<i>Trinervitermes</i>
	kwazulu
	<i>Microceroterpes</i>
	labiosus
	<i>Coptotermes</i> , see <i>Coptotermes frenchi</i>
	laborator
	Eutermes (<i>Lacessititermes</i>), see <i>Laces-</i>
	<i>sititermes</i>
	Termes, see <i>Lacessititermes</i>
	<i>Lacessititermes</i>
	labralis
	<i>Cornitermes</i> , see <i>Labiotermes</i>
	<i>Cornitermes</i> (<i>Labiotermes</i>), see <i>Labio-</i>
	<i>termes</i>
	<i>Labiotermes</i>
	lacertosus
	<i>Amitermes</i>
	lacessitiformis
	Eutermes (<i>Lacessititermes</i>), see <i>Laces-</i>
	<i>sititermes</i>
	<i>Lacessititermes</i>
	lacessitus
	Termes, see <i>Lacessititermes</i>
	Eutermes (<i>Lacessititermes</i>), see <i>Laces-</i>
	<i>sititermes</i>
	<i>Lacessititermes</i>
	lacteus
	Termes, see <i>Coptotermes</i>
	<i>Coptotermes</i>
	Termes, see <i>Coptotermes acinaciformis</i>
	<i>Coptotermes</i> , see <i>Coptotermes acinaci-</i>
	<i>formis</i>
	lactis, see <i>lacteus</i>
	lacus sancti
	Termes, see <i>Neocapritermes opacus</i>

- lacustris**
 Eutermes, see Nasutitermes
 Nasutitermes
- laetus**
 Capritermes
- lagunensis**
 Calotermes (Neotermes), see Neotermes
 Neotermes
- lamani**
 Termes (Odontotermes), see Apicotermes
 Apicotermes
- lamanianus**
 Calotermes (Cryptotermes), see Cryptotermes havilandi
 Cryptotermes, see Cryptotermes havilandii
 Rhinotermitidae, see Schedorhinotermes
 Schedorhinotermes
 Rhinotermitidae (Schedorhinotermes), see Schedorhinotermes
 Noditermes
 Eutermes (Cubitermes), see Noditermes
 Mirotermes (Cubitermes), see Noditermes
 Noditermes
- lamanianus** Sjöstedt
 Rhinotermitidae sp., see Schedorhinotermes, fossil
- langi**
 Mirotermes (Mirotermes), see Termes
 Termes
- larseni**
 Kalotermes (Neotermes), see Neotermes
 Neotermes
- las-pinasensis**
 Eutermes, see Nasutitermes luzonicus
 Nasutitermes (Nasutitermes), see Nasutitermes luzonicus
- lateralis**
 Termes, see Coptotermes sjöstedti
 Eutermes, see Coptotermes sjöstedti
 Termes, see Anoplotermes
 Eutermes, see Anoplotermes
 Anoplotermes
- latericius**
 Termes, see Odontotermes (O.)
 Termes (Odontotermes), see Odontotermes (O.)
- Odontotermes (Cyclotermes), see Odontotermes (O.)
 Odontotermes, see Odontotermes (O.)
 Odontotermes (O.)
latericius Fuller in part
 Termes, see Odontotermes (O.) badius
- latialatus**
 Termes, see Odontotermes (O.)
 Odontotermes, see Odontotermes (O.)
 Odontotermes (O.)
- LATICEPHALUS**
 Cornitermes, see Paracornitermes
 Termes (Termes), see Paracornitermes
 Cornitermes (Labiotermes), see Paracornitermes
 Paracornitermes
- laticephalus**
 Nasutitermes (Tenuirostritermes), see Parvitermes
 Parvitermes
- laticeps**
 Termopsis, see Zootermopsis
 Zootermopsis
 Microcerotermes zuluensis, form, see Microcerotermes laticeps
 Microcerotermes
 Acanthotermes, see Pseudacanthotermes militaris, var.
 Protermes
 Termes, see Nasutitermes
 Eutermes, see Nasutitermes
 Nasutitermes (Tenuirostritermes), see Parvitermes laticephalus
 Nasutitermes
- laticollis**
 Calotermes (Calotermes), see Neotermes
 Calotermes (Neotermes), see Neotermes
 Neotermes
- laticornis**
 Eutermes, see Termes
 Termes (Eutermes), see Termes
 Mirotermes (Mirotermes), see Termes
 Termes
- latidens**
 Hamitermes, see Amitermes
 Amitermes
- latifrons**
 Kalotermes (Neotermes), see Glyptotermes
 Glyptotermes

Eutermes, see Nasutitermes	Microcerotermes, see Microcerotermes
Termes (Desneux), see Nasutitermes	cavus
Nasutitermes	lebomboensis
Termes (Haviland), see Nasutitermes	Ancistrotermes
havilandi	leopoldi
latignathus	Schedorhinotermes longirostris, var., see
Capritermes (Capritermes), see Capri-	Schedorhinotermes
termes	Schedorhinotermes
Capritermes	lepidus
latigula	Microtermes
Termes (Cyclotermes), see Odontotermes	lespesi or lespesii
(O.)	Termes, see Procornitermes
Odontotermes (O.)	Cornitermes (Cornitermes), see Procorni-
latilabrum	termes
Rhinoterms, see Dolichorhinotermes	Procornitermes
Dolichorhinotermes	leucops
latinatus	Eutermes (Subulitermes), see Subuli-
Eutermes (Eutermes), see Bulbitermes	termes
constrictiformis	Subulitermes
latinotum	liberatus
Macrotermes gilvus, form latinotus	Kalotermes (Kalotermes), see Glypto-
latinotus	termes
Macrotermes gilvus, form	Glyptotermes
Microtermes, see Ancistrotermes	libericus
Ancistrotermes	Microcerotermes fuscotibialis, subsp.
Eutermes (Constrictotermes), see Con-	libertatis
strictotermes	Hamitermes, see Amitermes
Constrictotermes	Amitermes
latinotus von Rosen	lighti
Microcerotermes, fossil	Kalotermes (Kalotermes), see Kaloter-
latissimus	mes banksi
Termes, see Odontotermes (O.)	Amitermes (Euhamitermes), see Eu-
Odontotermes (O.)	hamitermes
lativentris	Euhamitermes
Hamitermes, see Amitermes	Termes
Amitermes	Syntermes
latus	Nasutitermes
Microcerotermes celebensis, var.	lignarius Kemner ms.
Nasutitermes (N.), see Nasutitermes	Cryptotermes, see Cryptotermes not
Nasutitermes	identified to species
laurensis	lilljeborgi
Hamitermes, see Amitermes	Termes, see Macrotermes
Amitermes	Termes (Macrotermes), see Macrotermes
lautus	Macrotermes
Termes, see Odontotermes (O.)	limpopoensis
Odontotermes (O.)	Hamitermes, see Amitermes
laxa Goldenberg	Amitermes
Termes, fossil not a termite	Microcerotermes
leai	Macrotermes bellicosus, form
Microcerotermes	

<i>Amplitermes bellicosus</i> , form, see <i>Macrotermes bellicosus</i> , form	<i>Microtermes</i> , see <i>Microtermes albopartitus</i>
<i>Bellicositermes bellicosus</i> , form, see <i>Macrotermes bellicosus</i> , form	
<i>linearis</i>	<i>longicollis</i>
<i>Anoplotermes</i>	<i>Cryptotermes</i>
<i>lithophilus</i>	<i>Kalotermites</i> (<i>Lobitermes</i>), see <i>Cryptotermes</i>
Termes, fossil not a termite	
<i>littoralis</i>	<i>longicornis</i>
Termes <i>badius</i> , form, see <i>Odontotermes</i>	<i>Termes</i> (<i>Eutermes</i>) (imago), see <i>Capritermes</i>
(O.) <i>badius</i> , form	<i>incola</i>
<i>Odontotermes</i> (O.) <i>badius</i> , form	<i>Capritermes</i> (imago), see <i>Capritermes</i>
<i>lividiceps</i>	<i>incola</i>
<i>Eutermes</i> (<i>Hospitalitermes</i>), see <i>Hospitalitermes</i>	<i>Termes</i> (<i>Eutermes</i>), see <i>Capritermes</i>
<i>Hospitalitermes</i>	<i>nitobei</i>
<i>lividus</i>	<i>Eutermes</i> , see <i>Capritermes</i> <i>nitobei</i>
<i>Eutermes cayennae</i> , form, see <i>Nasutitermes costalis</i>	<i>Eutermes</i> (<i>Eutermes</i>), see <i>Nasutitermes</i>
<i>Nasutitermes</i> (<i>Nasutitermes</i>) <i>cayennae</i> , form, see <i>Nasutitermes costalis</i>	<i>oculatus</i>
Termes Burmeister, see <i>Nasutitermes</i>	<i>Eutermes</i> , see <i>Nasutitermes</i> <i>oculatus</i>
Termes (<i>Eutermes</i>), see <i>Nasutitermes</i>	
<i>Nasutitermes</i>	<i>longidens</i>
<i>linquipatensis</i>	<i>Rhinotermes</i> , see <i>Dolichorhinotermes</i>
<i>Eutermes</i> , see <i>Nasutitermes</i>	<i>Dolichorhinotermes</i>
<i>Nasutitermes</i>	<i>longignathus</i>
<i>lobicephalus</i>	<i>Odontotermes</i> (<i>Odontotermes</i>)
<i>Kalotermites</i> (<i>Lobitermes</i>), see <i>Glyptotermes canellae</i>	LONGILABIUS
<i>lobintactus</i>	<i>Rhinotermes</i> (<i>Rhinotermes</i>), see <i>Dolichorhinotermes</i>
Termes, see <i>Odontotermes</i> (O.)	<i>Dolichorhinotermes</i>
<i>Odontotermes</i> (O.)	<i>longilabius</i>
<i>londonensis</i>	<i>Cornitermes</i> , see <i>Labiotermes</i>
<i>Hamitermes</i> , see <i>Amitermes</i>	Termes (<i>Termes</i>), see <i>Labiotermes</i>
<i>Amitermes</i>	<i>Cornitermes</i> (<i>Labiotermes</i>), see <i>Labiotermes</i>
<i>longiarticulatus</i>	<i>Labiotermes</i>
<i>Eutermes</i> (<i>Eutermes</i>), see <i>Nasutitermes</i>	<i>longimalatus</i>
<i>Nasutitermes</i>	<i>Microcerotermes</i>
<i>longicephalus</i>	<i>longinasus</i>
<i>Glyptotermes</i> , see <i>Glyptotermes satsumensis</i> Matsumura	<i>Eutermes</i> (<i>Eutermes</i>), see <i>Nasutitermes</i>
<i>longiceps</i>	<i>Nasutitermes</i>
<i>Calotermes</i> , see <i>Neotermes insularis</i>	<i>longinotus</i>
<i>Leucotermes</i> , see <i>Heterotermes</i>	<i>Capritermes</i> (<i>Neocapritermes</i>), see <i>Neocapritermes</i>
<i>Heterotermes</i>	<i>Neocapritermes</i>
<i>Eutermes</i> , see <i>Apilitermes</i>	<i>Nasutitermes</i> (<i>Trinervitermes</i>), see <i>Trinervitermes</i>
Termes (<i>Eutermes</i>), see <i>Apilitermes</i>	<i>Trinervitermes</i>
<i>Apilitermes</i>	<i>longipennis</i>
	<i>Neotermes</i>
	<i>Eutermes</i> , see <i>Nasutitermes</i>
	<i>Nasutitermes</i>
	<i>longipes</i>
	Termes, see <i>Longipeditermes</i>

- Eutermes, see *Longipeditermes*
Eutermes (Longipeditermes), see *Longipeditermes*
Longipeditermes
longirostratus
Eutermes, see *Nasutitermes*
Eutermes (Subulitermes), see *Nasutitermes*
Nasutitermes
longirostris
Termes, see *Schedorhinotermes*
Rhinotermitess (Schedorhinotermes), see *Schedorhinotermes*
Rhinotermitess (Schedorhinotermes), see *Schedorhinotermes javanicus*
Rhinotermitess (Schedorhinotermes), see *Schedorhinotermes makassarensis*
Rhinotermitess (Schedorhinotermes), see *Schedorhinotermes medioobscurus*
Schedorhinotermes
Capritermes, see *Capritermes incola*
Eutermes, see *Nasutitermes*
Nasutitermes
longitudinalis Scudder ms.
Termes, fossil not a termite
longus
Calotermes (Glyptotermes), see *Kalotermes*
Glyptotermes, see *Kalotermes*
Kalotermes
lönnergianus
Eutermes, see *Amitermes*
Amitermes
los-banosensis
Eutermes, see *Microcerotermes*
Microcerotermes
loubetsiensis
Cubitermes
Eutermes, see *Trinervitermes*
Trinervitermes
lounsburyi
Mirotermes (Procubitermes), see *Procubitermes*
Procubitermes
Microtermes
lucifugum
Termes, see *Reticulitermes lucifugus*
lucifugus
Termes, see *Kalotermes flavigollis*
Termes, see *Cryptotermes brevis*
- Termes**, see *Reticulitermes*
Leucotermes, see *Reticulitermes*
Leucotermes, see *Reticulitermes arenincola*
Leucotermes, see *Reticulitermes tibialis*
Reticulitermes
lugauensis Sterzel
Mixotermes, fossil not a termite
lujae
Acanthotermes spiniger, subsp., see *Pseudacanthotermes spiniger*
Eutermes, see *Nasutitermes maculiventris*
lujana
Termes (Termes) monodon, var., see *Odontotermes (O.) monodon*, var.
Odontotermes (O.) monodon, var.
luteus
Glyptotermes
lutzi
Nasutitermes (Trinervitermes), see *Trinervitermes*
Trinervitermes
luzonensis
Prorhinotermes, see *Prorhinotermes tibioaoensis*
Termes, see *Macrotermes gilvus*, form *philippinensis*
Termes (Macrotermes), see *Macrotermes gilvus*, form *philippinensis*
Eutermes (Hospitalitermes), see *Hospitalitermes*
Hospitalitermes
luzonicus
Eutermes (Grallatotermes), see *Nasutitermes*
Nasutitermes (Nasutitermes), see *Nasutitermes*
Nasutitermes
macaoensis
Microcerotermes
macrocephalus
Hodotermes, see *Anacanthotermes*
Hodotermes (Anacanthotermes), see *Anacanthotermes*
Anacanthotermes
Amitermes
Mirotermes, see *Orthognathotermes*
Orthognathotermes

Eutermes rippertii, subsp., see Nasutitermes	madurensis
Termes (Eutermes) rippertii, subsp., see Nasutitermes	Macrotermes gilvus, form
Eutermes (Eutermes), see Nasutitermes	magdalenae
Nasutitermes	Leucotermes (Reticulitermes), see Reticulitermes
Nasutitermes (N.) (Snyder), see Nasutitermes n. sp.	Reticulitermes
macrogynathus	magnificus
Cylindrotermes	Schedorhinotermes, see Schedorhinotermes sarawakensis
macronotus	Eutermes, see Drepanotermes rubriceps
Microtermes	Capritermes, see Pericapritermes
macrophthalmus	Pericapritermes
Eutermes, see Nasutitermes elegantulus	magninotus
macrothorax	Kalotermes (Rugitermes), see Rugitermes
Hodotermes (Hodotermes), see Hodotermites mossambicus	Rugitermes
Eutermes, see Thoracotermes	magnocellus
Termes (Eutermes), see Thoracotermes	Termes (Microtermes), see Microtermes
Eutermes (Thoracotermes), see Thoracotermes	Microtermes
Thoracotermes	magnoculus
mactris, see mactus	Neotermes
mactus	Amitermes (Gnathamitermes), see Gnathamitermes perplexus
Eutermes, see Basidentitermes	Syntermes
Mirotermes (Basidentitermes), see Basidentitermes	magnus
Basidentitermes	Eutermes, see Nasutitermes
maculatus	Termes (Eutermes), see Nasutitermes
Calotermes Heer, fossil not a termite	Nasutitermes
Heterotermes	maheensis
maculiventris	Eutermes nigrita, subsp., see Nasutitermes
Eutermes, see Nasutitermes	Eutermes, see Nasutitermes
Termes (Eutermes), see Nasutitermes	Nasutitermes
Eutermes (Eutermes), see Nasutitermes	maideni
Nasutitermes	Mirotermes (Mirotermes), see Termes
madagascariensis	Termes
Calotermes, see Kalotermes durbanensis	major
Kalotermes (Proneotermes), see Kalotermes	Kalotermes (Neotermes) connexus, var., see Neotermes
Kalotermes	Armitermes (Rhynchotermes), see Rhynchotermes perarmatus
Microtermes	Eutermes, see Nasutitermes
madeirensis	Eutermes (Eutermes), see Nasutitermes
Termes, see Reticulitermes lucifugus	Nasutitermes (Nasutitermes), see Nasutitermes
madrasii	Nasutitermes
Nasutitermes (Hospitalitermes), see Hospitalitermes	makassarensis
Hospitalitermes	Schedorhinotermes
Hospitalitermes	Odontotermes (O.)
madurae	
Microcerotermes	

Eutermes, see Nasutitermes
 Nasutitermes
malabaricus
 Heterotermes
 Odontotermes (*Odontotermes*)
 Termes (Termes), see Odontotermes
 (O.)
malaccensis
 Schedorhinotermes
 Termes, see Macrotermes
 Termes (Macrotermes), see Macrotermes
 Macrotermes
 Odontotermes (*Odontotermes*)
malandensis
 Calotermes (Neotermes), see Neotermes
 insularis
malatensis
 Calotermes (Neotermes), see Neotermes
 Neotermes
malayanus
 Termes, see Macrotermes *gilvus*, subsp.
maledictus
 Termes (*Cyclotermes*), see Odontotermes
 (O.)
 Odontotermes (O.)
malelaensis
 Mirotermes, see Basidentitermes
 Basidentitermes
 Termes (Termes), see Odontotermes
 (O.)
 Odontotermes (O.)
mallászi Pongrácz
 Termopsis, fossil
mallyi
 Tenuirostritermes, see Coarctotermes
 Eutermes (Eutermes), see Coarctotermes
 Coarctotermes
malmesburyi
 Microcerotermes
mandibularis
 Eutermes, see Ophiotermes
 Mirotermes (*Cubitermes*), see Ophioterme
 Ophiotermes
manilanus
 Termes (Macrotermes), see Macrotermes
gilvus, form *philippinensis*
manilensis
 Eutermes (Eutermes), see Nasutitermes
luzonicus

Nasutitermes, see Nasutitermes *luzoni-*
 cus
maniseri
 Nasutitermes
manni
 Neotermes
 Prorhinotermes, see Prorhinotermes *in-*
opinatus
 Rhinotermes
 Anoplotermes
 Nasutitermes (*Convexitermes*), see Con-
vexitermes
 Convexitermes
 Armitermes
mansuetus
 Eutermes, see Orthotermes
 Mirotermes (*Basidentitermes*), see Or-
thotermes
 Orthotermes
marabitanus
 Termes, see Coptotermes *testaceus*
 Coptotermes, see Coptotermes *testaceus*
marcidus
 Eutermes, see Tumulitermes
 Tumulitermes
mareebensis
 Eutermes, see Tumulitermes
 Tumulitermes
marginalis
 Hemerobius (Rossi), see Kalotermes
flavicollis
 Calotermes, see Kalotermes *flavicollis*
 Hemerobius (Linné), see Rhinotermes
 Termes, see Rhinotermes
 Rhinotermes (*Rhinotermes*), see Rhino-
 termes
 Rhinotermes
marginipenné
 Termes, see Kalotermes *marginipennis*
marginipennis
 Calotermes, see Kalotermes
 Kalotermes (*Kalotermes*), see Kaloter-
 mes
 Calotermes, see Kalotermes *immigrans*
 Calotermes, see Kalotermes *minor*
 Kalotermes, see Kalotermes *snyderi*
 Calotermes, see Kalotermes *tabogae*
 Kalotermes
 Kalotermes, see Neotermes *rainbowi*

marianus	Eutermes (Eutermes), see Nasutitermes
Calotermes, see Kalotermes	
Kalotermes	
mariveles	
Nasutitermes (Subulitermes), see Nasutitermes	
Nasutitermes	
marjoriae	
Kalotermes (Kalotermes), see Kalotermes	
Kalotermes	
Rhinotermes (Schedorhinotermes), see Schedorhinotermes	
Schedorhinotermes	
Mirotermes (Mirotermes), see Termes	
Termes	
marlatti	
Kalotermes (Glyptotermes), see Glyptotermes	
Glyptotermes	
maroccanus	
Hodoterms, see Microhodoterms	
Microhodoterms	
maroccoensis	
Calotermes (Neotermes), see Kalotermes	
Kalotermes	
marshalli	
Odontotermes (Hypotermes), see Odontotermes	
(Hypotermes) obscuriceps	
martinicensis	
Eutermes (Eutermes), see Nasutitermes	
costalis	
Nasutitermes (Nasutitermes), see Nasutitermes costalis	
martynovi	Zeuner, fossil
Ulmeriella	
massaicus	
Eutermes, see Promirotermes	
Mirotermes (Cubitermes), see Promirotermes	
Ophiotermes, see Promirotermes	
Promirotermes	
matangensiformis	
Eutermes (Eutermes), see Nasutitermes	
Nasutitermes	
matangensioides	
Eutermes (Eutermes) matangensis, form, see Nasutitermes matangensis	
matangensis	
Termes, see Nasutitermes	
maudanicus	
Trinervitermes	
mauricianus	
Termes (Walker), see Odontotermes	
(O.) hageni	
Termes, see not classified	
Eutermes, see not classified	
Eutermes, see Nasutitermes voeltzkowi	
mauritiana	
Calotermes (Neotermes) howa, var., see Neotermes howa	
mauritanus	
Eutermes, see Nasutitermes voeltzkowi	
maximus	
Rhinotermes (Macrorhinotermes), see Schedorhinotermes	
Schedorhinotermes	
Termes, see Odontotermes (O.)	
Odontotermes (O.)	
Eutermes, see Nasutitermes	
Nasutitermes	
maynei	
Pseudacanthotermes spiniger, subsp., see Pseudacanthotermes spiniger	
mazaruniensis	
Nasutitermes (Convexitermes), see Convexitermes	
Convexitermes	
mbazwanicus	
Mirotermes, see ?Procubitermes	
Procubitermes	
mcgregori	
Kalotermes	
Eutermes, see Nasutitermes	
Eutermes (Ceylonitermes), see Nasutitermes panayensis	
Nasutitermes (Ceylonitermes), see Nasutitermes	
Nasutitermes (N.), see Nasutitermes	
Nasutitermes	
meadii	Scudder
Eutermes, see Reticulitermes fossarum	
Leucotermes, see Reticulitermes fossarum, fossil	
media	
Termes latericius, var., see Odontotermes (O.) latericius, var.	
Odontotermes (O.) latericius, var.	

mediocris

Termes, see *Odontotermes* (O.)
Odontotermes (*Cyclotermes*), see *Odontotermes* (O.)
Odontotermes (O.)

medioculatus

Termes

mediodentatus

Odontotermes, see *Odontotermes* (O.)
dives

medioflavus

Eutermes (*Hospitalitermes*) *hospitalis*,
form, see *Hospitalitermes*
Hospitalitermes

medioobscurus

Rhinotermitess (*Schedorhinotermitess*) *brevialatus*, form, see *Schedorhinotermitess*

Schedorhinotermitess

medius

Neotermitess
Amiatermitess, see *Amiatermitess foreli*
Amiatermitess (*Amiatermitess*), see *Amiatermitess foreli*
Capritermitess (*Capritermitess*), see *Capritermitess nemorosus*

meinerti

Eutermes, see *Nasutitermitess*
Termes (*Eutermes*), see *Nasutitermitess*
Nasutitermitess

melanocephalus

Nasutitermitess (*Diversitermitess*), see *Diversitermitess*
Diversitermitess

melvillensis

Coprifermitess, see *Termes*
Mirotermitess, see *Termes*
Termes

menadoensis

Coptotermitess
Odontotermes, see *Odontotermes* (O.)
celebensis

Eutermes, see *Nasutitermitess* *luzonicus*
Eutermes (*Trinervitermitess*), see *Nasutitermitess* *luzonicus*

Nasutitermitess, see *Nasutitermitess* *luzonicus*

mendicus

Microcerotermitess, see *Microcerotermitess*
serratus

meridianus

Anoplotermitess
Nasutitermitess (N.), see *Nasutitermitess*
Nasutitermitess

meridionalis

Termes, see *Amiatermitess*
Termes (*Eutermes*), see *Amiatermitess*
Hamitermitess, see *Amiatermitess*
Hamitermitess (*Hamitermitess*), see *Amiatermitess*

Hamitermitess, see *Amiatermitess* *laurensis*

Termes, see *Amiatermitess* *neogermanus*
Hamitermitess, see *Amiatermitess* *neogermanus*

Termes, see *Amiatermitess* *vitosus*

Hamitermitess, see *Amiatermitess* *vitosus*
Amiatermitess

meruensis

Calotermitess, see *Neotermitess*
Calotermitess (*Neotermitess*), see *Neotermitess*
Neotermitess
Eutermes, see *Amiatermitess*
Hamitermitess (*Hamitermitess*), see *Amiatermitess*
Amiatermitess

merwei

Cryptotermitess

messinae

Hamitermitess, see *Amiatermitess*
Amiatermitess

messor

Eutermes (*Trinervitermitess*), see *Trinervitermitess* *havilandi*
Nasutitermitess (*Trinervitermitess*), see *Trinervitermitess* *havilandi*

metata

Capritermitess (*Pericapritermitess*) *appellans*, var., see *Pericapritermitess* *appellans*, var.

Pericapritermitess *appellans*, var.

mexicanus

Termes, see *Kalotermitess* *marginipennis*
Nasutitermitess (*Subulitermitess*), see *Nasutitermitess*
Nasutitermitess

mfolozii

Mirotermitess, see *Procubitermitess*
Procubitermitess

michaelseni

Calotermes ? (misprint for Coptotermes)

Coptotermes

Coptotermes, see Coptotermes frenchi

Coptotermes, see Coptotermes lacteus

Termes (Termes), see Macrotermes

Amplitermes, see Macrotermes

Bellicositermes, see Macrotermes

Macrotermes

michelli

Termes, see Macrotermes goliath

microcerus

Capritermes fur, subsp., see Termes

Mirotermes fur, subsp., see Termes

Termes (Eutermes) fur, subsp., see

Termes

Mirotermes (Mirotermes), see Termes

Termes

microdens

Odontotermes, see Odontotermes (O.)

parvidens

microduplex

Mirotermes, see Cubitermes

Cubitermes

microphthalmus

Calotermes (Neotermes), see Neotermes

Neotermes

microps

Termes, see Odontotermes (O.)

Odontotermes (Cyclotermes), see Odontotermes (O.)

Odontotermes (O.)

microsoma

Eutermes, see Subulitermes

Eutermes (Subulitermes), see Subulitermes

Nasutitermes (Subulitermes), see Subulitermes

Subulitermes

microthorax

Microtermes

milesnasitermes

Calotermes, see not classified

militaris

Calotermes, see Neotermes

Calotermes (Neotermes), see Neotermes

Neotermes

Termes, see Pseudacanthotermes

Acanthotermes, see Pseudacanthotermes

Pseudacanthotermes

milleri

Kalotermes

mindanensis

Nasutitermes (Subulitermes), see Nasutitermes

Nasutitermes

minimus

Snyder

Reticulitermes, fossil

minimus

Amitermes

Termes, see Amitermes beaumonti

Eutermes, see Nasutitermes

Nasutitermes

minitabundus

Eutermes (Cubitermes), see Cubitermes

Isognathotermes, see Cubitermes

Mirotermes (Cubitermes), see Cubitermes heghi

Cubitermes

minor

Mastotermes Ponrácz, fossil

Calotermes marginipennis, var., see Kalotermes

Kalotermes

Hodotermes erithreensis, see Hodotermes erithreensis, subsp.

Acanthotermes militaris, subsp., see Pseudacanthotermes militaris, subsp.

Hamitermes (Hamitermes), see Amitermes

Amitermes

Microcerotermes heimi, form

Promirotermes gracilipes, var., see Promirotermes holmgreni

Capritermes (Capritermes), see Capritermes nemorosus

Odontotermes (O.) horni, var.

Termes (Termes) vulgaris, subsp., see Odontotermes (O.), subsp.

Odontotermes (O.) vulgaris, subsp.

Eutermes, see Nasutitermes

Nasutitermes (Nasutitermes), see Nasutitermes

Nasutitermes

Eutermes mauritianus, subsp., see Nasutitermes voeltzkowi

Eutermes voeltzkowi, subsp., see Nasutitermes voeltzkowi

Armitermes <i>odontognathus</i> , subsp., see Curvitermes	Capritermes (<i>Neocapritermes</i>) <i>bodkini</i> , var., see <i>Neocapritermes bodkini</i>
Termes (<i>Eutermes</i>) <i>odontognathus</i> , subsp., see Curvitermes	<i>Neocapritermes</i>
Armitermes (Curvitermes), see Curvi- termes	<i>modestus</i>
Curvitermes	Calotermes, see <i>Neoterpes</i>
minusculus	<i>Neoterpes</i>
Eutermes (<i>Eutermes</i>), see Nasuti- termes	Termes, not classified
Nasutitermes	<i>modica</i>
minutissimus	<i>Coptotermes sjöstedti</i> , var., see <i>Copto-</i> <i>termes sjöstedti</i> , var. <i>subintacta</i>
Coptotermes	<i>modicus</i>
minutus	Hamitermes (<i>Hamitermes</i>), see Ami- termes
Glyptotermes	<i>Amitermes</i>
Termes, see Procapritermes	<i>modiglianii</i>
Termes (<i>Eutermes</i>), see Procapritermes	Capritermes
Procapritermes	<i>moestus</i>
Protermes	Termes, see <i>Reticulitermes antiquus</i> , fossil
Termes, see Protermes	<i>mohri</i>
Eutermes, see Nasutitermes <i>culasiensis</i>	Capritermes
Armitermes (Armitermes), see Armi- termes	<i>mojossensis</i>
Armitermes	Termes, see Nasutitermes
mirabilis	Nasutitermes
Termes, see Prohamiternes	<i>mokeetsei</i>
Termes (<i>Eutermes</i>), see Prohamiternes	Microtermes
Prohamiternes	<i>molestus</i>
mirandus	Termes, see Syntermes
Mirotermes (Cubitermes), see Ophio- termes	Syntermes
Eutermes, see Ophiotermes	<i>molinoi</i>
Ophiotermes	Prorhinotermes
mirganjensis	<i>mollis</i>
Odontotermes (O.)	Nasutitermes (N.), see Nasutitermes
mitis	Nasutitermes
Eutermes, see not classified	<i>moluccanus</i>
Termes (<i>Eutermes</i>), see not classified	Hospitalitermes
Trinervitermes, see not classified	<i>mona</i>
mobilis	Kalotermes
Eutermes, see Trinervitermes <i>trinervius</i>	<i>monoceros</i>
Eutermes (Trinervitermes), see Triner- vitermes <i>trinervius</i>	Termes, see Hospitalitermes
modestior	Eutermes, see Hospitalitermes
Eurytermes <i>assmuthi</i> , var.	Termes (<i>Eutermes</i>), see Hospitalitermes
Mirotermes (Cubitermes) <i>severus</i> , var., see Cubitermes	Eutermes (Hospitalitermes), see Hos- pitalitermes
Cubitermes	Hospitalitermes
	monodon
	Termes (<i>Termes</i>), see Odontotermes (O.)
	Odontotermes (O.)

- montanae**
Eutermes, see *Nasutitermes*
Nasutitermes
- montanus**
Kalotermes, see *Kalotermes marginipennis*
Glyptotermes
- monticola**
Calotermes, see *Kalotermes*
Kalotermes
- moratus**
Eutermes, see *Nasutitermes*
Nasutitermes
- mordax**
Termes, see *Cubitermes* sp., see not identified as to species
Cubitermes, see not identified as to species
- moretelae**
Mirotermes, see *Procubitermes*
Procubitermes
- morio**
Termes (Erichson), see *Stolotermes brunneicornis*
Termes, see *Coptotermes testaceus*
Termes, see *Anoplotermes ater*
Termes, see *Anoplotermes meridianus*
Termes (Walker), see *Anoplotermes meridianus*
Anoplotermes, see *Anoplotermes meridianus*
Anoplotermes (*Anoplotermes*), see *Anoplotermes meridianus*
Termes (Burmeister), see *Microcerotermes arboreus*
Termes, see *Nasutitermes corniger*
Termes, see *Nasutitermes costalis*
Termes (*Eutermes*), see *Nasutitermes costalis*
Nasutitermes (*Nasutitermes*), see *Nasutitermes costalis*
- morogorensis**
Allodontermes
- mossambica**
Termes bellicosus, form, see *Macrotermes bellicosus*, form
Macrotermes bellicosus, form
Amplitermes bellicosus, forma, see *Macrotermes bellicosus*, forma
- Bellicositermes bellicosus**, forma, see *Macrotermes bellicosus*, var.
- mossambicus**
Termes, see *Hodotermes*
Termes (*Hodotermes*) see *Hodotermes*
Hodotermes
Hodotermes (*Hodotermes*), see *Hodotermes*
Macrohodotermes, see *Hodotermes*
- mozambicanus**
Amplitermes, see *Macrotermes*
Bellicositermes, see *Macrotermes*
Macrotermes
- mtwalumi**
Mirotermes, see *Procubitermes*
Procubitermes
- MUKARENSIS**
Microtermes, see *Microdontermes*
Microdontermes
- mukimbunginis**
Odontotermes, see *Odontotermes* (O.)
Termes, see *Odontotermes* (O.)
Termes (T.), see *Odontotermes* (O.)
Odontotermes (O.)
- mülleri**
Termes, see *Macrotermes*
Macrotermes
Termes, see not classified
- muneris**
Eutermes (*Cubitermes*), see *Cubitermes*
Cubitermes
Eutermes (*Trinervitermes*), see *Trinervitermes roseni*
- murgabicus**
Hodotermes, see *Anacanthotermes*
Anacanthotermes
- murraysburgi**
Hamitermes, see *Amitermes*
Amitermes
- mushae**
Procapritermes
- mutubae**
Calotermes, see *Procryptotermes jeannelanus*
- mycophagus**
Termes, see *Microtermes*
Microtermes

myersi	Amplitermes, see Macrotermes
Nasutitermes (Nasutitermes), see Nasutitermes	Bellicositermes, see Macrotermes
Nasutitermes	Macrotermes (Bellicositermes), see Macrotermes
mzilikazi	Macrotermes
Microcerotermes	Macrotermes
nana, see nanus	nduma
Termes, see Microcerotermes nanus	Mirotermes, see Cubitermes duplex, form
Microcerotermes	nearcticus
nanulus	Kaloterme (Calcaritermes), see Calcaritermes
Microcerotermes	Calcaritermes
nanus	neghellensis
Eutermes, see Anoplotermes	Microtermes subhyalinus, subsp.
Mirotermes, see Anoplotermes	neglectus
Anoplotermes	Microcerotermes, see Microcerotermes turneri
Microcerotermes, see Microcerotermes serratus	nemorosus
Eutermes (Eutermes), see Nasutitermes bequaerti	Termes, see Capritermes
nasonowi	Termes (Eutermes), see Capritermes
Eutermes, see not classified	Capritermes
Termes (Eutermes), see Eutermes not classified	Hospitalitermes
nasuta	neogermanus
Perla, see Rhinotermes marginalis	Hamitermes, see Amitermes
nasutissimus	Amitermes
Termes (Eutermes), see Rhynchotermes	neopusillus
Armitermes, see Rhynchotermes	Bulbitermes
Armitermes (Rhynchotermes), see Rhynchotermes	neotenicus
Rhynchotermes	Armitermes (Armitermes), see Armitermes
Rhynchotermes	Armitermes
Nasutitermes (Angularitermes), see Angularitermes	neotuberculatus
Angularitermes	Caloterme (Glyptotermes), see Glyptotermes
nasutum	Glyptotermes
Termes, see Rhinotermes marginalis	nervosus
nasutus	Microcerotermes
Termes, see Coptotermes testaceus	nevadensis
Termes, see Rhinotermes	Termopsis, see Zootermopsis
Termes, see Rhinotermes marginalis	Termopsis angusticollis, var., see Zootermopsis
Rhinotermes (Rhinotermes), see Rhinotermes	Zootermopsis
Rhinotermes	nevermani
Eutermes (Eutermes), see Bulbitermes	Kaloterme (Glyptotermes), see Glyptotermes
Bulbitermes	Glyptotermes
natalensis	newmani
Mirotermes (Cubitermes), see Procubitermes	Microcerotermes
Procubitermes	
Termes, see Macrotermes	

- new species
- Schedorhinotermes*
 - Anoplotermes*
 - Nasutitermes*
- niapuensis*
- Mirotermes* (*Procubitermes*), see *Procubitermes*
 - Procubitermes*
- nichollsi*
- Eutermes*, see *Tumulitermes*
 - Tumulitermes*
- nidicola*
- Ahamitermes*
 - Hamitermes* (*Ahamitermes*), see *Ahamitermes*
- niger*
- Glyptotermes*
 - Coptotermes*
 - Termes*, see *Macrotermes*
 - Termes* (*Macrotermes*), see *Macrotermes*
 - Macrotermes*
- nigeriae* Holmgren ms.
- Calotermes* (*Neotermes*), see *Neotermes*
 - not identified to species
- nigeriana*
- Pericapritermes urgens*, var.
 - Capritermes* (*Pericapritermes*) *urgens*, var., see *Pericapritermes urgens*, var.
- nigeriensis*
- Calotermes*, see *Neotermes*
 - Neotermes*
 - Termes*, see *Macrotermes*
 - Amplitermes*, see *Macrotermes*
 - Macrotermes*
 - Trinervitermes*
- nigerrimus*
- Eutermes*, see *Nasutitermes triodiae*
- nigricans*
- Termes*, see *Odontotermes* (O.) *dives*
 - Termes* (Rambur, 1842), see not classified (Holmgren, 1911, p. 546)
 - Termes* (Walker, 1853), see not classified (Hagen, 1858)
 - Termes* (Hagen, 1858), see not classified (Holmgren, 1911, p. 546)
- nigriceps*
- Kalotermites* (*Lobitermes*), see *Calcaritermes*
 - Calcaritermes*
- nigricornis*
- Eutermes*, see *Convexitermes*
 - Eutermes* (*Convexitermes*), see *Convexitermes*
 - Nasutitermes* (*Convexitermes*), see *Convexitermes*
 - Convexitermes*
- nigripunctatus*
- Anoplotermes* (*Anoplotermes*), see *Anoplotermes*
 - Anoplotermes*
- nigrita*, see *nigritus*
- Eutermes*, see *Nasutitermes*
 - Termes* (*Eutermes*), see *Nasutitermes*
 - Nasutitermes*
- nigritus*
- Kalotermites*
 - Capritermes saltans*, subsp., see *Termes*
 - Mirotermes saltans*, subsp., see *Termes*
 - Termes* (*Eutermes*) *saltans*, subsp., see *Termes*
 - Mirotermes* (*Mirotermes*), see *Termes*
 - Termes*
 - Nasutitermes*
- nigrolabrum*
- Calotermes* (*Glyptotermes*), see *Glyptotermes brevicornis*
- nigrostomus*
- Mirotermes* (*Spinitermes*), see *Spinitermes*
 - Spinitermes*
- nilensis* Emerson, n. sp.
- Odontotermes* (O.)
- nitobei*
- Termes* (*Eutermes*), see *Capritermes*
 - Capritermes*
- nobilis*
- Termes*, see *Macrotermes*
 - Termes* (*Macrotermes*), see *Macrotermes*
 - Macrotermes*

nocens	obscurum
<i>Planocryptotermes</i> , see <i>Cryptotermes dudleyi</i>	<i>Termes</i> , see <i>Syntermes dirus</i>
nodulosus	obscurus
<i>Kalotermes (Rugitermes)</i> , see <i>Rugitermes</i>	<i>Termes</i> , see <i>Kalotermes affinis (fossil)</i>
<i>Calotermes rugosus</i> , subsp., see <i>Rugitermes</i>	<i>Termes</i> , see <i>Kalotermes convexus</i>
<i>Rugitermes</i>	<i>Calotermes (C.)</i> , see <i>Kalotermes convexus</i>
nolaensis	<i>Calotermes (Glyptotermes)</i> , see <i>Kalotermes rufinotum</i>
<i>Odontotermes</i> , see <i>Odontotermes (O.)</i>	<i>Calotermes (?)</i> , see <i>Kalotermes hilli</i>
<i>Termes</i> , see <i>Odontotermes (O.)</i>	<i>Mirotermes (Cubitermes) natalensis</i> ,
<i>Odontotermes (O.)</i>	<i>forma</i> , see <i>Procubitermes natalensis</i> ,
nordenskiöldi	<i>form</i>
<i>Cylindrotermes</i>	<i>Termes</i> , see <i>Nasutitermes arborum</i>
<i>Eutermes (Eutermes)</i> , see <i>Nasutitermes</i>	<i>Eutermes</i> , see <i>Nasutitermes lighti</i>
<i>Nasutitermes</i>	<i>Eutermes (Eutermes)</i> , see <i>Nasutitermes lighti</i>
notandus	<i>Eutermes</i> , see <i>Nasutitermes sp. not identified</i>
<i>Megagnathotermes</i>	<i>Eutermes insularis</i> , <i>form</i> , see <i>Nasutitermes corniger</i>
novae-caledoniae	<i>Nasutitermes (Nasutitermes) insularis</i> ,
<i>Microcerotermes</i>	<i>form</i> , see <i>Nasutitermes corniger</i>
novarum-hebridarum	<i>Eutermes (Eutermes) matangensis</i> ,
<i>Eutermes (Eutermes)</i> , see <i>Nasutitermes</i>	<i>formis</i> , <i>form</i> , see <i>Nasutitermes matangensisformis</i> , <i>form</i>
<i>Nasutitermes</i>	obscurus Pictet in Berendt
nymanni	<i>Termes</i> , see <i>Electrotermes affinis</i>
<i>Odontotermes (O.) javanicus</i> , <i>form</i>	<i>Calotermes (affinis Hagen)</i> , see <i>Electrotermes affinis fossil</i>
obesi	obscurus Heer
<i>Microtermes</i>	<i>Termes</i> , see fossil of doubtful position
obesus	<i>Eutermes</i> , see fossil of doubtful position
<i>Termes</i> , see <i>Odontotermes (O.)</i>	<i>Termes (obscurus) moestus Giebel</i> , see
<i>Odontotermes (Cyclotermes)</i> , see <i>Odontotermes (O.)</i>	<i>Reticulitermes antiquus</i> , fossil
<i>Odontotermes (O.)</i>	obtectus
<i>Termes (Walker)</i> , see <i>Odontotermes (O.) brunneus</i>	<i>Mirotermes</i> , see <i>Termes hospes</i>
obeunitis	<i>Calotermes Heer</i> , fossil not a termite
<i>Hamitermes (Hamitermes)</i> , see <i>Ami-</i>	obtusidens
<i>termes</i>	<i>Hamitermes</i> , see <i>Ami-</i>
<i>Ami-</i>	<i>termes</i>
obiratus	<i>Hamitermes (Hamitermes)</i> , see <i>Ami-</i>
<i>Coptotermes</i>	<i>termes</i>
oblongatus	<i>Ami-</i>
<i>Odontotermes (O.)</i>	<i>termes</i>
obscura, see <i>obscurus</i>	obtusus
obscuriceps	<i>Mirotermes</i> , see <i>Termes</i>
<i>Termes</i> , see <i>Odontotermes (Hypotermes)</i>	<i>Termes</i>
<i>Odontotermes (Xenotermes)</i> , see <i>Odontotermes (Hypotermes)</i>	<i>Capritermes</i>
<i>Odontotermes (Hypotermes)</i>	<i>Syntermes</i>

occasus		octopilis
Eutermes (<i>Occasitermes</i>), see <i>Occasi-</i>	termes	<i>Nasutitermes</i> (<i>Nasutitermes</i>), see <i>Nasu-</i>
<i>Occasitermes</i>		<i>titermes</i>
occidentalis		<i>Nasutitermes</i>
Calotermes rugosus, subsp., see <i>Rugi-</i>	termes	<i>oculatissimus</i>
<i>Kalotermes</i> (<i>Rugitermes</i>), see <i>Rugi-</i>	termes	<i>Nasutitermes</i> (<i>Subulitermes</i>), see <i>Subu-</i>
<i>Rugitermes</i>		<i>littermes</i>
<i>Termopsis</i> , see <i>Kalotermes occidentis</i>		<i>Subulitermes</i>
<i>Kalotermes</i> , see <i>Kalotermes occidentis</i>		<i>oculatus</i>
<i>Kalotermes</i> (<i>Cryptotermes</i>), see <i>Crypto-</i>	termes fatalius	<i>Mirotermes</i> (<i>Cubitermes</i>), see <i>Cubi-</i>
<i>Microtermes incertus</i> , form, see <i>Micro-</i>	termes havilandi, form	<i>termes</i>
<i>Microtermes havilandi</i> , form		<i>Cubitermes</i>
<i>Eutermes</i> , see <i>Trinervitermes</i>		<i>Odontotermes</i> (<i>Cyclotermes</i>) <i>obesus</i> ,
<i>Termes</i> (<i>Eutermes</i>), see <i>Trinervitermes</i>		var., see <i>Odontotermes</i> (O.) <i>obesus</i> ,
<i>Trinervitermes</i>		var.
occidentis		<i>Odontotermes</i> (O.) <i>obesus</i> , var.
Termes, see <i>Kalotermes</i>		<i>Eutermes</i> , see <i>Nasutitermes</i>
<i>Termopsis</i> , see <i>Kalotermes</i>		<i>Nasutitermes</i> (<i>Ceylonitermes</i>), see <i>Na-</i>
<i>Pterotermes</i> , see <i>Kalotermes</i>		<i>sutitermes</i>
<i>Kalotermes</i>		<i>Nasutitermes</i>
occiduus		<i>oculifer</i>
<i>Leucotermes</i> , see <i>Heterotermes ferox</i>		<i>Calotermes</i> (<i>Neotermes</i>), see <i>Neotermes</i>
occultus		<i>insularis</i>
<i>Apicotermes</i>		<i>odontognathus</i>
<i>Mirotermes</i> , see <i>Subulitermes</i>		<i>Armitermes</i> , see <i>Curvitermes</i>
<i>Eutermes</i> , see <i>Subulitermes</i>		<i>Termes</i> (<i>Eutermes</i>), see <i>Curvitermes</i>
<i>Subulitermes</i>		<i>Armitermes</i> (<i>Curvitermes</i>), see <i>Curvi-</i>
oceanicum		<i>termes</i>
<i>Nasutitermes</i> ? (<i>Grallatotermes</i>), see		<i>Curvitermes</i>
<i>Nasutitermes novarum-hebridarum</i>		<i>odontomachus</i>
oceanicus		<i>Termes</i> (<i>Eutermes</i>), see <i>Termes</i>
<i>Arrhinotermes</i> , see <i>Prorhinotermes</i>		<i>Mirotermes</i> , see <i>Termes</i>
<i>Prorhinotermes</i>		<i>Termes</i>
ocellaris		<i>oeconomus</i>
<i>Eutermes</i> , see <i>Termes</i>		<i>Eutermes</i> , see <i>Trinervitermes</i>
<i>Mirotermes</i> (<i>Mirotermes</i>), see <i>Termes</i>		<i>Termes</i> (<i>Eutermes</i>), see <i>Trinervitermes</i>
<i>Termes</i>		<i>Eutermes</i> (<i>Trinervitermes</i>), see <i>Triner-</i>
ochraceus		<i>vitermes</i>
<i>Termes</i> , see <i>Cryptotermes solidus</i>		<i>Trinervitermes</i>
<i>Termes</i> , see <i>Anacanthotermes</i>		<i>oeningensis</i> von Rosen, fossil
<i>Hodotermes</i> , see <i>Anacanthotermes</i>		<i>Calotermes</i> , see <i>Kalotermes</i>
<i>Hodotermes</i> (<i>Anacanthotermes</i>), see		<i>Kalotermes</i>
<i>Anacanthotermes</i>		<i>ogasawarensis</i>
<i>Anacanthotermes</i>		<i>Calotermes</i> (<i>Cryptotermes</i>), see <i>Crypto-</i>
		<i>termes domesticus</i>
		<i>okahandjae</i>
		<i>Termes</i> (<i>Odontotermes</i>), see <i>Odonto-</i>
		<i>termes</i> (O.)
		<i>Odontotermes</i> (O.)

oldfieldi	
	Calotermes (Calotermes), see Kalotermes condonensis
olidus	Eutermes, see Nasutitermes Nasutitermes
opacus	Termes (imago), see Neocapritermes Termes (Eutermes), see Neocapritermes Capritermes (Neocapritermes), see Neo- capritermes Neocapritermes Termes (soldier), see Constrictotermes cyphergaster
orbus	Mirotermes, see Termes Termes
orensis	Termes, see Neocapritermes opacus
orientalis	Allodontermes schultzei, var.
orientis	Nasutitermes (Subulitermes), see Na- sutitermes Eutermes, see Nasutitermes Nasutitermes
orissae	Termes (Cyclotermes), see Odontotermes (O.) Odontotermes (O.)
orthocephalus	Cornitermes, see Paracornitermes Termes (Termes), see Paracornitermes Cornitermes (Labiotermes), see Para- cornitermes Paracornitermes
orthoceps	Mirotermes (Promirotermes), see Pro- mirotermes Promirotermes
orthognathus	Heterotermes, see Heterotermes convexi- notatus Mirotermes (Cubitermes), see Cubi- termes Cubitermes Capritermes, see Orthognathotermes Termes (Eutermes), see Orthognatho- termes Orthognathotermes
	osborni
	Microtermes Nasutitermes (Subulitermes), see Subu- littermes Subulitermes
	oshimai
	Coptotermes Nasutitermes (N.), see Nasutitermes Nasutitermes
	ostentans
	Termes, see Odontotermes (O.) Odontotermes (O.)
	ovatus
	Kalotermes (Neotermes), see Neotermes Neotermes
	ovipennis
	Termes, see Nasutitermes Eutermes (Eutermes), see Nasutitermes Nasutitermes
	pacatus
	Anoplotermes
	acificus
	Kalotermes, see Kalotermes Kalotermes Kalotermes, see Kalotermes tabogae Coptotermes Anoplotermes Anoplotermes (Anoplotermes), see An- oplotermes Anoplotermes (Anoplotermes) pacificus (Snyder 1926d), see Anoplotermes n. sp. Termes (Eutermes), see Anoplotermes bequaerti Anoplotermes, see Anoplotermes be- quaerti Eutermes (Eutermes), see Nasutitermes nigriceps
	padangensis
	Capritermes Macrotermes gilvus, form
	paetensis
	Capritermes
	palaearcticus
	Eutermes, see Microcerotermes Termes (Eutermes), see Microcerotermes Microcerotermes
	palaoensis
	Eutermes, see Nasutitermes Nasutitermes

palawanensis	palmquisti
Nasutitermes (<i>Lacessititermes</i>), see <i>Lacessititermes</i>	Termes, see <i>Odontotermes</i> (O.)
<i>Lacessititermes</i>	<i>Odontotermes</i> , see <i>Odontotermes</i> (O.)
<i>Odontotermes</i> (O.)	<i>Odontotermes</i> (O.)
pallidiceps	pamatatensis
Eutermes, see <i>Cubitermes</i>	Heterotermes
Mirotermes (<i>Cubitermes</i>), see <i>Cubi-</i>	pamucae
<i>termes</i>	<i>Coptotermes</i>
<i>Cubitermes</i>	panamae
Constrictotermes, see <i>Parvitermes</i>	Kalotermites, see <i>Rugitermes</i>
Nasutitermes (<i>Agnathotermes</i>), see <i>Parvitermes</i>	Kalotermites (<i>Kalotermites</i>), see <i>Rugi-</i>
Nasutitermes (<i>Tenuirostritermes</i>), see <i>Parvitermes</i>	<i>termes</i>
<i>Parvitermes</i>	Rugitermites
<i>Parvitermes</i>	Nasutitermes (<i>Obtusitermes</i>), see <i>Ob-</i>
<i>Obtusitermes</i>	<i>tusitermes</i>
pallidicollis	<i>Obtusitermes</i>
Calotermes (<i>Neotermes</i>), see <i>Neotermes</i>	panamaensis
Calotermes (<i>Neotermes</i>), see <i>Kalotermites</i>	Mirotermes, see <i>Termes</i>
<i>sp.</i> , fossil	Termes
Neotermes	panayensis
pallidinotum	Eutermes (<i>Grallatotermes</i>), see <i>Nasuti-</i>
Calotermes (?), see <i>Kalotermites</i>	<i>termes</i>
Kalotermites	Nasutitermes (N.), see <i>Nasutitermes</i>
pallidipennis	Nasutitermes
Termes, see not classified	papua
pallidipes	Calotermes (<i>Neotermes</i>), see <i>Neotermes</i>
Eutermes, see <i>Anoplotermes</i>	Kalotermites (<i>Neotermes</i>), see <i>Neotermes</i>
Termes (Eutermes), see <i>Anoplotermes</i>	Neotermes
Anoplotermes	papuanus
pallidus	Microcerotermes
Termes, see <i>Cryptotermes</i>	Hospitalitermes
Calotermes (<i>Cryptotermes</i>), see <i>Crypto-</i>	paradenticulatus
<i>termes</i>	Odontotermes (<i>Cyclotermes</i>), see <i>Odon-</i>
<i>Cryptotermes</i>	<i>totermes</i> (O.)
Termes, see <i>Porotermes quadricollis</i>	Odontotermes (O.)
Macrohodotermes, see <i>Hodotermes mos-</i>	paradoxalis
<i>sambicus</i>	Eremotermes
<i>Hodotermes</i> , see <i>Hodotermes mossambi-</i>	paradoxus
<i>cus</i>	Allotermes, see <i>Procryptotermes</i>
Heterotermes, see <i>Heterotermes convexi-</i>	Calotermes (<i>Procryptotermes</i>), see <i>Pro-</i>
<i>notatus</i>	<i>cryptotermes</i>
<i>Amitermes</i>	Procryptotermes
Termes, see <i>Microtermes</i>	Termes (Froggatt), see <i>Heterotermes</i>
Microtermes, see <i>Microtermes insperatus</i>	Termes (Eutermes) (Desneux), see <i>Heterotermes</i>
Microtermes	Leucotermes, see <i>Heterotermes</i>
Nasutitermes (<i>Convexitermes</i>), see <i>Con-</i>	Heterotermes
<i>vexitermes</i>	Calotermes, see <i>Coptotermes</i>
Convexitermes	Vastitermes, see <i>Coptotermes</i>
palmerstoni	Coptotermes
Eutermes, see <i>Nasutitermes triodiae</i>	

Capritermes, see <i>Orthognathotermes orthognathus</i>	parviscutatus
Termes (Capritermes), see <i>Neocapritermes opacus</i>	<i>Kaloterme</i> (<i>Neotermes</i>), see <i>Neotermes</i>
paraensis	<i>Neotermes</i>
<i>Neotermes</i>	parvonasutus
<i>Leucotermes flavipes</i> , subsp., see <i>Heterotermes tenuis</i>	<i>Eutermes</i> , see <i>Nasutitermes</i>
paralleliceps	<i>Nasutitermes</i>
<i>Caloterme</i> (<i>Neotermes</i>), see <i>Neotermes insularis</i>	parvulum
parallelus	<i>Termes</i> , see <i>Reticulitermes lucifugus</i>
<i>Syntermes</i>	parvulus
<i>Capritermes</i> (<i>Neocapritermes</i>), see <i>Neocapritermes opacus</i>	<i>Caloterme</i> , see <i>Glyptotermes</i>
paranaensis Holmg. ms.	<i>Caloterme</i> (<i>Glyptotermes</i>), see <i>Glyptotermes</i>
<i>Caloterme</i> (<i>Rugitermes</i>), see <i>Rugitermes</i> not identified to species	<i>Glyptotermes</i>
parasita	<i>Coptotermes</i>
<i>Caloterme</i> <i>havilandi</i> , subsp., see <i>Cryptotermes parasitus</i>	<i>Amitermes</i>
<i>Caloterme</i> (<i>Cryptotermes</i>), see <i>Cryptotermes parasitus</i>	<i>Amitermes</i> (imago only, Arizona), see <i>Amitermes wheeleri</i>
<i>Cryptotermes</i> , see <i>Cryptotermes parasitus</i>	<i>Eutermes</i> , see <i>Microcerotermes</i>
parasitus	<i>Microcerotermes</i>
<i>Kaloterme</i> <i>havilandi</i> , subsp., see <i>Cryptotermes pallidus</i>	parvus
<i>Cryptotermes parasita</i> , see <i>Cryptotermes parasitus</i>	<i>Anoplotermes</i>
parvellus	<i>Hamitermes</i> , see <i>Amitermes</i>
<i>Nasutiterme</i> (<i>Subulitermes</i>), see <i>Subulitermes</i>	<i>Amitermes</i>
<i>Subulitermes</i>	<i>Termes</i> , see <i>Microcerotermes</i>
parviceps	<i>Eutermes</i> , see <i>Microcerotermes</i>
<i>Microcerotermes</i> , see <i>Microcerotermes serratus</i>	<i>Microcerotermes</i>
parvidens	<i>Microcerotermes</i> , var. <i>solidus</i> , see <i>Microcerotermes secernens</i>
<i>Odontotermes</i> (O.)	<i>Termes</i> (<i>Eutermes</i>) <i>opus</i> , subsp., see <i>Neocapritermes</i>
parvignathus	<i>Capritermes</i> <i>opus</i> , subsp., see <i>Neocapritermes</i>
<i>Cylindrotermes</i>	<i>Capritermes</i> (<i>Neocapritermes</i>), see <i>Neocapritermes</i>
parvinasus	<i>Neocapritermes</i>
<i>Syntermes chaquimayensis</i> , subsp.	<i>Termes</i> (<i>Termes</i>), see <i>Macrotermes natalensis</i>
parvinotus	<i>Macrotermes</i> , see <i>Macrotermes natalensis</i>
<i>Kaloterme</i> (<i>Calcaritermes</i>), see <i>Calcaritermes</i>	<i>Amplitermes</i> , see <i>Macrotermes natalensis</i>
<i>Calcaritermes</i>	<i>Bellicositermes</i> , see <i>Macrotermes natalensis</i>
parvipunctus	<i>Nasutiterme</i> (N.), see <i>Nasutitermes</i>
<i>Amitermes</i> (<i>Amitermes</i>), see <i>Amitermes wheeleri</i>	<i>Nasutitermes</i>
	pastinator
	<i>Eutermes</i> , see <i>Tumulitermes</i>
	<i>Tumulitermes</i>

patrius		Armitermes (Rhynchotermes), sec Rhynchotermes
Termes, see <i>Odontotermes</i> (O.) <i>patruus</i>		
patruus		Rhynchotermes
Termes, see <i>Odontotermes</i> (O.)		
<i>Odontotermes</i> (O.)		
paucinervius		percomis
Eutermes, see <i>Amitermes</i>		<i>Mirotermes</i> (<i>Mirotermes</i>), see <i>Termes</i>
<i>Eutermes</i> (<i>Subulitermes</i>), see <i>Ami-</i>		<i>Termes</i>
<i>termes</i>		
<i>Hamitermes</i> , see <i>Amitermes</i>		percutiens
<i>Amitermes</i>		<i>Armitermes</i> (<i>Armitermes</i>), see <i>Armi-</i>
pauperans		<i>termes neotenicus</i>
Termes, see <i>Odontotermes</i> (O.)		peregrinator
<i>Odontotermes</i> , see <i>Odontotermes</i> (O.)		<i>Coptotermes</i>
<i>Odontotermes</i> (O.)		perelegans
pavidus		<i>Hamitermes</i> , see <i>Amitermes</i>
<i>Hamitermes</i> (<i>Hamitermes</i>), see <i>Ami-</i>		<i>Amitermes</i>
<i>termes</i>		
<i>Amitermes</i>		perezi
peccanae Massalongo		<i>Calotermes</i> (<i>Proneotermes</i>), see <i>Pro-</i>
Termes, see fossil not a termite		<i>cryptotermes</i>
pectinata Martynov		<i>Procryptotermes</i>
<i>Permotermpsis</i> , see fossil not a termite		perfectus
pelatus		<i>Calotermes</i> , see <i>Neotermes</i>
<i>Mirotermes</i> (<i>Mirotermes</i>), see <i>Termes</i>		<i>Neotermes</i>
Termes		perfidus
pellucidus		<i>Leucotermes</i> , see <i>Heterotermes</i>
<i>Kalotermes</i> (<i>Glyptotermes</i>), see <i>Glypto-</i>		<i>Heterotermes</i>
<i>termes</i>		perforans
<i>Glyptotermes</i>		<i>Kalotermes</i> (<i>Cryptotermes</i>), see <i>Cryp-</i>
penangi		<i>totermes</i>
<i>Capritermes</i> (<i>Capritermes</i>), see <i>Homal-</i>		<i>Cryptotermes</i>
<i>lotermes</i>		perfusca
<i>Homallotermes</i>		<i>Eutermes infuscatus</i> , var., see <i>Nasuti-</i>
peracutus		<i>termes infuscatus</i> , var.
<i>Eutermes</i> , see <i>Tumulitermes</i>		<i>Nasutitermes infuscatus</i> , var.
<i>Tumulitermes</i>		peringueyi
peradeniae		<i>Hodotermes</i> , see <i>Microhodotermes viator</i>
Termes, see <i>Odontotermes</i> (O.) <i>horni</i>		periphysis
peraffinis		<i>Ancistrotermes</i>
<i>Microcerotermes</i> , see <i>Microcerotermes</i>		perlevis
<i>biroi</i>		<i>Eutermes</i> , see <i>Subulitermes</i>
perangustus		<i>Subulitermes</i>
<i>Calotermes</i> (<i>Glyptotermes</i> ?), see <i>Glyp-</i>		permianus Zalesky
<i>totermes brevicornis</i>		<i>Uralotermes</i> , fossil, possibly not a ter-
perarmatus		mite
<i>Amitermes</i> (<i>Monodontermes</i>), see <i>Ami-</i>		perniger
<i>termes</i>		Termes, see <i>Drepanotermes rubriceps</i>
<i>Amitermes</i>		

- Kalotermes** (*Glyptotermes*), see *Glyptotermes*
- Glyptotermes**
- Eutermes**, see *Capritermes ceylonicus*
- perplexus**
- Amitermes**, see *Gnathamitermes*
- Amitermes** (*Gnathamitermes*), see *Gnathamitermes*
- Amitermes**, see *Gnathamitermes tubiformans*
- Gnathamitermes**
- Hamitermes**, see *Amitermes laurensis*
- Hamitermes**, var. *victoriensis*, see *Amitermes neogermanus*
- perpusillus**
- Eutermes pusillus**, form *perpusillus*, see *Bulbitermes*
- Bulbitermes**
- perrieri**
- Termes**, see not classified
- peruanus**
- Syntermes**
- Syntermes**, see *Syntermes lighti*
- Eutermes**, see *Nasutitermes*
- Nasutitermes**
- Armitermes** (*Armitermes*), see *Armitermes*
- Armitermes**
- petilus**
- Eutermes**, see *Tumulitermes*
- Tumulitermes**
- philippinensis**
- Leucotermes**, see *Heterotermes*
- Heterotermes**
- Microcerotermes**
- Termes** (*Macrotermes*), see *Macrotermes gilvus*, form
- Macrotermes gilvus**, form
- piacentinii** Piton and Théobald
- Termopsis**, see *Kalotermes*
- Kalotermes**, fossil
- piceatus**
- Kalotermes** (*Cryptotermes*), see *Cryptotermes brevis*
- piceus**
- Acanthotermes**, see *Pseudacanthotermes*
- Pseudacanthotermes**
- piciceps**
- Eutermes** (*Eutermes*), see *Nasutitermes takasagoensis*
- Nasutitermes** (*Nasutitermes*), see *Nasutitermes takasagoensis*
- pictetii** Berendt
- Termes**, see *Termopsis bremii* Heer, fossil
- pictus**
- Nasutitermes**
- piliceps**
- Microcerotermes**, see *Microcerotermes biroi*
- Eutermes** (*Eutermes*), see *Nasutitermes Nasutitermes*
- piliferus**
- Eutermes** (*Lacessititermes*), see *Lacessititermes*
- Lacessititermes**
- pilifrons**
- Eutermes** (*Eutermes*), see *Nasutitermes nigriceps*
- Nasutitermes** (*Nasutitermes*), see *Nasutitermes nigriceps*
- pilosus**
- Cornitermes**
- Cornitermes** (*Cornitermes*), see *Cornitermes*
- Nasutitermes** (*Nasutitermes*), see *Nasutitermes*
- Nasutitermes**
- pinangae**
- Kalotermes** (*Lobitermes*), see *Glyptotermes*
- Glyptotermes**
- pintoi**
- Kalotermes**
- pius**
- Eutermes**, see *Trinervitermes*
- Eutermes** (*Trinervitermes*), see *Trinervitermes*
- Trinervitermes**
- placidus**
- Anoplotermes**
- plagiatus** Heer
- Termes**, fossil not a termite
- Calotermes**, fossil not a termite
- planiceps**
- Calotermes**, see *Porotermes*
- Porotermes** (*Planitermes*), see *Porotermes*
- Planitermes**, see *Porotermes*
- Porotermes**

- Odontotermes, see *Odontotermes* (O.)
 Termes, see *Odontotermes* (O.)
Odontotermes (O.)
- PLANICEPS**
Capritermes (*Neocapritermes*), see
 Planicapritermes
Planicapritermes
- planifrons**
Cubitermes
- planus**
Kalotermites (*Glyptotermes*), see *Glypto-*
 termes
Glyptotermes
Termes, see *Termitogeton*
Termitogeton
- platycephalus**
Kalotermites
Heterotermes
Termes (*Leucotermes*), see *Heterotermes*
Leucotermes, see *Heterotermes*
- plebeja** Giebel
Maresa (*fossilis* Ouchakoff.), see *Re-*
ticulitermes antiquus, fossil
- plebeja**
Maresa, see *Reticulitermes antiquus*,
 fossil
- pluriarticulatus**
Eutermes arenarius, subsp., see *Nasu-*
titermes
Termes (*Eutermes*), see *Nasutitermes*
Eutermes (*Eutermes*), see *Nasutitermes*
Nasutitermes
Eutermes arenarius, subsp. var. A, see
Nasutitermes longiarticulatus
- pluvialis**
Eutermes, see *Nasutitermes*
Nasutitermes
- ponapiensis**
Arrhinotermes, see *Prorhinotermes*
Prorhinotermes
- pondweniensis**
Microcerotermes
- Pontis**
Eutermes rippertii, var., see not classi-
 fied
- posseleensis**
Eutermes, see *Trinervitermes*
Trinervitermes
- posticus**
Calotermites, see *Glyptotermes*
- Calotermites** (*Cryptotermes*), see *Glypto-*
 termes
Kalotermites, see *Glyptotermes*
Calotermites (*Glyptotermes*), see *Glypto-*
 termes
Kalotermites, see *Glyptotermes liberatus*
Glyptotermes
- potens**
Basidentitermes
Mirotermes (*Basidentitermes*), see *Ba-*
sidentitermes
- praecellens**
Syntermes
- praecox**
Calotermites, see *Neotermes*
Neotermes
- praelongus**
Termes, see *Termes hispaniolae*
- praevalens**
Termes (*Odontotermes*), see *Odonto-*
 termes (O.)
Odontotermes (O.)
- preliminaris**
Termes, see *Odontotermes* (O.)
Odontotermes (*Cyclotermes*), see *Odon-*
 totermes (O.)
Odontotermes (O.)
- pretorianus**
Cubitermes
Mirotermes (*Cubitermes*), see *Cubi-*
 termes
- pretoriensis**
Hodotermes (*Macrohodotermes*) mos-
 sambicus, subsp. *transvaalensis*,
 form, see *Hodotermes mossambicus*
Hodotermes, see *Hodotermes mossambi-*
cus
Macrohodotermes, see *Hodotermes mos-*
sambicus
Eutermes (*Cubitermes*), see *Lepido-*
 termes
Mirotermes (*Cubitermes*), see *Lepido-*
 termes
Lepidotermes
Odontotermes, see *Odontotermes* (O.)
Termes, see *Odontotermes* (O.)
Odontotermes (O.)
Trinervitermes

- primus
Calotermes (*Cryptotermes*), see *Cryptotermes*
Cryptotermes
Planocryptotermes, see *Cryptotermes dudleyi*
Mirotermes (*Paracapritermes*), see *Paracapritermes*
Paracapritermes
Odontotermes (*Euscaiotermes*)
- princeps
Termes (*Eutermes*), see *Nasutitermes*
Eutermes, see *Nasutitermes*
Nasutitermes
- pristinus Charpentier, fossil
Termes, see *Macrotermes*
Termes (*Eutermes*), see *Macrotermes*
(*Eutermes*), see *Macrotermes*
Odontotermes, see *Macrotermes*
Macrotermes
- problematicus
Microtermes
- procerus Heer
Termopsis, see *Miotermes*
Termes, see *Miotermes*
Hodotermes, see *Miotermes*
Miotermes, fossil
- processionarius
Eutermes (*Eutermes*), see *Nasutitermes*
indicola
- profestus
Eutermes, see *Nasutitermes*
Nasutitermes
- progrediens
Microcerotermes brachygynathus, var.,
see *Microcerotermes*
Microcerotermes
- projectus
Eutermes, see *Nasutitermes*
Nasutitermes
- propinquus
Microcerotermes
Mirotermes (*Mirotermes*), see *Termes*
Termes
- proratus
Speculitermes
- prorepens
Eutermes, see *Protermes*
Termes, see *Protermes*
- Protermes (*Protermes*), see *Protermes*
Protermes
- provisorius
Schedorhinotermes
- proximatus
Mirotermes (*Cubitermes*), see *Cubitermes*
Cubitermes
- proximus
Anoplotermes
Odontotermes (*Odontotermes*)
Eutermes arenarius, subsp., see *Nasutitermes*
Termes (*Eutermes*) *arenarius*, see *Nasutitermes*
Eutermes (*Eutermes*), see *Nasutitermes*
Nasutitermes
Eutermes arenarius, subsp., var. B
(Silvestri 1903, Brazil), see *Nasutitermes coxiopoensis*
Eutermes arenarius, subsp., var. A
(Silvestri, 1903, Argentina), see *Nasutitermes sanctae-anae*
- psammophilus
Microcerotermes
- pseudobrevis
Cryptotermes, see *Cryptotermes brevis*
- pseudoduplex
Mirotermes (*Cubitermes*), see *Cubitermes bilobates* (in part)
Mirotermes (*Cubitermes*), see *Cubitermes*
Cubitermes
- pubescens
Kaloterme (*Glyptotermes*), see *Glyptotermes*
Glyptotermes
Microtermes, see *Microtermes unicolor*
- pugnax
Cornitermes (*Cornitermes*), see *Cornitermes*
Cornitermes
- pulcher
Hodotermes (*Macrohodotermes*) *mossambicus*, subsp., see *Hodotermes mossambicus*
Hodotermes, see *Hodotermes mossambicus*

pulleinei	Rhinoterme (Schedorhinotermes), see Schedorhinotermes
Eutermes (Trinervitermes), see Tumulitermes	Schedorhinotermes
Tumulitermes	Schedorhinotermes
pulliceps	Rhinoterme, see Schedorhinotermes lamanianus
Nasutitermes (Convexitermes), see Nasutitermes banksi	Rhinoterme, see Schedorhinotermes lamanianus, var. australis
pulsatorium	Schedorhinotermes, see Schedorhinotermes lamanianus, var. australis
Termes (Psocid ?), see not a termite	
pumilus	
Hamitermes (Ahamitermes), see Ahamitermes	pygmaeus
Ahamitermes	Parrhinotermes
punctatus Giebel	pyricephalus
Termes, see Glyptotermes pusillus, fossil	Eutermes matangensis, subsp., see Nasutitermes matangensis, subsp.
Eutermes, see Glyptotermes pusillus, fossil	pyriformis
punctatus	Anoplotermes (Anoplotermes), see Anoplotermes
Anoplotermes	Anoplotermes
punjabensis	Eutermes, see Nasutitermes triodiae
Capritermes	quadratus
pusilla	Mirotermes, see Termes
Microtermes feae var., see Microtermes pusillus	Termes
Eutermes nigrita, subsp. rectirostris, var., see Nasutitermes nigritus, subsp. rectirostris, var.	quadriiceps
Eutermes maculiventris, var., see Nasutitermes santschii	Amitermes, see Synhamitermes
pusillus	Termes (Eutermes), see Synhamitermes
Termes (Eutermes), see Glyptotermes (fossil)	Hamitermes (Synhamitermes), see Synhamitermes
Termes, see Glyptotermes (fossil)	Synhamitermes
Calotermes, see Glyptotermes (fossil)	Hamitermes (Holmgren, 1911c), see Synhamitermes ceylonicus
Calotermes (Glyptotermes), see Glyptotermes (fossil)	Mirotermes (Euchilotermes), see Euchilotermes
Glyptotermes, fossil	Euchilotermes
Termes (Walker), see Reticulitermes lucifugus	quadricollis
Microtermes	Termes (Walker), see Neotermes perfectus
Eutermes (Eutermes), see Bulbitermes neopusillus	Termes, see Porotermes
Nasutitermes (N.), see Bulbitermes neopusillus	Hodotermes (Porotermes), see Porotermes
putidus	Porotermes
Eutermes (Eutermes), see Nasutitermes Nasutitermes	queenslandicus
Nasutitermes	Stolotermes
putorius	Parrhinotermes
Termes, see Schedorhinotermes	Schedorhinotermes, see (misprint for) Schedorhinotermes reticulatus
Rhinotermes, see Schedorhinotermes	Eutermes nigerrimus, var., see Nasutitermes triodiae

queenslandis	
Calotermes (Cryptotermes), see Pro-cryptotermes	
Procryptotermes	
quietus	
Anoplotermes	
rabidus	
Termes (unidentified), see Trinervi-termes rubidus	
radcliffei	
Termopsis, see Archotermopsis wrough-toni	
radicum	
Termes, see Reticulitermes lucifugus	
raffrayi	
Coptotermes	
Termes (Coptotermes), see Coptotermes	
rainbowi	
Calotermes (Neotermes), see Neotermes	
Neotermes	
ramulosus	
Termes, see Odontotermes (O.)	
Odontotermes, see Odontotermes (O.)	
Odontotermes (O.)	
randeckensis von Rosen	
Miotermes, fossil	
ransonneti	
Eutermes (Lacessititermes), see Laces-sititermes	
Lacessititermes	
rapae	
Kalotermes, see Procryptotermes	
Procryptotermes	
raphidioides	
Hemerobius, see Reticulitermes luci-fugus	
rapulum	
Eutermes, see Trinervitermes	
Termes (Eutermes), see Trinervitermes	
Eutermes (Trinervitermes), see Tri-nervitermes	
Trinervitermes	
rariplius	
Nasutitermes (Subulitermes), see Subu-litermes	
Subulitermes	
ravus	
Hamitermes (Hamitermes), see Ami-termes	
Amitermes	
	recalvus
	Eutermes, see Tumulitermes
	Tumulitermes
	receptus
	Eutermes, see not classified
	Mirotermes (Cubitermes), see not classi-fied
	recessifrons
	Kalotermes (Calcaritermes), see Cal-caritermes
	Calcaritermes
	reconditus
	Anoplotermes, see Speculitermes
	Termes (Eutermes), see Speculitermes
	Anoplotermes (Speculitermes), see Speculitermes
	Speculitermes
	rectangularis
	Eutermes, see Cephalotermes
	Termes (Eutermes), see Cephalotermes
	Eutermes (Cylindrotermes), see Cephalotermes
	Cephalotermes
	rectangulooides
	Odontotermes, see Odontotermes (O.)
	Termes, see Odontotermes (O.)
	Odontotermes (O.)
	rectifrons
	Eutermes aquilinus, form, see Nasuti-termes aquilinus, form
	rectirostris
	Eutermes nigrita, subsp., see Nasuti-termes nigritus, subsp.
	redemannii
	Termes, see Odontotermes (O.)
	Odontotermes (Cyclotermes), see Odon-totermes (O.)
	Odontotermes, see Odontotermes (O.)
	Odontotermes (O.)
	redenianus
	Termes, see Microtermes
	Microtermes
	reducta
	Coptotermes truncatus, var., see Copto-termes reductus
	redundans
	Mirotermes (Promirotermes) holmgreni, var., see Promirotermes
	Promirotermes

regularis	Allodontermes
Termes, see Nasutitermes	Eutermes, see Trinervitermes
Eutermes (Eutermes), see Nasutitermes	Trinervitermes
Nasutitermes	riograndensis
rehobothensis	Termes, see Termes saltans
Termes, see Odontotermes (O.)	ripitti
Odontotermes, see Odontotermes (O.)	Termes, see Nasutitermes
Odontotermes (O.)	Termes (Eutermes), see Nasutitermes
reinhardtii Sörensen ms.	Nasutitermes
Termes, see Constrictotermes cypher-	Eutermes, var. (Silvestri, 1903), see
gaster	Nasutitermes bivalens
remotus Hill	Eutermes (Silvestri, 1903), see Nasuti-
Coptotermes	termes brevioculatus
remotus Silvestri	Eutermes (Holmgren, 1906), see Nasu-
Coptotermes, see Coptotermes formo-	titermes mojosensis
sanus	Eutermes (Silvestri, 1934), see Nasuti-
repandus	termes not identified to species
Calotermes, see Kalotermes	roboratus
Kalotermes	Nasutitermes
repentinus	robustior
Calotermes (Cryptotermes), see Crypto-	Rhinotermes (Schedorhinotermes) di-
termes domesticus	morphus, subsp., see Schedorhino-
repugnans	termes dimorphus, subsp.
Microcerotermes	Schedorhinotermes dimorphus, subsp.
resinatus von Rosen	robustus
Calotermes (Calotermes), see Kalo-	Calotermes (Sjöstedt), see Neotermes
termes	camerunensis
Kalotermes, fossil	Calotermes Froggatt, see Neotermes in-
Mirotermes, see Termes, fossil	sularis (Walker)
Termes, fossil	Coptotermes, see Coptotermes curvig-
reticulatus	nathus
Rhinotermes, see Schedorhinotermes	Mirotermes (Spinitermes), see Spinи-
Rhinotermes (Schedorhinotermes), see	termes
Schedorhinotermes	Spinitermes
Schedorhinotermes	Odontotermes (Odontotermes) (John),
retus	see Odontotermes (O.) praevalens
Eutermes, see Nasutitermes	Odontotermes (Odontotermes)
Nasutitermes	Termes, see Odontotermes (O.)
rhenanus Hagen, fossil	Eutermes (Eutermes), see Nasutitermes
Calotermes, see Kalotermes	Nasutitermes
Kalotermes	robustus von Rosen
rhinoceros	Leucotermes (Reticulitermes), see Para-
Eutermes, see Ceratotermes	stylotermes, fossil
Cornitermes (Labiotermes), see Cerato-	Reticulitermes, see Parastylotermes,
termes	fossil
Labiotermes, see Ceratotermes	Leucotermes, see Parastylotermes, fossil
Ceratotermes	Parastylotermes, fossil
rhodesiensis	rosae
Termes (Allodontermes), see Allodon-	Eutermes, see Bulbitermes
termes	Bulbitermes

roseni Martynov	rubriceps
Permotermopsis, see fossil not a termite	Termes, see Drepanotermes
roseni	Termes (Eutermes), see Drepanotermes
Eutermes (Trinervitermes), see Trinervitermes	Hamitermes (Drepanotermes), see Drepanotermes
Trinervitermes	Drepanotermes
rospigliosi	Microcerotermes zuluensis, form
Kalotermes (Cryptotermes), see Cryptotermes	ruficeps
Cryptotermes	Stolotermes
rostratus	Eutermes (Trinervitermes), see Trinervitermes
Termes	Trinervitermes
Termes (Eutermes), see Termes	rufinotum
Mirotermes (Mirotermes), see Termes	Calotermes, see Kalotermes
rothi	Calotermes (Glyptotermes), see Kalotermes
Capritermes nemorosus, form, see Capritermes nemorosus	Kalotermes
rothschildianus	rufirostris
Termes, see Odontotermes (O.)	Eutermes, see Nasutitermes
Odontotermes, see Odontotermes (O.)	Nasutitermes
Odontotermes (O.)	rufonasalis
rottensis Statz	Eutermes, see Trinervitermes
Ulmariella, fossil	Eutermes (Eutermes), see Trinervitermes
rotundatus	Trinervitermes
Anoplotermes	rufus
Mirotermes, see Promirotermes rotundifrons	Termes, see Hospitalitermes
Eutermes (Eutermes), see Nasutitermes	Eutermes (Hospitalitermes), see Hospitalitermes
Nasutitermes	Hospitalitermes
rotundiceps	rugifer
Eutermes, see Rotunditermes	Prorhinotermes
Eutermes (Rotunditermes), see Rotunditermes	rugosus
Rotunditermes	Calotermes, see Rugitermes
rotundifrons	Calotermes (Rugitermes), see Rugitermes
Mirotermes, see Promirotermes	Rugitermes
Promirotermes	runconifer
rotundus	Hamitermes, see Amitermes
Anoplotermes	Hamitermes (Hamitermes), see Amitermes
Nasutitermes (N.), see Nasutitermes	Amitermes
Nasutitermes	rutoti Meunier
rouxi	Termes, fossil of doubtful position
Calotermes (Neotermes), see Neotermes	salakensis
Neotermes	Eutermes, see Bulbitermes
rubidus	Bulbitermes
Termes, see Trinervitermes	salebrifrons
Eutermes (Trinervitermes), see Trinervitermes	Termes, see Odontotermes (O.)
Trinervitermes	

Odontotermes, see <i>Odontotermes (O.)</i>	<i>Nasutitermes (Nasutitermes)</i> , see <i>Nasutitermes costalis</i>
Odontotermes (<i>O.</i>)	
<i>salebrithorax</i>	<i>sanctus</i>
Eutermes, see <i>Nasutitermes</i>	<i>Anoplotermes</i>
Termes (Eutermes), see <i>Nasutitermes</i>	<i>sandakanensis</i>
<i>Nasutitermes</i>	<i>Eutermes (Eutermes)</i> , see <i>Nasutitermes</i>
<i>saleierensis</i>	<i>Nasutitermes</i>
<i>Neotermes</i>	<i>sankurensis</i>
Eutermes, see <i>Nasutitermes</i>	<i>Mirotermes (Cubitermes)</i> , see <i>Cubitermes</i>
<i>Nasutitermes</i>	<i>Eutermes</i> , see <i>Cubitermes</i>
<i>saliens</i>	<i>Cubitermes</i>
Termes, see <i>Neocapritermes opacus</i>	<i>sansibarita</i>
<i>saltans</i>	<i>Termes bellicosus</i> , subsp., see <i>Macrotermes bellicosus</i>
<i>Mirotermes</i> , see <i>Termes</i>	
<i>Capritermes</i> , see <i>Termes</i>	<i>santschi</i>
Termes (Eutermes), see <i>Termes</i>	<i>Hamitermes</i> , see <i>Amitermes</i>
<i>Mirotermes (Mirotermes)</i> , see <i>Termes</i>	<i>Amitermes</i>
Termes	<i>santschii</i>
Termes (Dudley and Beaumont), see not classified	<i>Capritermes</i>
<i>samoanus</i>	<i>Nasutitermes (Nasutitermes)</i> , see <i>Nasutitermes</i>
<i>Calotermes</i> , see <i>Neotermes</i>	<i>Nasutitermes</i>
<i>Calotermes (Neotermes)</i> , see <i>Neotermes</i>	<i>saraiensis</i>
<i>Calotermes (Cryptotermes)</i> , see <i>Neo-</i> <i>termes</i>	<i>Eutermes (Hospitalitermes)</i> , see <i>Hospitalitermes luzonensis</i>
<i>Neotermes</i>	<i>sarasini</i>
<i>sanchezi</i>	<i>Calotermes (Neotermes)</i> , see <i>Neotermes</i>
Eutermes (Eutermes), see <i>Nasutitermes</i>	<i>Neotermes</i>
<i>costalis</i>	<i>sarawakensis</i>
<i>Nasutitermes (Nasutitermes)</i> , see <i>Na-</i> <i>sutitermes costalis</i>	<i>Rhinoterme (Schedorhinotermes)</i> , see <i>Schedorhinotermes</i>
<i>sanctae-anae</i>	<i>Schedorhinotermes</i>
Eutermes (Eutermes), see <i>Nasutitermes</i>	<i>Rhinoterme (Schedorhinotermes)</i> , see <i>Schedorhinotermes malaccensis</i>
<i>Nasutitermes</i>	<i>Odontotermes (Cyclotermes)</i> , see <i>Odontotermes (O.)</i>
<i>sanctae-crucis</i>	<i>Odontotermes (Odontotermes)</i>
<i>Kalotermes (Neotermes)</i> , see <i>Neotermes</i>	<i>Termes (Haviland)</i> , see <i>Bulbitermes</i>
<i>Neotermes</i>	<i>Eutermes (Eutermes)</i> , see <i>Bulbitermes</i>
<i>Rhinoterme (Schedorhinotermes)</i> , see <i>Schedorhinotermes</i>	<i>Bulbitermes</i>
<i>Nasutitermes (Subulitermes)</i> , see <i>Na-</i> <i>sutitermes</i>	<i>satsumensis</i>
<i>Nasutitermes</i>	<i>Termes</i> , see <i>Glyptotermes</i>
<i>sanctae-luciae</i>	<i>Calotermes (Glyptotermes)</i> , see <i>Glyptotermes</i>
<i>Microcerotermes</i>	<i>Glyptotermes</i>
<i>Mirotermes (Cubitermes)</i> , see <i>Cubi-</i> <i>termes</i>	<i>schereri</i>
<i>Cubitermes</i>	<i>Mirotermes (Cubitermes) (soldier)</i> , see <i>Cubitermes</i>
Eutermes, see <i>Nasutitermes costalis</i>	<i>Cubitermes</i>

Mirotermes (Cubitermes) (imago), see Pericapritermes silvestrianus	scotti Calotermes (Glyptotermes), see Glypto- termes Glyptotermes
Pericapritermes, see Pericapritermes silvestrianus	scrutor Termes, see Odontotermes (O.)
schmidtii	Odontotermes, see Odontotermes (O.)
Mirotermes (Cubitermes), see Cubi- termes	Odontotermes (O.)
Cubitermes	scudderii Cockerell Parotermes, see Zootermopsis colora- densis, fossil
Hospitalitermes	secernens Eutermes, see Microcerotermes
schmitzi	Microcerotermes
Termes (Termes), see Odontotermes (O.)	seclusus Rhinotermes intermedius, see Schedo- rhinotermes intermedius seclusus
Odontotermes (O.)	Rhinotermes (Schedorhinotermes) inter- medius, see Schedorhinotermes in- termedius seclusus
schoombiensis	Schedorhinotermes intermedius subsp.
Hamitermes, see Amitermes	secundus Calotermes (Cryptotermes), see Crypto- termes dudleyi
Amitermes	sedatus Anoplotermes
schoutedeni	sedulus Coptotermes, see Coptotermes lacteus
Macrotermes	seeversi Kalotermes
Tumulitermes, see Macrotermes	segelli Eutermes, see Trinervitermes
Hepilitermes, see Macrotermes	Eutermes (Trinervitermes), see Tri- nervitermes
Eutermes (Eutermes), see Nasutitermes	Trinervitermes
Nasutitermes	sembarangi Capritermes
schubotzianus	Capritermes (Capritermes), see Capri- termes
Eutermes, see Trinervitermes	semilunaris Calotermes (Neotermes), see Neotermes
Eutermes (Trinervitermes), see Triner- vitermes	Neotermes
Trinervitermes	seminotus Eutermes, see Amitermes
schultzei	Hamitermes, see Amitermes
Calotermes (Neotermes), see Neotermes	Amitermes
Neotermes	senegalensis Cryptotermes lamanianus, subsp. see
Capritermes	Cryptotermes havilandi
Termes, see Allodontermes	Psammotermes
Termes (Allodontermes), see Allodon- termes	
Protermes (Allodontermes), see Allodon- termes	
Allodontermes	
schwarzii	
Kalotermes	
Kalotermes (Kalotermes), see Kalo- termes	
Anoplotermes	
Anoplotermes (Anoplotermes), see An- oplotermes	
sciangallorum	
Amitermes	
scopulus	
Hamitermes, see Amitermes	
Amitermes	

<i>septentrionalis</i>	<i>Microcerotermes</i> , see <i>Microcerotermes sikorae</i>
<i>Hodotermes vagens</i> , subsp., see <i>Anacanthotermes vagans</i> , subsp.	
<i>Hodotermes (Anacanthotermes) vagens</i> , subsp., see <i>Anacanthotermes vagans</i> , subsp.	
<i>Anacanthotermes vagens</i> , subsp.	
<i>Drepanotermes</i> , see <i>Drepanotermes rubriceps</i>	
<i>Microcerotermes</i>	
<i>Mirotermes</i> , see <i>Termes</i>	
<i>Termes</i>	
<i>sepulvillus</i>	
<i>Kalotermes (Neotermes)</i> , see <i>Neotermes</i>	
<i>Neotermes</i>	
<i>serratus</i>	
<i>Termes</i> , see <i>Microcerotermes</i>	
<i>Termes (Eutermes)</i> , see <i>Microcerotermes</i>	
<i>Microcerotermes</i>	
<i>Termes (Haviland)</i> , see <i>Microcerotermes serrula</i>	
<i>serrifer</i>	
<i>Calotermes</i> , see <i>Serritermes</i>	
<i>Termes</i> , see <i>Serritermes</i>	
<i>Serritermes</i>	
<i>serrula</i>	
<i>Termes (Eutermes)</i> , see <i>Microcerotermes</i>	
<i>Microcerotermes</i>	
<i>serrulatus</i>	
<i>Macrotermes (Macrotermes)</i> , see <i>Macrotermes</i>	
<i>Macrotermes</i>	
<i>setiger</i>	
<i>Termes</i> , see <i>Procapritermes</i>	
<i>Termes (Eutermes)</i> , see <i>Procapritermes</i>	
<i>Procapritermes</i>	
<i>severus</i>	
<i>Cubitermes</i>	
<i>sharp<i>i</i></i>	
<i>Eutermes (Hospitalitermes) umbrinus</i> , form, see <i>Hospitalitermes umbrinus</i> , form	
<i>sibericus</i> Martynov	
<i>Diatermes</i> , fossil	
<i>sibitiensis</i>	
<i>Cubitermes</i> , see <i>Cubitermes sankurensis</i>	
<i>sikorae</i>	
<i>Eutermes</i> , see <i>Microcerotermes sikorae</i>	
<i>Termes</i> , see <i>Microcerotermes sikorae</i>	
	<i>Eutermes</i> , see <i>Cubitermes</i>
	<i>Mirotermes (Cubitermes)</i> , see <i>Cubitermes</i>
	<i>Cubitermes</i>
	<i>sikorae</i>
	<i>Eutermes</i> , see <i>Microcerotermes</i>
	<i>Termes</i> , see <i>Microcerotermes</i>
	<i>Microcerotermes</i>
	<i>silvaticus</i>
	<i>Pseudocapritermes</i>
	<i>silvestrianus</i>
	<i>Amitermes</i>
	<i>Microcerotermes</i>
	<i>Capritermes (Pericapritermes)</i> , see <i>Pericapritermes</i>
	<i>Pericapritermes</i>
	<i>silvestrii</i>
	<i>Hodotermes</i> , see <i>Microhodotermes viator</i>
	<i>Anoplotermes (Anoplotermes)</i> , see <i>Speculitermes</i>
	<i>Speculitermes</i>
	<i>Drepanotermes</i> , see <i>Drepanotermes rubriceps</i>
	<i>Cubitermes</i>
	<i>Odontotermes</i> , see <i>Odontotermes (O.)</i>
	<i>Termes</i> , see <i>Odontotermes (O.)</i>
	<i>Odontotermes (O.)</i>
	<i>Syntermes</i>
	<i>Cornitermes</i>
	<i>Eutermes (Eutermes)</i> , see <i>Nasutitermes</i>
	<i>Nasutitermes</i>
	<i>Armitermes</i>
	<i>simalurensis</i>
	<i>Odontotermes</i> , see <i>Odontotermes (O.)</i>
	<i>Odontotermes (O.)</i>
	<i>simalurus</i>
	<i>Nasutitermes</i>
	<i>similis</i>
	<i>Termes</i> , see <i>Cornitermes</i>
	<i>Cornitermes (Cornitermes)</i> , see <i>Cornitermes</i>
	<i>Cornitermes</i>
	<i>Nasutitermes</i>

simplex	
Termes, see <i>Prorhinotermes</i>	
<i>Rhinoterme</i> , see <i>Prorhinotermes</i>	
<i>Arrhinotermes</i> , see <i>Prorhinotermes</i>	
<i>Prorhinotermes</i>	
<i>Mirotermes (Cubitermes)</i> , see <i>Lepidoterms</i>	
<i>Lepidotermes</i>	
simplicicornis	
<i>Kalotermes</i> , see <i>Paraneoterme</i>	
<i>Kalotermes (Kalotermes)</i> , see <i>Paraneoterme</i>	
<i>Kalotermes (Neotermes)</i> , see <i>Paraneoterme</i>	
<i>Paraneoterme</i>	
simplicidens	
Termes, see <i>Odontotermes (O.)</i>	
<i>Odontotermes (Cyclotermes)</i> , see <i>Odontotermes (O.)</i>	
<i>Odontotermes (O.)</i>	
simplicinervis	
Termes, see <i>Caviterme</i>	
Termes (<i>Eutermes</i>), see <i>Caviterme</i>	
<i>Caviterme</i>	
simulans	
<i>Nasutitermes (N.)</i> , see <i>Nasutiterme</i>	
<i>Nasutiterme</i>	
sinabangensis	
<i>Coptotermes</i>	
<i>Odontotermes</i> , see <i>Odontotermes (O.)</i>	
<i>Odontotermes (O.)</i>	
<i>Hirtiterme</i>	
sinaicus	
<i>Kalotermes</i>	
sindensis	
Termes, see <i>Microtermes</i>	
<i>Microtermes</i>	
sinensis	
<i>Kalotermes</i> , see <i>Neotermes</i>	
<i>Neotermes</i>	
<i>Odontotermes</i> , see <i>Odontotermes (O.)</i>	
<i>formosanus</i>	
singaporensis	
<i>Macroterme</i>	
singaporiensis	
Termes, see <i>Bulbiterme</i>	
<i>Eutermes</i> , see <i>Bulbiterme</i>	
<i>Eutermes (Eutermes)</i> , see <i>Bulbiterme</i>	
<i>Bulbiterme</i>	
	<i>sinuosa</i>
	<i>Procubitermes curvatus</i> , var., see <i>Noditermes sinuosus</i>
	<i>sinuosus</i>
	<i>Noditerme</i>
	<i>sjöstedti</i>
	<i>Calotermes</i> , see <i>Neotermes</i>
	<i>Calotermes (Neotermes)</i> , see <i>Neotermes</i>
	<i>Neotermes</i>
	<i>Hodotermopsis</i>
	<i>Coptotermes</i>
	<i>Mirotermes (Cubitermes)</i> , see <i>Procubitermes</i>
	<i>Eutermes (Cubitermes)</i> , see <i>Procubitermes</i>
	<i>Procubiterme</i>
	Termes (<i>Termes</i>), see <i>Odontotermes (O.)</i>
	<i>Odontotermes (O.)</i>
	<i>Microtermes</i>
	<i>Eutermes</i> , see <i>Nasutitermes latifrons</i>
	<i>smeathmani</i>
	<i>Kalotermes</i> , see <i>Kalotermes</i> not identified to species
	Termes, see <i>Odontotermes (O.)</i>
	<i>Odontotermes (O.)</i>
	<i>smithi</i>
	<i>Eutermes</i> , see <i>Nasutiterme</i>
	<i>Nasutiterme</i>
	<i>snyderi</i>
	<i>Kalotermes</i>
	<i>Amitermes</i>
	Termes (<i>Termes</i>), see <i>Odontotermes (O.)</i>
	<i>Odontotermes (O.)</i>
	<i>Syntermes</i>
	<i>Corniterme</i>
	<i>Nasutitermes (Subuliterme)</i> , see <i>Subuliterme</i>
	<i>Subuliterme</i>
	<i>socialis</i>
	<i>Eutermes (Sjöstedt, soldier)</i> , see <i>Pericapriterme</i>
	Termes (<i>Eutermes</i>) (<i>Desneux</i>), see <i>Pericapriterme</i>
	<i>Eutermes (Capriterme)</i> , see <i>Pericapriterme</i>
	<i>Capriterme (Capriterme)</i> , see <i>Pericapriterme</i>
	<i>Anoplotermes</i> , see <i>Pericapriterme</i>
	<i>Pericapriterme</i>

solida, see *solidus*
Microcerotermes

solidus
Calotermes, see *Cryptotermes*
Calotermes (Cryptotermes), see *Cryptotermes*
Cryptotermes
Microcerotermes parvus, var., see *Microcerotermes*
Microcerotermes zuluensis, var., see *Microcerotermes*
Microcerotermes
Syntermes
solomonensis
Coptotermes, see *Coptotermes grandiceps*
Prorhinotermes, see *Prorhinotermes inopinatus*
Rhinotermes (Schedorhinotermes), see *Schedorhinotermes*
Schedorhinotermes
somaliensis
Amitermes
Termes, see *Odontotermes (O.)*
Odontotermes (O.)
Microtermes
Eutermes, see *Trinervitermes*
Eutermes (Trinervitermes), see *Trinervitermes*
Trinervitermes
sonneratiae
Neotermes
sophiae Statz
Calotermes, see *Ulmeriella bauckhorni*, fossil
sordidus
Termes, see *Lacessititermes*
Eutermes (Lacessititermes), see *Lacessititermes*
Lacessititermes
sordwana
Mirotermes (Cubitermes) truncatoides, var., see *Cubitermes truncatoides*, var.
Cubitermes truncatoides, var.
sorex
Mimeutermes
sowerbyi
Capritermes, see *Procapritermes*
Procapritermes

spadix
Amitermes, see *Amitermes wheeleri*
species, new, not described
Schedorhinotermes
Anoplotermes
Nasutitermes
species (living), not identified
Calotermes (Cryptotermes), see *Cryptotermes*
Glyptotermes
Termopsis, see *Zootermopsis*
Zootermopsis
Coptotermes
Schedorhinotermes
Anoplotermes
Anoplotermes (Speculitermes), see *Speculitermes*
Speculitermes
Hamitermes (Hamitermes), see *Amitermes*
Amitermes
Hoplognathotermes
Cubitermes
Mirotermes (Basidentitermes)
Microtermes
Syntermes
Eutermes, see *Nasutitermes*
Nasutitermes
Trinervitermes
Subulitermes
species (living), not classified
Calotermes
Calotermes (Cryptotermes)
Eutermes
species (fossil), not identified
Mastotermitid
Calotermes
Hodotermes, see *Ulmeriella*
Ulmeriella
Schedorhinotermes
Microcerotermes
Mirotermes, see *Termes*
Termes
Macrotermes
Odontotermes
Trinervitermes
species (fossil), of doubtful position (not classified)
Termes
Eutermes

- species (fossil), not termites
Clathrotermes, see **Elcana** (Orthoptera)
- speciosus**
Cubitermes
Termes, see **Capritermes**
Capritermes
Termes, see **Macrotermes nobilis**
Macrotermes, see **Macrotermes nobilis**
- spectabilis** Heer
Termopsis, see **Miotermes**
Termes, see **Miotermes**
Hodotermes, see **Miotermes**
Miotermes, fossil
- speiseri**
Calotermes (**Procryptotermes**), see **Pro-cryptotermes**
Procryptotermes
- speratus**
Termes, see **Reticulitermes**
Leucotermes, see **Reticulitermes**
Reticulitermes
- sphaerothorax**
Eutermes, see **Sphaerotermes**
Termes (**Sphaerotermes**), see **Sphaero-termes**
Sphaerotermes
- spinicolle**
Termes, see **Syntermes dirus**
- spinifer**
Hamitermes, see **Amitermes**
Amitermes
- spiniger**
Termes (**Acanthotermes**), see **Pseuda-canthontermes**
Acanthotermes (**Pseudacanthotermes**), see **Pseudacanthotermes**
Pseudacanthotermes
- spinocephalus**
Eutermes (**Hirtitermes**), see **Hirtitermes**
Hirtitermes
- spinosum**
Termes, see **Syntermes dirus**
- spinosus**
Termes, see **Syntermes dirus**
- splendens**
Mirotermes, see **Termes**
Termes
- splendidus**
Grallatotermes
- spoliator**
Calotermes, see **Kalotermes**
Kalotermes
stanleyvillensis
Termes (**Termes**), see **Odontotermes** (O.)
Odontotermes (O.)
- stercorivorus**
Termes, see **Odontotermes** (O.)
Odontotermes (O.)
- strelnicovi**
Eutermes, see **Nasutitermes**
Nasutitermes
- strenuus**
Termes, see not classified
Termes (**Eutermes**), see not classified
Constrictotermes, see not classified
- STRIATUS**
Termes, see **Procornitermes**
Cornitermes, see **Procornitermes**
Cornitermes (C.), see **Procornitermes**
Procornitermes
- strunckii**
Termes, see **Microcerotermes**
Termes (**Eutermes**), see **Microcerotermes**
Microcerotermes
- subagilus**
Eutermes, see **Tumulitermes**
Tumulitermes
- subarquatus**
Cubitermes
- subcrenulatus**
Mirotermes (**Cubitermes**), see **Cubi-termes**
Cubitermes
- SUBFUSCICEPS**
Rhinotermes (**Rhinotermes**), see **Aco-rhinotermes**
Acorhinotermes
- subfuscus**
Hamitermes, see not classified
- subhyalinus**
Termes (Walker), see **Cubitermes**
fungifaber
Termes, see **Macrotermes bellicosus**
Microtermes
- subintacta**
Coptotermes intermedius, var., see **Cop-totermes sjöstedti**, var.
Coptotermes sjöstedti, var.

submissus	
<i>Hoplognathotermes</i>	
subterraneus	
<i>Anoplotermes</i> (<i>Anoplotermes</i>), see <i>Anoplotermes</i>	
<i>Anoplotermes</i>	
<i>Hoplognathotermes</i>	
subtilis	
<i>Termes</i> , see <i>Microcerotermes</i>	
<i>Eutermes</i> , see <i>Microcerotermes</i>	
<i>Termes</i> (<i>Eutermes</i>), see <i>Microcerotermes</i>	
<i>Microcerotermes</i>	
subulatus	
<i>Eutermes</i> (<i>Eutermes</i>), see <i>Bulbitermes</i>	
<i>Bulbitermes</i>	
sudanensis	
<i>Odontotermes</i> , see <i>Odontotermes</i> (O.)	
<i>Termes</i> , see <i>Odontotermes</i> (O.)	
<i>Odontotermes</i> (O.)	
<i>Ancistrotermes</i> , see <i>Microtermes aluco</i>	
<i>Microtermes</i> , see <i>Microtermes aluco</i>	
sudanicus	
<i>Eutermes</i> , see <i>Trinervitermes</i>	
<i>Termes</i> (<i>Eutermes</i>), see <i>Trinervitermes</i>	
<i>Trinervitermes</i>	
suffuscus	
<i>Nasutitermes</i> (<i>Coarctotermes</i>), see <i>Coarctotermes</i>	
<i>Coarctotermes</i>	
sulcatus	
<i>Capritermes</i> (<i>Capritermes</i>), see <i>Capritermes nitobei</i>	
<i>Capritermes</i> , see <i>Capritermes nitobei</i>	
sulciceps	
<i>Nasutitermes</i> (<i>Trinervitermes</i>) <i>bettonianus</i> , subsp., see <i>Trinervitermes bettonianus</i> , subsp.	
<i>Trinervitermes bettonianus</i> , subsp.	
suclifrons	
<i>Cubitermes</i>	
<i>Mirotermes</i> (<i>Cubitermes</i>), see <i>Cubitermes</i>	
<i>Eutermes</i> (<i>Cubitermes</i>), see <i>Cubitermes</i>	
sulphureus	
<i>Termes</i> , see <i>Globitermes</i>	
<i>Termes</i> (<i>Eutermes</i>), see <i>Globitermes</i>	
<i>Hamitermes</i> (<i>Globitermes</i>), see <i>Globitermes</i>	
<i>Globitermes</i>	
sumatrense	
<i>Termes</i> , see <i>Odontotermes</i> (O.) <i>taprobanes</i>	
sumatrensis	
<i>Cryptotermes</i>	
<i>Capritermes</i>	
<i>Odontotermes</i> (<i>Hypotermes</i>)	
sundiacus	
<i>Odontotermes</i> (O.)	
sunteri	
<i>Mirotermes</i> , see <i>Termes</i>	
<i>Termes</i>	
supera	
<i>Mirotermes</i> (<i>Basidentitermes</i>) <i>bivalens</i> , var., see <i>Basidentitermes mactus</i> , var.	
superans	
<i>Neotermes</i>	
superior	
<i>Hoplognathotermes</i> <i>subterraneus</i> , var.	
surinamensis	
<i>Eutermes</i> (<i>Eutermes</i>), see <i>Nasutitermes</i>	
<i>Nasutitermes</i> (<i>Nasutitermes</i>), see <i>Nasutitermes</i>	
suspensus	
<i>Eutermes</i> , see <i>Trinervitermes</i>	
<i>Eutermes</i> (<i>Trinervitermes</i>), see <i>Trinervitermes</i>	
<i>Trinervitermes</i>	
suturis	
<i>Kaloterme</i> (<i>Glyptotermes</i>), see <i>Glyptotermes</i>	
<i>Glyptotermes</i>	
swaziae	
<i>Termes</i> , see <i>Macrotermes</i>	
<i>Macrotermes</i>	
<i>Amplitermes</i> , see <i>Macrotermes</i>	
<i>Bellicositermes</i> , see <i>Macrotermes</i>	
swinhoei	Cockerell, fossil
<i>Termopsis</i> , see fossil of doubtful position	
tabogae	
<i>Kaloterme</i>	
takasagoensis	
<i>Eutermes</i> , see <i>Nasutitermes</i>	
<i>Eutermes</i> (<i>Eutermes</i>), see <i>Nasutitermes</i>	
<i>Nasutitermes</i>	
talpa	
<i>Capritermes</i> (<i>Neocapritermes</i>), see <i>Neocapritermes</i>	
<i>Neocapritermes</i>	

tambopatensis	Calotermes (Neotermes), see Neotermes
Eutermes (Eutermes), see Nasutitermes	Neotermes
peruanus	
tamminensis	tectus Kemner ms.
Hamitermes (Drepanotermes), see Drepanotermes rubriceps	Cryptotermes, see Cryptotermes not identified to species
tanganicus	teevani
Odontotermes, see Odontotermes (O.)	Armitermes (Armitermes), see Armitermes
Termes, see Odontotermes (O.)	Armitermes
Odontotermes (O.)	
taprobanes	temnocephalus
Termes, see Odontotermes (O.)	Calotermes, see Calcaritermes
Odontotermes (Odontotermes)	Calotermes (Procryptotermes), see Calcaritermes
Termes (Hagen), see Macrotermes	Calcaritermes
gilvus	
tarakanensis	tenax
Schedorhinotermes	Protermes (Allodontermes), see Allodontermes
tarakensis	Allodontermes
Schedorhinotermes, see Schedorhinotermes tarakanensis	
tatarenae	tenebrius
Eutermes (Eutermes), see Nasutitermes	Eutermes, see Coarctotermes
Nasutitermes	Eutermes (Coarctotermes), see Coarctotermes
taurocephalus	Coarctotermes
Calotermes, see Procryptotermes	
Calotermes (Procryptotermes), see Procryptotermes	tenebrosus
Procryptotermes	Rhinoterme (Rhinotermes), see Dolichorhinotermes
taurus	Dolichorhinotermes
Rhinoterme, see Rhinoterme nasutus	Termes, see Anoplotermes
taveuniensis	Eutermes, see Anoplotermes
Calotermes (Glyptotermes ?), see Glyptotermes	Termes (Eutermes), see Anoplotermes
Glyptotermes	Anoplotermes
taylori	Anoplotermes (Silvestri), see Anoplotermes hageni
Kalotermes	Nasutitermes
Microcerotermes, see Microcerotermes	tensus
serratus	Mirotermes (Euchilotermes), see Euchilotermes
Mirotermes, see Termes	Euchilotermes
Mirotermes (Mirotermes), see Termes	
Capritermes, see Termes	tenuiceps
Termes	Eutermes (Cubitermes), see Cubitermes
Nasutitermes	Cubitermes
tchadensis	tenuignathus
Eutermes, see Trinervitermes	Eutermes, see Microcerotermes
Eutermes (Trinervitermes), see Trinervitermes	Microcerotermes
Trinervitermes	tenuior
tectonae	Leucotermes, see Heterotermes
Calotermes, see Neotermes	Heterotermes

- Termes (Eutermes), see *Tenuirostri-*
termes
- Eutermes (Constrictotermes), see *Ten-*
uirostritermes
- Eutermes (*Tenuirostritermes*), see *Ten-*
uirostritermes
- Constrictotermes, see *Tenuirostritermes*
- Nasutitermes (*Tenuirostritermes*), see
Tenuirostritermes
- Tenuirostritermes*
- Tenuirostritermes*
- tenuis*
- Termes, see *Heterotermes*
- Leucotermes, see *Heterotermes*
- Heterotermes*
- Microtermes*
- terrestris*
- Termes (Eutermes), see *Trinervitermes*
- terricola*
- terricola*
- Termes, see *Odontotermes* (O.)
- Odontotermes*, see *Odontotermes* (O.)
- Odontotermes* (O.)
- Termes (Termes), see *Odontotermes* (O.)
- Eutermes, see *Trinervitermes*
- Eutermes (*Trinervitermes*), see *Triner-*
vitermes
- Trinervitermes*
- territus*
- Syntermes
- testaceus*
- Hemerobius*, see *Coptotermes*
- Termes, see *Coptotermes*
- Termes (Eutermes), see *Coptotermes*
- Coptotermes*
- Termes (Walker), see *Nasutitermes*
arenarius
- Termes, see not classified
- tetraphilus*
- Capritermes*
- texanus*
- Kalotermes, see *Kalotermes banksi*
- theobromae*
- Termes, see *Microcerotermes*
- Microcerotermes parvus*, subsp., see
Microcerotermes
- Microcerotermes*
- thermarum*
- Trinervitermes*
- Microcerotermes*
- thompsonae*
- Kalotermes (*Cryptotermes*), see *Crypto-*
termes dudleyi
- Kalotermes (*Calcaritermes*), see *Cal-*
caritermes fairchildi
- Nasutitermes (*Subulitermes*), see *Subu-*
littermes
- Subulitermes*
- thomseni*
- Hodotermes, see *Microhodotermes viator*
- Trinervitermes gemellus*, subsp.
- thoracalis*
- Microtermes*
- tibialis*
- Reticulitermes*
- tibiaoensis*
- Termitogetonella (imago, see *Prorhino-*
termes; soldier, see *Odontotermes*
(O.) dives)
- Prorhinotermes*
- tillyardi*
- Calotermes* ?, see *Kalotermes*
- Kalotermes*
- timoriensis*
- Eutermes (Eutermes), see *Nasutitermes*
- Nasutitermes*
- tipuanicus*
- Eutermes, see *Nasutitermes*
- Nasutitermes*
- togoensis*
- Eutermes, see *Trinervitermes*
- Eutermes (Eutermes), see *Trinervi-*
termes
- Trinervitermes*
- tonga*
- Macrotermes bellicosus*, form
- tornquisti von Rosen*
- Archotermopsis*, fossil
- torquatus*
- Nasutitermes*
- torresi*
- Calotermes* (*Cryptotermes*), see *Crypto-*
termes dudleyi
- Eutermes, see *Nasutitermes*
- Nasutitermes*
- tortuosus*
- Capritermes*, see *Pericapritermes chia-*
sognathus
- toumodiensis*
- Microtermes*

- toussainti
Constrictotermes, see *Velocitermes*
Velocitermes
- trägårdhi
Apicotermes
Odontotermes, see *Odontotermes (O.)*
Termes, see *Odontotermes (O.)*
Odontotermes, see *Odontotermes (O.)*
badius
Odontotermes (O.)
Termes, see *Microtermes*
Microtermes
- tranquillus
Anaplotermes
- transiens
Eutermes fuscotibialis, subsp. *libericus*,
var., see *Microcerotermes edentatus*
Microcerotermes libericus, var., see
Microcerotermes edentatus
Microcerotermes edentatus, var., see
Microcerotermes edentatus
- translucens
Termes, see *Schedorhinotermes*
Rhinotermes (Schedorhinotermes), see
Schedorhinotermes
Rhinotermes (Schedorhinotermes), see
Schedorhinotermes dimorphus,
holmgreni, *javanicus*, *makassaren-*
sis, and *medioobscurus*
- transylvanica Pongrácz
Termopsis, fossil
- transvaalensis
Hodotermes, see *Hodotermes mossambi-*
cus
Macrohodotermes, see *Hodotermes mos-*
sambicus
Mirotermes (Cubitermes), see *Cubi-*
termes
Cubitermes
Amplitermes natalensis, form, see
Macrotermes natalensis, form
Macrotermes natalensis, form
Termes, see *Odontotermes (O.)*
Odontotermes, see *Odontotermes (O.)*
Odontotermes (O.)
- travians
Termes, see *Coptotermes*
Coptotermes
Coptotermes (Bugnion and Popoff), see
Coptotermes ceylonicus
- tredecimarticulatus, or 13-articulatus
Eutermes (Eutermes) 13-articulatus,
see *Nasutitermes*
Nasutitermes
- TRIACIFER
Termes, see *Triacitermes*
Cornitermes (Cornitermes), see *Triaci-*
termes
Triacitermes
- tribulis
Eutermes (soldier, see *Tumulitermes*
pastinator; queen, see not classified)
- triceromegas
Calotermes, see *Procryptotermes*
Calotermes (Procryptotermes), see *Pro-*
cryptotermes
Procryptotermes
- trilineatus
Calotermes (Glyptotermes), see *Glypto-*
termes brevicornis
- trilobata
Synacanthotermes heterodon, form
- trinerviformis
Eutermes (Trinervitermes), see *Triner-*
vitermes
Trinervitermes
- trinervius
Termes, see *Trinervitermes*
Termes (Eutermes), see *Trinervitermes*
Eutermes (Trinervitermes), see *Triner-*
vitermes
Trinervitermes
Termes (Hagen), see *Termes nigricans*,
not classified
- trinervoides
Eutermes, see *Trinervitermes*
Eutermes (Trinervitermes), see *Triner-*
vitermes
Trinervitermes
- triodiae
Eutermes, see *Nasutitermes*
Nasutitermes
- tripolitanus
Eutermes, see not classified
Trinervitermes, see not classified
- trispinosus
Termes, see *Spinitermes*
Termes (Spinitermes), see *Spinitermes*
Spinitermes
Termes (Eutermes), see *Spinitermes*

- Mirotermes (*Spinitermes*), see *Spinitermes*
- tristis* Cockerell
Hodotermes, fossil, see uncertain position
- troglodytes* Heer
Termes, fossil, not a termite
- truncatoides*
Mirotermes (*Cubitermes*), see *Cubitermes*
- truncatus*
Termes (*Coptotermes*), see *Coptotermes*
Eutermes, see *Coptotermes*
Coptotermes
Mirotermes (*Cubitermes*), see *Cubitermes*
Angulitermes
- tshadensis*
Eutermes (*Trinervitermes*) (Holmgren, 1912, p. 65), see *Trinervitermes tchadensis*
- tuberculatus*
Kalotermes (*Glyptotermes*), see *Glyptotermes*
Glyptotermes
Jugositermes
- tuberculifrons*
Kalotermes, see *Kalotermes marginipennis*
- tuberosus*
Mirotermes (*Cavitermes*), see *Cavitermes*
Cavitermes
- tubicola*
Termes, see *Odontotermes* (O.) *transvaalensis*
- tubiformans*
Termes, see *Gnathamitermes*
Termes (Eutermes), see *Gnathamitermes*
Hamitermes (*Hamitermes*), see *Gnathamitermes*
Amitermes (*Gnathamitermes*), see *Gnathamitermes*
Gnathamitermes
- tubifrons*
Foraminitermes
- tubuliferus*
Eutermes, see *Proboscitermes*
- Mirotermes (*Basidentitermes*), see *Proboscitermes*
tuichensis
Eutermes (Eutermes) (?), see *Nasutitermes chaquimayensis*
Eutermes *rippertii*, var., see not classified
tulagiensis
Nasutitermes (*Subulitermes*) *orientis*, var., see *Nasutitermes orientis*, var.
Nasutitermes orientis, var.
tumiceps
Reticulitermes, see *Reticulitermes tibialis*
- tumuli*
Eutermes (Froggatt) winged, see *Termes kalgoorliensis*
Eutermes, see *Tumulitermes*
Termes (Eutermes), see *Tumulitermes*
Eutermes (*Tumulitermes*), see *Tumulitermes*
Tumulitermes
tumulicola
Termes, see *Macrotermes natalensis*
tumulus
Eutermes, see *Tumulitermes*
tunisiensis
Anacanthotermes, see *Anacanthotermes ochraceus*
turkestanicus
Hodotermes, see *Anacanthotermes*
Hodotermes (*Anacanthotermes*), see *Anacanthotermes*
Anacanthotermes
turneri
Termes, see *Microcerotermes*
Termes (Eutermes), see *Microcerotermes*
Microcerotermes
Termes (Hill), see *Microcerotermes seratus*
- turricola*
Termes (Eutermes), see *Anoplotermes*
Anoplotermes (*Anoplotermes*), see *Anoplotermes*
Anoplotermes
tyriei
Eutermes, see *Tumulitermes pastinator*
ubachi
Hodotermes, see *Anacanthotermes*
Anacanthotermes

ueleensis	
<i>Procubitermes</i>	
<i>Nasutitermes</i>	
ugandaensis	
<i>Ophiotermes</i>	
ugandanicus	
<i>Odontotermes</i> , see <i>Odontotermes</i> (O.)	
<i>kibarensis</i>	
ugandensis	
<i>Cubitermes</i>	
ukuzii	
<i>Macrotermes</i> , see <i>Macrotermes bellicosus</i> , form	
<i>Macrotermes bellicosus</i> , form	
<i>Amplitermes</i> , see <i>Macrotermes bellicosus</i> , form	
<i>Bellicositermes</i> , see <i>Macrotermes bellicosus</i> , form	
umbilicatus	
<i>Termes</i> , see <i>Termitogeton</i>	
<i>Termitogeton</i>	
umbraticus	
<i>Rhinoterme</i> , see <i>Schedorhinotermes</i>	
<i>Rhinoterme</i> (<i>Schedorhinotermes</i>), see	
<i>Schedorhinotermes</i>	
<i>Schedorhinotermes</i>	
umbrinus	
<i>Termes</i> , see <i>Hospitalitermes</i>	
<i>Eutermes</i> (<i>Hospitalitermes</i>), see <i>Hospitalitermes</i>	
<i>Hospitalitermes</i>	
<i>Eutermes</i> (Wasmann, 1902b), see <i>Hospitalitermes</i>	
<i>umbrinus</i> , form <i>sharpiana</i>	
umbritarsus	
<i>Microcerotermes</i> , see <i>Microcerotermes biroi</i>	
umfolozii	
<i>Microtermes</i>	
umzinduzii	
<i>Trinervitermes</i>	
undecimus	
<i>Subulitermes</i>	
undulans	
<i>Procubitermes</i>	
<i>Mirotermes</i> (<i>Procubitermes</i>), see <i>Pro-</i>	
<i>cubitermes</i>	
undulatus	
<i>Mirotermes</i> (<i>Cubitermes</i>), see <i>Cubi-</i>	
<i>termes</i>	
<i>Cubitermes</i>	
unica	
<i>Microcerotermes celebensis</i> , var.	
unicolor	
<i>Microtermes</i>	
unidentatus	
<i>Calotermes</i> (<i>Neotermes</i>) <i>militaris</i> , var.,	
<i>see Neotermes militaris</i> , var.	
<i>Neotermes militaris</i> , var.	
<i>Termes</i> , see <i>Amitermes</i>	
<i>Hamitermes</i> (<i>Hamitermes</i>), see <i>Ami-</i>	
<i>termes</i>	
<i>Amitermes</i>	
uniformis	
<i>Nasutitermes</i> (<i>Velocitermes</i>), <i>see Diver-</i>	
<i>sitermes</i>	
<i>Diversitermes</i>	
unsgaardi	
<i>Pseudacanthotermes</i> , <i>see Pseudacantho-</i>	
<i>termes spiniger</i>	
urgens	
<i>Pericapritermes</i>	
<i>Capritermes</i> (<i>Pericapritermes</i>), <i>see Peri-</i>	
<i>capritermes</i>	
uruguayensis	
<i>Termes</i> , <i>see Termes saltans</i>	
usambarensis	
<i>Eutermes</i> , <i>see Nasutitermes</i>	
<i>Termes</i> (<i>Eutermes</i>), <i>see Nasutitermes</i>	
<i>Nasutitermes</i>	
usambaricus	
<i>Microtermes</i>	
usu	
<i>Macrotermes</i>	
<i>Amplitermes</i> , <i>see Macrotermes</i>	
<i>Bellicositermes</i> , <i>see Macrotermes</i>	
vadaensis	
<i>Globitermes</i>	
vadschaggae	
<i>Termes</i> , <i>see Microtermes</i>	
<i>Microtermes</i>	
vagans	
<i>Hodotermes</i> , <i>see Anacanthotermes</i>	
<i>Hodotermes</i> (<i>Anacanthotermes</i>), <i>see</i>	
<i>Anacanthotermes</i>	
<i>Anacanthotermes</i>	
vagus	
<i>Leucotermes</i> , <i>see Heterotermes</i>	
<i>Heterotermes</i>	

valens	
Ceratotermes	viator
Labiotermes, see Ceratotermes	Termes (Latr.), see Microhodotermes
validior	Hodotermines, see Microhodotermes
Microcerotermes fuscotibialis, subsp.	Hodotermines (Microhodotermes), see Microhodotermes
validus	Microhodotermes
Heterotermes, see Heterotermes paradoxus, subsp.	Hodotermines (Silvestri), see Microhodotermines maroccanus
Heterotermes paradoxus, subsp.	Termes (Walker, nec Latreille), see Hodotermines mossambicus
varius	Termes viator (Walker), imago, see Pseudacanthotermes militaris
Kalotermes minor, form	Termes, see Macrotermes bellicosus
vastator	
Coptotermes	
velox	
Eutermes, see Diversitermes	Eutermes, see Bulbitermes
Eutermes (Constrictotermes), see Diversitermes	Bulbitermes
Eutermes (Velocitermes), see Diversitermes	
Nasutitermes (Diversitermes), see Diversitermes	victoriensis
Diversitermes	Stolotermes
venezolanus	Hamitermes wilsoni, var., see Amitermes neogermanus
Calotermes (Cryptotermes), see Cryptotermes not identified to species	Hamitermes perplexus, var., see Amitermes neogermanus
venustus	
Leucotermes, see Heterotermes paradoxus, subsp.	vilis
Heterotermes paradoxus, subsp.	Termes, see Amitermes
vernoni	Termes (Leucotermes), see Amitermes
Eutermes, see Nasutitermes magnus	Leucotermes, see Amitermes
verrucosus	
Calotermes, see Glyptotermes	villifrons
Calotermes (Glyptotermes), see Glyptotermes	Eutermes, see Trichotermes
Glyptotermes	Mirotermes (Cubitermes), see Trichotermes
verruculosus	Trichotermes
Kalotermes (Cryptotermes), see Cryptotermes	
Cryptotermes	villosus
Mirotermes (Crepititermes), see Crepititermes	Capritermes opacus, subsp., see Neocapritermes
Crepititermes	Neocapritermes
vetustus Ponrácz	virginicus
Mastotermes, fossil	Termes, see Reticulitermes
viarum	Leucotermes, see Reticulitermes
Termes (Koenig), see Anacanthotermes	Reticulitermes
Hodotermines (Hagen), see Anacanthotermes	
Termes (Smeathman), see not classified	vitiosus
Hodotermines (Sjöstedt), see not classified	Hamitermes, see Amitermes
	Amitermes
	voeltzkowi
	Termes, see Macrotermes
	Termes (Macrotermes), see Macrotermes
	Macrotermes
	Calotermes, see Neotermes
	Calotermes (Neotermes), see Neotermes
	Neotermes

- Psammotermes
 Eutermes, see Nasutitermes
 Nasutitermes
vulgaris
 Termes, see Odontotermes (O.)
 Odontotermes, see Odontotermes (O.)
 Termes (Odontotermes), see Odontotermes (O.)
 Odontotermes (O.)
vulgaris (Fuller, in part)
 Termes, see Odontotermes (O.) angustatus
vulgaris (Shiraki)
 Termes, see Odontotermes (O.) formosanus
wagneri
 Calotermes
 Kalotermes (Neotermes), see Neotermes
 Neotermes
walkeri
 Cornitermes (Cornitermes) acignathus,
 var., see Cornitermes
 Cornitermes
 Eutermes, see Nasutitermes
 Nasutitermes
walloniensis
 Termes obesus, subsp., see Odontotermes (O.)
 Odontotermes (Cyclotermes), see Odontotermes (O.)
 Odontotermes (O.)
warreni
 Hodotermes, see Hodotermes mossambicus
 Macrohodotermes, see Hodotermes mossambicus
 Mirotermes (Procubitermes) mfolozii,
 form, see Procubitermes mfolozii,
 form
 Procubitermes mfolozii, form
WASHINGTONENSIS Snyder
 Stylotermes, see Parastylotermes
 Snyder and Emerson, n. gen.
 Parastylotermes Snyder and Emerson,
 n. gen., fossil
wasmanni
 Hodotermes, see Microhodotermes
 Hodotermes (Microhodotermes), see
 Microhodotermes
 Microhodotermes
- Arrhinotermes, see Prorhinotermes molinoi
 Prorhinotermes, see Prorhinotermes molinoi
 Mirotermes (Procubitermes), see Procubitermes
 Procubitermes
 Ancistrotermes
 Nasutitermes (Nasutitermes) voeltzkowi, subsp., see Nasutitermes voeltzkowi
watasei
 Capritermes (Capritermes), see Capritermes nitobei
 Eutermes, see Nasutitermes parvonasutus
 Nasutitermes (Nasutitermes), see Nasutitermes parvonasutus
waterbergi
 Termes, see Macrotermes
 Macrotermes
 Amplitermes, see Macrotermes
 Bellicositermes, see Macrotermes
weissi
 Cubitermes
westraliensis
 Hamitermes, see Amitermes
 Amitermes
 Eutermes, see Tumulitermes
 Tumulitermes
weyeri
 Grallatotermes
wheeleri Collins
 Mastotermes, fossil
wheeleri
 Eucryptotermes
 Termes, see Amitermes
 Amitermes
 Orthognathotermes
 Syntermes
 Nasutitermes (Nasutitermes), see Nasutitermes
 Nasutitermes
willingsi
 Hamitermes, see Amitermes darwini
wilsoni
 Hamitermes, see Amitermes laurensis
winifredae
 Termes

wolcotti	zapallarensis
<i>Nasutitermes</i> (<i>Tenuirostritermes</i>), see <i>Parvitermes</i>	<i>Calotermes chilensis</i> , var., see <i>Neoter-</i> <i>termes chilensis</i> , var.
<i>Parvitermes</i>	<i>Neotermes chilensis</i> , var.
wroughtoni	zavattarii
<i>Termopsis</i> , see <i>Archotermopsis</i>	<i>Cubitermes</i>
<i>Archotermopsis</i>	zenkeri
xantholabrum	<i>Termes</i> , see <i>Cubitermes</i>
<i>Calotermes</i> (<i>Glyptotermes</i>), see <i>Glypto-</i>	<i>Eutermes</i> , see <i>Cubitermes</i>
<i>termes</i>	<i>Mirotermes</i> (<i>Cubitermes</i>), see <i>Cubi-</i>
<i>Glyptotermes</i>	<i>termes</i>
xenotermitis	<i>Eutermes</i> (<i>Cubitermes</i>), see <i>Cubitermes</i>
<i>Termes</i> , see <i>Odontotermes</i> (<i>Hypotermes</i>)	<i>Cubitermes</i>
<i>Termes</i> (<i>Eutermes</i>), see <i>Odontotermes</i>	zeteki
(<i>Hypotermes</i>)	<i>Nasutitermes</i> (<i>Subulitermes</i>), see <i>Subu-</i>
<i>Odontotermes</i> (<i>Xenotermes</i>), see <i>Odon-</i>	<i>littermes</i>
<i>totermes</i> (<i>Hypotermes</i>)	<i>Subulitermes</i>
<i>Odontotermes</i> (<i>Hypotermes</i>)	zulucola
xylophagus	<i>Cubitermes</i>
<i>Hamitermes</i> , see <i>Amitermes</i>	zuluensis
<i>Amitermes</i>	<i>Calotermes</i> (<i>Neotermes</i>), see <i>Neotermes</i>
yandiniensis	<i>Neotermes</i>
<i>Eutermes</i> , see <i>Nasutitermes novarum-</i>	<i>Microcerotermes</i>
<i>hebridarum</i>	<i>Mirotermes</i> (<i>Cubitermes</i>), see <i>Cubi-</i>
yangtsekiangensis, see <i>jagtsekiangensis</i>	<i>termes</i>
yarrabahensis	<i>Cubitermes</i>
<i>Eutermes</i> , see <i>Nasutitermes longipennis</i>	<i>Eutermes</i> (<i>Trinervitermes</i>) <i>dispar</i> , form,
zambesiensis	<i>see Trinervitermes</i>
<i>Termes</i> (<i>Odontotermes</i>), see <i>Odonto-</i>	<i>Trinervitermes</i>
<i>termes</i> (O.)	zulunatalensis
<i>Termes</i> , see <i>Odontotermes</i> (O.)	<i>Odontotermes</i> , see <i>Odontotermes</i> (O.)
<i>Odontotermes</i> (O.)	<i>Termes</i> , see <i>Odontotermes</i> (O.)
zanzibarensis	<i>Odontotermes</i> (O.)
<i>Termes</i> , see <i>Synacanthotermes</i>	zuluoides
<i>Synacanthotermes</i>	<i>Microcerotermes</i>

BIBLIOGRAPHY ON THE TAXONOMY OF THE TERMITES OF THE WORLD

ON LIVING TERMITES

ADAMSON, A. M.

1937. Preliminary report on termites and termite damage in Trinidad, West Indies.
Trop. Agr., vol. 14, No. 5, pp. 141-149, 11 figs.

AHMAD, M.

1947. New termites from the Indo-Malayan and Papuan regions. Amer. Mus. Nov.,
No. 1342, pp. 1-7, 7 figs. April 9.

BANKS, N.

1901. Thysanura and Termitidae. Papers from the Hopkins Stanford Galapagos Ex-
pedition 1898-99. Proc. Washington Acad. Sci., vol. 3, pp. 541-546. November
29.
1906. Two new termites. Ent. News, vol. 17, No. 9, pp. 336-337, 1 fig. November.
1907. A new species of *Termites*. Ent. News, vol. 18, No. 9, pp. 392-393. November.
1918. The termites of Panama and British Guiana. Bull. Amer. Mus. Nat. Hist., vol.
38, art. 17, pp. 659-667. November 29.
1919. Antillean Isoptera. Bull. Mus. Comp. Zool., Harvard Coll., vol. 62, No. 10, pp.
475-489, 2 pls. January.

BANKS, N., and SNYDER, T. E.

1920. A revision of the nearctic termites (Banks) with notes on biology and geographic
distribution (Snyder). U. S. Nat. Mus. Bull. No. 108, pp. 1-228, 70 figs., 35
pls. April 13.

BATHELLIER, J.

1927. Contribution a l'étude systématique et biologique des termites de l'Indochine.
Faune des Colon. Franç., vol. 1, No. 4, pp. 125-365, pl. 13, 113 text figs.

BERG, CARLOS.

1880. La vida y costumbres de los termitos. Conf. Pop. Soc. Cient. Argentina, Buenos
Aires, pp. 1-16, 1 pl. September 17.

BILLBERG, G. J.

1820. Enumeratio Insectorum in Museo Billberg, vol. 4, p. 95. Holmia. Stockholm.

BLANCHARD, E.

1840. Histoire naturelle des insectes. Névroptères, pp. 46-47. Paris. Termiens (Pictet).

1847. Insectes du voyage dans l'Amerique meridionale de M. Alcide d'Orbigny (with
M. Brullé), Bertrand, 222 pp., 32 col. pls. Paris.

1851. Insectes, in Gay Historia Fis. y Polit. de Chile, Zool., vol. 6, pp. 87-91, Termianos.

BOLIVAR, I.

1884. Artropodos del viaje al Pacifico, pp. 1-114, Madrid. (*Porotermes chilensis*
Blanchard redescribed, p. 3.)

BÖRNER, C.

1904. Zur Systematik des Hexapoden Ordnung 8: Isoptera (Enderlein). Zool. Anz.
vol. 27, Nos. 16-17, p. 526, Suborder: Socialia aut., Fam. Termitidae, fig. p. 528,
evolut. tree.

BRAUER, F.

1865. Fünfter Bericht über die auf der Weltfahrt der Kais. Fregatte Novara gesam-
melten Neuropteren. 2. Termiten. Verhandl. Zool.-Bot. Ges. Wien, vol. 15,
p. 977.

1866. Reise der Novara, Neur., pp. 45-49. (Four species of termites described from
Nicobar Islands.)

1885. Systematisch-zoologische Studien. Sitzungsber. d. Kais. Akad. Wiss. Wien, vol. 91, pp. 237-413. (Considers termites as highly modified forms of a type which departed little from the ancestral simple Orthoptera.)
- BRUES, C. T., and MELANDER, A. L.
1932. Classification of insects. Bull. Mus. Comp. Zool., Harvard Coll., vol. 73. (Isoptera, pp. 93-96.)
- BRULLÉ, A.
1832. Commission scientifique de Morée T. 3. (Zoologe Paris, p. 66.) (Order Isopteres.)
- BUCKLEY, S. B.
1863. Description of two new species of termites from Texas. Proc. Ent. Soc. Philadelphia, vol. 1, pp. 212-215 (1861-63). May.
- BUGNION, E.
1912. *Eutermes lacustris* n. sp. de Ceylan. Rev. Suisse Zool., vol. 20, No. 8, pp. 487-505, pls. 7-8. June.
1913. Le brissement des termites. Mitt. Schweiz. Ent. Ges., Bull. Soc. Ent. Suisse, vol. 12, No. 4, pp. 125-135. Note additionnelle, pp. 136-139, 1 pl. April.
1913a. Le *Termes Horni* Wasm. de Ceylan. Rev. Suisse Zool., vol. 21, No. 10, pp. 299-330, pls. 11-13. June.
1914. L'imago de l'*Eutermes lacustris* nov. sp. de Ceylan. Spolia Zelanica, vol. 9, pt. 35, pp. 149-154, pls. 22, 23. Colombo. March.
1914a. *Eutermes Hantanae* Holm. de Ceylan. (Description de l'imago.) Spolia Zeylanica, vol. 9, pt. 35, pp. 155-162, pls. 24-25. Colombo. March.
1914b. *Eutermes Kotuae* nov. sp. de Ceylan. Bull. Soc. Ent. Suisse, vol. 12, Nos. 5/6, pp. 193-200, pls. 12-14. July.
- BUGNION, E., and FERRIÈRE, C.
1911. L'imago du *Coptotermes flavus* larves portent des rudiments d'ailes prothoraciques. Mém. Soc. Zool. France, 24e Ann., Nos. 1-2, pp. 97-106, pls. 2-3. August 17.
- BUGNION, E., and POPOFF, N.
1910. Le terme a latex de Ceylan (*Coptotermes travians* Haviland). Avec un appendice comprenant la description des *Coptotermes Gestroi* Wasm. et *flavus* nov. sp. Mém. Soc. Zool. France, vol. 23, No. 8, pp. 107-123, pls. 1 and 2, figs. 1-20.
1910a. Les *Calotermes* de Ceylan. Mém. Soc. Zool. France, vol. 23, No. 9, pp. 124-143, fig. 21, pls. 3, 4 and 5, figs. 1-23. (*C. dilatatus*, n. sp.)
- BURMEISTER, H. C. C.
1839. Handbuch der Entomologie II, pp. 757-1050.
- CAPRA, F.
1935. La vera patria del *Trinervitermes tripolitanus* (Sjöst.) e note su alcuni termiti della Libia (Isoptera). Bol. Soc. Ent. Ital., vol. 67, No. 3, pp. 44-46. March 25. (Author believes *T. tripolitanus* from Abyssinia, not Tripoli.)
- CHERIAN, M. C., and MARGABANDHU, V.
1944. On a new species of *Cryptotermes* from South India. 31st Indian Sci. Congr. Proc. 1944, pt. 3, sec. 6, Zool. and Ent., pp. 80-81 (abstract). (Descriptive note to differentiate new, unnamed species from *C. domesticus* Hav. and *C. bengalensis* Snyder.)
- COMSTOCK, J. H.
1895. Manual for the study of insects (p. 95, Isoptera).
1918. The wings of insects. Chap. VIII, The wings of the Isoptera, pp. 132-144, *Mastotermes*, *Termopsis* and *Leucotermes flavipes*. Comstock Publishing Co., Ithaca, N. Y.

CRAMPTON, G. C.

1938. The interrelationships and lines of descent of living insects. *Psyche*, vol. 45, No. 4, pp. 165-181.

CUVIER, G. C. L. D.

1849. *Le Regne Animal*, ed. Masson 8. (Pl. 106, termites.) Paris.

DAMMERMAN, K. W.

1915. On a new species of *Calotermes* (*C. tectonae*) which attacks living teak trees. *Tydschr. Ent.*, vol. 58, supp., pp. 98-100, figs. 1-3, pl. 3.

DAVIS, A. C.

1929. Notes on *Coptotermes bornensis* Oshima (Isoptera). A study in description of the termite soldier. *Proc. Roy. Soc. Victoria*, n. s., vol. 42, pt. 1, pp. 53-61, 6 text figs. Melbourne. October 31.

DEGEER, C.

1778. Mémoires pour servir à l'histoire des insectes, vol. 7, p. 47, pl. 38, figs. 1-3. (*Termes capensis*.)

DESNEUX, J.

1902. Termites du Sahara Algérien recueillis par M. le professeur Lameere. *Ann. Soc. Ent. Belg.*, vol. 46, No. 10, pp. 436-440, 2 figs. Bruxelles. November 6.

1904. A new termite from India. *Journ. Bombay Nat. Hist. Soc.*, vol. 15, pp. 445-446. February 15.

- 1904a. Notes termitologiques. *Ann. Soc. Ent. Belg.*, vol. 48, No. 3, pp. 146-151. March 29.

- 1904b. A propos de la phylogénie des Termitides. *Ann. Soc. Ent. Belg.*, vol. 48, No. 8, pp. 278-286, 3 figs. September 2.

- 1904c. Trois termites nouveaux. *Ann. Soc. Ent. Belg.*, vol. 48, No. 8, pp. 286-289. September 2.

- 1904d. Remarques critiques sur la phylogénie et la division systématique des Termitides. (Réponse à M. Wasmann.) *Ann. Soc. Ent. Belg.*, vol. 48, No. 10, p. 372. November 10. (Reply to Wasmann; systematic classification based on winged adults or soldiers.)

- 1904e. Isoptera, family Termitidae. P. Wytsman, *Genera insectorum*, fasc. 25, p. 52, 10 figs., 2 pls. Bruxelles. November 15.

1905. Isoptera of New Guinea collected by L. Biró. *Ann. (Hist. Nat.) Mus. Nat. Hungarici*, vol. 3, pp. 367-377, 5 figs. June 1.

1906. Variétés termitologiques. *Ann. Soc. Ent. Belg.*, vol. 49, No. 12, pp. 336-360. January 25.

- 1906a. The Kashmir termite, *Termopsis wroughtoni*. *Journ. Bombay Nat. Hist. Soc.*, vol. 17, pt. 2, pp. 293-298, 3 figs. September 20.

1908. Variétés termitologiques. II. *Ann. Soc. Ent. Belg.*, vol. 51 (1907), No. 12, pp. 388-400. January 3.

1915. Isoptera: Collections zoologiques du Baron Edm. de Selys Longchamps, fasc. 3, pt. 3, pp. 1-10.

1918. Un nouveau type de nids de termites. *Rev. Zool. Africaine*, vol. 5, No. 3, p. 307. April 30.

DIETZ, H. F., and SNYDER, T. E.

1924. Biological notes on the termites of the Canal Zone and adjoining parts of the Republic of Panama. *Journ. Agr. Res., U. S. Dep. Agr.*, vol. 26, No. 7, pp. 279-302, 8 pls. November 17, 1923.

DUDLEY, P. H., and BEAUMONT, J.

1889. Observations on the termites or white ants of the Isthmus of Panama. *Trans. New York Acad. Sci.*, vol. 8, 1888-89, pp. 85-114, 1 pl., 9 figs. March.
- 1889a. The termites or so-called "white ants" of the Isthmus of Panama. *Journ. New York Micr. Soc.*, vol. 5, No. 2, pp. 56-70, 111-112, pl. 17. April.
1890. Termites of the Isthmus of Panama. Part II. *Trans. New York Acad. Sci.*, vol. 9, 1898-90, pp. 157-180. June. (On p. 158 the genus *Nasutitermes* was established; notes are given on how to distinguish the genera of termites by the nests and galleries or burrows in wood.)
- 1890a. The termites or so-called "white ants" of the Isthmus of Panama. *Journ. New York Micr. Soc.*, vol. 6, No. 4, pp. 102-118. October. (P. 109: a new genus, synonym of *Eutermes*, "*Milesnasutitermes*.")

EMERSON, A. E.

1924. A new termite from the Juan Fernandez Islands (Swedish Expedition 1916-17). *Natural History of Juan Fernandez and Easter Island*, vol. 3, pt. 3, pp. 392-394, illus. (*Zoology*, pt. 3.) (1923.) Uppsala.
1925. The termites of Kartabo, Bartica District, British Guiana. *Zoologica*, vol. 6, No. 4, pp. 291-459, 1 pl., 94 figs. July 29.
1928. Termites of the Belgian Congo and the Cameroons. *Bull. Amer. Mus. Nat. Hist.*, vol. 57, art. 7, pp. 401-574, 19 pls., 79 figs. New York. September 12. (24 maps of distribution of genera.)
1933. A revision of the genera of fossil and recent Termopsinae (Isoptera). *California Univ. Publ., Ent.*, vol. 6, No. 6, pp. 165-196, 40 figs. March 31.
1935. Termitophile distribution and quantitative characters as indicators of physiological speciation in British Guiana termites (Isoptera). *Ann. Ent. Soc. Amer.*, vol. 28, No. 3, pp. 369-395, 17 figs. September. (*Nasutitermes (N.) similis*, n. sp.)
1942. The relations of a relict South African termite (Isoptera: Hodotermitidae, *Stolotermes*). *Amer. Mus. Nov.*, No. 1187, *Amer. Mus. Nat. Hist.*, pp. 1-12, figs. 3, table 1, August 18. (*Stolotermes africanus*, n. sp., described; key to species of *Stolotermes* relationships; classification of genera of primitive fossil and living termites.)
1943. *Kalotermes milleri*, a new species of termite from the Florida Keys and Jamaica (Isoptera, Kalotermitidae). *Psyche*, vol. 50, pp. 18-22. March-June.
- 1943a. A key to the termites of Florida. *Ent. News*, vol. 54, pp. 184-187. October.
1945. The neotropical genus *Syntermes* (Isoptera: Termitidae). *Bull. Amer. Mus. Nat. Hist.*, vol. 83, art. 7, pp. 427-472, figs. 1-12. New York. August 6.
1947. The imago of *Stolotermes africanus* Emerson. *Journ. Ent. Soc. So. Africa*, vol. 9, pp. 127-129. February.

ENDERLEIN, G.

1903. Über die Morphologie Gruppierung, und systematische Stellung der Corroidentia. *Zool. Anz.*, vol. 26 (698-699) 423-437. May 8. (Superfamily Termitina.)
1909. Die Klassifikation der Embiidinen nebst morphologischen und physiologischen Bemerkungen besonders über das Spinnen derselben. *Zool. Anz.*, vol. 35, No. 6, pp. 166-191, 3 figs. November 23. (Superorder Aetioptera includes orders Embiidina Enderlein 1903 and pp. 166-191 Isoptera Brullé 1832; the suborder Cryptoclidoptera includes the families Termitidae and Calotermitidae and the suborder Hemiclidoptera includes the family Mastotermitidae in the Isoptera, pp. 171-174.)

ERICHSOHN, W. F.

1848. Insecten. In Schomburgks Reise in Britisch-Guiana, vol. 3, pp. 553-617. Leipzig. (*Termes decumanus* described and *T. morio* recorded, pp. 582-583.)

ESCHERICH, K.

1911. Termitenleben auf Ceylon, pp. 1-179, 60 figs, 1 pl. Jena.

FABRICIUS, J. C.

1775. Systema Entomologiae, vol. 3, item 121, p. 390 (*Termes fatale*).
 1781. Species insectorum, vol. 1, No. 1, p. 395, *Termes fatale* = *T. bellicosus* Afr.; No. 3, p. 397, *T. arda* = *Eutermes atrox*, Afr.; No. 4, p. 397, *T.* (= *Eutermes mordax* Afr.).
 1787. Mantissa insectorum, vol. 1, p. 248, No. 1, *T. fatale* = *T. bellicosus*; p. 248, No. 3, *T. arda* = *Eutermes atrox*; No. 4, *T. mordax*.
 1793. Ent. Syst., vol. 2. P. 87, No. 1, (sene syn. cit.) *Termes fatale* = *T. bellicosus*, Afrika; p. 88, No. 2, *destructor*; p. 90, No. 3, *morio*; No. 4, *T. arda* = *Eutermes atrox* Sierra Leone; p. 91, No. 5, *T. mordax* Sierra Leone; No. 6, *T. flavigolle*.

FEYTAUD, J.

1925. Existe-t-il plusieurs races de *Reticulitermes lucifugus* Rossi? Rev. Zool. Agr., Ann. 24, No. 8, pp. 161-169, 4 figs. Aout. Bordeaux, France.

FLETCHER, T. B.

1912. Termites or white ants. Agr. Journ. India, vol. 7, pt. 3, pp. 219-239, pls. 27-29, text figs. (biol., loc.).

FROGGATT, WALTER W.

1895. Australian Termitidae. Part I. Proc. Linn. Soc. New South Wales, ser. 2, vol. 10, pp. 415-438. July 31.
 1896. Australian Termitidae. Part II. Proc. Linn. Soc. New South Wales, vol. 21, pp. 510-552, 2 pls. October 28.
 1897. Australian Termitidae. Part III. Proc. Linn. Soc. New South Wales, vol. 22, pp. 721-758, 2 pls. November 24.

FULLER, C.

1915. Observations on some South African termites. Ann. Natal Mus., vol. 3, pt. 2, pp. 329-505, pls. 25-35.
 1919. The wing venation and respiratory system of certain South African termites. Ann. Natal Mus., vol. 4, pt. 1, pp. 19-102, pls. 3-11. May.
 1920. Studies on the post-embryonic development of the antennae of termites. Ann. Natal Mus., vol. 4, pt. 2, pp. 235-295, pl. 15, 14 figs. November.
 1921. The termites of South Africa, being a preliminary notice. South African Journ. Nat. Hist., vol. 3, No. 1, pp. 14-52. June.
 1922. The termites of South Africa. South African Journ. Nat. Hist., vol. 3, No. 2, pp. 70-131. March.
 1923. Two new termites from Uganda. Ann. and Mag. Nat. Hist., ser. 9, vol. 11, pp. 191-192, 1 fig.
 1924. A question of synonymy. South African Journ. Nat. Hist., vol. 4, No. 4, pp. 277-280. March. (*Eutermes* vs. *Microcerotermes*.)
 1924a. Termite nomenclature. South African Journ. Nat. Hist., vol. 4, No. 5, pp. 356-364. September.
 1925. Journ. Union South Africa Dep. Agr., ser. 18, pl. 1. (*Coptotermes*, n. sp., from South Africa, first species recorded from this region.) (=C. formosanus, introduced.)
 1925a. The termites of South Africa. South African Journ. Nat. Hist., vol. 5, pp. 167-246. December. (Descriptions of new *Mirotermes* and *Microcerotermes* with keys.)
 1927. A termite complex. South African Journ. Nat. Hist., vol. 6, No. 2, pp. 130-142, 2 figs., 1 pl. February.

GARDNER, J. C. M.

1944. New Termitidae from India and Burma (Isoptera). Indian Journ. Ent., vol. 6, pp. 103-110, 6 figs.

GAY, C.

1851. Insectes in Historia Fis. y Polit. de Chile, Zool., vol. 6, pp. 87-91. (*Termes chilensis* described.) (See Blanchard, E., 1851.) Faun. Chile Atlas Neuropt., vol. 1, figs. 1-3.

GHIDINI, GIAN MARIA.

1937. Missione del Prof. Edoardo Zavattari nel paese dei Borana. Nuove specie di Termitidi. (Diagnosi preventive.) Bol. Soc. Ent. Ital., vol. 69, Nos. 9-10, pp. 141-143. December 30.
- 1937a. Su alcuni Termitidae di Sumatra raccolti da E. Jacobson. Atti Soc. Ital. Sci. Nat., Mus. Civico, Milano, vol. 76, pp. 318-330, 5 figs. (*Hospitalitermes grassii*, *H. nemorensis*.)
- 1937b. Ulteriori risultati negli allevamenti di *Reticulitermes lucifugus* Ros. Bol. Soc. Ital. Biol. Sper., vol. 12, pp. 633-635. Naples.
1938. Le Termiti dell' Africa orientale Italiana e loro importanza economica. Rev. Biol. Colon., vol. 1, pp. 221-235.
1941. Nuove specie di termitidi. Bol. Soc. Ent. Ital., vol. 73, No. 2, pp. 30-34. March 15.

GIRARD, M.

1879. Traite elementaire d' entomologie, vol. 2, pp. 261-294. (Page 270 states of *Termopsis*: "le type est le *T. angusticollis* Hag.")

GMELIN, J. F.

1800. A general system of nature. (Translated by William Turton from Linné's *Systema Naturae* revised by Gmelin. Vol. III. (Termites pp. 692-695.)

GOELLNER, EUGENE J.

1931. A new species of termite, *Reticulitermes arenincola*, from the sand dunes of Indiana and Michigan, along the shores of Lake Michigan. Proc. Ent. Soc. Washington, vol. 33, No. 9, pp. 227-234, 6 figs. December.

GOETSCH, W.

1933. Die chilenischen Termiten. Zool. Jahrb. (Syst.), vol. 64, No. 2, pp. 225-243, 4 text figs. (Northern var. *Calot. chilensis* Blanchard *zapallarensis* smaller than southern var. *cayutuensis*.)

GOEZE, J. A. E.

- 1778-83. Übersetzung von DeGeers Memoirs. Raspe Tom. 7 in vol. 8, p. 24, figs. 1-3. (*Termes capensis*.) Nürnberg.

GRASSÉ, PIERRE P.

1937. Mission de l'Omo Le *Bellicositermes jeanneli*, n. sp. Constructeur de grandes termitières à cheminees. Bull. Soc. Ent. France, vol. 42, No. 5, pp. 71-73, figs. 1-5. March 10.
- 1937a. Recherches sur la systématique et la biologie des termites de l'Afrique occidentale française. Première partie. Protermitidae, Mesotermitidae, Metatermitidae (Termitinae). Ann. Soc. Ent. France, vol. 106, No. 1, pp. 1-100, 4 pls., 53 figs. April 20.
1938. Termite nouveau des îles Canaries. Le polymorphisme des soldats chez les Calotermitides. Bull. Soc. Ent. France, vol. 42 (1937), No. 20, pp. 291-295, figs. 1-10. February 24. (*Calotermes dispar*, n. sp.)
1939. Les termites de l'île de Madère. Bull. Soc. Ent. France, vol. 44, Nos. 13-14, pp. 179-185 (figs. 1-2, im., sold.). (*Calotermes barretoi* n. sp.) September 6.

1943. Description and ethologie de *Rostrotermes cornutus*, n. g., n. sp., termite a soldat Hypertelique. Arch. Zool. Exp. et Gen. Notes et Rev., vol. 83, No. 2, pp. 71-82, 5 figs.
- 1945-47. Recherches sur la biologie des termites champignonnistes (Macrotermitinae). Ann. Sci. Nat. Zool., ser. 11, t. 6, f. unique, pp. 97-171, 30 figs., 10 pls., 1944; pp. 109-111 *Microtermes chopardi* n. sp., fig. 7 nest, Odienné, Ivory Coast (not described); t. 7, f. unique, pp. 115-146, 6 figs., 3 pls., 1945; appendix, p. 140 incl. descr. for *Odontotermes (Cyclotermes) erraticus* n. sp. based on soldier and workers, Sahara; *O. sudanensis acutidens* n. var., descr. from soldier, Kouibi, 40 km. east of Man.

GREEN, E. E.

1913. Catalogue of Isoptera (termites) recorded from Ceylon. Spolia Zeylanica, vol. 9, pt. 33, pp. 7-15. June.

GRIFFIN, FRANCIS.

1940. The description of *Hodotermes ubachi* Navas, 1911 (Isoptera). Entomologist, vol. 73, No. 922, p. 64. March. (Reproduced from typewritten copy of the original description from "Revista Montserratina," Barcelona, vol. 5, pp. 120-121, 1911, furnished author by Dr. Bernardino Llorca, S. J., of Barcelona.)

HAGEN, H. A.

1853. Hr. Peters berichtete über die von ihm gesammelten und von Hrn. Dr. Hermann Hagen bearbeiteten Neuropteren aus Mossambique. Bericht Konigl. Preuss. Akad. Wiss. Berlin, pp. 479-481. (Genus *Kalotermes* described.)
1855. Monographie der termiten. Part 1. Linn. Entomol., vol. 10, pp. 1-144, 270-325.
1858. Monographie der Termiten. Part 2. Linn. Entomol., vol. 12, pp. 1-342, 3 pls.
- 1858a. Catalogue of the specimens of neuropterous insects in the collection of British Museum. Part 1, Termitina, pp. 1-34. London.
- 1858b. Synopsis der Neuroptera Ceylons. Verh. Zool.-Bot. Ges. Wien, vol. 8, pp. 471-478.
1859. Synopsis der Neuroptera Ceylons. Verh. Zool.-Bot. Ges. Wien, vol. 9, pp. 199-212.
1860. Monographie der Termiten. Part 3. Linn. Entomol., vol. 14, pp. 73-99.
- 1860a. Monographie der Termiten (Nachtrag.) Linn. Entomol., vol. 14, pp. 100-128.
1861. Synopsis of the Neuroptera of North America. With a list of South American species. Smithsonian Misc. Coll., vol. 4. (Termitina, pp. 1-7.)
1862. In W. C. H. Peters, Naturwissenschaftliche Reise nach Mossambique. 1842-48 Zoologie. V. Neuroptera, Termitina, pp. 57-89. Berlin.
- 1865-1866. (List of species of Pseudo-Neuroptera found in Madeira, including two termites, *Termes lucifugus* (Rossi) and *Calotermes praecox* (Woll., Hag.).) Ent. Month. Mag., vol. 2, pp. 8-9.
1866. Die Neuropteren Spaniens nach Ed Pictets' Synopsis des Neuropters d'Espagne, Geneve 1865, 8 tab., 14 col., und Dr. Staudingers Mitteilungen. Stettin Ent. Zeit. p. 282. (Regards *Termes flavipes* (Burm.) as an immature *T. lucifugus*.)
1868. (Supposed "wingless termite" from Japan described under name of *Hodotermes japonicus*.) Proc. Boston Soc. Nat. Hist., vol. 11, pp. 399-400. In the following volume (vol. 12, p. 139, 1869), the supposed termite found to be a damaged earwig (*Forficula*). Three families, Termitina, Blattina and Forficulina, co-ordinated and closely allied (p. 139).
1872. Report on the Pseudoneuroptera and Neuroptera of North America in the collection of the late T. H. Harris. Proc. Boston Soc. Nat. Hist., vol. 15, p. 277.
1874. Report on the Pseudo-Neuroptera and Neuroptera collected by Lieut. W. L. Carpenter in 1873 in Colorado. Ann. Rep. U. S. Geol. Surv. Terr. for 1873, by F. V. Hayden, pp. 571-606. (P. 571, *Termopsis angusticollis*, var. *nevadensis*, n. var. *T. occidentis* distinct, imago unknown.)

HALDEMAN, S. S.

1844. (*Termes frontale* described.) Proc. Acad. Nat. Sci. Philadelphia, vol. 2, p. 55.
April.
1858. (*Termes nigriceps* from "Mexique" described.) Proc. Acad. Nat. Sci. Philadelphia, vol. 6, p. 365. June.

HARE, L.

1931. Polymorphism among the subgenera of *Nasutitermes*. Journ. Morph. and Physiol., vol. 52, No. 2, pp. 593-607, 4 pls. December 5.
1937. Termite phylogeny as evidenced by soldier mandible development. Ann. Ent. Soc. Amer., vol. 30, No. 3, pp. 459-473, 13 pls. September.

HARRIS, W. VICTOR.

1936. A list of the termites of Tanganyika Territory, with descriptions of two new species. Bull. Ent. Res., vol. 27, pt. 3, pp. 361-368, 3 figs. September.
1946. Termites from British Somaliland. Proc. Roy. Ent. Soc. London, ser. B, vol. 15, pts. 5-6, pp. 67-68, fig. 1. June.
1948. Termites of the Uganda Protectorate. Proc. Roy. Ent. Soc. London, ser. B, Taxonomy, vol. 17, Nos. 5-6, pp. 73-83, 1 fig. June 18. (*Calotermes mutubae* n. sp., 25 identified species, and 8 undetermined species.)

HAVILAND, G. D.

1898. Observations on termites: with descriptions of new species. Journ. Linn. Soc. London, vol. 26, No. 169, pp. 358-442, pls. 22-25. (Read June 3, 1897.)
1902. Observations on termites or white ants. Ann. Rep. Smithsonian Inst. for 1901, pp. 667-678, 4 pls. (Reprinted from Journ. Linn. Soc. Zool., vol. 26.)

HILL, GERALD F.

1915. Northern Territory Termitidae. Proc. Linn. Soc. New South Wales, vol. 40, pt. 1, pp. 83-113, pls. 14-23. June 16.
1921. *Coptotermes raffrayi* Wasmann. Proc. Linn. Soc. New South Wales, vol. 46, pt. 2, pp. 263-267, figs. 1-15. August 12.
- 1921a. New and rare Australian termites, with notes on their biology. Proc. Linn. Soc. New South Wales, vol. 46, pt. 4, pp. 433-456, 1 pl., 52 figs. December 23.
1922. On some Australian termites of the genera *Drepanotermes*, *Hamitermes* and *Leucotermes*. Bull. Ent. Res., vol. 12, pt. 4, pp. 363-399, pls. 9-12, 31 figs. (References, pp. 398-399.) February.
- 1922a. Descriptions and biology of some North Australian termites. Proc. Linn. Soc. New South Wales, vol. 47, pt. 2, pp. 142-160, pls. 23, 24, 41 figs. June 16.
- 1922b. A new Australian termite, *Calotermes* (*Calotermes*) *condonensis* n. sp. Proc. Linn. Soc. New South Wales, vol. 47, pt. 3, p. 275, figs. 1-4. September 15.
1923. New termites from Central and Southeast Australia. Proc. Linn. Soc. New South Wales, vol. 48, pt. 2, pp. 40-48, 21 figs. June.
1925. The Victorian termites. Victorian Nat., vol. 42, No. 4, pp. 85-91, pl. 3. August.
- 1925a. Termites from the Australian region, descriptions of new species and hitherto undescribed castes. Proc. Roy. Soc. Victoria, n. s., vol. 37, pt. 2, pp. 206-229, 4 pls. November 30.
1926. Termites from the Ellice group. Proc. Roy. Soc. Victoria, n. s., vol. 38, art. 10, pp. 95-99, fig. 1. July 31. (*Neotermetes rainbowi*, n. sp.)
- 1926a. The Genus *Porotermes* (Isoptera). Proc. Roy. Soc. Victoria, n. s., vol. 38, pp. 143-149. July 31.
- 1926b. Australian termites (Isoptera). Notes on *Stolotermes*, *Calotermes*, and *Coptotermes*, with description of new species. Proc. Roy. Soc. Victoria, n. s., vol. 38, pp. 192-214, 3 figs. July 31.

- 1926c. Termites (Isoptera), from South Sea and Torres Strait Islands. Proc. Roy. Soc. Victoria, n. s., vol. 39, pt. 1, art. 4, pp. 20-24. November 11.
- 1926d. New termites from Samoan Islands. Entomologist, vol. 59, No. 762, pp. 296-300. November.
1927. Insects of Samoa (Isoptera—Family Termitidae), Part VII. Fasc. 1, pp. 1-18, 14 figs., 1 pl. British Museum (Natural History). May 28.
- 1927a. Termites from the Australian region—Part I. Mem. Nat. Mus. Melbourne, No. 7, pp. 5-120, pls. 1-9. June.
1929. Notes on Australian termites (Isoptera), descriptions of new species. Proc. Roy. Soc. Victoria, n. s., vol. 41, pt. 2, art. 7, pp. 85-96, pl. 14, text fig. 1. April 11.
- 1931-32. Australian termites (Isoptera). Biological notes and descriptions of new species. Proc. Roy. Soc. Victoria, n. s., vol. 44, pts. 1-2, pp. 134-154, 16 figs. April 20, 1932.
1933. Australian *Rhinoterpes*. Proc. Roy. Soc. Victoria, n. s., vol. 44, pt. 1, pp. 1-17, pls. 1-4. February 28.
- 1933a. Notes on *Porotermes* and *Calotermes* (Isoptera) from the Australian region, with description of new species. Proc. Roy. Soc. Victoria, n. s., vol. 46, pt. 1, art. 4, pp. 36-54, 2 pls. December 22.
1935. Australian *Hamitermes* (Isoptera), with descriptions of new species and hitherto undescribed castes. Systematic Entomology, Contribution No. 1, Paper No. 2. Australian Council Sci. and Indus. Res., Pamph. No. 52, pp. 13-31, 3 pls. March 4.
1938. The Sir Joseph Banks Islands. 9, Isoptera. Proc. Roy. Soc. Victoria, n. s., vol. 50, pt. 2, pp. 353-355.
1942. Termites (Isoptera) from the Australian region. 473 pp., 24 pls., 353 figs. Australian Council Sci. and Indus. Res. June.

HOLMGREN, KARIN and NILS.

1917. Report on a collection of termites from India. Mem. Dep. Agr. India, vol. 5, No. 3, pp. 138-171, 1 fig. August. (Translated, with notes on synonymy, by T. B. Fletcher.)

HOLMGREN, NILS.

1906. Studien über südamerikanische Termiten. Zool. Jahrb., Abt. Syst., vol. 23, No. 5, pp. 521-676, 81 figs. June 16.
1909. Termitenstudien. 1. Anatomische Untersuchungen. K. Svenska Vetensk. Akad. Handl., vol. 44, No. 3, pp. 1-215, 3 pls., 76 figs. July 15.
- 1909a. Madagassische Termiten gesammelt von Valter Kaudern. Arkiv Zool., vol. 5, No. 13, pp. 1-24, 2 pls., 5 figs. July 21.
1910. Das System der Termiten. Zool. Anz., vol. 35, pp. 284-286. January 4.
- 1910a. Isoptera (von den Seychellen). The Percy Sladen Trust Expedition to the Indian Ocean in 1905. Trans. Linn. Soc. London, Zool., ser. 2, vol. 14, No. 8, pp. 135-148. November.
- 1910b. Versuch einer Monographie der amerikanischen *Eutermes*-Arten. Mitt. Naturhist. Mus. Hamburg, vol. 27, Jahrb. Hamburg. Wiss. Anst., Beih. 2, pp. 171-325, 78 text figs. December 31.
1911. Bemerkungen über einige Termiten-Arten. Zool. Anz., vol. 37, No. 26, pp. 545-553. June 13.
- 1911a. Termitenstudien. 2. Systematik der Termiten. Die Familien Mastotermitidae, Protermitidae and Mesotermitidae. K. Svenska Vetensk. Akad. Handl., vol. 46, No. 6, pp. 1-88, 6 pls. July 26. (Ordnung Isoptera, pp. 10-11.)

- 1911b. Neu-Guinea—Termiten. Mitt. Berlin Zool. Mus., vol. 5, No. 3, pp. 451-464, 1 pl., 7 figs. August.
- 1911c. Ceylon—Termiten. In Escherich, Termitenleben auf Ceylon, pp. 185-212, pls. 2-3. Jena.
1912. Termitenstudien. 3. Systematik der Termiten. Die Familie Metatermitidae. K. Svenska Vetensk. Akad. Handl., vol. 48, No. 4, pp. 1-166, 4 pls. May 20.
- 1912a. Die Termiten Japans. Annot. Zool. Jap., vol. 8, pp. 107-136. July 8.
- 1912b. Termites from British India (Bombay) collected by Dr. J. Assmuth. Journ. Bombay Nat. Hist. Soc., vol. 21, No. 3, pp. 774-793, 4 pls. July 30.
- 1912c. Neue Termiten aus dem Deutschen Entomologischen Museum. Ent. Mitt., vol. 1, No. 9, pp. 280-282. September 1.
1913. On some termites collected by Mr. Green in Ceylon. Spolia Zeylanica, vol. 8, pt. 32, pp. 277-284. January.
- 1913a. Termites from British India (near Bombay in Gujerat and Bangalore) collected by Dr. J. Assmuth, S. J. Journ. Bombay Nat. Hist. Soc., vol. 22, No. 1, pp. 101-117, 3 pls. April 21.
- 1913b. Termitenstudien. 4. Versuch einer systematischen Monographie der Termiten der orientalischen Region. K. Svenska Vetensk. Akad. Handl., vol. 50, No. 2, pp. 1-276, 8 pls., 14 figs. May 23.
- 1913c. Termiten aus Java und Sumatra, gesammelt von Edward Jacobson. Overgedrukt uit het Tijdschr. Ent., vol. 56, pp. 13-28, pls. 3-4. June 30.
- 1913d. Termiten aus Natal und dem Zululande. Gesammelt von Dr. Ivar Trägårdh. Ent. Tidskr., Arg. 34, pp. 321-366. December 14.
- 1913-14. Wissenschaftliche Ergebnisse einer Forschungsreise nach Ostindien, ausgeführt im Auftrage der Kgl. Preuss. Akademie der Wissenschaften zu Berlin von H. v. Butteli-Reepen. III. Termiten aus Sumatra, Java, Malacca und Ceylon. Gesammelt von Herrn Prof. Dr. v. Butteli-Reepen in den Jahren 1911-1912. Zool. Jahrb., Abt. Syst., vol. 36, Nos. 2-3, pp. 229-290, 7 pls., figs. 1-27. February 1914.

HOLMGREN, NILS and KARIN.

1915. Termiten aus Neu-Caledonien und den benachbarten Inselgruppen. Nova Caledonia, A. Zoologie, vol. 2, pt. 2, No. 6, pp. 85-93.

HOZAWA, S.

1915. Revision of the Japanese termites. Journ. Coll. Sci. Tokyo Imp. Univ., vol. 35, art. 7, p. 82, 4 pls., 39 figs. April 30. (*L. flavipes* not found in Japan.)
1932. In Iconographia insectorum Japonicum. Tokyo, Hokuryukan, Japan. Insects illus. Termites, pp. 2004-2010 (S. Hozawa ?).

HUMBOLDT, F. H. A. von.

1817. Recueil des observations de zoologie. Vol. 2, p. 111. Paris. (*Termes marginipennis* Latr.)

HUXLEY, JULIAN.

1940. The new systematics. 583 pp., 57 figs. Clarendon Press, Oxford.

IHERING, H. von.

1887. Generationswechsel bei Termiten. Ent. Nachr., vol. 13, No. 1, pp. 1-4; No. 12, pp. 179-182.

ILLIGER, J. C. W.

- 1790-92. In Rossi's Mantissa Insectorum Etr., vol. 2, p. 16.

JACOBSON, G.

1904. Zur Kenntnis der Termiten Russlands. Ann. Mus. Zool. Acad. Imp. Sci. St. Petersburg, vol. 9, pp. 57-107, 17 figs. (Published 1905.)

JOHN, O.

1913. Notes on some termites from Ceylon. *Spolia Zeylanica*, vol. 9, pt. 34, pp. 102-116. October.
1920. Additional note to Mr. T. Strelnikov's article on p. 227. II. South American termites. *Bull. Inst. Sci. St. Petersburg, Inst. Leshافت, Petrograd*, vol. 1/18, pp. 227-234 (6 text figs.).
1925. Termiten von Ceylon, der Malayischen Halbinsel, Sumatra, Java und der Aru Inseln. *Treubia* (Inst. Sci. de Buitenzorg's Lands Plantent.), vol. 6, Nos. 3-4, pp. 360-419, 8 pls. Batavia. December.
1926. *Termes (Odontotermes) praevalens*, a new name for *O. robustus* John. *Proc. Biol. Soc. Wash.*, vol. 39, p. 143. December 27.

KALSHOVEN, L. G. E.

1930. [Biology of *Kalotermes tectonae* Damm. as a base for its control.] (In Dutch.) 154 pp. 20 pls., 9 figs., tables and graphs. H. Veenman & Zonen, Wagennigen. (*Kalotermes dalbergiae* Kalshoven n. sp. also described.)

KARNY, H. H.

1930. Zur Systematik der Orthopteroiden Insekten. (Division of family names of termites.) *Treubia*, vol. 12, pp. 431-432. (Protermitidae = Termopsidae, Meso-termitidae = Rhinotermitidae, Metatermitidae = Termitidae.)

KELSEY, J. M.

1943. A new termite, *Calotermes (C.) curvithorax* n. sp., from Canton Isl. in the Phoenix Group, Pacific Ocean. *New Zealand Journ. Sci. and Technol.*, sect. B, vol. 25, No. 2, pp. 45-53, figs. 1-3, wing, sold. September.
1944. The identification of termites in New Zealand. *New Zealand Journ. Sci. and Technol.*, sect. B, vol. 25, No. 6, pp. 231-260, 29 figs., keys. May.
1946. A variation of the termite *Coptotermes lacteus* Frogg. from New Zealand. *New Zealand Journ. Sci. and Technol.*, sect. B, vol. 27, No. 6, pp. 458-464, 3 figs. Wellington. May. (If new, name *stellatus* most suitable.)

KEMNER, N. A.

1925. Zwei neue chinesische Termiten aus der Sammelausbeute der Kolhoffsschen Expedition nach China. 1921-2. *Arkiv Zool.*, vol. 17A, No. 28, pp. 1-6. March 28.
- 1925a. Larva termitovorax, etc. *Arkiv Zool.*, vol. 17A, No. 29, pp. 1-15. March 31.
1926. Some termites from Ceylon. *Bull. Ent. Res.*, vol. 16, pt. 4, pp. 379-392, 5 text figs. London. March.
1930. Fauna Sumatrensis (Bijdrage No. 66). Termitidae. *Tijdschr. Ent.*, vol. 73, Nos. 3-4, pp. 298-324, 25 figs. December.
1931. Die Termitenfauna von Amboina. *Lunds Univ. Årsskr., N. F. Avd. 2*, vol. 27, No. 13; *Fysiogr. Sallsk. Handl., N. F.*, vol. 42, No. 13, pp. 1-53, 2 pls., 16 text figs. (Bibliography.)
1932. Zwei termiten aus Sinai mit beschreibung der neuen art *Kalotermes sinaicus*. *Ent. Tidskr.*, vol. 53, Nos. 2-3, pp. 87-92, 1 fig. October 31. (*Kalotermes sinaicus* n. sp. Notes on *Anacanthotermes ochraceus* Burmeister.)
- 1932a. Neue termiten aus der orientalischen region I-II. *Ent. Tidskr.*, vol. 53, Nos. 2-3, pp. 133-155, 8 figs. October 31.
1933. Extrait des Résultats Scientifiques du Voyage aux Indes Orientales Néerlandaises de LL. AA. RR. le Prince et la Princesse Leopold de Belgique. Isoptera. *Mém. Mus. Roy. Hist. Nat. Belg. Hors ser.*, vol. 4, pt. 8, pp. 19-29. Bruxelles. August 31.

1934. Systematische und biologische Studien über die Termiten Javas und Celebes. K. Svenska Vetensk. Akad. Handl., ser. 3, vol. 13, No. 4, pp. 1-241, 22 pls., 53 text figs. March 6.
 1934a. Über Linne's *Termes fatale* 1758 und Rolanders springende Termite aus Surinam. Ent. Tidskr., vol. 55, No. 1, pp. 19-53, 2 figs. April.

KIRBY, H., JR.

1925. *Cryptotermes hermsi* sp. nov. A termite from Fanning Island. California Univ. Publ., Zool., vol. 26, Nos. 22 and 23, pp. 437-441, 12 figs.

KOENIG, J. G.

1779. Beschäft. Berlin. Ges. Naturf. Freunde, vol. 4, pp. 1-28, pl. 1, figs. 1-9 (nec Linné 1758).

KOLBE, H. J.

1885. Zur Naturgeschichte der Termiten Japans. Berlin. Ent. Zeitschr., vol. 29, No. 1, pp. 145-150, pl. 6. (*Termes speratus* sp. n. described.)

KOLLAR, V.

1832. In Pohl, J. E., Reise nach Brasil; also Pohl, J. E., and Kollar, V., Brasil vorzügl. lästige Insekt. (special separate from Pohl's Reise, Vienna, 2 vols., 20 pp., 1 pl.).

1837. Naturgeschichte der Schädlichen Insekten. Verhandl. Landw. Ges. Wien, n. s., vol. 5, p. 411. (*Termes flavipes* described, North America.)

LATREILLE, P. A.

1802. Histoire naturelle crustaces et insectes. Vol. 3, p. 293, fam. Termitina.

1804. Nouv. dictionnaire d'histoire naturelle. Vol. 22, p. 49, gen. *Termes*; p. 59, catalogue species; p. 63, order Neuropteres, fam. Termina (typographical error?).

1805. Histoire naturelle, générale et particulière des crustaces et des insectes. Vol. 13, pp. 51-69. Paris.

- 1811-1832. Insectes de l'Amerique Equinoxiale. In Humbolt, Rec. Observ. Zool., vol. 2, p. 111, 1832, Paris. *Termes marginipenne*, vol. 1, pl. 39, fig. 8, Mex., Calif. 1811.

1819. Nouv. dictionnaire d'histoire naturelle. Vol. 33, p. 96. (*Termes lucifugus* Rossi, i.e., *Termes lucifuge*, *T. lucifugum*.)

LEACH, W. E.

1815. Entomology. In Brewster's Edinburgh Encyclopaedia, vol. 9, pt. 1, pp. 57-172; p. 139, Termitides.

LEVER, R. J. A. W.

1939. Entomological notes. 5. Notes on white ants. Agr. Journ. Fiji, vol. 10, No. 3, p. 87. (*Cryptotermes brevis* may be *C. buxtoni* and record for the former should be considered uncertain until members of soldier caste are collected.)

LIGHT, S. F.

1921. Notes on Philippine termites, I. Philippine Journ. Sci., vol. 18, No. 3, pp. 243-257. March.

- 1921a. Notes on Philippine termites, II. Philippine Journ. Sci., vol. 19, No. 1, pp. 23-63, 6 pls., 3 text figs. July.

1924. The termites (white ants) of China, with descriptions of six new species. China Journ. Sci. and Arts, vol. 2, Nos. 1-4, pp. 50-60, 140-142, 242-254, 354-358. January to July. (Key to families based on winged adults and to species based on soldiers.)

1927. A new and more exact method of expressing important specific characters of termites. California Univ. Publ., Ent., vol. 4, No. 5, pp. 75-88, figs. 1-2, 3 tables. September 3.

1929. New termite records for lower California. Pan-Pacific Ent., vol. 6, No. 2, pp. 67-72. October.

- 1929a. Notes on Philippine termites, III. Philippine Journ. Sci., vol. 40, No. 4, pp. 421-452, 8 figs., 9 pls. (*Coptotermes vastator* sp. nov.)
1930. Termites collected by T. T. Craig on Socorro Island. Pan-Pacific Ent., vol. 6, No. 4, pp. 178-180. April.
- 1930a. Notes on Philippine termites, IV. Philippine Journ. Sci., vol. 42, No. 1, pp. 13-58, fig. 1, 8 pls. May.
- 1930b. A practical key to the species of termites found in California. California Dep. Agr., Month. Bull., June, pp. 454-455.
- 1930c. The California species of the Genus *Amitermes* Silvestri (Isoptera). California Univ. Publ., Ent., vol. 5, No. 9, pp. 173-214, pls. 10-15, 31 text figs. October. (Phylogenetic groupings; key.)
- 1930d. The Mexican species of *Amitermes* Silvestri (Isoptera). California Univ. Publ., Ent., vol. 5, No. 10, pp. 215-232, pls. 16-18. November. (Phylogenetic groupings; key.)
1931. Present status of our knowledge of the termites of China. Lingnan Sci. Journ., (1929), vol. 7, pp. 581-600, 2 tables. (Key to adults of Asiatic species of *Reticulitermes* Holmgren.) Appendix. Instructions for preparations of Protozoa of termites for study, p. 600. June. (Issued March 4, 1931.)
- 1931a. The termites of Nevada. Pan-Pacific Ent., vol. 8, No. 1, pp. 5-9. July. (Synonymy.)
1932. Contribution toward a revision of the American species of *Amitermes* Silvestri. California Univ. Publ., Ent., vol. 5, No. 17, pp. 355-414, 10 figs., 2 pls. May 4.
- 1932a. Termites of the Marquesas Islands. (Issued as Pacific Entomological Survey Publication 1, art. 6.) Bernice P. Bishop Mus. Bull. 98, pp. 73-86, pls. 1-3. October 28.
- 1932b. *Kalotermes (Glyptotermes) juddi*: A new species of termite from the Marquesas Islands. (Issued as Pacific Entomological Survey Publication 1, art. 18.) Bernice P. Bishop Mus. Bull. 98, pp. 169-170. November 22.
- 1932c. Key to Marquesan species of termites, with records of host plants and distribution. (Issued as Pacific Entomological Survey Publication 1, art. 19.) Bernice P. Bishop Mus. Bull. 98, pp. 171-176. November 22.
- 1932d. Termites from the Society Islands. (Issued as Pacific Entomological Survey Publication 6, art. 1.) Bernice P. Bishop Mus. Bull. 113, pp. 3-5, 2 figs. December 23.
1933. Termites of western Mexico. California Univ. Publ., Ent., vol. 6, No. 5, pp. 79-164, pls. 7-11, 36 text figs.
1934. A collection of termites from Arizona. Pan-Pacific Ent., vol. 10, No. 4, pp. 159-160. October. (Mailed December 23.)
1935. The Templeton Crocker Expedition of the California Academy of Sciences, 1932. No. 20. The termites. California Acad. Sci. Proc., ser. 4, vol. 21, No. 20, pp. 235-256, 10 figs., 2 pls. April 3.
1936. A tropical termite in California. Pan-Pacific Ent., vol. 12, No. 3, pp. 125-126. July. (*Kalotermes (Cryptotermes) brevis* (Walker) recorded in wood from Lima, Peru.) (Synonymy.)
1937. A collection of termites from Ceylon and Java. Pan-Pacific Ent., vol. 13, Nos. 1 and 2, pp. 15-24. January-April. (Description and synonymy for various species.)
- 1937a. Contributions to the biology and taxonomy of *Kalotermes (Paraneotermes) simplicicornis* Banks (Isoptera). California Univ. Publ., Ent., vol. 6, No. 16, pp. 423-464, 9 tables, 3 pls. September 22. (*Paraneotermes* new subgenus (nearest to *Neotermes*; type is *Kalotermes simplicicornis*.)

LIGHT, S. F., and DAVIS, A. C.

1929. Two new species of *Coptotermes* Wasmann (Isoptera). Proc. Roy. Soc. Victoria, n. s., vol. 42, pt. I, pp. 62-70. 15 figs. October 31.

LIGHT, S. F., and WILSON, F. J.

1936. The nasute termites of the Philippines. Philippine Journ. Sci., vol. 60, No. 4, pp. 461-520, 26 figs. August.

LIGHT, S. F., and ZIMMERMAN, ELWOOD C.

1936. Termites of southeastern Polynesia. Bernice P. Bishop Mus. Occ. Pap., vol. 12, No. 12, pp. 1-12, fig. 1. September 15. (*Kalotermes* (?) *rapae*, n. sp., sold., imago.)

LIMA, A. DA COSTA.

1937. Insectos do Brasil XVI. O Campo (Rio de Janeiro), ano 8, No. 85, pp. 38-41. January. (Key to families of termites, based on Light, 1935. Bibliography.)

1938. Sobre um *Kalotermes* do Rio de Janeiro (Isoptera: Kalotermitidae). Inst. Oswaldo Cruz Mem., vol. 33, No. 3, pp. 359-362, illus. (*Kalotermes* (*Neotermes*) ? *wagneri* from Rio de Janeiro described and illustrated.)

1941. Sobre cupins brocas da Goiabeira (Isoptera: Kalotermitidae). Soc. Brasil. Agron. Bol., vol. 4, No. 4, pp. 377-387, fig. 11. December.

1942. Sobre *Kalotermes* (*Neotermes*) *wagneri* e espécies afins (Isoptera: Kalotermitidae). Soc. Brasil. Agron. Bol., vol. 5, No. 1, pp. 1-4, illus. March. (*K. paraensis*, n. sp., from Brazil (Ilha de Marajó); description for *K. wagneri* Desneux and for an unnamed species (?new) from Rio de Janeiro.)

LINNAEUS, C. VON.

1758. Systema Naturae, ed. 10, vol. 1, p. 609. (Genus *Termes* described.)

- 1788-1793. Systema Naturae, ed. 13, aucta, reformatacura Joh. Friedr. Gmelin, vol. 1, pt. 5. (P. 2911, No. 1 (sine syn. cit.), *T. fatale* = *T. bellicosum*; p. 2912, No. 4, *T. arboreum* (sine syn. cit.); p. 2913, No. 5, *T. arda* = *Eutermes atrox*. (*T. lucifugus*?); No. 6, *T. mordax*; No. 7 (sine syn. cit.), *T. capense*.)

LUCAS, H.

1849. Exploration scientifique de l'Algérie, Insectes III, p. 110. Paris. (*T.* = (*Calotermes*) *flavicollis*, *Termes lucifugus*.)

MARGABANDHU, V.

1934. An annotated list of Indo-Ceylonese termites. Journ. Bombay Nat. Hist. Soc., vol. 37, No. 3, pp. 700-714. December 15.

1935. An annotated list of Indo-Ceylonese termites. Journ. Bombay Nat. Hist. Soc., vol. 38, No. 1, pp. 208-209. August 15. (Lists species dealt with in paper on Indian termites by Snyder, Proc. U. S. Nat. Mus., vol. 82, art. 16, pp. 1-15, 1933.)

MATSUMURA, S.

1904. [Thousand insects of Japan.] Vol. 1. Tokyo.

1907. [Systematic entomology.] Vol. 1. Tokyo.

1910. Die schädlichen und nützlichen insecten von Zuckerrohr Formosas. Tokyo.

1931. [6,000 illustrated insects of Japan-Empire.] (In Japanese, with index of scientific names in Latin.) 1,496 pp., illus., 10 col. pls. (Isoptera, pp. 1406-1414.) Tokyo.

MENOZZI, C.

1940. Contributo alla fauna della Tripolitania. Bol. Lab. Zool. Gen. e Agr. R. Ist. Super. Agr. Portici, vol. 31 (1939-1941), pp. 244-273, illus. February 22, 1940. (Isoptera, pp. 248-251; first descr. adult *Eremotermes indicatus* Silv.)

MILLER, E. M.

1943. The soldier and nymphal forms of *Kalotermes (Calcaritermes) nearcticus* Snyder. Proc. Florida Acad. Sci., vol. 6, No. 1, pp. 5-8, 2 figs. March.

MJÖBERG, E.

1920. Isoptera: Results of Dr. E. Mjöberg's Swedish scientific expeditions to Australia, 1910-1913. Arkiv Zool., vol. 12, No. 15, pp. 1-128, 8 pls., 64 text figs. July 1 (May 21).

MONTE, OSCAR.

1931. As especies de cupins mais comuns no Brasil. Chacaras e Quintaes (São Paulo), vol. 43, No. 1, pp. 69-70 (photo.). January 15. (Discussion of species of termites occurring in Brazil.)

MOTSCHULSKY, V. DE.

1855. Études Entomologiques, No. 4, p. 10.

MOUTIA, A.

1936. Termites in Mauritius. Bull. Mauritius Dep. Agr. Sci. Ser., vol. 21, 30 pp., 21 pls. Port Louis.

MÜLLER, FRITZ.

1870. Remarks on some white ants. Proc. Boston Soc. Nat. Hist., vol. 13, pp. 205-206.
1873. Beiträge zur Kenntniss der Termiten. I-II. Jenaische Zeitschr. Med. Naturw., vol. 7, No. 3, pp. 333-358, 2 pls.; III. vol. 7, No. 4, pp. 451-463, 3 figs. November 18. (Ref., Amer. Nat., vol. 8, p. 554, 1874. Condensed in Zool. Rec., vol. 10, pp. 433-434, 1873; Arch. Sci. Phys. et Nat. Geneve, n. s., vol. 49, pp. 254-259, 1874.)

NAVAS, R. P. L.

1911. Algunos Orthopteros y Neuropteros de Palestina. Rev. Montserratina, Barcelona, vol. 5, pp. 120-121, fig. 2a. (*Hodotermes ubachi* described in Cercanias del Mar Muerto. Middle East.)

NAWA, U.

1910. [On a termite, *Leucotermes speratus*.] Konchu Sekai (Insect World), vol. 14, pp. 547-552, 6 figs. Gifu, Japan.
- 1910a. (On a termite, *Coptotermes gestroi* Wasmann.) Konchu Sekai (Insect World), vol. 14, pp. 597-600, 3 figs. Gifu, Japan.
1911. [On the termite.] Konchu Sekai (Insect World), vol. 15, pp. 12-16. Gifu, Japan.
- 1911a. [On *Termes vulgaris* Haviland ?] Konchu Sekai (Insect World), vol. 15, pp. 280-284, pl. 15. Gifu, Japan.
- 1911b. [On two Formosan termites, *Eutermes parvonasutus* Shiraki and *Eutermes takasagensis* Shiraki.] Konchu Sekai (Insect World), vol. 15, pp. 413-417, pl. 21. Gifu, Japan.
1912. [Comparison of the soldiers belonging to eight different species of Japanese termites.] Konchu Sekai (Insect World), vol. 16, pp. 17-19, pl. 1. Gifu, Japan.

NICHOLLS, AUBREY G.

- 1928-1929. A new species of termite from the eastern Goldfields region of Western Australia. Journ. Roy. Soc. West. Australia, vol. 15, pp. 19-22, pl. 3. March 27, 1929. (*Ahamitermes hillii*.)

NICHOLS, E. R.

1929. Termites of southern California. Journ. Ent. and Zool., vol. 21, p. 123.
1931. An attempt to classify species of termites from mandibles of workers and nymphs. Journ. Ent. and Zool., vol. 23, No. 1, pp. 1-2. March.

NITOBI, I.

1911. [Current literature on the termites of Japan, with special reference to those found in Formosa.] Journ. Agr. Soc. Formosa, No. 56, pp. 6-26.

OSHIMA, M.

1908. [Termites found in Japan proper.] Dobutsugaku Zasshi, vol. 20, pp. 512-517.
1909. [The first official report on termites.] Taihoku.
1910. [On Formosan termites.] Dobutsugaku Zasshi, vol. 22, pp. 343-346, 376-382, 411-413.
- 1910a. [On termite *Leucotermes speratus* (Kolbe) from Okayama and Ehime prefectures.] Dobutsugaku Zasshi, vol. 22, pp. 413-416.
- 1910b. [Report on termites.] Dobutsugaku Zasshi, vol. 22, pp. 515-517.
1911. [The second official report on termites.] Taihoku.
- 1911a. [On the difference between *Leucotermes flaviceps* n. sp. *Leucotermes speratus* and the specific name of the termites found in Japan proper.] Konchu Sekai (Insect World), vol. 15, pp. 355-363, pl. 18. Gifu, Japan.
1912. [The third official report on termites.] Taihoku.
- (1913). Notes on the termites of Japan, with description of one new species. Philippine Journ. Sci., Sect. D, vol. 8, No. 4, pp. 271-280, 2 figs. (August.) January 16, 1914. (P. 274, *Calotermes ogasawaraensis* n. sp.)
- (1913a). Two species of termites from Singapore. Philippine Journ. Sci., Sect. D, vol. 8, No. 4, pp. 283-286. January 16, 1914. (*Termes singaporeensis* n. sp.)
1914. Zwei neue termiten arten von Japan. Zool. Anz., vol. 44, No. 7, pp. 289-292, 3 figs. May 26.
- 1914a. [The fourth official report on termites.] Vol. 4, pp. 1-5. Taihoku.
- 1914b. Notes on a collection of termites from the East Indian Archipelago. Annot. Zool. Jap., vol. 8, pp. 553-585, 2 pls. December 25.
1916. A collection of termites from the Philippine Islands. Philippine Journ. Sci., Sect. D, vol. 11, No. 6, pp. 351-369. November.
1917. Three new species of termites from Carolina Islands. Annot. Zool. Jap., vol. 9, pt. 3, pp. 195-198. July 9.
- 1917a. Notes on a collection of termites from Luzon obtained by R. C. McGregor. Philippine Journ. Sci., Sect. D, vol. 12, No. 4, pp. 221-225, 1 fig. July.
- 1917b. Two species of termites from Foochow, China, pp. 5-7. In A collection of essays for Mr. Y. Nawa, written in commemoration of his 60th birthday, October 8, 1917. Ed. by K. Nagano, Gifu, Japan. (*Coptotermes formosanus* Shiraki, *Cycloctermes formosanus* Shiraki.)
1920. A new species of immigrant termite from the Hawaiian Islands. Proc. Hawaiian Ent. Soc., vol. 4, No. 2, pp. 261-264, 1 pl. June. (*Coptotermes intrudens* n. sp.)
- 1920a. Philippine termites collected by R. C. McGregor, with descriptions of one new genus and nine new species. Philippine Journ. Sci., vol. 17, No. 5, pp. 489-512. November.
1923. Fauna Simalurensis—Termitidae. Cap. Zool., vol. 2, No. 3, 22 pp., 20 figs. April 14.
1942. Termites from Palao Islands. Palao Trop. Biol. Stat. Stud., vol. 2, No. 3, pp. 381-389, 5 figs. (*Eutermes (E.) palaoensis*.)
- OSHIMA, M., and MAKI, M.
1919. In Insect World, vol. 23, No. 12, pp. 435-439 (p. 436, fig.). December 15. (In Japanese. New termite described, *Procapritermes mushae*.)

PACKARD, A. S.

1886. A new arrangement of the orders of insects. Amer. Nat., vol. 20, No. 9, p. 808. September.
1886a. Zoology for high school and colleges. Ed. 5. New York. (Order Platyptera restricted to termites and bird lice.)

PERTY, M.

1830. Delectus Animalium Articulatorum Braziliam Monachii. (Termites, pp. 127-128.)

PICTET, F. J.

1836. Memoire sur le genre *Sialis* de Latreille et Considerations sur la classification de l'ordre des Neuropteres. Ann. Sci. Nat., ser. 2, vol. 5, pp. 69-80. (Classification of Neuropteroids. Termites placed in family Termitines (p. 75) with Psocids.)

RADCLIFFE, E.

1904. (*Termopsis Radcliffei*.) Indian Forester Magazine, June, p. 412.

RAMBUR, J. P.

1842. Histoire naturelle des insectes. Névroptères. 534 pp., 12 pls. Paris.

REDTENBACHER, J.

1886. Vergleichende Studien über das Flügelgeäder. Ann. K. K. Nat. Mus., vol. 1, pp. 183-184, 12 pls.

RETZIUS, A. J.

1783. Caroli DeGeer genera et species insectorum et generosissimi auctoris scriptis extraxit, digessit, latine quoad partem reddidit et terminologiam insectorum Linneanam. Lipsiae. (P. 200, No. 1321, *Termes capensis*.)

ROSEN, KURT VON.

1912. Neue Termiten aus der zoologischen Staatssammlung in München sowie einigen anderen Sammlungen. Zool. Anz., vol. 39, pp. 221-232, 9 figs. February 27.

ROSSI, P.

- 1790-92. In Mantissa Insectorum. Etr., vol. 1, p. 107 (1792); vol. 2, pl. 5, f. k. (*Termes lucifugus* described, vol. 1, p. 107.)

RUSSO, G.

- 1942-1943. Entomologia Agraria (Tavole), Pisa, Italy. (54 plates of taxonomic figures for many economic insects, including Isoptera.)

SARWAR, M. S.

1940. New species of termites recorded in the Punjab. Proc. 26th Indian Sci. Congr., 1939, pt. 3, sec. 6, Zoology, p. 144 (abstract only; no indication of where full article is to be published). (Systematic account of four species and two varieties of *Microtermes* and *Odontotermes* said to be given.)

- 1940a. Taxonomic value of the structure of mandibles of workers in termites. Proc. 26th Indian Sci. Congr., 1939, pt. 3, sec. 6, Zoology, p. 144 (abstract only; no indication of where full article is to be published). (Attempt said to have been made to differentiate workers of one species from those of another on basis of differences in structure of mandibles.)

- 1940b. New sub-genus of the genus *Microtermes*. Proc. 26th Indian Sci. Congr., 1939, pt. 3, sec. 6, Zoology, p. 144 (abstract only; no indication of where full article is to be published). (Sub-genus *Microdontermes* created by author to "replace" a newly recorded species, *Microtermes mukarensis*, which species combines characters of *Odontotermes* and *Microtermes*.)

- 1940c. New wood-destroying species of termites in the Punjab. Proc. 26th Indian Sci. Congr., 1939, pt. 3, sect. 6, Zoology, p. 144 (abstract only; no indication of where full article is to be published). (*Odontotermes giganticus* sp. n. and *O. domesticus* sp. n. (no description in abstract) said to attack wood after fashion of *O. feae*.)

SCHMITZ, H.

1915. Ein neuer *Cubitermes* vom belgischen Kongo. Tijdschr. Ent., vol. 58, pp. 119-124; suppl., figs. 1-2. (*C. finitimus*.)
1917. Drei neue Termiten vom belgischen Kongo. Tijdschr. Ent., vol. 60, pp. 225-231. (*Microcerotermes secernens*, *Promirotermes gracilipes*, *Procubitermes undulans*.)
1924. Drei neue Platyporinen (Phoridae, Diptera) und eine neue Wirtstermite. Zool. Anz., vol. 59, Nos. 11-12, pp. 289-304. June 5. (*Eutermes processionarius*.)

SEABRA, A. F. DE.

1922. Sur une nouvelle espece du genere *Mirotermes* appartenant a la faune de S. Thomé. Mém. Soc. Portug. Sci. Nat., Lisbon, ser. Zool., vol. 3, No. 2, pt. 2, pp. 50-53, figs. 33-40.
- 1922a. Sur l'existence du *Microcerotermes dolichognathus* Silv. a San Thomé XIII. Mém. Soc. Portug. Sci. Nat., ser. Zool., vol. 3, No. 2, pt. 2, pp. 72-74, figs. 51, 53-56 (sold., work.), pls. 4-5 (econ. and biol.).

SHIRAKI, T.

1909. [On the Japanese termites.] Trans. Ent. Soc. Japan, vol. 2, pt. 10, pp. 229-242.

SILVESTRI, FILIPPO.

1901. Nota preliminare sui Termitidi sud-americani. Boll. Mus. Zool. Anat. Comp. Torino, vol. 16, No. 389, pp. 1-8.
1903. Contribuzione alla conoscenza dei Termite e Termitofili dell' America meridionale. Redia, vol. 1, pp. 1-234, 6 pl. Portici.
1905. Elenco dei Miriopodi, Tisanuri, Termitidi ed Embiidi raccolti all' isola d'Elba e di Pianosa. Boll. Mus. Zool. Anat. Comp. Torino, vol. 20, No. 501, 2 pp. June 19.
1906. Contribuzione alla conoscenza dei Termiti e Termitofili dell' Eritrea. Redia (1905), vol. 3, pp. 341-359. (*Eutermes heteraspis*, n. sp.)
1908. Termitidae. In Schultz's Forschungreise im westlichen und zentralen Südafrika ausgeführt in den Jahren 1903-1905, vol. 1, leaf. 2, Denkschr. Mediz. Nat. Ges. Jena, vol. 13, pp. 71-82, pl. 8-10. Jena. January 20.
1909. Isoptera. In Michaelsen, W., and Hartmeyer, R., Die Fauna Südwest-Austral., vol. 2, Lief. 17, pp. 279-314, pls. 16-21. May 12.
- 1909a. Termitidae. Duca degli Abruzzi: In "Il Ruwenzori," Relazioni Scientifiche, vol. 1, pp. 317-318.
1911. Nuove Termiti della Tunisia. Boll. Lab. Zool. Gen. Agr. Portici, vol. 6, pp. 105-109, 3 figs. December 20.
1912. Termiti raccolte da L. Fea alla Guinea Portoghese e alla isole S. Thomè, Annobon, Principe e Fernando Poo [sic!]. Ann. Mus. Civ. Stor. Nat. Genova, ser. 3, vol. 5, pp. 211-255, 20 figs.
- 1912a. Termite raccolte da S.A.R. la Duchessa d'Aosta nelle regione dei grandi laghi dell' Africa equatoriale. Ann. Mus. Zool. Napoli, n. s., vol. 3, No. 22, pp. 1-5.
1914. Zoological Results of the Abor Expedition, 1911-12. XXXII. Termitidae. Rec. Indian Mus., Calcutta, vol. 8, pt. 5, No. 32, pp. 425-435. July.
- 1914-1915. Contribuzione alla conoscenza dei Termitidi e Termitofili dell' Africa occidentale. I. Termitidi. Boll. Lab. Zool. Gen. Agr. Portici, vol. 9, pp. 1-146, 1 pl., 84 figs. February 20, 1915.
1918. Contribuzione alla conoscenza dei Termitidi e Termitofili dell' Africa occidentale. Boll. Lab. Zool. Gen. Agr. Portici, vol. 12, pp. 287-346. December 22.

- 1918a. Un genere e due nuove specie di Calotermitidi (Insecta Isoptera) dell' Eritrea (Africa Or.). Boll. Lab. Zool. Gen. Agr. Portici, vol. 12, pp. 347-351. December 27.
1920. A new termite from Mesopotamia. Ann. and Mag. Nat. Hist., ser. 9, vol. 6, pp. 477, 479, pl. of 12 figs. November 1. (*Microcerotermes diversus*, sp. n.)
- 1920a. Contribuzione alla conoscenza dei Termitidi e Termitofili dell' Africa occidentale. II. Termitofili. Boll. Lab. Zool. Gen. Agr. Portici, vol. 14, pp. 265-318, 26 figs. December 28.
1922. Descriptions of some Indo-Malayan species of *Capritermes* (Termitidae). Rec. Indian Mus., Calcutta, vol. 24, pt. 4, pp. 535-546, 7 figs. October.
1923. The termites of Barkuda Island. The fauna of an island in the Chilka Lake. Rec. Indian Mus., Calcutta, vol. 25, pt. 2, pp. 221-232, 8 figs. April. (Chilka Lake in Bihar and Orissa Prov.)
- 1923a. Thysanura, Termitidae and Embiidae collected in Mesopotamia and N. W. Persia by Edgar Evans and P. A. Buxton. Trans. Ent. Soc. London, pp. 258-262. August 10. (P. 261, termites.)
- 1923b. Descriptiones Termitum in Anglorum Guiana. Zoologica. Scientific Contributions of the New York Zoological Society, from the Tropical Research Station in British Guiana, vol. 3, Nos. 16-21, pp. 307-321, pls. 11-15, 1 fig. (27). (Tropical Research Station Contributions 136-141.) Published by the Society, The Zoological Park, New York. October 1.
1928. Descrizioni di due nuove specie di Isoptera dell' Africa. Boll. Lab. Zool. Gen. Agr. Portici, vol. 21, pp. 91-95, 2 text figs. December 15. (*Neotermes superans* Abyssinia; *Coptotermes remotus*, South Africa.)
1934. Compendio di entomologia applicata (Agraria—forestale—medica—veterinaria), parte speciale, vol. 1 (fogli 1-28), Portici. Stab. Tip Bellavista. pp. 1-448 (fig.) Isoptera, pp. 27-41.)
1936. Description d'une nouvelle espèce du genre *Leucotermes* Silv. (Isopt.). Bull. Soc. Ent. France, vol. 41, No. 10, pp. 203-205, figs. 1-10 (soldier). June 1. (*L. perfidus* n. sp., St. Helena Isl.)
1946. Nuove concetto di fasi corrispondenti all' eta della colonia negli individui di una stessa specie componenti una colonia di termiti e descrizione di due specie nuove di *Syntermes*. Boll. Lab. Ent. Agr. di Portici, vol. 6, pp. 1-14, 4 figs. (December 12, 1945.)
1947. Seconda nota su alcuni termitofili dell' Indocina con una appendice sul *Macrotermes barneyi* Light. Boll. Lab. Ent. Agr. di Portici, vol. 7, pp. 13-40, illus. March 17. (Table of dimensions given for soldiers of *M. barneyi* Light.)

SJÖSTEDT, YNGVE.

1896. *Termes Lilljeborgi*, eine neue, wahrscheinlich pilzanbauende Tagtermite aus Kamerun. Festschr. för Lilljeborg, pp. 267-280, 1 pl. Uppsala.
- 1896a. Termiten aus Kamerun. Ent. Tidskr., vol. 17, No. 4, pp. 297-298. December 14. (*Eutermes fungifaber* n. s., *E. latifrons*, *E. fuscotibialis*, *Termes putorius* nn. spp.)
1897. Neue Termiten aus West-Afrika. (Vorläufige Mitteilung.) Ent. Tidskr., vol. 18, No. 3, pp. 123-126. January 19. (*Termes Buchholzi*, *T. crucifer*, *T. aquaticus*, *T. latialatus*, *T. Caffrariae*, *Eutermes Aurivillii*, *E. albatarsalis*, *E. arboricola*, *E. chrysopleura*, n. spp.)
- 1897a. Neue Termiten aus Sierra Leone und Guinea. Ent. Tidskr., vol. 18, No. 4, p. 212. January 19.

1898. Eine bisher unbekannte Termit aus Kamerun. Ent. Tidskr., vol. 19, No. 2, p. 128.
August 23. (*T. niger*.)
- 1898a. Zwei neue Termiten aus der Westküste Afrikas. (Vorläufige Mitteilung.) Ent. Tidskr., vol. 19, Nos. 3-4, pp. 204-205. December 14.
1899. Neue afrikanische Termiten. (Vorläufige Mitteilung.) Ent. Nachr., Jahrg. 25, Nos. 3-4, pp. 34-39. February.
- 1899a. Eine neue termite aus Ostafrika. Ent. Tidskr., vol. 20, Nos. 2-3, p. 156. September 26. (*T. goliath*.)
1900. Vorläufige Diagnosen einiger afrikanischen Termiten. Ent. Tidskr. (1899), vol. 20, No. 4, p. 278. January 23.
- 1900a. Monographie der Termiten Afrikas. K. Svenska Vetensk. Akad. Handl., vol. 34, No. 4, pp. 1-236, 9 pls. April 11.
1902. Termites novos ex Africa Reportatos. Ent. Tidskr., vol. 23, No. 1, p. 40. March 21. (*Eutermes mitis*, *E. infuscatus*, n. spp.)
- 1902a. Eine neue Termite aus Kamerun. Ent. Tidskr., vol. 23, No. 4, p. 252. December 13. (*T. terricolla*, n. sp.)
- 1902b. Neue afrikanische Termiten. Ent. Tidskr., vol. 23, No. 4, pp. 302-304. December 13.
1903. Eine neue Termite aus Brit. Central Afrika. Ent. Tidskr., vol. 24, No. 1, p. 76. April 18. (*Eutermes usambarensis*, n. sp.)
1904. Monographie der Termiten Afrikas. Nachr. K. Svenska Vetensk. Akad. Handl., vol. 38, No. 4, pp. 1-120, 4 pls. September 3.
1905. Ueber eine Termitensammlung aus Kongo und anderen Teilen von Afrika. Arkiv Zool., vol. 2, No. 16, pp. 1-20. May 2.
1907. Ueber eine Termitensammlung aus Kongo. Ent. Tidskr., vol. 28, No. 4, pp. 233-250. September 28.
- 1907a. Wissenschaft Ergebni. der Schwed. Zool. Expedit. nach dem Kilimandjaro, dem Meru und den umgebenden Massaisteppen Deutsch-Ostafrika, 1905-'06, unter Leitung von Prof. Dr. Y. Sjöstedt. Schwedisch Akad. Wiss. Uppsala, vol. 3, No. 15, pp. 1-28, 4 pls. (15, Corrodentia. No. 1. Termitidae.)
1911. Zur Termitenfauna Kongos. Ent. Tidskr., vol. 32, Nos. 3-4, pp. 137-170, 8 figs. December 14.
- 1911a. Termitidae novae a Cl. Dom. Maurice de Rothschild ex Aethiopia reportatae. Ent. Tidskr., vol. 32, Nos. 3-4, pp. 171-172. December 14.
- 1911b. Neue Ost- und Westafrikanische Termiten. Ent. Tidskr., vol. 32, Nos. 3-4, pp. 173-188. December 14.
- 1911c. Ueber die von Herrn Professor Einar Lönnberg in British Ostafrika eingesammelten Termiten. Arkiv Zool., vol. 7, No. 18, pp. 1-3. Uppsala. December 23. (*Eutermes lonnbergianus* n. sp.)
- 1911d. Neue afrikanische Termiten im schwedischen Reichsmuseum. Arkiv. Zool., vol. 7, No. 20, pp. 1-18. December 23.
1912. Neue Termiten aus Tripolis, Ober-Aegypten, Äbessinien, Erithrea, dem Gallaland und Somalilande. Arkiv Zool., vol. 7, No. 27, pp. 1-17. April 12.
1913. Ergebnisse einer botanischen Forschungsreise nach Deutsch-Ostafrika und Südafrika (Kapland, Natal und Rhodesien) von J. Brunnthaler. Denkschr., Akad. K. Wiss., Math.-Nat. Kl., vol. 88, pp. 720-721, Termiten (*Eutermes trinervoides* n. sp.). Wien.
- 1913a. Über Termiten aus dem inneren Congo, Rhodesia, und Deutsch-Ostafrika. Rev. Zool. Africaine, vol. 2, No. 3, pp. 354-391. Bruxelles. May 30.

1914. Termiten aus Madagaskar eingesammelt von Herrn Dr. W. Kaudern 1911-1912. Arkiv Zool., vol. 8, No. 27, pp. 1-19, 3 pls., 6 figs. Stockholm. May 22.
- 1914a. Termiten aus Zambesi, Rhodesia, Nyassa und Süd-Nigeria. Arkiv Zool., vol. 8, No. 28, pp. 1-9, 3 figs. Stockholm. May 22.
- 1914b. Isoptera. In W. Michaelsen, Beiträge zur Kenntnis der Land und Süßwasserfauna Deutsch-Südwest Afrikas. Lief. 1, pp. 73-92, 1 pl., 2 text figs. Hamburg.
- 1914c. Termiten. Wissenschaftliche ergebnisse der Deutschen Zentral-Afrika Expedition, 2d, 1910-11, vol. 1, pp. 89-95, pls. 1-4. Leipzig. July.
1915. Insectes Pseudoneuropteres. 1. Termitidae. Voyage Ch. Alluaud et R. Jeannel en Afrique Orientale 1911-12, pp. 1-18, 3 figs. Paris. March 15.
1922. Termites. Extrait du voyage de M. Le Baron Maurice de Rothschild en Ethiopie et en Afrique Orientale Anglaise (1904-1905). (Termites, pp. 241-247, 5 pls.) Paris.
1924. Über das unterirdische Nest einer bisher unbekannten Termite aus Kongo. Arkiv Zool., vol. 15, No. 20, pp. 1-8, 3 pls., 1 text fig. Stockholm. January 9. (*Termes (Odontotermes) Lamani* n. sp.; two types of soldiers and worker.)
- 1924a. Neue Termiten im Kongo-Museum. Rev. Zool. Africaine, vol. 12, No. 1, pp. 39-42. March 1.
- 1924b. Neue Arten und Gattungen Afrikanischer Termiten. Rev. Zool. Africaine, vol. 12, No. 2, pp. 253-257. June 1.
- 1924c. Neue Afrikanische Termiten. Rev. Zool. Africaine, vol. 12, No. 4, pp. 490-494, 495-497. November 1.
1925. Neue Termiten aus Africa und Madagaskar. Konowia, vol. 4, Nos. 1-2, pp. 53-55. February 9.
1926. Revision der Termiten Afrikas. 3. Monographie. K. Svenska Vetensk. Akad. Handl., ser. 3, vol. 3, No. 1, pp. 1-419, 16 pls., 83 text figs. March 13 (April 8).
- 1926a. Neue Termiten aus der Goldküste. Arkiv Zool., vol. 18, No. 12, pp. 1-5. Uppsala. May 18.
- 1926b. Kongo-termiten aus dem Ituri- und Uelegebiet. Rev. Zool. Africaine, vol. 14, No. 1, pp. 140-164, 3 text figs. August 15.
- 1926c. Termiten aus Accra. Ent. Tidskr., vol. 47, No. 4, pp. 238-246, 2 figs. Stockholm. December 31.
- 1926d. Wissenschaftliche Ergebnisse der mit Unterstützung der Akademie der Wissenschaften in Wien aus der Erbschaft Treitl von F. Werner Unternommenen Zoologischen Expedition nach dem Anglo-Ägyptischen Sudan (Kordofan) 1914. XXI. Isoptera. Denkschr., Akad. Wiss. Wien, Math.-Nat. Kl., vol. 100, pp. 71-76, 1 pl. und einem Anhang: Einige Beobachtungen an Termitenbauten, von R. Ebner (Wien).
1927. Termiten aus dem Somaliland. Rev. Zool. Africaine, vol. 15, No. 1, pp. 97-104, 4 figs. April 1.
- 1927a. Eine neue termite aus Katanga, Belg. Congo. Ent. Tidskr., vol. 48, No. 3, p. 169, 1 fig. Stockholm. November 4. (*Megagnathotermes katangensis*, type in Mus. Stockholm.)
- 1927b. Sur l'image ailé d'un Termite du Maroc. Bull. Soc. Ent. France, No. 18, pp. 279-280. December 28. (Winged adult of *Hodotermes maroccanus*; fig. of wings.)
1935. Eine neue Hodotermitide aus Tunis. Rev. Franc. Ent., vol. 2, No. 2, pp. 106-107, 1 fig. August 1. (*Anacanthotermes tunisiensis* n. sp., Tunis.)
- SNYDER, THOMAS E.
1920. Two new termites from Arizona. Proc. Ent. Soc. Washington, vol. 22, No. 2, p. 38. February 18.

1922. New termites from Hawaii, Central and South America, and the Antilles. Proc. U. S. Nat. Mus., vol. 61, art. 20, pp. 1-32, pls. 1-5. May 25.
1923. A new *Reticulitermes* from the Orient. Journ. Washington Acad. Sci., vol. 13, No. 6, pp. 107-109. March 19. (*Reticulitermes chinensis* Snyder.)
- 1923a. A new *Glyptotermes* from Porto Rico. Proc. Ent. Soc. Washington, vol. 25, No. 4, pp. 89-94, pl. 8. April.
- 1923b. Three new termites from the Canal Zone, Panama. Proc. Ent. Soc. Washington, vol. 25, Nos. 5-6, pp. 126-131, 1 fig. May-June.
1924. A new subgenus of *Nasutitermes* Banks (Isop.). Proc. Ent. Soc. Washington, vol. 26, No. 1, pp. 20-24, pl. 1. January 1. (*Obtusitermes*.)
- 1924a. Entomology—A new *Prorhinotermes* from Panama. Journ. Washington Acad. Sci., vol. 14, No. 2, pp. 43-45, figs. 1, 2. January 19.
- 1924b. An extraordinary new *Rhinotermitess* from Panama. Proc. Biol. Soc. Washington, vol. 37, pp. 83-86, pl. 10, figs. 1, 2. February 21.
- 1924c. Descriptions of new species and hitherto unknown castes of termites from America and Hawaii. Proc. U. S. Nat. Mus., vol. 64, art. 6, pp. 1-40, pls. 1-5. May 10.
- 1924d. Description of a new termite from Porto Rico. Proc. Ent. Soc. Washington, vol. 26, No. 5, pp. 131-132. May 29.
- 1924e. A correction. Proc. Ent. Soc. Washington, vol. 26, No. 7, p. 196. October. (*Nasutitermes (Obtusitermes) biforma* Sny., changed to *biformis*.)
- 1924f. Whence the termites of Hawaii? Proc. Hawaiian Ent. Soc. for 1923, vol. 5, No. 3, pp. 381-384. December.
1925. New termites and hitherto unknown castes from the Canal Zone, Panama. Journ. Agr. Res., vol. 29, No. 4, pp. 179-193. (August 15, 1924.) January 1925.
- 1925a. Description of winged adult of *Kalotermes approximatus* Snyder. Proc. Ent. Soc. Washington, vol. 27, No. 1, p. 14. (January.) February 10.
- 1925b. New American termites, including a new subgenus. Journ. Washington Acad. Sci., vol. 15, No. 7, pp. 152-162. April 4.
- 1925c. A new *Rugitermes* from Panama. Journ. Washington Acad. Sci., vol. 15, No. 9, pp. 197-200. May 4.
- 1925d. *Biformis* a preoccupied name. General notes. Proc. Biol. Soc. Washington, vol. 38, p. 89. May 26.
- 1925e. A new Cuban termite. Proc. Ent. Soc. Washington, vol. 27, No. 5, pp. 105-106. May 28.
- 1925f. New termites from the Solomon Islands and Santa Cruz Archipelago. I. Journ. Washington Acad. Sci., vol. 15, No. 17, pp. 395-407. October 19.
- 1925g. New termites from the Solomon Islands and Santa Cruz Archipelago. II. Journ. Washington Acad. Sci., vol. 15, No. 19, pp. 438-444. November 19.
1926. New termites from Guatemala, Costa Rica and Colombia. Journ. Washington Acad. Sci., vol. 16, No. 1, pp. 18-28. January 4.
- 1926a. Five new termites from Panama and Costa Rica. Proc. Ent. Soc. Washington, vol. 28, No. 1, pp. 7-16. January 30.
- 1926b. Change of name of Isoptera. Proc. Ent. Soc. Washington, vol. 28, No. 2, p. 51. February. (*Kalotermes (Calcaritermes) fairchildi* Sny. for *K. (C.) thompsonae* Sny.)
- 1926c. Notes on termites from Arizona with description of two new species. California Univ. Publ., Zool., vol. 28, No. 21, pp. 389-397, 6 text figs. April 5.
- 1926d. Termites collected on the Mulford Biological Exploration to the Amazon Basin, 1921-1922. Proc. U. S. Nat. Mus., vol. 68, art. 14, pp. 1-76, pls. 1-3, 3 text figs. April 26.

- 1926e. *Nasutitermes* (*N.*) *benjamini*, a new name for *Eutermes insularis* Sjöstd. Proc. Biol. Soc. Washington, vol. 39, p. 143. December 27.
1929. New termites from the Antilles and Middle America. Proc. Ent. Soc. Washington, vol. 31, No. 4, pp. 79-87, 2 figs. (April) May 4.
1931. Termites destroyers of wood and man's fight against them. Lingnan Sci. Journ. (1929), vol. 7, pp. 531-580, figs. A-D, pls. 17-27. June.
1932. Two new termites from Costa Rica. Proc. Ent. Soc. Washington, vol. 34, No. 6, pp. 98-100, fig. 1. July 15.
1933. Two new termites from India. Proc. Biol. Soc. Washington, vol. 46, pp. 91-93. April 27.
- 1933a. New Termites from India. Proc. U. S. Nat. Mus., vol. 82, art. 16, pp. 1-15, pl. 1, 8 text figs. April 28.
- 1933b. *Calcaritermes* in the United States. Proc. Ent. Soc. Washington, vol. 35, No. 5, pp. 67-69, fig. 1. May.
- 1933c. A new species of Brazilian termite featuring an intermediate soldier-worker individual. Proc. Biol. Soc. Washington, vol. 46, pp. 161-166, fig. 2. October 26.
1934. Two new termites from Costa Rica. Proc. Biol. Soc. Washington, vol. 47, pp. 95-98 (figs. 1-2). June 13.
- 1934a. New termites from India. Indian Forest Rec., vol. 20, No. 11, pp. 1-28. Delhi. September 29.
1946. A small dark-colored new *Kalotermes* from Guatemala. Proc. Ent. Soc. Washington, vol. 48, No. 6, pp. 158-160. June 27.

SNYDER, THOMAS E., and ZETEK, J.

1924. Damage by termites in the Canal Zone and Panama and how to prevent it. U. S. Dep. Agr. Bull. 1232, 26 pp., illus. June 27.

SÖRENSEN, W.

1884. Traek af nogle sydamerikanske insecters biologi. Ent. Tidskr., vol. 5, pp. 1-25, pl. 1. (Four species described as new: *Termes strunckii* (queen and soldier)=*Microcerotermes strunckii* (Sor.); *T. christiernsonii* (winged and soldier)=*Cornitermes similis* (Hagen); *T. oreensis* (soldier)=*Neocapritermes opacus* (Hagen); *T. lacus sancti* (soldier)=*Neocapritermes opacus* (Hagen).) (Note: In the Museum of Comparative Zoology with specimens of these termites are also specimens of *Termes saltans* (Wasmann) and winged and nasuti of "reinhardtii" from Rio, Brazil; the latter is Sørensen's M.S. name for a *Constrictotermes* which proves to be *cyphergaster* Silvestri.)

STEPHENS, J. F.

1835. Illustrat. of British Entomology, vol. 6, Mandibulata, p. 97, Termitina. London.

SUMNER, ETHEL CRAIG.

1933. The species of the termite genus *Zootermopsis* Emerson (=*Termopsis* Hagen). California Univ. Publ., Ent., vol. 6, No. 7, pp. 197-229, 2 pls., 23 figs. November 4.

TILLYARD, R. J.

1931. The wing-venation of the order Isoptera: I. Introduction and the family Mastotermitidae. Proc. Linn. Soc. New South Wales, vol. 56, pt. 4, No. 236, pp. 371-390, 8 figs., 1 pl. October. (Family Mastotermitidae defined on characters of its wings.)

TOWNSEND, C. H. T.

1893. Note on *Termopsis angusticollis* Hagen. Zoe, vol. 4, No. 2, pp. 139-141. July 22.

TRÄGÅRDH, IVAR.

1904. Termiten aus dem Sudan. Results Swed. Zool. Exped. Egypt and White Nile, 1901, No. 12, pt. 1, No. 1, 47 pp., 3 pls., 8 figs.

TSCHERWINSKY, K. K.

1901. Verzeichniss und Beschreibung der Termitensammlung. Sammlung Zool. Kab. Kais. Univ., Warschau, VII, 10 pp.; Summary; Zool. Centralbl. 1902, p. 133 (new species listed).

VASILJEV, J. V.

1911. Zwei neue Arten von Termiten aus Mittelasien. Rev. Russ. Ent., vol. 11, pp. 268-270. St. Petersburg. (*Hodotermes baeckmannianus* and *murgabicus*.)

VILLERS, C. J. DE.

1789. Caroli Linn. Ent. . . . Lugduni, vol. 3, p. 56 (Raphidiooides).

WALKER, F.

1853. List of the specimens of Neuropteroous insects in the collection of the British Museum. Part 3, pp. 501-529, Termitides. London.

WASMANN, E.

1893. Einige neue Termiten aus Ceylon und Madagascar mit Bemerkungen über deren Gäste. Wien. Ent. Zeitg., vol. 12, No. 7, pp. 239-247. September 10.

1894. Kritisches Verzeichnis der myrmekophilen und termitophilen Arthropoden, p. 211, note. Berlin.

1896. Neue Termitophilen und Termiten aus Indien. Viaggio di Leonardo Fea in Birmania e Regioni Vicine. Ann. del. Mus. Civ. di Stor. Nat. Genova, ser. 2, vol. XVI (XXXVI). LXXII, pp. 613-630, pls. 2, text figs. 4-7.

- 1896a. Nachtrag., loc. cit., vol. XVII, pp. 149-152. (Queens of "Termes" *azarelli* and *xenotermitis*.)

1897. Termiten von Madagaskar und Ostafrika. (Wiss. Ergeb. der Reisen in Madagaskar und Ostafr. 1889-95 von Dr. A. Voeltzkow.) Abhandl. Senckenb. Naturf. Gesell., Frankfurt a.M., vol. 21, No. 1, pp. 137-182, 2 pls. (1899.)

- 1897a. (*Polybia* predacious on "Eutermes" *ater* and *tenebrosus*.) Zool. Anz., vol. 20, No. 538, p. 278. August 16.

1900. Zur Beschreibung von *Termes obesus* Ramb. Deut. Ent. Zeitschr., vol. 43, No. 2, p. 402. February. (*T. obesus* ist grosser als *T. redemannii*. Correktur zu D. E. Z. p. 146.)

- 1900a. [Description of *Coptotermes Raffrayi* n. sp.] Proc. Linn. Soc. New South Wales, vol. 25, pt. 2, p. 244. September 25.

1901. Beitrag zur Kenntnis der Myrmekophilen und Termitophilen. Biol. Zentralbl., vol. 21, No. 1, p. 744. December 1. (*Dentitermes Foreli-Colombia*.)

1902. Verzeichnis der von Dr. W. Horn auf Ceylon 1899 gesammelten Termiten Termitophilen und Myrmekophilen. Deut. Ent. Zeitschr., vol. 46, No. 1, pp. 79-80. July. (List loc. for species.)

- 1902a. Neues über Nester und Kolonien der Ameisen. Allg. Zeitschr. Ent., vol. 7, No. 16, pp. 293-298. August. (*Termes monodon*, subsp. *lujanus*, p. 294.)

- 1902b. Termiten, Termitophilen und Myrmecophilen. Gesammelt auf Ceylon von Dr. W. Horn. Zool. Jahrb., Abt. Syst., vol. 17, No. 1, pp. 99-164, 2 pls. October. (P. 123, *Amitermes tubiformans* Buckley; p. 154, parasitic termites.)

- 1902c. Einige Bemerkungen zu Sjöstedts' "Monographie der Termiten Afrikas." Biol. Zentralbl., vol. 22, No. 23, pp. 714-717. November 15. (*Eutermes Sjöstedti*.)

1904. Remarques critiques sur la phylogénie et la division systematique des Termitidea. Ann. Soc. Ent. Belg., vol. 48, No. 10, pp. 370-371. November 10. (Reponse a M. Wasmann par J. Desneux, pp. 372-378. See Desneux (criticism of J. Desneux' views of the division of the old genus *Termes*, subdivisions established by soldiers).

- 1904a. Zur Kenntnis der Gäste der Treiber-Ameisen u. ihrer Wirthe am oberen Congo, nach den Sammlungen und Beobachtungen von P. Herm. Kohl. Zool. Jahrb., suppl. 7, pp. 611-682, 3 pls. (P. 673.)
1906. Beispiele rezenter Artenbildung bei Ameisen und Termitengästen. Festschrift für F. Rosenthal. Leipzig, pp. 44-58. Biol. Zentralbl., vol. 26, Nos. 17-18, pp. 565-580. August 15. (P. 573, *Cubitermes* n. gen. for *Termites bilobatus* Haviland.)
1908. Zur Kastenbildung und Systematik der Termiten. Biol. Zentralbl., vol. 28, No. 3, pp. 68-73. February 1. (P. 70, remarks on Lomechion-Pseudogenera theory.)
- 1908a. Termitophilen. In Schultze's Forschungreise im westlichen und zentralen Südafrica ausgeführt in den Jahren 1903-1905, vol. 1, leaf. 2, Denkschr. Mediz. Nat. Ges. Jena, pp. 441-445, pl. 22a.
1909. Escherich's neue Termitenstudie. Biol. Zentralbl., vol. 29, No. 7, pp. 216-224. April 1.
1910. Nils Holmgren's neue Termitenstudien und seine Exsudat Theorie. (Zugleich 175. Beitrag zur Kenntnis der Myrmekophilen und Termitophilen.) Biol. Zentralbl., vo. 30, No. 9, pp. 303-310. May 1.
- 1910a. Termiten von Madagaskar, den Comoren und Inseln Ostafrikas. In Voeltzkow, Reise in Ostafrika. Wiss. Ergeb., vol. 3, No. 2, pp. 115-127, 7 figs. November 29.
1911. Berichtigung. Zool. Anz., vol. 37, No. 5, p. 128. February 14.
- 1911a. Zur Kenntnis der Termiten und Termitengäste von Belgischen Kongo. Rev. Zool. Africaine, vol. 1, Nos. 1-2, pp. 91-117, 145-176, 8 pls. (Pt. 1, pp. 91-117, April 10; pt. 2, pp. 145-176, August 31.)
- 1911b. K. Escherich, Termitenleben auf Ceylon. (Zugleich 189. Beitrag zur Kenntnis der Termitophilen.) Biol. Zentralbl., vol. 31, No. 13, pp. 394-412; vol. 31, No. 14, pp. 423-434. July 1 and 15.
1912. Neue Beiträge zur Kenntnis der Termitophilen und Myrmecophilen (No. 192). Zeitschr. Wiss. Zool., Leipzig, vol. 101, Nos. 1-2, pp. 70-115, pls. 5-7. July 2. (*Mirotermes bellicosus* n. sp. descr.)
- 1912a. Nils Holmgren's "Termitenstudien," Systematik der Termiten. Biol. Zentralbl., vol. 32, No. 9, pp. 586-590. September 20.
1915. Nils Holmgren's "Termitenstudien" IV. Versuch einer systematischen Monographie der Termiten der orientalischen Region. Biol. Zentralbl., vol. 35, Nos. 8-9, pp. 379-385. September 20.
1922. (*Eutermes Corporaali* n. sp. described.) Mitt. Zool. Mus. Hamburg, Jahrg. 39, p. 38.

WASMANN, E., and WERNER, F.

1912. Ergebnisse der mit Subvention aus der Erbschaft Treitl unternommenen zoologischen Forschungreise. Dr. Franz Werner's nach dem ägyptischen Sudan und Nord-Uganda XIX und XX. Termiten und Embidaria. Sitzber. K. Akad. Wiss. Wien, vol. 121, Abt. 1, Heft 4-5, pp. 171-179, 7 figs. April and May. (*T. latericius*, var. *media*, n. var., descr.)

WESTWOOD, J. O.

1840. Introduction to the modern classification of insects. Vol. 2, pp. 5-17. London. (Order Neuroptera. Goes into composition of order from beginning, including the termites, etc., pp. 11-17. Description of termites and their habits.)

WHEELER, WILLIAM MORTON.

1904. The phylogeny of the termites. Biol. Bull., vol. 8, pp. 29-37.
1936. Ecological relations of Ponerine and other ants to termites. Proc. Amer. Acad. Arts and Sci., vol. 71, No. 3, pp. 159-243. October.

WHITE, ADAM.

1846. Voy. Erebus and Terror. Zool. Pl. ii. (pl. XXXV, fig. 4). Describes *Calotermes insularis*. (See Froggatt 1896, p. 524.)

WU, CHENFU, F.

1935. Catalogus Insectorum Sinensium (Catalogue of Chinese Insects). (Order V. Isoptera) i, IV + pp. 217-222. Fan. Mem. Inst. Biol., Peiping, China. April 1.

YANO, W.

1911. [The termites found in Japan proper.] Hock. Tomo, vol. 11, pp. 11-15.
 1911a. [On the scientific names of Japanese termites.] Dobutsugaku Zasshi, vol. 23, pp. 364-368.
 1911b. [On the scientific names of Japanese termites, a reply to Mr. Oshima's query.] Konchu Sekai (Insect World), vol. 15, pp. 401-405. Gifu, Japan.
 1911c. [The first official report on termites.] Rep. Forestry Exp. Stat., No. 9, pp. 53-66, pl. 4.

ON FOSSIL TERMITES *

ABEL, O.

1933. Ein fossiles Termitennest aus dem Unterpliozän des Wiener Beckens. Verhandl. Zool.-Bot. Ges. Wien, vol. 83, Nos. 3-4, pp. 38-39.

ASSMANN, A.

1870. Palaeontologie Beiträge zur Insekten-Fauna der Vorwelt. 62 pp., 1 pl. Breslau. Zeit. Ent. Ver. Schles. Insectenkunde, vol. 2, No. 1, p. 45, pl. 1, fig. 7. (*Hodotermes heerianus* Goep. Upper Oligocene, Schossnitz in Schlesien.)

BANKS, N., and SNYDER, T. E.

1920. A revision of Nearctic termites, etc. U. S. Nat. Mus. Bull. 108, pp. 1-228.

BEQUAERT, J. C., and CARPENTER, F. M.

1941. The antiquity of social insects. Psyche, vol. 48, No. 1, pp. 50-55.

BERENDT, GEORG CARL.

- 1854-56. Die im Bernstein befindlichen organischen Reste der Vorwelt. Berlin. (Fol.) I. 1854. Aptera (mit Koch) 124 pp., 17 pls. 1856. Hemipteren und Orthopteren (mit Germar). Neuropteren (mit Pictet u. Hagen) 125 pp., 8 pls.

BRAUER, F.

1886. Ansichten über die Paläozoischen Insecten und deren Deutung. Ann. Naturhist. Mus. Wien, vol. 1, pp. 86-126.

BRODIE, P. B.

1845. A history of fossil insects of the secondary rocks of England. P. 33, pl. 2, fig. 5 (termite *grandaevus*).

BRONGNIAST, C.

1893. Recherchi pour series a l'Histoire des Insectes Fossiles de Temps Primaires, etc. Bull. Soc. Indus. Minerale, vol. 7, No. 3, p. 127.

BURR, M.

1931. On the mineralization of termitaria. Ent. Rec. and Journ. Variation, vol. 43, No. 5, pp. 81-83. (In Angola termite mounds ferruginized or silicified.)

BURR, M., and NAZAROFF, P. S.

1931. Note on the spongy ironstone of Angola. Geol. Mag., London, vol. 68, No. 10, pp. 443-446, 1 pl. (Ironstones represent subfossil remains of termitaria.)

* See bibliography on living termites for references not herein listed.

CHARPENTIER, T.

1843. Über einige fossile Insekten aus Radoboj in Kroatien. Nov. Acta Acad. Leop. Carol., vol. 20, p. 409, pl. 23, figs. 2-3. Wien.

COCKERELL, T. D. A.

1908. Florissant: A Miocene Pompeii. Pop. Sci. Month., vol. 73, p. 118, 1 fig. (*Hodotermes coloradensis*.)
1909. A catalog of the generic names based on American insects and arachnids from the Tertiary rocks with indications of the type species. Bull. Amer. Mus. Nat. Hist., vol. 26, art. 8, pp. 77-86. March 9. (P. 78, Isoptera, *Parotermes* Scudd. 3. *P. insignis* Scudd. D. Florissant.)
1911. Fossil insects from Florissant, Colorado. Bull. Amer. Mus. Nat. Hist., vol. 30, pp. 171-182.
1913. The genera *Parotermes* and *Hodotermes* (Isoptera). Ent. News, vol. 24, No. 1, pp. 6-8. January. (+ *Parotermes scudderii*, n. sp.)
1915. British fossil insects. Proc. U. S. Nat. Mus., vol. 49, No. 2119, pp. 469-500, pls. 60-65.
1916. Insects in Burmese amber. Amer. Journ. Sci., vol. 42, art. 16, p. 138. (+ *Termopsis swinhoei* sp. n.)
1917. Insects in Burmese amber. Ann. Amer. Ent. Soc., vol. 10, p. 329 (p. 323, Isoptera, + *Hodotermes tristis* sp. n.), fig. 10.
1920. Fossil arthropods in the British Museum IV. Ann. and Mag. Nat. Hist., vol. 25, p. 211. August. (Isoptera, Termitidae 2, R. C. J. Swinhoe collect., from amber mines not in Burma proper, but in "unadministered tracts.")
1922. Fossils in Burmese amber. Nature (London), vol. 109, p. 713. June 3.

COCKERELL, T. D. A., and SNYDER, T. E.

1925. A fossil termite from Germany. Proc. Biol. Soc. Wash., vol. 38, pp. 21-22, 1 pl. March 12. (*Ulmeriella bauckhoni* Meunier.)
- 1925a. Termite synonymy—*Ulmeriella bauckhoni* Meunier and *Macrohodotermes* Fuller. Proc. Biol. Soc. Wash., vol. 38, p. 86. May 26. (General notes.)

COLLINS, R. LEE.

1925. Eocene termite from Tennessee. Amer. Journ. Sci., ser. 5, vol. 9, No. 53, pp. 406-410, figs. 1-7.

DAKE, H. C.

1942. Worm bored woods—conifer cones, some rare petrifications. Mineralogist (Portland), vol. 10, No. 1, p. 11, 3 figs. (Miocene wood from Oregon and Washington containing termite borings.)

DE BORRE, PREUDHOMME.

1875. Complement de la note sur des empreintes d'insectes fossiles. C. R. Ann. Soc. Ent. de Belg., vol. 18, pp. 56-66, pl. 5, fig. 3. (Wing from coal formation in Belgium referred doubtfully to Termitidae.)

EMERSON, A. E.

1933. A revision of the genera of fossil and recent Termopsinae (Isoptera). Calif. Univ. Publ., Ent., vol. 6, No. 6, pp. 165-196, 40 text figs. Berkeley, Calif. March 31.
1942. The relations of a relict South African termite (Isoptera, Hodotermitidae, *Stolotermes*). Amer. Mus. Novit., No. 1187, Amer. Mus. Nat. Hist., pp. 1-12, 2 figs., table 1. August 18.
1947. The imago of *Stolotermes africanus* Emerson. Journ. Ent. Soc. South Africa, vol. 9, pp. 127-129. February 28.

FÖRSTER, B.

1888. Die Gliederung des Sundgauer Tertiärs. Mitt. Comm. Geol. Landes-Unters. von Elsass-Lothringen, vol. 1, p. 164. (*Termes* sp. Orthopteren.)
 1890. Vorläufige Mitt. über die Insekten des "Plattigen Steinmergels" von Brunstatt. l.c., vol. 2, p. 103. (*Termes* sp.)

FULLER, C.

1925. A white-ant fossil. Ent. Note, Union South Africa Dep. Agr., ser. 15, p. 4. June. (*Ulmeriella* is a *Hodotermes*.)

GEINITZ, F. E.

1883. *Clathrotermes geinitzi* Heer in the Lias of Mecklenburg. Arch. Ver. Mecklenb., vol. 37, p. 31. (Die Flotzformation Mecklenburg.) (Not a termite.)

GERMAR, E. F.

1813. Insecten in Bernstein eingeschlossen. Mag. Ent., vol. 1, p. 16. (*Hemerobites antiquus*.)
 1856. See in Berendt.

GIEBEL, C. G.

1852. Deutschl. Peterfacten II. 706 pp. Leipzig. (P. 638, *Termes procerus*, etc., fam. Termitina.)
 1856. Fauna der Vorwelt, etc. Tom. 2, p. 1, Insecta: *Termes debilis* beschreiben von Heer. (Title) Die Insecten und Spinnen der Vorwelt mit steter Berücksichtigung der lebenden Insekten und Spinnen; monographisch dargestellt. 8°, 18 and 411 pp.

GOLDENBERG, F.

1854. Palaeontographica von Dunker und von Meyer IV, pp. 29-31. (Fossil genus *Eutermopsis* described.)
 1873. Fauna Saraepontana fossilis, Heft I, p. 12.
 1877. Fauna Saraepontana fossilis, Heft II. (Spp. n. *Termes laxa*, p. 17, *Termitidium n. g. amissum*, p. 17, T. (?) *rugosum*.)

GÖPPERT, H. R.

1855. Die Tertiäre Flora von Schossnitz in Schliesen, p. 7, pl. 26, fig. 53.

GUERIN-MENEVILLE, F. E.

1825. In Bory de Saint Vincent, J. B. G. M. von. Dict. Class Hist. Nat., vol. 8, (P. 580, *Termes*.)

HAASE, E.

1890. Bemerkungen zur Palaeontologie der Insecten. Neues Jahrb. Min., vol. 2, pp. 1-33, pl. 1. (P. 2, *Termes lithophilus* Hag.; p. 11, *Termes heros*; p. 12, *Mesotermes heros*.)

HAGEN, H. A.

1853. Hr. Peters berichtete über die von ihm gesammelten und von Hrn. Dr. Hermann Hagen bearbeiteten Neuropteren aus Mossambique. Bericht Konigl. Preuss. Akad. Wiss. Berlin, pp. 479-481. (Genus *Kalotermes* described.)
 1854. Über die Neuropteren der Bernstein fauna. Verhandl. Zool.-Bot. Verein Wien, vol. 4, pp. 221-232.
 1855. Monographie der Termiten. Pt. 1. Linnaea Entomologica, vol. 10, pp. 1-144, 270-325.
 1856. See in Berendt.
 1858. Monographie der Termiten. Pt. 2. Linnaea Entomologica, vol. 12, pp. 1-342.
 1858a. Catalogue of the specimens of neuropterous insects in the collection of British Museum. Pt. 1, Termitina, pp. 1-34. London.
 1860. Monographie der Termiten. Part 3. Linnaea Entomologica, vol. 14, pp. 73-99.

- 1860a. Monographie der Termiten (Nachtrag.) *Linnaea Entomologica*, vol. 14, pp. 100-128.
1861. An entomological trip to Oxford. *Ent. Weekly Intell.*, London, vol. 10, pp. 151-168. (Three species of fossil termites in Sicilian amber.)
1862. In W. C. H. Peters: *Naturwissenschaftliche Reise nach Mossambique, 1842-48, Zoologie*, V, Neuroptera, Termitinæ, pp. 57-89. Berlin.
- 1862a. Über die Neuropteren aus dem lithographischen Schiefer in Bayern. v. Meyer. *Paläontogrica*, vol. 10, No. 2, pp. 96-145, 3 pls. (Pp. 107-114, *Termes heros*.) (P. 115, *Termes lithophilus*.)
1863. Neuropteren aus des Braunkohle von Rott im Siebengebirge. *Paläontogrica*, vol. 10, pp. 248-269, 3 pls. (*Calotermes rhenanus* described, prob. 2 spec., p. 250, pl. 44, figs. 1, 2.)
- 1863a. *Bibliotheka Entomologica*. Pt. 2, pp. 486-487. Leipzig. (Amber and copal insects, etc.)
1874. Report on the Pseudo-Neuroptera and Neuroptera collected by Lieut. W. L. Carpenter in 1873 in Colorado. *Ann. Rep. U. S. Geological Survey of Territories for 1873* by F. V. Hayden, pp. 571-606. (P. 571, *Termopsis angusticollis*, var. *nevadensis*, n. var. *T. occidentis* distinct, imago unknown.)

HANDLIRSCH, ANTON.

1904. Zur Systematik der Hexapoden. *Zool. Anz.* vol. 27, Nos. 23/24, pp. 733-759. (P. 751, 759, Ordnung Isoptera.)
- 1906-1908. Die Fossilen Insecten und die Phylogenie der rezenten Formen. 4°, 1430 pp., 51 pls., v. 7. Stammbäumen in text, pt. 3, Mesozoische Insekten, pp. 413-421 (*Clathrotermes* Heer, 5 spp. and *Calotermes maculatus*, *plagiatus* and *trogodystes* Heer referred to Orthoptera (Locustoidea)); pt. 4, Tertiäre Insekten, pp. 697-782; pt. 8, Phylogeny, p. 1240.
1921. Palaeontologie. In Schröder's Handb. Ent., vol. 3, ch. 7, pp. 113-368. Jena. (Pp. 223-224—Isoptera. Families Mastotermitidae, Calotermitidae, Termitidae. Text fig. 207, wing of *Mastotermes croaticus* von Rosen, p. 295, table 6, Entwicklung der Blattarienreihe, pp. 287, 294, 295, tables.)
1925. Palaeontologie. In Schröder, C. W. M., Handb. Ent., vol. 3, 1,201 pp., 1,040 figs. Jena. (Termites, pp. 223-224, 502-506, classification.)
1930. Zwölfte Ordnung der Pterygogenea: Isoptera oder Termiten. In Kükenthal's Handb. Zool., vol. 4, No. 8, pp. 840-858, 27 figs. Berlin and Leipzig.

HEER, O.

1848. (On the history of insects.) Translated in Quart. Journ. Geol. Soc. London, vol. 6, 1850, pp. 68-76 (pp. 68-69, fossil termites).
1849. Die insektenfauna der Tertiärgebilde von Oeningen und von Radoboj in Croatién, vol. 2, pp. 22-36, pls. 2-3. Leipzig. (Termiten.)
1865. Die Urwelt der Schweiz. Pp. 29, 622, 18 pls., 1 map col., text figs. (pp. 85-96). Zurich. (Genus *Clathrotermes* described from fossil. Also *Calotermes plagiatus* and *maculatus*, pl. 7. Orthoptera, according to Handlirsch, 1908, pt. 3.)

HOPE, F. W.

1836. Observations on succinic insects. *Trans. Ent. Soc. London*, vol. 1, pp. 133-147. (P. 144, termites.)

LACOE, R. D.

1883. List of palaeozoic fossil insects of the United States and Canada. Publ. No. 5, Wyoming Hist. and Geol. Soc., pp. 1-21. (P. 15, termites?)

LANCE, JOHN F.

1946. Fossil arthropods of California. 9. Evidence of termites in the Pleistocene asphalt of Carpinteria, California. Bull. South. California Acad. Sci., vol. 45, pt. 1, pp. 21-27, illus. June 10. (Jan./Apr.) (Fossil pellets in pinewood, Santa Barbara County, resemble *Kalotermes* and *Zootermopsis*.)

LIGHT, S. F.

1930. Fossil termite pellets from the Seminole Pleistocene. California. Univ. Publ., Geol. Sci., vol. 19, No. 3, pp. 75-80, pls. 8, 9. March.

LIMA, COSTA DA.

1944. Sobre dois fósseis da bacia terciária de Fonseca (Alvinópolis Minas Gerais). (On two fossils of the Tertiary basin of Fonseca.) Ann. Acad. Brazil Cienc., vol. 16, No. 4, pp. 291-292, 1 pl. (Anterior over posterior wing of fossil mastotermitid species closer to the Blattidae than living species.)

MARTYNOV, A. V.

1929. Fossil insects from tertiary deposits in Ashutas, Saisan District. (In Russian and English.) Trav. Mus. Geol. Leningrad, Acad. Sci. U.R.S.S., V. 1929, pp. 173-216, 2 pls., 15 figs. (*Diatermes* gen. n. (Mastotermitidae), p. 178, *sibiricus* sp. n., p. 179, Siberia, Tertiary, fig.) (*Ulmeriella cockerelli* sp. n. Tertiary, Siberia, p. 175, fig.)
1937. (Wings of termites and phylogeny of Isoptera and of allied groups of insects.) Acad. Sci. U.S.S.R. N. Y. Nassonov (memorial vol.), pp. 83-150 (fig.). Moscow. (Summary in English.) Protoblattoidea, order Permotermpsoidea n. fam. *Permotermpsis roseni*, n. g., n. sp., *P. pectinata*, n. sp. (from Permian of Sheimo-Gora, Arkhangelsk district). (Not termites.) (Discussion of wing-venation in Isoptera, Blattoidea, Protoblattoidea.)

MASSALONGO, A. B.

1856. Studii palaeontologici (Schulpr.). Verona 1855-56. (Insect. 19, pp. 11-23, pls. 1-2, figs. 5, 6.)

MEUNIER, F.

1900. Un insecte névroptère dans une résine du Landénien de Léau (Brabant.). Ann. Soc. Geol. Belg., vol. 27, pp. 76-80, fig. 1. (*Termes rutoti*, n. sp., described from nymph, remarkable leg.)
1920. Palaeontology—Quelques insectes de l'Aquitaniens de Rott, Sept.-Monts (Prusse rhénane). K. Akad. Wetensch. Amsterdam, Proc. Sect. Sci., vol. 22, pt. 2, pp. 727-737, 891-898. (Pl. 1, fig. 1, Neuroptera, wing of *Phryganea elegantula* Meun., and another species.)

OUCHAKOFF, N.

1838. Notice sur un *Termes* fossile. Bull. Mosc., vol. 11, pp. 37-42, pl. 1, figs. 1, 2.
1840. Notice sur un *Termes* fossile. Ann. Sci. Nat., ser. 2, vol. 13, p. 219, pl. 1 B.

PICTET, F. J.

1854. Traité élément. de Paleontologie ou histoire naturelle des animaux fossiles, ed. 2, vol. 2 (termites, pp. 369-370). Separate Atlas, pl. 40, fig. 23. (*Termes Picteti* Berendt wing. im.)

PICTET, F. J., BARABAN, F. J., and HAGEN, H.

1856. Die in Bernstein befindlichen Neuroptera der Vorwelt. In G. C. Berendt, Die in Bernstein befindlichen organischen Reste der Vorwelt, vol. 2, pp. 41-125. Berlin.

PIERCE, W. D.

1947. Fossil arthropods of California. 13, A progress report on the Rancho La Brea asphaltum studies, p. 136. 14, A progress report on the McKittrick asphalt field. Bull. So. California Acad. Sci. vol. 46, No. 3, pp. 136-143, Sept.-Dec. (Termite droppings, p. 137.)

PITON, L., and THÉOBALD, N.

1937. Les insectes fossiles de Menat. In Marty, P., Piton, L., Théobald, N., Les Lignites et Schistes bitumineux de Menat (Puy-de-Dôme). Rev. Sci. Nat. d'Auvergne, vol. 3, No. 2, pp. 76-78, illustr. (pp. 80-81, fig. 4 (imago), *Termopsis piacentinii*).

PITON, LOUIS-E.

1940. Paleontologie du Gisement Éocène de Menat (Puy-de-Dôme) (Flore et Faune) Lechevalier, Paris, 303 pp., illus. (Isoptera, pp. 144-145: further descr. for *Termopsis piacentinii* P. & T.; *Neoterpes grassei* n. sp. descr.)

PONGRÁCZ, A.

1917. Új harmadidöszaki termeszsfaj Radobojrol. M. Kir Földtani Intezet Ev Könyve, vol. 25, No. 2, pp. 25-35. (*Pliotermes* n. gen.)
1926. Ueber fossile Termiten Ungarns. Mitt. Jahrb. des Kgl. Ungar. Geol. Anst. Budapest, vol. 25, No. 2, pp. 25-30, pls. 3-5. (Gen. *Pliotermes*, sp. *hungaricus* Pgr., Mastotermitinae from Miocene.) June 24. (Revis. 1917 paper.)
1928. Die fossilen Insekten von Ungarn, mit besonderer Berücksichtigung der Entwicklung der Europäischen Insekten—Fauna. Ann. Hist. Nat. Mus. Nat. Hungarici, vol. 25, pp. 91-194. (*Termopsis transylvanica* and *mallaszi*.)
1931. Bemerkungen über die Insektenfauna von Oeningen nebst Revision der Heer'schen Typen. Verh. Nathist.-Med. Ver. Heidelberg, vol. 17, pp. 104-125.

ROGERS, A. F.

1938. Fossil termite pellets in opalized wood from Santa Maria, California. Amer. Journ. Sci., ser. 5, vol. 36, pp. 389-392, 3 figs. (Fossil termite pellets from the Pliocene, Santa Barbara County, Calif. Previous reference: American Mineralogist, vol. 13, p. 86, pl. 5, fig. 20, 1928.)

ROSEN, KURT VON.

1913. Die fossilen Termiten, eine kurze Zusammenfassung der bis jetzt bekannten Funde. Trans. 2d Internat. Congr. Ent. (Oxford), vol. 2, pp. 318-335, 6 pls. October.

SCHLECHTENDAL, H. R. von.

1888. Mittheilungen über die in der Sammlung aufbewahrten Originale zu Germar's "Insekten in Bernstein eingeschlossen" mit Rücksicht auf Giebel's "Fauna der Vorwelt." Zeitschr. Naturw., vol. 61, pp. 473-491.

SCHLOTHEIM, E. F. von.

1820. Die Petrefaktenkunde, Entomolithen, part 6, p. 43. *Termes*.

SCHÖBERLIN, E.

1888. Der Oeniger Stinkschiefer und seine Insektenreste. Societas Entomologica, vol. 3, No. 7, p. 51. July 1.

SCUDDER, SAMUEL H.

1878. A carboniferous *Termes* from Illinois (*Termes contusus*, n. sp.). Proc. Boston Soc. Nat. Hist. (1877), vol. 19, pp. 300-301. (Not a termite.)

1883. The fossil white ants of Colorado. Proc. Amer. Acad. Arts and Sci., vol. 19 (n. s. vol. 2), pt. 1, pp. 133-145. (Commences with a sketch of the known and fossil species; six additional fossils are described, three of which form a new genus, *Parotermes*.)

1890. The Tertiary insects of North America. U. S. Geol. Surv. Terr., vol. 13, pp. 102-116, pl. 12.
 1895. The Miocene insect fauna of Oeningen, Baden. Geol. Mag. (London), n. ser., vol. 2, pp. 6-122, pl. 6. (Termitina, *Calotermes*, p. 119.)

SMITH, F.

1868. In Zaddach, G., Amber; its origin and history, as illustrated by the geology of Samland. Quart. Journ. Sci., vol. 5, No. 18, p. 184, pl., fig. 9, *Termes* sp.

SNYDER, T. E.

1925. Notes on fossil termites with particular reference to Florissant, Colorado. Proc. Biol. Soc. Washington, vol. 38, pp. 149-166. November 13.
 1926. Races or subspecies in *Reticulitermes*. Proc. Biol. Soc. Washington, vol. 39, pp. 1-6. February 23. (Discusses fossils.)
 1928. A new *Reticulitermes* from Baltic Sea amber. Journ. Washington Acad. Sci., vol. 18, No. 19, pp. 515-517, 1 text fig. November 19.
 1931. IV. Isoptera. In Carpenter, F. M., Insects from the Miocene (Latah) of Washington. Ann. Ent. Soc. Amer., vol. 24, No. 2, p. 317, pl. 1, fig. 5, wing. June. (Fossil *Stylotermes washingtonensis*, n. sp.)
 1938. Isoptera, fam. Rhinotermitidae, *Reticulitermes creedei*, n. sp. In Carpenter, F. M., et al., Fossil insects from the Creede formation, Colorado. Psyche, vol. 45, Nos. 2-3, pp. 109-110, pl. 13, fig. 3. September.

STATZ, G.

1930. Drei neue Insektenarten aus dem Tertiär von Rott am Siebengebirge. Wiss. Mitt. Ver. Nat. Heimatkunde Köln, 1, pp. 10-14, 6 figs.
 1939. Geradflügler und Wasserkäfer der oligocänen Ablagerungen von Rott. Decheniana 99A, pp. 1-102. Bonn. (Termites, pp. 2-6.)
 1941. Termiten aus dem rheinischen Braunkohlwalde. Umschau, vol. 45, No. 1, pp. 7-11, 10 figs. Jan. 5. (Oligocene.)

STERZEL, T.

1881. Über zwei neue Insektenarten aus dem Karbon von Lugau. Ber. Naturwiss. Ges. Chemnitz, 1878-1880, pp. 271-276, figs. 3, 4, 5. (Allied to *Calotermes*.) (One fossil termite, *Mixotermes*, n. g., type *Termes (M.) lugauensis* sp. n., fossil in the Carboniferous of Lugau based on wings. Not a termite?)

THÉOBALD, N.

1937. Les insectes fossiles des terrains oligocènes de France. 473 pp., 7 maps, 29 pls., 17 figs. Nancy. (*Termopsis gracilipennis* sp. n., France, Oligocene, p. 162, fig.)

TILLYARD, R. J.

1926. Fossil insects in relation to living forms. Nature, vol. 117, p. 828, 5 figs.
 1936. Are termites descended from true cockroaches? Nature, vol. 137, No. 3468, p. 655, (fig.). April 18. (Discovery of hindwing of genus *Pycnoblattina* from Kansas Lower Permian and its comparison with *Mastotermes* lead author to conclusion that *Mastotermes* and all Isoptera evolved from a form very little different from *Pycnoblattina*; same type wings, 200-million-year-old roach.)

WOODWARD, H.

1879. (. . . numerous insect remains in the Eocene freshwater (Bembridge) limestone of Gurur Bay, Isle of Wight.) Quart. Journ. Geol. Soc. London, vol. 35, pp. 342-350. (Neuroptera *Termes?*, p. 344.)

ZALESSKY, GEO.

1937. Ancestors of some groups of the present-day insects. Nature, vol. 140, No. 3550, pp. 847-848 (fig.). November 13. (*Uralotermes permianus*, n. g., n. sp. (Isoptera) from Middle Permian deposits of Sylva River basin in the Urals.) (Not a termite?)
1939. Études des Insectes permiens du bassin de la sylva et problemes de l' evolution dans la classe des Insectes. III. Quelques nouveaux representants des Proto-hymenoptera, Homoptera, Hemipsocoptera, Psocoptera, Protopleraria, Isoptera et Protobattoidea. (Russian with French transl.) Problems of Paleontology, vol. 5, pp. 33-91.


ZEUNER, F.

1938. Die Insektenfauna des Mainzer Hydrobienkalks. Palaeontol. Zeitschr., vol. 20, pp. 104-159. Berlin 25, VI. (*Ulmeriella martynovi* described.)

ZITTEL, K. A.

1885. Handbuch der Paleontologie. Abt. 1, Band II, pp. 772-773.





Date Due

~~MAR 31 1982~~

ERNST MAYR LIBRARY



3 2044 114 198 344

site D -

